

academy

Session 4.11

TestNG

AN INITIATIVE BY


**UNICAL ACADEMY**

# Introduction




Let's go!!!


- TestNG is a framework when you are actually developing the framework from scratch level.
- TestNG provides you full control over the test cases and the execution of the test cases. Due to this reason, TestNG is also known as a testing framework.



# TestNGFeatures



**Step 1:** Go to the official website of the TestNG. Click on the link given below: <https://testng.org/doc/>. On clicking the above link, the screen appears as shown below:



TestNG is a testing framework inspired from JUnit and NUnit but introducing some new functionalities that make it more powerful and easier to use, such as:

- Annotations.
- Run your tests in arbitrarily big thread pools with various policies available (all methods in their own thread, one thread per test class, etc...).
- Test that your code is multithread safe.
- Flexible test configuration.
- Support for data-driven testing (with `@DataProvider`).
- Support for parameters.
- Powerful execution model (no more TestSuite).
- Supported by a variety of tools and plug-ins (Eclipse, IDEA, Maven, etc...).

**Step 2:** Click on the Eclipse appearing on the menu bar. After clicking on the Eclipse, the screen appears as shown below:

Welcome	Download	Documentation	Migrating from JUnit	JavaDoc
Eclipse	IDEA	Maven	Ant	Miscellaneous

### TestNG Eclipse plug-in

The TestNG Eclipse plug-in allows you to run your TestNG tests from Eclipse and easily monitor their execution and their output. It has its own [project repository](#) called `testng-eclipse`.

#### Table of Contents

- 1 - Installation
- 2 - Creating a TestNG class
- 3 - Launch configurations
  - 3.1 - From a class file
  - 3.2 - From groups
  - 3.3 - From an XML file
  - 3.4 - From a method
- 3.5 - Specifying listeners and other settings
- 4 - Viewing the results
- 5 - Search
- 6 - The Summary tab
- 7 - Converting JUnit tests
- 8 - Quick fixes
- 9 - Preferences and Properties
  - 9.1 - Workbench Preferences
  - 9.2 - Project Properties
- 10 - M2E Integration

#### 1 - Installation

Follow the instructions to [install the plug-in](#).

NOTE: since TestNG Eclipse Plugin 6.9.10, there is a new optional plug-in for M2E (Maven Eclipse Plugin) integration. It's recommended to install it if your Java project(s) are managed by Maven.

**Step 3:** Click on the Installation appearing on the top of the Table of Contents, and then click on the "**install the plug-in**". On clicking on the link "**install the plug in**", the screen appears as shown below:

#### Eclipse plug-in

Java 1.7+ is required for running the TestNG for Eclipse plugin.

Eclipse 4.2 and above is required. Eclipse 3.x is NOT supported any more, please update your Eclipse to 4.2 or above.

You can use either the [Eclipse Marketplace](#) or the update site:

##### Install via Eclipse Marketplace

Go to the [TestNG page on the Eclipse Market Place](#) and drag the icon called "Install" onto your workspace.

##### Install from update site

- Select *Help / Install New Software...*
- Enter the update site URL in "Work with:" field:
  - Update site for release: <https://beust.com/eclipse>.
  - Or, Update site for beta: <https://beust.com/eclipse-beta>, use it if you want to experiment with the new features or verify the bug fixes, and please report back if you encounter any issues.
- Make sure the check box next to URL is checked and click *Next*.
- Eclipse will then guide you through the process.

You can also install older versions of the plug-ins [here](#). Note that the URL's on this page are update sites as well, **not** direct download links.

#### Build TestNG from source code

TestNG is also [hosted on GitHub](#), where you can download the source and build the distribution yourself:

```
$ git clone git://github.com/cbeust/testng.git
$ cd testng
$ ./build-with-gradle
```


You will then find the jar file in the target directory

#### Build the TestNG Eclipse Plugin from source code


TestNG Eclipse Plugin is [hosted on GitHub](#), you can download the source code and [build by yourself](#).




**Step 4:** Open the Eclipse. Click on the **Help** appearing on the menu bar and then click on the **Install New Software**.




**Step 5:** Copy the URL <https://beust.com/eclipse>. Once you paste the URL, then press the Enter. However, in your case, you will see **Pending** for few seconds, thereafter you will see that TestNG plug-in has been loaded.




**Step 6:** Click on the TestNG checkbox.



**Step 7:** In the below screen, three dependencies of TestNG are shown. Now click on the Next.






**Step 8:** Accept the license and then click on the Finish.



TestNG Annotation	Description
<a href="#"><u>@BeforeSuite</u></a>	The @BeforeSuite annotated method will run before the execution of all the test methods in the suite.
<a href="#"><u>@AfterSuite</u></a>	The @AfterSuite annotated method will run after the execution of all the test methods in the suite.
<a href="#"><u>@BeforeTest</u></a>	The @BeforeTest annotated method will be executed before the execution of all the test methods of available classes belonging to that folder.
<a href="#"><u>@AfterTest</u></a>	The @AfterTest annotated method will be executed after the execution of all the test methods of available classes belonging to that folder.
<a href="#"><u>@BeforeClass</u></a>	The @BeforeClass annotated method will be executed before the first method of the current class is invoked.
<a href="#"><u>@AfterClass</u></a>	The @AfterClass annotated method will be invoked after the execution of all the test methods of the current class.
<a href="#"><u>@BeforeMethod</u></a>	The @BeforeMethod annotated method will be executed before each test method will run.
<a href="#"><u>@AfterMethod</u></a>	The @AfterMethod annotated method will run after the execution of each test method.
<a href="#"><u>@BeforeGroups</u></a>	The @BeforeGroups annotated method run only once for a group before the execution of all test cases belonging to that group.
<a href="#"><u>@AfterGroups</u></a>	The @AfterGroups annotated method run only once for a group after the execution of all test cases belonging to that group.


## Hierarchy of the TestNG Annotations:



## Benefits of using TestNG Annotations:

- TestNG Annotations made the life of testers very easy. Based on your requirements, you can access the test methods, i.e., it has no predefined pattern or format.
- You can pass the additional parameters to TestNG annotations.
- In the case of TestNG annotations, you do not need to extend any test classes.
- TestNG Annotations are strongly typed, i.e., errors are detected at the compile time.


## TestNG Annotations Common Attributes:



# Integrate Selenium Scripts with TestNG

## Creating a TestNG class in Eclipse:


- **Step 1:** Navigate to src from the project folder and right-click the same. You will see TestNG as an option in the dropdown towards the bottom. Click on it and you will now see two sub-options to either create a TestNG class or convert the class to TestNG. As we are creating a new TestNG class, you need to select the first option.



- **Step 2:** Generally, the source folder name is auto-filled but if it is not, you can simply browse through the same. Next, you can give any name to your class, for example, '**TestNGTestOne**' and its package. For now, we will keep the basic annotations selected **@BeforeMethod** and **@AfterMethod**. However, Annotations can be configured at a later stage as well depending upon your test scenario.




- **Step 3:** You will now see a class(**TestNGTestOne.java**) in your project directory with default methods, viz f(), as well as beforeMethod() and afterMethod() that you can see were checked in the screenshot above.



- You are now all set to write code in your first TestNG class

## Write Test Case using Selenium and TestNG:


- Right-click on the test script and navigate to **Run As >> TestNG Test**.



After running the test script, as shown above, you can verify the results of the test. This can be seen either on the TestNG reports or the console itself.

## TestNG Reports and Results:

### Console :-



```
Problems | Javadoc | Declaration | Console | Results of running class TestNGTestOne
<terminated> TestNGTestOne[TestNG] C:\Program Files\Java\jre1.8.0_171\bin\java.exe (Jun 1, 2020, 4:40:03 PM)

[TestNG] Running:
  C:\Users\Gunjann\AppData\Local\Temp\testng-eclipse--1427285567\testng-customsuite.xml

Starting the browser session
Start test
Props set
Starting ChromeDriver 83.0.4103.39 (ocbf011cb2d2b19b506d84400483861342c20od-refs/branch-heads/4103@#416) on port 12208
Only local connections are allowed.
Please see https://chromedriver.chromium.org/security-considerations for suggestions on keeping ChromeDriver safe.
ChromeDriver was started successfully.
Jun 01, 2020 4:40:11 PM org.openqa.selenium.remote.ProtocolHandshake createSession
INFO: Detected dialect: W3C
Closing the browser session
PASSED: f

=====
Default test
Tests run: 1, Failures: 0, Skips: 0
=====

=====
Default suite
Total tests run: 1, Failures: 0, Skips: 0
=====

[TestNG] Time taken by org.testng.reporters.EmailableReporter@12bb4df8: 15 ms
[TestNG] Time taken by org.testng.reporters.XMLReporter@11028347: 9 ms
[TestNG] Time taken by org.testng.reporters.JUnitReportReporter@39a054a5: 6 ms
[TestNG] Time taken by org.testng.reporters.jq.Main@512ddf17: 81 ms
[TestNG] Time taken by org.testng.reporters.SuiteHTMLReporter@7960847b: 46 ms
[TestNG] Time taken by [FailedReporter passed=0 failed=0 skipped=0]: 10 ms
```

### TestNG Results:-



```
Problems | Javadoc | Declaration | Console | Results of running class TestNGTestOne
Tests: 1/1 Methods: 1 (8031 ms)

Search:

Passed: 1 Failed: 0 Skipped: 0

All Tests | Failed Tests | Summary
v Default suite (1/0/0/0) (7.806 s)
  v Default test (7.806 s)
    v testNG.TestNGTestOne
      f (7.806 s)

Failure Exception
```

# Session Recap

