

```

pazhand_400521171@400521171:~$ clear
pazhand_400521171@400521171:~$ sudo tar -cvzf /root/backup.tar.gz /home/pazhand_400521171/
tar: Removing leading '/' from member names
/home/pazhand_400521171/
/home/pazhand_400521171/.cache/
/home/pazhand_400521171/.cache/compizconfig-1/
/home/pazhand_400521171/.cache/compizconfig-1/move.pb
/home/pazhand_400521171/.cache/compizconfig-1/scale.pb
/home/pazhand_400521171/.cache/compizconfig-1/opengl.pb
/home/pazhand_400521171/.cache/compizconfig-1/fade.pb
/home/pazhand_400521171/.cache/compizconfig-1/staticswitcher.pb
/home/pazhand_400521171/.cache/compizconfig-1/animation.pb
/home/pazhand_400521171/.cache/compizconfig-1/unityshell.pb
/home/pazhand_400521171/.cache/compizconfig-1/vpswitch.pb
/home/pazhand_400521171/.cache/compizconfig-1/resize.pb
/home/pazhand_400521171/.cache/compizconfig-1/switcher.pb
/home/pazhand_400521171/.cache/compizconfig-1/copytex.pb
/home/pazhand_400521171/.cache/compizconfig-1/matecompat.pb
/home/pazhand_400521171/.cache/compizconfig-1/composite.pb
/home/pazhand_400521171/.cache/compizconfig-1/decor.pb
/home/pazhand_400521171/.cache/compizconfig-1/mousepoll.pb
/home/pazhand_400521171/.cache/compizconfig-1/grid.pb
/home/pazhand_400521171/.cache/compizconfig-1/place.pb
/home/pazhand_400521171/.cache/compizconfig-1/gnomecompat.pb
/home/pazhand_400521171/.cache/compizconfig-1/ezoom.pb
/home/pazhand_400521171/.cache/compizconfig-1/core.pb
/home/pazhand_400521171/.cache/compizconfig-1/workarounds.pb
/home/pazhand_400521171/.cache/compizconfig-1/expo.pb
/home/pazhand_400521171/.cache/compizconfig-1/wall.pb
/home/pazhand_400521171/.cache/compizconfig-1/unitymtgrabhandles.pb
/home/pazhand_400521171/.cache/compizconfig-1/session.pb
/home/pazhand_400521171/.cache/compizconfig-1/compiztoolbox.pb
/home/pazhand_400521171/.cache/compizconfig-1/commands.pb
/home/pazhand_400521171/.cache/compizconfig-1/regex.pb
/home/pazhand_400521171/.cache/compizconfig-1/imgpng.pb
/home/pazhand_400521171/.cache/compizconfig-1/snap.pb
/home/pazhand_400521171/.cache/ibus/
/home/pazhand_400521171/.cache/ibus/bus/
/home/pazhand_400521171/.cache/ibus/bus/registry
/home/pazhand_400521171/.cache/fontconfig/
/home/pazhand_400521171/.cache/fontconfig/CACHEDIR.TAG
/home/pazhand_400521171/.cache/fontconfig/a41116dafaf8b233ac2c61cb73f2ea5f-le64.cache-6
/home/pazhand_400521171/.cache/upstart/
Rubbish Bin 400521171/.cache/upstart/gpg-agent.log.2.gz
/home/pazhand_400521171/.cache/upstart/indicator-sound.log

```

```

pazhand_400521171@400521171:~$ sudo cat /etc/passwd | cut -d : -f1,6 > people.txt
pazhand_400521171@400521171:~$ tar -cf people.tar.gz people.txt
pazhand_400521171@400521171:~$ ls
Desktop      Downloads    grade.txt   os           people.txt   Public       test.txt
Documents    examples.desktop Music        people.tar.gz Pictures      Templates    Videos
pazhand_400521171@400521171:~$ cat people.txt
root:/root
daemon:/usr/sbin
bin:/bin
sys:/dev
sync:/bin
games:/usr/games
man:/var/cache/man
lp:/var/spool/lpd
mail:/var/mail
news:/var/spool/news
uucp:/var/spool/uucp
proxy:/bin
www-data:/var/www
backup:/var/backups
list:/var/list
irc:/var/run/ircd
gnats:/var/lib/gnats
nobody:/nonexistent
systemd-timesync:/run/systemd
systemd-network:/run/systemd/netif
systemd-resolve:/run/systemd/resolve
systemd-bus-proxy:/run/systemd
syslog:/home/syslog
_apt:/nonexistent
messagebus:/var/run/dbus
uuidd:/run/uuidd
lightdm:/var/lib/lightdm
whoopsie:/nonexistent
avahi-autoipd:/var/lib/avahi-autoipd
avahi:/var/run/avahi-daemon
dnsmasq:/var/lib/misc
colord:/var/lib/colord
speech-dispatcher:/var/run/speech-dispatcher
hplip:/var/run/hplip
kernoops:/
pulse:/var/run/pulse
rtkit:/proc
saned:/var/lib/saned

```

```

## Edit this file to introduce tasks to be run by cron.
#
# Each task to run has to be defined through a single line
# indicating with different fields when the task will be run
# and what command to run for the task
#
# To define the time you can provide concrete values for
# minute (m), hour (h), day of month (dom), month (mon),
# and day of week (dow) or use '*' in these fields (for 'any').#
# Notice that tasks will be started based on the cron's system
# daemon's notion of time and timezones.
#
# Output of the crontab jobs (including errors) is sent through
# email to the user the crontab file belongs to (unless redirected).
#
# For example, you can run a backup of all your user accounts
# at 5 a.m every week with:
# 0 5 * * 1 tar -zcf /var/backups/home.tgz /home/
#
# For more information see the manual pages of crontab(5) and cron(8)
#
# m h dom mon dow   command
0 22 * * 5   rm -rf /tmp/*

```

Terminal

Read 23 lines

^G Get Help	^O Write Out	^W Where Is	^K Cut Text	^J Justify	^C Cur Pos	^Y Prev Page	M-^ First Line
^X Exit	^R Read File	^_ Replace	^U Uncut Text	^T To Spell	^ Go To Line	^V Next Page	M-^ Last Line

```
pazhand_400521171@400521171:~$ at now + 5 min
warning: commands will be executed using /bin/sh
at> date "+%Y-%m-%d %H:%M:%S" > test.txt
at> <EOT>
job 2 at Sat Apr 20 00:35:00 2024
pazhand_400521171@400521171:~$ cat test.txt
2024-04-20 00:31:00
pazhand_400521171@400521171:~$
```