Community Detection within Graphs

Federico Martinez-Seidel, Yin-Chen Hsieh

05 11 2021

igraph package and other dependencies / functions needed

```
list2df <- function(x)</pre>
   MAX.LEN <- max(sapply(x, length), na.rm = TRUE)
   DF <- data.frame(lapply(x, function(x) c(x, rep(NA, MAX.LEN - length(x)))))
   colnames(DF) <- paste("V", seq(ncol(DF)), sep = "")</pre>
   DF
}
library(reshape2)
## Warning: package 'reshape2' was built under R version 3.6.3
### installation
#### install.packages("igraph_1.2.7.zip", repos = NULL, type = "win.binary")
library('igraph')
## Warning: package 'igraph' was built under R version 4.2.0
## Attaching package: 'igraph'
## The following objects are masked from 'package:stats':
##
##
       decompose, spectrum
## The following object is masked from 'package:base':
##
##
       union
6gz5
Full_Network_6gz5 <- read.delim("edges_with_weights_6gz5_t12.txt",</pre>
weights_6gz5 <- as.numeric(Full_Network_6gz5[,3])</pre>
graph_6gz5 <- graph_from_edgelist(el = as.matrix(Full_Network_6gz5[,1:2]),</pre>
                                   directed = FALSE)
```

Walktrap

```
test_WT_6gz5 <- cluster_walktrap(graph = graph_6gz5,</pre>
                                 weights = weights_6gz5,
                                 steps = 10)
#### modularity (range between -1 and 1;
             ## higher values indicate division of a graph into modules)
modularity(test_WT_6gz5)
## [1] 0.7374091
#### groups
groups(test_WT_6gz5)
## [1] "eL13" "eL18" "eL36" "uL15" "uL1" "uL29" "uL4" "eL15" "eL8" "eL28"
## [11] "eL32" "eL31" "uL22" "eL39" "eL37" "uL23" "uL24"
## $\2\
## [1] "eL14" "eL20" "eL6" "uL13" "uL6" "eL21" "eL29" "uL30" "eL33" "uL16"
## [11] "uL18" "eL40"
##
## $`3`
## [1] "eS1" "uS9" "eS26" "uS11" "eS25" "uS7" "eS28"
## $`4`
## [1] "eL19" "eL22" "uS17" "uS4" "eS24" "eS4" "eS30" "uS12" "eS8"
##
## $`5`
## [1] "eS7" "uS15" "eS17" "uS2" "eS21" "eS27" "uS5" "uS8"
##
## $`6`
## [1] "eL42" "uL5" "eS19" "uS13" "uS19"
## $`7`
## [1] "uL2" "eL34" "eL27" "eL30" "eL43"
##
## $`8`
## [1] "eL24" "eS6" "uL14" "uL3"
##
## $`9`
## [1] "uL10" "uL11"
## $`10`
## [1] "eS10" "uS14" "uS3" "uS10"
##
## $`11`
## [1] "eS12" "eS31"
write.table(na.omit(melt(t(list2df(groups(test_WT_6gz5))))),
            "test_WT_6gz5.txt", sep = "\t", dec = ".")
```

```
#### dendrogram
plot_dendrogram(test_WT_6gz5, cex = 0.3)
```

${\bf Eigenvector}$

```
## [1] "eS7" "uS15" "uS17" "eS10" "uS14" "uS3" "eS17" "uS2" "eS21" "eS27"
## [11] "uS4" "uS5" "uS8" "eS24" "eS4" "eS30" "uS12" "uS10"
##
## $`3`
## [1] "eL8" "uL2" "eL34" "eL27" "eL30" "eL43"
##
## $`4`
## [1] "eL14" "eL20" "eL6" "uL13" "uL6" "eL21" "eL29" "uL30" "eL33" "uL16"
## [11] "uL18" "eL40"
##
## $`5`
## [1] "eL22" "eL31" "uL10" "eS12" "eS31" "eS8" "uL11"
## $`6`
## [1] "eL19"
##
## $`7`
## [1] "uL5" "eS1" "eS19" "uS13" "uS9" "eS26" "uS11" "eS25" "uS7" "eS28"
## [11] "uS19"
##
## $`8`
## [1] "eL24" "eS6" "uL14" "uL3"
write.table(na.omit(melt(t(list2df(groups(test_EV_6gz5))))),
            "test_EV_6gz5.txt", sep = "\t", dec = ".")
#### dendrogram
plot_dendrogram(test_EV_6gz5, cex = 0.3)
```

snt

Walktrap

```
## $`1`
## [1] "eL21" "uL10" "uL30" "uL4" "eL29" "uL5" "eL42" "uL18" "uL24" "uL11"
## $`2`
## [1] "eL19" "uS17" "uS4" "eS24" "eS4" "eS30" "uS12" "eS8"
##
## $`3`
## [1] "eL20" "eL33" "uL14" "uL16" "uL6" "eL31" "uL22" "eL6" "eL40"
##
## $`4`
## [1] "eL27" "eL30" "eL34" "uL2" "eL43"
##
## $`5`
## [1] "eS19" "uS13" "uS7" "uS9" "eS25" "eS28" "uS8"
## $`6`
## [1] "eL8" "eL28" "eL36" "uL13" "uL15" "eL39" "eL37" "uL29"
##
## $`7`
## [1] "eS7" "uS15" "eS21" "eS27" "uS2" "uS5"
##
## $`8`
## [1] "eL24" "eS6" "uL23" "uL3"
## $`9`
## [1] "eS10" "uS14" "uS3" "eS17" "uS10"
##
## $`10`
## [1] "eS12" "eS31"
##
## $`11`
## [1] "eS1" "eS26" "uS11"
write.table(na.omit(melt(t(list2df(groups(test_WT_6snt))))),
            "test_WT_6snt.txt", sep = "\t", dec = ".")
### dendrogram
plot_dendrogram(test_WT_6snt, cex = 0.3)
```

Eigenvector

```
test_EV_6snt <- leading.eigenvector.community(graph = graph_6snt,</pre>
                                              weights = weights_6snt,
                                              steps = 10)
#### modularity (range between -1 and 1;
             ## higher values indicate division of a graph into modules)
modularity(test_EV_6snt)
## [1] 0.6602576
#### groups
groups(test_EV_6snt)
## [1] "eL19" "uS17" "eS21" "uS2" "uS4" "uS5" "eS24" "eS30" "uS12" "eS8"
## $`2`
## [1] "eL20" "eL21" "eL33" "uL10" "uL14" "uL16" "uL30" "uL4" "uL6" "eL29"
## [11] "uL5" "eL8" "eL28" "eL32" "eL36" "eL42" "uL13" "uL15" "uL18" "eL6"
## [21] "eL37" "uL29" "uL24" "eL40"
##
## $`3`
## [1] "eS7" "eL27" "eL30" "eL34" "uL2" "eL43" "uS15" "eL39" "eS27"
```

```
##
## $`4`
   [1] "uL11" "eS1" "eS19" "uS13" "uS7" "uS9" "eS26" "uS11" "eS25" "eS28"
## [11] "uS8"
## $`5`
## [1] "eL24" "eS6" "uL23" "uL3" "eS4"
##
## $`6`
## [1] "eL31" "uL22"
## $`7`
## [1] "eS10" "uS14" "uS3" "eS17" "uS10"
##
## $`8`
## [1] "eS12" "eS31"
write.table(na.omit(melt(t(list2df(groups(test_EV_6snt))))),
            "test_EV_6snt.txt", sep = "\t", dec = ".")
#### dendrogram
plot_dendrogram(test_EV_6snt, cex = 0.3)
```

