

INSTRUCTIONS TO THE CANDIDATES

- ❖ Do not use sketch pens/ high –lighter pens/ color pencils etc., in underlining / highlighting certain points in the answer or while drawing sketches etc.,
- ❖ Check the Answer booklet thoroughly. The defective answer booklet may be returned to the invigilator before starting the examination.
- ❖ Ensure that the OMR Barcode sheet is properly secured to the answer booklet.
- ❖ Do not write on or tamper the Barcode. If you do so, your booklet will not be evaluated.
- ❖ The candidate is prohibited from writing his/ her NAME / ADDRESS/ PHONE NUMBER / EMAIL ID / Religion or any other matter on any part of the answer booklet / drawing sheet/ graph sheet/ addressing the examiner in any manner whatsoever in the answer booklet. The candidate is not supposed to tear a page in full or part of the booklet.

Non-adherence with this instruction shall result in candidate being booked under malpractice.

- ❖ Answer should be written on both sides of the paper. Candidate should write in all 25 lines in each page. It is not necessary to begin each answer in a fresh page.
- ❖ Candidate should write only question number in the margin.
- ❖ Candidate should return the answer booklet to the invigilator before leaving the examination hall.
- ❖ **ADDITIONAL SUPPLEMENT OF ANSWER SHEETS WILL NOT BE ISSUED.**

INSTRUCTIONS TO THE EXAMINERS


- ❖ Invigilators should ensure that the above instructions are strictly followed by the candidates.
- ❖ After verifying the particulars on the OMR sheet, invigilator should sign in the box specified.
- ❖ Do not crumple or cut the sides of the sheets.
- ❖ Do not write, mark or damage the timing tracks or Barcode.

1A

1.A	Single-user DBMS	Multi-user DBMS
	1) It is used by only 1 single user	1) It is used by multiple users.
	2) cost is cheap	2) cost is expensive
	3) Workdone by only single user	3) Workdone by multiple people, sharing the work.

1.B


One-to-many



Left can have multiple, Right can't.

A single entity could have multiple attributes


Many-to-many



both can have multiple

Multiple entities can have multiple/some attributes

1.C Steps in mapping an ER model to RDBMS



1.D Datatypes in SQL.

Datatypes are significant in SQL. because they tell us what type of data the information stored is within.


A few examples of datatypes in SQL are

- * Int
- * varchar
- * Date
- * Dec

1.E Procedure :- It is like a function which store preset queries which can be called when needed

2

2.A Client - server architecture.




The client-server architecture is one of the architectures in DBMS.

There is a server and client(s) can as it for permission, as granted, clients can access the server.

2.B EER modelling

Enhanced Entity Relation modelling

Inheritance is a concept of which attributes are kept same with a few changes or an others.



Attributes of class B and class C are inherited from class A.

2.C Control of flow.

IF


CASE

LOOP

IF → IF statement is used to check a condition if it is satisfied or not.

CASE → CASE statement is used for circumstances.

Loop → Loop statement is used to loop a query, or to make a set of code to be run repeatedly.



2.D Cursor.

A cursor is temporary space for when a query is run.

Create table Products

ProductID INT primary key,

productName varchar(50);

Price decimal(8,2)

};

3

3.A

End-users

Application programmers

Database administrators

End-users → These are more like clients/customers, using with limited access for their own benefit. They don't only know about their own info.


Application programmers → Applications are written by programmers.

They have limited access to the data base, only required part for the production of the application.

Database Administrators → The head of the database, has full control of the data base. They monitor the data base so it stays secure and safe.

3.B

Legal CASE Management System



5

S.A.

i) Create table books &

book_id int Primary key,
author varchar(30),
genre varchar(40),
publication_year Date,
price decimal,
stock_quantity int
};

book_id	author	genre	Pubyear	Price	stock quantity

ii) Create table Customers &

Customer_id int Primary key,
name varchar(30),
email varchar(70),
address varchar(100)
};

Customer_id	name	email	address

iii) Create table orders &

order_id int Primary key,
customer_id int,
order_date Date,
total_amount decimal,
};

order_id	Customer_id	order_date	amount

iv) Create table order-items &

order_item_id int,
order_id int,
book_id int,
quantity int,
unit_price decimal
};

order_item_id	order_id	book_id	quantity	unit price

- S.B
- i) FALSE
 - ii) TRUE
 - iii) FALSE
 - iv) FALSE
 - v) TRUE
 - vi) TRUE
 - vii) TRUE

