

Instructor guide

Instructor guide

The full instructor manual for CCST Ticketing. Live URL: <https://ccst.website>



Sign in

The sign-in screen has two tabs: **Sign in** and **Instructor signup**.

Who	How
A new instructor with a new class	Instructor signup → Signup code (from the trainer), Class name , Your full name , username, password. That creates the class and an L3 account in one step
Students	You create them under Class & students . There is no student self-signup and no shared class password

What you see, and what students do not

Left navigation

Identical for instructors and students

- Dashboard
- Ticket queue
- Lab map
- Portals

On the Dashboard students also get a **mine** view of their own work.

Your name, top right

Everything else lives in this menu

- My progress
- Class & students *
- Knowledge base
- Documentation
- Sign out

* students open the same page as **Team**, read-only

Instructor only

Never rendered on a student account

- New ticket
- Generate a workload with AI
- Remove all tickets
- Roster tools and KPI exports
- Reset to design, on the Lab map
- The review form on a ticket
- Live class board, Attendance

Same four pages for the whole class. What separates your account is the set of controls on top of them.

Left navigation, same four entries for everyone:

Page	What it is for
Dashboard	KPIs. Instructors see the whole queue; students also get mine
Ticket queue	Every ticket in the class, with filters, sorting and review state
Lab map	The classroom network. Students fix devices and cabling here
Portals	Simulated CBS, password, VAS and VPN portals

Your name at the top right opens the rest:

Menu entry	Notes
My progress	Your own grade view
Class & students	Roster and every class tool. Students see this as Team , read-only
Knowledge base	Articles students quote on tickets
Documentation	The guides that have a printable PDF
Sign out	Ends the session

Instructor-only controls that never appear on a student account:

- New ticket** on the ticket queue
- Generate a workload with AI** and **Remove all tickets**

- Roster tools: add student, **Reset password**, **Remove**, **Timeline**, **KPI PDF**, **Export CSV**, **AI review**
- **Reset to design** on the Lab map
- The instructor review form on a ticket
- **Live class board** and **Attendance today**

Before class — set the class up

Everything in this section lives on **Class & students**.

Add students

The **Add a student** card takes three fields:

Field	Notes
Full name	Shown on tickets and the roster
Username	<code>firstname.lastname</code> , lower case. Whatever you type is normalised, so <code>Sara Ebrahim</code> becomes <code>sara.ebrahim</code>
Password	At least 6 characters. Hand it to the student privately

The new student appears in **Class roster** immediately and can sign in straight away.

NAME	USERNAME	ROLE	LEVEL	
Mr. Mohsen Salman	instructor	instructor	L3	
Sara Ebrahim Abbas	sara.ebrahim	technician	L1	Reset password Remove
Ali Hashem Nima	ali.hashem	technician	L1	Reset password Remove
Reem Nadheer Juma	reem.juma	technician	L1	Reset password Remove

Passwords are stored as a salted `bcrypt` hash, so nobody — including you — can read one back. A forgotten password is reset, never recovered:

Task	Where
Reset a password	Roster row → Reset password → type the new one (min 6 characters)
Remove a student	Roster row → Remove (asks for confirmation)

Class SLA

The **Class SLA** card is the clock every ticket is measured against. Edit the response minutes, resolve hours and the plain-language meaning per priority, then **Save SLA**.

Priority	Response (minutes)	Resolve (hours)	Default meaning
Critical	30	6	Unreachable Cloud VM / cloud service
High	60	12	Billing/CBS ticket, or all PCs in a department
Medium	120	24	One PC issue, one PC with no internet, a shared printer, or a laptop off the wireless
Low	180	48	Password reset or minor request

Response accepts 1–1440 minutes and resolve 1–168 hours, so out-of-range values are refused rather than silently clamped. Tickets are created **without** a priority: the deadlines only start once a student chooses one, and until then the queue shows **Awaiting priority**.



Class announcement

Class announcement → type up to 280 characters → **Save note**. It shows as a banner on every page for the class, stamped with your name and the time. **Clear** removes it.

Give the class work

Two ways, and you can mix them.

Approach	How	When
Generated workload	Generate a workload with AI → tick the kinds of call under Choose the issues , set how many of each per student → Generate N tickets per student	Normal class day; every student gets the same shape of workload
By hand	Ticket queue → New ticket	A specific scenario, a demo, or a one-off follow-up

In the generator each row is one family of calls (password resets, cabling faults, hardware, device faults and so on). The note beside a row says whether it plants a **cable**, **hardware** or **device** fault in the lab, and the running total tells you tickets per student and tickets in all before you commit. Your chosen mix is remembered for the class.

Generate a workload with AI

Writes a personal queue for every student in the class and assigns it. Every ticket names a real person from the Password portal, a real invoice from CBS, or a real device from the Lab map. Priority is left unset so students still assess it.

Choose the issues

Tick the kinds of call this class should get, and set how many of each every student gets. Turn a family off to leave it out entirely — an afternoon on hardware can be eight hardware faults and nothing else.

☒ Password resets	Access & Identity	4
☒ PCs with no network	Network · unplugs a cable on the map	2
☒ CBS billing requests	Software	2
☒ Unreachable cloud VMs	Cloud · unplugs a cable on the map	1
☒ PC hardware faults	Hardware · breaks a part inside the PC	2

11 tickets per student · 5 students · 55 tickets in all

Of each student's tickets, 5 are planted on the lab for real: 3 have their cables pulled on the Lab map, so ping genuinely fails until the student plugs it back in, and 2 really break a part inside the PC, so it will not power on, boot, show a picture or reach the network until the student services the right part in the **Hardware** tab. **Reset to design** leaves those faults in place while the tickets are still open, so the work stays solvable.

No Gemini key on the server yet — set GEMINI_API_KEY to get AI wording. The button still works and falls back to written templates.

Generate 11 tickets per student

☐ Replace tickets generated earlier

Remove all tickets

Remove all tickets empties the queue for the whole class, including tickets you wrote by hand. It also undoes their faults: cables go back in and broken PC parts are made good again.

Two things worth knowing:

- **Replace tickets generated earlier** wipes the previous generated batch instead of stacking a second one on top.
- The button is disabled until the class has at least one student.

Danger — Remove all tickets. The red button in the same card empties the whole class queue. Comments and history go with the tickets and planted lab faults are undone. It asks once, and it cannot be undone. Only use it to reset a class between cohorts.

During class

What students are doing



1. Sign in with the account you created.
2. **Ticket queue** → filter **Assigned to me** → **Apply**.
3. Read the ticket and **set a priority** — that starts the SLA clocks.
4. **Claim ticket**, then work it on the **Lab map** or in **Portals**.
5. Write **Problem / Actions / Results** and **Save** often.
6. **Escalate** with a written reason, or **Resolve** once the fix is verified.

Their filters and sort order persist, so leaving the queue and coming back does not lose their view. Only **Reset filters** clears it.



CLASSROOM HELPDESK HANDBOOK

WORK THE QUEUE

Ticket queue sorted by priority.



**CRITICAL**

Login failure for all students
Submitted by: Teacher A

**HIGH**

Assignment not submitting
Submitted by: Student 24

**MEDIUM**

Unable to view course content
Submitted by: Student 7

**LOW**

Change profile picture
Submitted by: Student 15



Your monitoring tools

Tool	Where	What it tells you
Live class board	Class & students	One row per student: In, Open, Past SLA, No priority, Review left, Status . Header totals show present, absent, class-wide open and past-SLA counts
Attendance today	Class & students	Present with sign-in times, and Not seen , for the current Bahrain day
Timeline	Roster row → Timeline	That student's activity: claims, hand-offs, escalations, map resets and portal actions
Dashboard	Left nav	Whole-queue backlog, average response, average resolve, CSAT and SLA compliance

PRESENT
12 of 14

OPEN IN CLASS
37

PAST SLA
4

NO PRIORITY
6

Student	In	Open	Past SLA	No priority	Review left	Status
Sara Ebrahim	08:05	4	1	0	2	Needs attention
Ali Hasan	08:11	3	0	1	0	Working
Noor Khalid	—	0	0	0	0	Clear

Needs attention is the flag worth chasing mid-lesson: one of that student's tickets has sat untouched for more than 45 minutes, or it has passed an SLA deadline. Otherwise the row reads **Working**, or **Clear** when nothing is outstanding.
Rows above are an illustration, not live data.

Class & students → Live class board. One row per student, refreshed as they work.

On the live board a student is flagged **Needs attention** when a ticket of theirs has sat untouched for more than 45 minutes or has passed an SLA deadline. Otherwise you get **Working** or **Clear**.


Lab map controls

Students plug and unplug cables, open command prompts and IOS consoles, and use the **Hardware** bench on desk PCs. Cabling changes sync live to the whole class.

You also get **Reset to design**, next to **Find a device**:

- Restores the shipped cabling *and* every device configuration.
- Faults named by lab-map tickets that are **still open** are deliberately left in place — those cables stay unplugged and broken parts stay broken — so the work remains solvable.
- It confirms before running.

Live cursors show everyone currently on the map, labelled with their first name, and instructors are marked as such. If a student cannot see classmates, check they are in the same class and actually on the **Lab map** page.



If the orange banner appears

A banner reading “**Nothing is being saved.**” means the server fell back to in-memory storage. Tickets, priorities and cabling will revert. Stop the exercise and get the deployment’s storage fixed before students do more work.

Reviewing and marking

Review a ticket

Open a ticket and use the instructor review form at the bottom:

Control	Options
Was the priority correct?	Not judged · Yes — correct priority · No — wrong priority
Was the process correct?	Not judged · Yes — right steps · No — missed steps
Checklist	Impact assessed · Used the lab or portals as evidence · Escalated only when needed (or not at all) · Resolved/closed cleanly when fixed
Mark	The overall grade for the ticket
Comment	Required — this is the feedback the student reads

Then **Save review**. The priority and process answers feed the grade directly, so “Not judged” leaves those components without data.

AI review helpers

Available when the deployment has a classroom AI key configured. Without one the buttons fall back to written templates, so review by hand.

Button	Scope
AI review on a ticket	Drafts that one review — it says <i>edit below if you disagree</i> , and you should
AI review on a roster row	Every ticket assigned to that student. Confirms first; can overwrite existing reviews
AI-review class on the roster header	Every unreviewed ticket in the class. Shift-click to overwrite existing reviews too

Treat AI output as a first draft. Your saved edits replace it and are what the student sees.

Exports

Export	Where	Contents
One student's KPI PDF	Roster row → KPI PDF	Score bars and cards: backlog, SLA, response/resolution, priority mix, assigned tickets, auto grade
Whole class, one PDF	Roster header → Download all KPI PDFs	The same report per student, combined
Marks sheet	Roster header → Export CSV	fullName , username , email , tickets , backlog , resolved , slaCompliancePct , csat , reviewsGood , reviewsNeedsWork , reviewsIncomplete , priority0kPct , process0kPct , gradeScore , gradeBand , lastSeenAt

Students can pull their own report from the Dashboard with **Download my KPI PDF**.


How the auto grade is calculated

What the auto grade is made of, out of 100



- Tickets resolved** Resolved against assigned. Open work is penalised on a steep curve, not a flat percentage.
- SLA compliance** Resolved inside the resolve SLO, or still open and not yet breached.
- Review mark** The average of the marks you save on that student's tickets.
- Correct priority** Your *priority correct?* answers.
- Correct process** Your *process correct?* answers.

Where the score lands



A component with no data is skipped and the remaining weights are rescaled, so an unreviewed class is not scored as if every review were zero.

Component	Weight	Source
Tickets resolved	45	Resolved vs assigned — open work is penalised on a steep curve, not a flat percentage
SLA compliance	20	Resolved inside the resolve SLO, or still open and not yet breached
Overall review mark	20	Average of your per-ticket marks
Correct priority	10	Your <i>priority correct?</i> answers
Correct process	5	Your <i>process correct?</i> answers

First-contact resolution is deliberately **not** part of the grade.

Score	Band
70–100	Pass
40–69	Needs work
0–39	Incomplete
No usable data	Insufficient data

Components with no data are skipped and the remaining weights are rescaled, so an unreviewed class is not scored as if every review were zero.

After class

1. Take your marks offline while the data is fresh: **Export CSV**, plus **Download all KPI PDFs** if you want the visual reports.
2. Finish any outstanding reviews — unreviewed tickets leave the review component ungraded.
3. Reset individual passwords if anyone needs a fresh one; otherwise leave accounts as they are.
4. Decide what happens to the queue:

Goal	Action
Continue next session	Leave the tickets in place
Fresh cabling, same tickets	Lab map → Reset to design
Clean slate for a new cohort	Remove all tickets , then generate a new workload
Remove last term's students	Roster row → Remove , one at a time