

Name : M Sivananthan

Company: CODTECH IT SOLUTIONS

Intern ID : CT08DS6401

Domain : SQL

Duration: August to September 2024

Mentor : Muzammil Ahmed

Library Management System

Introduction:

The Library Management System (LMS) is a sophisticated database-driven application designed to facilitate the efficient management of a library's book inventory, member records, and borrow/return transactions. This project aims to provide a practical learning experience in SQL commands, database design principles, and data manipulation techniques. The LMS will help librarians streamline their operations, improve user experience, and maintain accurate records.

Objectives:

- **Database Design:** To design a relational database that effectively captures the relationships between books, members, and transactions.
- **Data Manipulation:** To implement SQL queries for inserting, updating, deleting, and retrieving data.
- **User Management:** To manage library members and their borrowing privileges.
- **Reporting:** To generate reports and statistics that provide insights into library usage and inventory status.
- **Future Enhancements:** To outline potential improvements and features for the LMS.

Database Design:

The database consists of five primary tables:

- Books
- Members
- Transactions
- BookCategories
- MembershipTypes

SQL Queries:

1) Create a Database or Schema:

```
CREATE DATABASE Library_Management_System;
```


2) Use Database for Data Collection:

```
USE Library_Management_System;
```

3) Create Table:


1. Create the BookCategories Table

```
CREATE TABLE BookCategories (  
    CategoryID INT PRIMARY KEY AUTO_INCREMENT,  
    CategoryName VARCHAR(100) NOT NULL  
);
```



2. Create the MembershipTypes Table:

```
CREATE TABLE MembershipTypes (  
    MembershipTypeID INT PRIMARY KEY AUTO_INCREMENT,  
    TypeName VARCHAR(50) NOT NULL,  
    MaxBorrowedBooks INT NOT NULL,  
    BorrowPeriod INT NOT NULL -- Number of days a book can be borrowed );
```




3. Create the Books Table:

```

CREATE TABLE Books (
    BookID INT PRIMARY KEY AUTO_INCREMENT,
    Title VARCHAR(255) NOT NULL,
    Author VARCHAR(255) NOT NULL,
    Publisher VARCHAR(255) NOT NULL,
    PublicationYear YEAR NOT NULL,
    ISBN VARCHAR(13) NOT NULL UNIQUE,
    Quantity INT NOT NULL,
    ShelfLocation VARCHAR(50) NOT NULL,
    CategoryID INT,
    FOREIGN KEY (CategoryID) REFERENCES BookCategories(CategoryID)
);

```



4. Create the Members Table

CREATE TABLE Members (

MemberID INT PRIMARY KEY AUTO_INCREMENT,

FirstName VARCHAR(50) NOT NULL,

LastName VARCHAR(50) NOT NULL,

Email VARCHAR(100) NOT NULL UNIQUE,

PhoneNumber VARCHAR(15),


MembershipStartDate DATE NOT NULL,

MembershipExpirationDate DATE NOT NULL,

MembershipTypeID INT,

FOREIGN KEY (MembershipTypeID) REFERENCES
MembershipTypes(MembershipTypeID)

);



5. Create the Transactions Table

CREATE TABLE Transactions (

TransactionID INT PRIMARY KEY AUTO_INCREMENT,

BookID INT,

MemberID INT,

BorrowDate DATE NOT NULL,

DueDate DATE NOT NULL,


ReturnDate DATE,

Returned BOOLEAN NOT NULL DEFAULT 0, -- 0 for false, 1 for true

FOREIGN KEY (BookID) REFERENCES Books(BookID),

FOREIGN KEY (MemberID) REFERENCES Members(MemberID)


);



SQL Queries:

1. Inserting Data

Insert a New Book



SELECT * FROM books;

The screenshot shows the MySQL Workbench interface. The 'Query' tab is active, displaying the query `select * from books;`. The 'Result Grid' shows 11 rows of data from the 'books' table. The columns are: BookID, Title, Author, Publisher, PublicationYear, ISBN, Copies, and Available. The data includes books like '1984', 'The Great Gatsby', 'To Kill a Mockingbird', etc.

BookID	Title	Author	Publisher	PublicationYear	ISBN	Copies	Available
1	1984	George Orwell	Secker & Warburg	1949	978-0451524935	5	5
2	The Great Gatsby	F. Scott Fitzgerald	Charles Scribner's Sons	1925	978-0-7432-7356-5	20	20
3	To Kill a Mockingbird	Harper Lee	J. B. Lippincott & Co.	1960	978-0-446-31078-9	15	15
4	1984	George Orwell	Secker & Warburg	1949	978-0-451-52493-5	10	10
5	Pride and Prejudice	Jane Austen	T. Egerton, Whitehall	1813	978-0-141-43951-8	18	18
6	The Catcher in the Rye	J.D. Salinger	Little, Brown and Company	1951	978-0-316-76953-3	12	12
7	Harry Potter and the Philosopher's Stone	J.K. Rowling	Bloomsbury	1997	978-0-7475-3269-9	25	25
8	The Lord of the Rings	J.R.R. Tolkien	George Allen & Unwin	1954	978-0-261-10238-0	30	30
9	The Shining	Stephen King	Doubleday	1977	978-0-385-12167-5	8	8
10	Gone with the Wind	Margaret Mitchell	Macmillan	1936	978-1-4391-4525-4	22	22
11	The Hobbit	J.R.R. Tolkien	George Allen & Unwin	1937	978-0-261-10221-2	18	18

The 'Output' tab shows the execution of the query. It includes a message: 'Error Code: 1146. Table 'library_management_system.database' doesn't exist'. The duration for the query is 0.000 sec.

3) Insert a New Member

The screenshot shows the MySQL Workbench interface. The 'Query' tab is active, displaying a query to insert new members into the 'Members' table. The query is:

```
INSERT INTO Members (FirstName, LastName, Email, Phone, MembershipStartDate, MembershipExpirationDate)
VALUES
('John', 'Doe', 'john.doe@email.com', '555-1234', '2024-01-01', '2025-01-01'),
('Jane', 'Smith', 'jane.smith@email.com', '555-5678', '2024-01-01', '2025-01-01'),
('Emily', 'Johnson', 'emily.johnson@email.com', '555-8765', '2024-01-01', '2025-01-01'),
('Michael', 'Brown', 'michael.brown@email.com', '555-4321', '2024-01-01', '2025-01-01'),
('Sarah', 'Davis', 'sarah.davis@email.com', '555-3456', '2024-01-01', '2025-01-01'),
('David', 'Wilson', 'david.wilson@email.com', '555-7890', '2024-01-01', '2025-01-01'),
('Laura', 'Martinez', 'laura.martinez@email.com', '555-6543', '2024-01-01', '2025-01-01'),
('James', 'Garcia', 'james.garcia@email.com', '555-8907', '2024-01-01', '2025-01-01'),
('Karen', 'Rodriguez', 'karen.rodriguez@email.com', '555-3210', '2024-01-01', '2025-01-01'),
('Robert', 'Lee', 'robert.lee@email.com', '555-2109', '2024-01-01', '2025-01-01');
```

The 'Output' tab shows the execution of the query. It includes a message: 'Error Code: 1146. Table 'library_management_system.database' doesn't exist'. The duration for the query is 0.000 sec.

SELECT * FROM Members;

The screenshot shows the MySQL Workbench interface. The 'Schemas' pane on the left displays the 'library_management_system' database. The 'Query' editor contains the SQL statement: `select * from Members;`. The 'Result Grid' shows the data for the 'Members' table, which includes columns: MemberID, FirstName, LastName, Email, Phone, MembershipStartDate, and MembershipExpirationDate. The data is as follows:

MemberID	FirstName	LastName	Email	Phone	MembershipStartDate	MembershipExpirationDate
1	Alice	Smith	alice.smith@email.com	555-6789	2023-01-01	2024-01-01
2	John	Doe	john.doe@email.com	555-1234	2024-01-01	2025-01-01
3	Jane	Smith	jane.smith@email.com	555-5678	2024-01-01	2025-01-01
4	Emily	Johnson	emily.johnson@email.com	555-8765	2024-01-01	2025-01-01
5	Michael	Brown	michael.brown@email.com	555-4321	2024-01-01	2025-01-01
6	Sarah	Davis	sarah.davis@email.com	555-3456	2024-01-01	2025-01-01
7	David	Wilson	david.wilson@email.com	555-7890	2024-01-01	2025-01-01
8	Laura	Martinez	laura.martinez@email.com	555-6543	2024-01-01	2025-01-01
9	James	Garcia	james.garcia@email.com	555-0987	2024-01-01	2025-01-01
10	Karen	Rodriguez	karen.rodriguez@email.com	555-3210	2024-01-01	2025-01-01
11	Robert	Lee	robert.lee@email.com	555-2109	2024-01-01	2025-01-01

The 'Output' pane shows the execution of the query, with a message indicating that 11 rows were returned.

4) Update Data

Update Book Information:

The screenshot shows the MySQL Workbench interface. The 'Query' editor contains the SQL statement: `UPDATE Books SET Available = Available - 1 WHERE BookID = 1 AND Available > 0;`. The 'Result Grid' shows the data for the 'Books' table, which includes columns: BookID, Title, Author, Publisher, PublicationYear, ISBN, Copies, and Available. The data is as follows:

BookID	Title	Author	Publisher	PublicationYear	ISBN	Copies	Available
1	1984	George Orwell	Secker & Warburg	1949	978-0-451-52493-5	5	3
2	The Great Gatsby	F. Scott Fitzgerald	Charles Scribner's Sons	1925	978-0-7432-7396-5	20	20
3	To Kill a Mockingbird	Harper Lee	J. B. Lippincott & Co.	1960	978-0-446-31079-9	15	15
4	1984	George Orwell	Secker & Warburg	1949	978-0-451-52493-5	10	10
5	Pride and Prejudice	Jane Austen	T. Egerton, Whitehall	1813	978-0-141-43951-8	18	18
6	The Catcher in the Rye	J.D. Salinger	Little, Brown and Company	1951	978-0-316-76953-3	12	12
7	Harry Potter and the Philosopher's Stone	J.K. Rowling	Bloomsbury	1997	978-0-7475-3269-9	25	25
8	The Lord of the Rings	J.R.R. Tolkien	George Allen & Unwin	1954	978-0-261-10238-0	30	30
9	The Shining	Stephen King	Doubleday	1977	978-0-385-12167-5	8	8
10	Gone with the Wind	Margaret Mitchell	Macmillan	1936	978-1-4391-4525-4	22	22
11	The Hobbit	J.R.R. Tolkien	George Allen & Unwin	1937	978-0-261-10221-2	18	18

The 'Output' pane shows the execution of the query, with a message indicating that 1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0.

Update Member Information :

The screenshot shows the MySQL Workbench interface. The query editor contains the following SQL code:

```
1 UPDATE Members
2 SET Phone = '555-0000'
3 WHERE MemberID = 1;
4 select * from Members;
```

The Result Grid displays the updated data for the Members table:

MemberID	FirstName	LastName	Email	Phone	MembershipStartDate	MembershipExpirationDate
1	Alice	Smith	alice.smith@email.com	555-0000	2023-01-01	2024-01-01
2	John	Doe	john.doe@email.com	555-1234	2024-01-01	2025-01-01
3	Jane	Smith	jane.smith@email.com	555-5678	2024-01-01	2025-01-01
4	Emily	Johnson	emily.johnson@email.com	555-8765	2024-01-01	2025-01-01
5	Michael	Brown	michael.brown@email.com	555-4321	2024-01-01	2025-01-01
6	Sarah	Davis	sarah.davis@email.com	555-3456	2024-01-01	2025-01-01
7	David	Wilson	david.wilson@email.com	555-7890	2024-01-01	2025-01-01
8	Laura	Martinez	laura.martinez@email.com	555-4567	2024-01-01	2025-01-01
9	James	Garcia	james.garcia@email.com	555-0987	2024-01-01	2025-01-01
10	Karen	Rodriguez	karen.rodriguez@email.com	555-3210	2024-01-01	2025-01-01
11	Robert	Lee	robert.lee@email.com	555-2109	2024-01-01	2025-01-01

The Output tab shows the execution results:

#	Time	Action	Message	Duration / Fetch
41	23:06:36	select from Books LIMIT 0, 1000	11 row(s) returned	0.000 sec / 0.000 sec
42	23:07:01	UPDATE Books SET Available = Available - 1 WHERE BookID = 1 AND Available > 0	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.031 sec
43	23:07:01	select from Books LIMIT 0, 1000	11 row(s) returned	0.000 sec / 0.000 sec
44	23:07:59	UPDATE Members SET Phone = '555-0000' WHERE MemberID = 1	1 row(s) affected Rows matched: 1 Changed: 1 Warnings: 0	0.015 sec
45	23:08:21	UPDATE Members SET Phone = '555-0000' WHERE MemberID = 1	0 row(s) affected Rows matched: 1 Changed: 0 Warnings: 0	0.000 sec
46	23:08:21	select * from Members LIMIT 0, 1000	11 row(s) returned	0.000 sec / 0.000 sec

5) Delete Data

Delete a Book :

The screenshot shows the MySQL Workbench interface. The query editor contains the following SQL code:

```
1 DELETE FROM Books
2 WHERE BookID = 1;
3 select * from Members;
```

The Result Grid displays the updated data for the Members table (identical to the previous screenshot):

MemberID	FirstName	LastName	Email	Phone	MembershipStartDate	MembershipExpirationDate
1	Alice	Smith	alice.smith@email.com	555-0000	2023-01-01	2024-01-01
2	John	Doe	john.doe@email.com	555-1234	2024-01-01	2025-01-01
3	Jane	Smith	jane.smith@email.com	555-5678	2024-01-01	2025-01-01
4	Emily	Johnson	emily.johnson@email.com	555-8765	2024-01-01	2025-01-01
5	Michael	Brown	michael.brown@email.com	555-4321	2024-01-01	2025-01-01
6	Sarah	Davis	sarah.davis@email.com	555-3456	2024-01-01	2025-01-01
7	David	Wilson	david.wilson@email.com	555-7890	2024-01-01	2025-01-01
8	Laura	Martinez	laura.martinez@email.com	555-4567	2024-01-01	2025-01-01
9	James	Garcia	james.garcia@email.com	555-0987	2024-01-01	2025-01-01
10	Karen	Rodriguez	karen.rodriguez@email.com	555-3210	2024-01-01	2025-01-01
11	Robert	Lee	robert.lee@email.com	555-2109	2024-01-01	2025-01-01

The Output tab shows the execution results:

#	Time	Action	Message	Duration / Fetch
49	23:10:03	DELETE FROM Books WHERE BookID = 1	0 row(s) affected	0.000 sec
50	23:10:03	select * from Members LIMIT 0, 1000	11 row(s) returned	0.000 sec / 0.000 sec
51	23:10:11	select * from Members LIMIT 0, 1000	11 row(s) returned	0.000 sec / 0.000 sec
52	23:10:20	DELETE FROM Books WHERE BookID = 1	0 row(s) affected	0.000 sec
53	23:10:24	DELETE FROM Books WHERE BookID = 1	0 row(s) affected	0.000 sec
54	23:10:24	select * from Members LIMIT 0, 1000	11 row(s) returned	0.000 sec / 0.000 sec

Delete a Member :

The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'library_management_system' schema with tables, views, stored procedures, and functions. The main query editor contains the following SQL code:

```
1 * DELETE FROM Members
2 * WHERE MemberID = 1;
3 * select * from Members;
```

The 'Result Grid' shows the data for the 'Members' table after the deletion. The table has 12 rows, with columns: MemberID, FirstName, LastName, Email, Phone, MembershipStartDate, and MembershipExpirationDate. The data is as follows:

MemberID	FirstName	LastName	Email	Phone	MembershipStartDate	MembershipExpirationDate
2	John	Doe	john.doe@gmail.com	555-1234	2024-01-01	2025-01-01
3	Jane	Smith	jane.smith@gmail.com	555-5678	2024-01-01	2025-01-01
4	Emily	Johnson	emily.johnson@gmail.com	555-8765	2024-01-01	2025-01-01
5	Michael	Brown	michael.brown@gmail.com	555-4321	2024-01-01	2025-01-01
6	Sarah	Davis	sarah.davis@gmail.com	555-3456	2024-01-01	2025-01-01
7	David	Wilson	david.wilson@gmail.com	555-7890	2024-01-01	2025-01-01
8	Laura	Martinez	laura.martinez@gmail.com	555-6543	2024-01-01	2025-01-01
9	James	Garcia	james.garcia@gmail.com	555-0987	2024-01-01	2025-01-01
10	Karen	Rodriguez	karen.rodriguez@gmail.com	555-3210	2024-01-01	2025-01-01
11	Robert	Lee	robert.lee@gmail.com	555-2109	2024-01-01	2025-01-01

The 'Output' pane shows the execution results of the queries. The first query, 'DELETE FROM Members WHERE MemberID = 1', successfully deleted 1 row. The second query, 'select * from Members', returned 11 rows.

5) Retrieve Data

Get All Books :

The screenshot shows the MySQL Workbench interface. The left sidebar displays the 'library_management_system' schema with tables, views, stored procedures, and functions. The main query editor contains the following SQL code:

```
1 * SELECT * FROM Books;
2 *
```

The 'Result Grid' shows the data for the 'Books' table. The table has 13 rows, with columns: BookID, Title, Author, Publisher, PublicationYear, ISBN, Copies, and Available. The data is as follows:

BookID	Title	Author	Publisher	PublicationYear	ISBN	Copies	Available
2	The Great Gatsby	F. Scott Fitzgerald	Charles Scribner's Sons	1925	978-0-7432-7336-5	20	20
3	To Kill a Mockingbird	Harper Lee	J. B. Lippincott & Co.	1960	978-0-446-31078-9	15	15
4	1984	George Orwell	Secker & Warburg	1949	978-0-451-52493-5	10	10
5	Pride and Prejudice	Jane Austen	T. Egerton, Whitehall	1813	978-0-141-43951-8	18	18
6	The Catcher in the Rye	J.D. Salinger	Little, Brown and Company	1951	978-0-316-76953-3	12	12
7	Harry Potter and the Philosopher's Stone	J.K. Rowling	Bloomsbury	1997	978-0-7475-3269-9	25	25
8	The Lord of the Rings	J.R.R. Tolkien	George Allen & Unwin	1954	978-0-261-10238-0	30	30
9	The Shining	Stephen King	Doubleday	1977	978-0-385-12167-5	8	8
10	Gone with the Wind	Margaret Mitchell	Macmillan	1936	978-1-4391-4525-4	22	22
11	The Hobbit	J.R.R. Tolkien	George Allen & Unwin	1937	978-0-261-10221-2	18	18

The 'Output' pane shows the execution results of the queries. The first query, 'SELECT * FROM Books', returned 11 rows. The second query, 'DELETE FROM Members WHERE MemberID = 1', successfully deleted 1 row.

Get All Members

MySQL Workbench interface showing the 'Members' table in the 'library_management_system' schema. The query 'SELECT * FROM Members;' is executed, displaying 14 rows of member data.

MemberID	FirstName	LastName	Email	Phone	MembershipStartDate	MembershipExpirationDate
2	John	Doe	john.doe@email.com	555-1234	2024-01-01	2025-01-01
3	Jane	Smith	jane.smith@email.com	555-5678	2024-01-01	2025-01-01
4	Emily	Johnson	emily.johnson@email.com	555-8765	2024-01-01	2025-01-01
5	Michael	Brown	michael.brown@email.com	555-9321	2024-01-01	2025-01-01
6	Sarah	Davis	sarah.davis@email.com	555-3456	2024-01-01	2025-01-01
7	David	Wilson	david.wilson@email.com	555-7890	2024-01-01	2025-01-01
8	Laura	Martinez	laura.martinez@email.com	555-6543	2024-01-01	2025-01-01
9	James	Garcia	james.garcia@email.com	555-0987	2024-01-01	2025-01-01
10	Karen	Rodriguez	karen.rodriguez@email.com	555-3210	2024-01-01	2025-01-01
11	Robert	Lee	robert.lee@email.com	555-2109	2024-01-01	2025-01-01

Members 14 x

Output:

#	Time	Action	Message	Duration / Fetch
55	23:11:26	DELETE FROM Members WHERE MemberID = 1	1 row(s) affected	0.031 sec
56	23:11:26	select * from Members LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
57	23:11:38	DELETE FROM Members WHERE MemberID = 1	0 row(s) affected	0.000 sec
58	23:11:38	select * from Members LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
59	23:13:27	SELECT * FROM Books LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
60	23:14:24	SELECT * FROM Members LIMIT 0, 1000	10 row(s) returned	0.016 sec / 0.000 sec

Get All Transactions

MySQL Workbench interface showing the 'Transactions' table in the 'library_management_system' schema. The query 'SELECT * FROM Transactions;' is executed, displaying 15 rows of transaction data.

TransactionID	BookID	MemberID	BorrowDate	DueDate	ReturnDate	Returned
---------------	--------	----------	------------	---------	------------	----------

Transactions 15 x

Output:

#	Time	Action	Message	Duration / Fetch
56	23:11:26	select * from Members LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
57	23:11:38	DELETE FROM Members WHERE MemberID = 1	0 row(s) affected	0.000 sec
58	23:11:38	select * from Members LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec
59	23:13:27	SELECT * FROM Books LIMIT 0, 1000	10 row(s) returned	0.000 sec / 0.000 sec

Get Overdue Books

The screenshot shows the MySQL Workbench interface. The 'Query' tab is active, displaying a SQL query to select overdue books from the 'library_management_system' database. The query is as follows:

```
1 SELECT b.Title, t.DueDate
2 FROM Transactions t
3 JOIN Books b ON t.BookID = b.BookID
4 WHERE t.Returned = FALSE AND t.DueDate < CURRENT_DATE;
```

The 'Result Grid' is empty, indicating no results were returned. The 'Output' tab shows the execution log, including the query execution and the result set.

6) Borrow and Return Transactions :

The screenshot shows the MySQL Workbench interface. The 'Query' tab is active, displaying a SQL query to insert borrow and return transactions into the 'library_management_system' database. The query is as follows:

```
1 INSERT INTO Transactions (BookID, MemberID, BorrowDate, DueDate, Returned)
2 VALUES (2, 2, '2024-01-05', '2024-02-05', FALSE),
3 (3, 3, '2024-01-15', '2024-02-15', FALSE), -- Member 3 borrows Book 3
4 (4, 4, '2024-01-18', '2024-02-18', FALSE), -- Member 4 borrows Book 4
5 (5, 5, '2024-01-20', '2024-02-20', FALSE); -- Member 5 borrows Book 5
```

The 'Result Grid' shows the results of the insert operation, including the transaction ID, book ID, member ID, borrow date, due date, return date, and returned status.

TransactionID	BookID	MemberID	BorrowDate	DueDate	ReturnDate	Returned
21	2	2	2024-01-05	2024-02-05	2024-02-05	0
22	2	2	2024-01-05	2024-02-05	2024-02-05	0
23	2	2	2024-01-05	2024-02-05	2024-02-05	0
26	2	2	2024-01-05	2024-02-05	2024-02-05	0
45	2	2	2024-01-05	2024-02-05	2024-02-05	0
46	3	3	2024-01-15	2024-02-15	2024-02-15	0
47	4	4	2024-01-18	2024-02-18	2024-02-18	0
48	5	5	2024-01-20	2024-02-20	2024-02-20	0

The 'Output' tab shows the execution log, including the insert operation and the result set.

Library Database Management System has been Successfully Created.