

## Paso merge de develop al main, creada rama release y tag

This screenshot shows the final steps of a Git workflow in VS Code. The Explorer pane on the left shows the 'GIT-TRAINING' folder with 'commands.txt' and 'README.md'. The README.md file is open in the editor, showing instructions for the exercise. The Terminal pane at the bottom shows the execution of the following commands:

```
aibg@A288-100:~/Documentos/miRepo/git-training$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
aibg@A288-100:~/Documentos/miRepo/git-training$ git merge develop
Updating f1a7f19..0f57f76
Fast-forward
 commands.txt | 3 +++
 1 file changed, 3 insertions(+)
 create mode 100644 commands.txt
aibg@A288-100:~/Documentos/miRepo/git-training$
```

The status bar at the bottom indicates the current branch is 'main' and the commit hash is 'f1a7f19'.

This screenshot shows the next steps in the Git workflow. The README.md file is still open in the editor. The Terminal pane shows the following commands:

```
aibg@A288-100:~/Documentos/miRepo/git-training$ git checkout main
Switched to branch 'main'
Your branch is up to date with 'origin/main'.
aibg@A288-100:~/Documentos/miRepo/git-training$ git merge develop
Updating f1a7f19..0f57f76
Fast-forward
 commands.txt | 3 +++
 1 file changed, 3 insertions(+)
 create mode 100644 commands.txt
aibg@A288-100:~/Documentos/miRepo/git-training$ git checkout -b release/0.1.0
Switched to a new branch 'release/0.1.0'
aibg@A288-100:~/Documentos/miRepo/git-training$ git tag -d 0.1.0
error: tag '0.1.0' not found.
aibg@A288-100:~/Documentos/miRepo/git-training$ git tag -a v0.1.0 -m 'my version 0.1'
aibg@A288-100:~/Documentos/miRepo/git-training$
```

The status bar at the bottom indicates the current branch is 'release/0.1.0' and the commit hash is 'f1a7f19'.

## Creada rama finish desde develop, comiteado los cambios y mergeados a develop

```
1 # git-training
117 ## Ejercicio
118 Indique cada paso y una captura de pantalla de cada comando ejecutado, la captura debe mostrar el comando y una
119 parte parcial de la respuesta del mismo.
120
121 En estos momentos se considera que se el desarrollo esta estable y se desea lanzar una versión, lo cual requiere de
122 los siguientes pasos:
123
124 - pasar los cambios a la rama main
125 - crear una rama release siguiendo la nomenclatura indicada al principio, para la version 0.1.0
126 - crear un tag con el nombre "0.1.0"
127 - a partir de develop, crear una rama para añadir un comando más al fichero commands.txt, el comando será "finish",
128 esta rama debe pasarse a develop.
```

```
aiibg@A208-100:~/Documentos/miRepo/git-training$ git tag -d 0.1.0
error: tag '0.1.0' not found.
aiibg@A208-100:~/Documentos/miRepo/git-training$ git tag -a v0.1.0 -m 'my version 0.1'
aiibg@A208-100:~/Documentos/miRepo/git-training$ git checkout develop
Switched to branch 'develop'
aiibg@A208-100:~/Documentos/miRepo/git-training$ git checkout -b feature/finish
Switched to a new branch 'feature/finish'
aiibg@A208-100:~/Documentos/miRepo/git-training$ git add commands.txt
aiibg@A208-100:~/Documentos/miRepo/git-training$ git commit -m "feature: finish"
[feature/finish 824f3fe] feature: finish
1 file changed, 2 insertions(+), 1 deletion(-)
aiibg@A208-100:~/Documentos/miRepo/git-training$ git checkout develop
Switched to branch 'develop'
aiibg@A208-100:~/Documentos/miRepo/git-training$ git merge feature/finish
Updating 0f57f76..824f3fe
Fast-forward
 commands.txt | 3 ++-
1 file changed, 2 insertions(+), 1 deletion(-)
aiibg@A208-100:~/Documentos/miRepo/git-training$
```