



owns
LoyaltyProgram
+String programId
+String programName
+String brandName
+String issuerName
+String programDescription
+String termsAndConditionsUrl
+String privacyPolicyUrl
+String supportUrl
+String supportPhone
+String programStatus
+DateTime createdAt
+DateTime updatedAt
1 1
1
defines
*
StampCard
+String cardId
+String cardName
+String cardDescription
1



Member
+String memberId
+String customerId
+String firstName
+String lastName
+String displayName
+String email
+String phoneNumber
+String preferredLanguage
+String membershipStatus
+DateTime joinedAt
+DateTime lastActivityAt
1
1
1
1
receives
*
WalletPass
+String passId
+String passTypeIdentifier
+String serialNumber
+String authenticationToken
+String passUrl
+String passStatus
+String barcodeFormat
+String barcodeMessage
+String barcodeAltText
+String relevantText
+String foregroundColor
+String backgroundColor
+String labelColor
+DateTime issuedAt
+DateTime updatedAt
+DateTime expiresAt
1
1
displays
1
receives
*
uses
*
regist
PassUpdate
+String updateId
VisualAsset
+String assetId
DeviceReg
+String deviceId





ters


*


gistration


offers
+int stampsRequired
+int stampsEarned
+int stampsRemaining
+int completedCards
+String cardStatus
+DateTime cycleStartedAt
+DateTime completedAt
+DateTime resetAt
1
1
unlocks
ontains
Reward
operates
*
+String rewardId
+String rewardName
+String rewardDescription
+String rewardType
+String rewardValue
+String redemptionCode
+String rewardStatus
+DateTime earnedAt
+DateTime availableFrom
+DateTime expiresAt
+DateTime redeemedAt
Stamp
*
+String stampId
+int stampNumb
+String stampSt
+String source
+String location
+String transact
+String employe
+String note
+DateTime earn
+DateTime reve
+String reversal
1
0..*
Location
+String locationId
+String locationName
+String addressLine1
+String addressLine2
+String city
+String region
+String postalCode
+String country
+Decimal latitude
+Decimal longitude
+String timezone
+String phoneNumber
0..1
redeemedThrough
1


+String passId
+String updateType
+String changedFields
+String updateReason
+DateTime createdAt
+DateTime deliveredAt
+String assetType
+String url
+String retinaUrl
+String altText
+String mimeType
+String checksum
+String deviceLibrary
+String pushToken
+String platform
+String appVersion
+DateTime registered
+DateTime lastSeenA
+String registrationSt
0..*
triggers
0..1
1
receives
*
Notification
+String notificationId
+String deviceId
+String notificationType
+String message
+String deepLink
+DateTime scheduledAt
+DateTime sentAt
+String deliveryStatus
0..*
earnedAt
makes


yIdentifier
dAt
At
tatus
performs


earnedFrom
1
occursAt
1
supports
**
Redemption
+String redemptionId
+String rewardId
+String memberId
+String locationId
+String transactionId
+String employeeId
+String redemptionStatus
+DateTime redeemedAt
+String reversalReason
+DateTime reversedAt
*
*
processes
0..*
associatedWith
0..1
0..1
Transaction
*+String transactionId
+String memberId
+String locationId
+String terminalId
+String receiptNumber
+Decimal amount
+String currency
+String transactionStatus
+DateTime occurredAt


*
s