

RFC 5424 표준 프로토콜

-> 형식 : <우선순위값> <버전> <타임스탬프> <호스트네임> <애플리케이션이름> <프로세스ID> <메시지ID> [구조화된 데이터] 메시지

-> 상세 : <우선순위값> <버전> : <134>1

<타임스탬프> : 2024-09-04T18:02:00.769+09:00

<호스트네임> : 서버 호스트 네임

<애플리케이션이름> : RPC

<프로세스ID> : 프로세스ID

<메시지ID> : ZTNA

[구조화된 데이터] : 전자증거 데이터

[

구조화된 데이터ID

IEVDC_NO="증거 Key"

```
SCLUD_ID="클라우드ID"
```

SCTRL_FLOW_EXCP_CD="오류 코드"

SDATA_FLOW_APP_ID="오류 메시지"

SDATA_FLOW_DEST_URL="데이터 플로우 도착지 URL"

SDEVC_HOST_NM="단말 호스트"

SDEV_C_REAL_ID="단말ID"

```
SDEV_C_MAC_ADDR="단말 MAC"
```

```
SDEV_C_MODL_NM="난말 모델링"
SDEV_C_PATH_CD="다만 프로젝트"
```

SDEVC_PLTF_CD="난말 플랫폼"

```
SDEV_C_PLTF_VRSN="난말 플랫폼 버전"
```

SDEV_C_USER_NM="난말 사용자명
SDEV_C_USER_PW="난말 비밀번호"

```
SDEV_C_VRTL_GW_VRSN="단말 가상계이트웨이 버전"
SDEV_C_VRTL_NTRN="단말 가상계이트웨이 ID"
SDEV_C_VRTL_NTRN_LEN=16
SDEV_C_VRTL_NTRN_LEN_BYTES=16
SDEV_C_VRTL_NTRN_LEN_HEX="10"
SDEV_C_VRTL_NTRN_LEN_DEC=16
```

```
SDEV_C_VRTL_NWK_IP="단말 가상 IP"
SDEV_C_IP="조기 IP"
```

SEVDC_ID="증거ID"
SEVDC_ROOT_ID="

```
SEVDC_ROOT_ID="최상위증거ID"  
SEVDC_TYPE_CD="필지종기종크"
```

SEVDC_TYPE_CD="전자증거종류"
SINCT_DT="등록시간"

```
SINST_DI="등록시각"
CLOCN_ID="크크이 ID"
```

SLOGN_ID="로그인 ID"
SPICK_IV_CD="위험수준"

SRISK_LV_CD="취업수준"
SCDC_NTRM_ID="초바지"SSRC_NETWORK_IP="출발지IP"
SSRC_NETWORK_TYPE_CD="출발지네트워크"SSRC_NETWORK_TYPE_CD= 울클시 네트워크 유형
SSRC_NETWORK_WIFI_POINT_ID="초박지 와이파이"SSRC_NIWK_WIFI_ROUT_ID≡ 풀클시 와이파이 라우터
CUSER_NAME "사용자명"

SUSER_NM= "사용자명"

1

메시지 : 증거ID

예시 : <134>1 2024-09-12T20:40:15.113+09:00 connect-controller RPC 868986 ZTNA [18@18060 |EVDC_NO="18" SCLUD_ID="517d1135b347adb0f51fa63b93d92c29b33c2d9bef6272034efb83aad019623e" SCTRL_FLOW_EXCP_CD="

SDATA_FLOW_APP_ID="" SDATA_FLOW_DEST_URL="" SDEVC_HOST_NM="DESKTOP-QURQM4R" SDEVC_REAL_ID="6C1C6732.9.0.E4A93EB3836296883_06125" SDEVC_MAC_ADDR="A4:BB:6D:CB:97:75" SDEVC_MODL_NM="Precision 7920 Tower"

```
SDEV_C_PLIF_CD="C:\MS_WINDOWS" SDEV_C_PLIF_VRSN="10.0" SDEV_C_USER_NM="rebel" SDEV_C_VRTIL_GW_VRSN="2.6.2.6" SDEV_C_VRTIL_NTWK_IP="10.21.117.2" SEVDC_ID="1472f2cfe4abct3b99d34f0d816aa91f1c34bd92edcd0a0dec593381/cd/9c1b"
```

```
SEVDC_ROOT_ID="32/c6a3f7b4536ctc6cb8e/0b/55812f0c2ca802841a6b3b6d458d3da795ff0" SEVDC_TYPE_CD="C_TUNNEL_CONNECTION" SINSL_ID="2024-09-12 20:40:15" SLOGN_ID="dpg" SRISK_LV_CD="C_NORMAL" SSRC_NTWK_IP="192.168.30.36"
```

SSRC_N|WK_TYPE_CD="C_WIRE" SSRC_N|WK_WIFI_ROUTER_ID="Unknown WiFi Router ID" SUSER_NM="dpg"] f4/2fcfe4abcf3b99d34f0d816aa91f1c34bdf92edcd0a0dec593381/cd/9c1b

송신서버(v2.6.3.0)

PRIBIT Connect Controller 2.6.3.0

DASHBOARD

OBJECT

FLOW

POLICY

LOG

MONITORING

SYSTEM

단말 승인

에이전트 메시지 설정

에이전트 배포 관리

플랫폼 버전 관리

알림 설정

라이선스 관리

SMTP

Syslog 설정

SNMP 설정

컨트롤러 관리

관리자 계정 관리

시스템 환경 설정

KOR(KR)

ha

Syslog 설정

기록된 주요 로그를 Syslog 서버로 전송하기 위한 설정 메뉴입니다.

상태
미선택

서버 주소(도메인)

검색

자료를 찾을 수 없습니다.
찾으시는 정보를 다시 한번 확인하세요.

1

2

1. Syslog 설정 클릭

2. 등록 클릭

송신서버(v2.6.3.0)

1

Syslog 설정
기본 정보

① 전송 계층 프로토콜
UDP

① 서버 주소(도메인)
192.168.30.43

① 포트
514

① 설명
전자증거

→ 다음

1. 기본 정보
- ◆ 전송 계층 프로토콜 선택
 - UDP
 - TCP
 - ◆ 서버 주소(도메인)
 - 수신서버 IP 또는 도메인 입력
 - ◆ 포트
 - 수신서버 포트 입력(514)
 - ◆ 설명
 - 전자증거 입력
 - ◆ 다음버튼 클릭

2

Syslog 설정
기능

✓ USER

✓ KERNEL

✓ DAEMON

✓ AUTH

✓ EVIDENCE

✓ LOCAL1

✓ LOCAL2

✓ LOCAL3

✓ LOCAL4

✓ LOCAL5

✓ LOCAL6

✓ LOCAL7

← 이전 → 다음

2. 기능
- ◆ EVIDENCE 체크
 - ◆ 다음버튼 클릭

3

Syslog 설정
포맷

① 포맷
RFC5424

← 이전 ✓ 확인

3. 포맷
- ◆ RFC5424 선택
 - ◆ 확인버튼 클릭

등록 하시겠습니까?

✓ 확인 ✕ 취소

3. 등록
- ◆ 확인버튼 클릭

PRIBIT Connect Controller 2.6.3.0

KOR(KR) ha [이전 페이지] [삭제]

Syslog 설정

기록된 주요 로그를 Syslog 서버로 전송하기 위한 설정 메뉴입니다.

상태: 미선택 서버 주소(도메인): [검색]

사용 가능
192.168.30.43

① 기본 정보

전송 계층 프로토콜		정보 변경
서버 주소(도메인)	192.168.30.43	
포트	514	
설명	전자증거	
기능	EVIDENCE	정보 변경
포맷	RFC5424	정보 변경
상태	사용 가능	상태 변경

5. 등록된 기본 정보 확인



수신서버

※ RFC5424 template 지원 필요

© Sample 설정 참고 예제(Ubuntu 기준)
/etc/rsyslog.conf

```
module(load="imudp")
input(type="imudp" port="514")
```

```
module(load="imtcp")
input(type="imtcp" port="514")
```

```
$template rfc5424,"%<pri%>%protocol-version% %timestamp:::date-rfc3339% %hostname% %app-name% %procid% %msgid% %structured-data% %msg%\n"
$template ztna,"/var/log/rsyslog/%fromhost-ip%/ztna-%$YEAR%-%$MONTH%-%$DAY%.log"
:fromhost-ip, isequal, "송신서버IP" ?ztna;rfc5424
```

```
#
# For more information install rsyslog-doc and see
# /usr/share/doc/rsyslog-doc/html/configuration/index.html
#
# Default logging rules can be found in /etc/rsyslog.d/50-default.conf

#####
###  MODULES  ###
#####

module(load="imuxsock") # provides support for local system logging
#module(load="immark") # provides --MARK-- message capability

# provides UDP syslog reception
module(load="imudp")
input(type="imudp" port="514")

# provides TCP syslog reception
module(load="imtcp")
input(type="imtcp" port="514")

# provides kernel logging support and enable non-kernel klog messages
module(load="imklog" permitnonkernelfacility="on")

#####
###  GLOBAL DIRECTIVES  ###
#####

#
# Use traditional timestamp format.
# To enable high precision timestamps, comment out the following line.
#
$ActionFileDefaultTemplate RSYSLOG_TraditionalFileFormat
# Filter duplicated messages
$RepeatedMsgReduction on

#
# Set the default permissions for all log files.
#
$FileOwner syslog
$FileGroup adm
$FileCreateMode 0640
$DirCreateMode 0755
$Umask 0022
$PrivDropToUser syslog
$PrivDropToGroup syslog

#
# Where to place spool and state files
#
$WorkDirectory /var/spool/rsyslog

#
# Include all config files in /etc/rsyslog.d/
#

$IncludeConfig /etc/rsyslog.d/*.conf
$template rfc5424,"%<pri%>%protocol-version% %timestamp:::date-rfc3339% %hostname% %app-name% %procid% %msgid% %structured-data% %msg%\n"
$template ztna,"/var/log/rsyslog/%fromhost-ip%/ztna-%$YEAR%-%$MONTH%-%$DAY%.log"
:fromhost-ip, isequal, "송신서버IP" ?ztna;rfc5424
```

Sep 5 13:52:29 connect-controller RPC [58201] a16f33df455bd72b467b8c41edba40f02b9bf7467e2f68446bae1874f7f6539c
Sep 5 13:52:33 connect-controller RPC [58201] c1c9e10a3a1488f67580ee033199f74e326d1d923ae8b1187dbf1c9f2947fa4
Sep 5 13:52:48 connect-controller RPC [58201] oc86760f569c5047110d050720385f97ffc8073cb83254ec91382d9b953d71
Sep 5 13:53:08 connect-controller RPC [58201] bc10824e12935234e6ad70a6c365e59f3af1f4cf9bc29393cf180d40a02bb2e3
Sep 5 13:53:27 connect-controller RPC [58201] 30b28e2d8ffdf5f278c9f85b4b182602bba6a0984ddfe15bb94586524a948f1d7
Sep 5 13:53:31 connect-controller RPC [58201] d4f61a50f3c9c0445f954b366590a73504abb408b1f99adaac8d7767781517ec
Sep 5 13:53:44 connect-controller RPC [58201] a4bd8e8693199095f884605cbe80045f82f1a0def7af702c4f0378f59238ccb4
Sep 5 13:53:56 connect-controller RPC [58201] a1dc88fe0c21e7cfdb1b08fc903f2491b5c01bf4bd4d2a1d0c309d02518bf4016
Sep 5 13:54:13 connect-controller RPC [58201] 46d0323d0a223a1eeb0765030c65776d3e890c554e91f62b8bb2aad377ab2d2
Sep 5 13:54:17 connect-controller RPC [58201] 04e43a0a8020636f8afb4259ad3f39d8f87f8401eff52bfa18fc0f44dce206fb
Sep 5 13:54:28 connect-controller RPC [58201] d52b2f1f1dc24f66c7c334d361a30e4ce54d80936bb2d6e3c9078c234f087e1b
Sep 5 13:54:28 connect-controller RPC [58201] b498f5c8e55c679d1967709d7bb16dd3433be5bedc21af6e282359d373591ea
Sep 5 13:54:32 connect-controller RPC [58201] 7289d2dd4f5b637f1137b7a547c7a0188ce9f6f4cf5cb9895c16f3aaaa0588d25
Sep 5 13:54:44 connect-controller RPC [58201] 4eb9a45d406b768b7139c25f70d3b6a28dad70aa3b3cf1c7003974ad4f2c0ffe
Sep 5 13:54:44 connect-controller RPC [58201] 5c3d9efae131b6125a1b1cd033b4ed7326eb9b22e61c0f87cbcf4dc62890cf39a
Sep 5 13:54:49 connect-controller RPC [58201] 82bb6e8507d2922a8c00150c5dfda1d4eaf4afc5e119bb8d70f756f1b6426c2e
Sep 5 13:54:59 connect-controller RPC [58201] 12f8513f03e9c5824b4640d71bc16aa639b2a8dbbc0214599a89a2170e8dbcb
Sep 5 13:55:00 connect-controller RPC [58201] f3ba9431c93159b8596ed50e853520c661ae9a341b948f9cf605dc09591fd6d
Sep 5 13:55:03 connect-controller RPC [58201] 53a295ed11505ccf92ce0052a84653ff98957f16fafa63efcf050237c5aC7a
Sep 5 13:55:13 connect-controller RPC [58201] 668ad9af3185d76a5220599dfb968f62e3668143f52f497677649097f4871889
Sep 5 13:55:14 connect-controller RPC [58201] 10ef931e0c4eb9f26b64cffb21823a1c8315a25e5b58b999c1dde6bf54f64c28
Sep 5 13:55:17 connect-controller RPC [58201] 06ea28b949733b6258b788214ac68f8eb96072eb2847151bf6afdbecddecf709
Sep 5 13:55:27 connect-controller RPC [58201] 47ec00197574a06a4555cabf18d6c01f190b0c21221f0bc917131874688f69362
Sep 5 13:55:27 connect-controller RPC [58201] c287d9df8fa3f21be1b5c9d6dd6e985646d3a2ae523cd6826b8f9c241759f9a
Sep 5 13:55:30 connect-controller RPC [58201] 3f0c422fb395eb010f817c7872274deb4e49f2d42f88e23352c29889250306c1
Sep 5 13:55:44 connect-controller RPC [58201] 4833fc0e407b5f8393d418203deb2b100954e829bafaceadda46e4fbed0af9a
Sep 5 13:55:44 connect-controller RPC [58201] 9450ad23a3d0cf46f84a15c7b63c6aac5106e7797037a0b949e06ebcc7f77f55
Sep 5 13:55:47 connect-controller RPC [58201] 29522748b30abe8f170947e3bc3ee219ddfe448e08a0bde0d723d44692f862
Sep 5 13:55:59 connect-controller RPC [58201] 01987b646af25f7d5a7c5a24b16356bf5b12da5a6bdc0707eb45bd9961ef26d
Sep 5 13:55:59 connect-controller RPC [58201] 2710092b9e9d5baf9c925b2f0d5da6e20edf69fde7b376b94ae33ca7312cd890
Sep 5 13:56:03 connect-controller RPC [58201] de28f4cdc8aaea5a86b165dd610adf2b850bab73d8722b6406d616e806955660
Sep 5 13:56:14 connect-controller RPC [58201] 8a2c44a01d0d51bb41d4dd448b02787769525cd583861ab53c8176bb59ec2a
Sep 5 13:56:14 connect-controller RPC [58201] 8116c770d969a71b92893d6f66d756b8d5fd2f5aeeb42ec1e55ed6ad38510198
Sep 5 13:56:17 connect-controller RPC [58201] 5ccaae70e0015983a560ccc2281ee3c0a0fb032526be513d3a90bb6c5b56c3365
Sep 5 13:56:28 connect-controller RPC [58201] 2e0a8eb9ed20f520de216db9fa98956050b00bd452f4d38ca659c8b47c2756a4
Sep 5 13:56:36 connect-controller RPC [58201] 2952bdfef05880b9c9ca19918c9ad2b6b64876ee0048b13eddf1a02542a7663844

송신서버

/var/log/syslog

Sep 5 13:52:29 connect-controller RPC [58201] a16f33df455bd72b467b8c41edba40f02b9bf7467e2f68446bae1874f7f6539c
Sep 5 13:52:33 connect-controller RPC [58201] c1c9e10a3a1488f67580ee033199f74e326d1d923ae8b1187dbf1c9f2947fa4
Sep 5 13:52:48 connect-controller RPC [58201] oc86760f569c5047110d050720385f97ffc8073cb83254ec91382d9b953d71
Sep 5 13:53:08 connect-controller RPC [58201] bc10824e12935234e6ad70a6c365e59f3af1f4cf9bc29393cf180d40a02bb2e3
Sep 5 13:53:27 connect-controller RPC [58201] 30b28e2d8ffdf5f278c9f85b4b182602bba6a0984ddfe15bb94586524a948f1d7
Sep 5 13:53:31 connect-controller RPC [58201] d4f61a50f3c9c0445f954b366590a73504abb408b1f99adaac8d7767781517ec
Sep 5 13:53:44 connect-controller RPC [58201] a4bd8e8693199095f884605cbe80045f82f1a0def7af702c4f0378f59238ccb4
Sep 5 13:53:56 connect-controller RPC [58201] a1dc88fe0c21e7cfdb1b08fc903f2491b5c01bf4bd4d2a1d0c309d02518bf4016
Sep 5 13:54:13 connect-controller RPC [58201] 46d0323d0a223a1eeb0765030c65776d3e890c554e91f62b8bb2aad377ab2d2
Sep 5 13:54:17 connect-controller RPC [58201] 04e43a0a8020636f8afb4259ad3f39d8f87f8401eff52bfa18fc0f44dce206fb
Sep 5 13:54:28 connect-controller RPC [58201] d52b2f1f1dc24f66c7c334d361a30e4ce54d80936bb2d6e3c9078c234f087e1b
Sep 5 13:54:28 connect-controller RPC [58201] b498f5c8e55c679d1967709d7bb16dd3433be5bedc21af6e282359d373591ea
Sep 5 13:54:32 connect-controller RPC [58201] 7289d2dd4f5b637f1137b7a547c7a0188ce9f6f4cf5cb9895c16f3aaaa0588d25
Sep 5 13:54:44 connect-controller RPC [58201] 4eb9a45d406b768b7139c25f70d3b6a28dad70aa3b3cf1c7003974ad4f2c0ffe
Sep 5 13:54:44 connect-controller RPC [58201] 5c3d9efae131b6125a1b1cd033b4ed7326eb9b22e61c0f87cbcf4dc62890cf39a
Sep 5 13:54:49 connect-controller RPC [58201] 82bb6e8507d2922a8c00150c5dfda1d4eaf4afc5e119bb8d70f756f1b6426c2e
Sep 5 13:54:59 connect-controller RPC [58201] 12f8513f03e9c5824b4640d71bc16aa639b2a8dbbc0214599a89a2170e8dbcb
Sep 5 13:55:00 connect-controller RPC [58201] f3ba9431c93159b8596ed50e853520c661ae9a341b948f9cf605dc09591fd6d
Sep 5 13:55:03 connect-controller RPC [58201] 53a295ed11505ccf92ce0052a84653ff98957f16fafa63efcf050237c5aC7a
Sep 5 13:55:13 connect-controller RPC [58201] 668ad9af3185d76a5220599dfb968f62e3668143f52f497677649097f4871889
Sep 5 13:55:14 connect-controller RPC [58201] 10ef931e0c4eb9f26b64cffb21823a1c8315a25e5b58b999c1dde6bf54f64c28
Sep 5 13:55:17 connect-controller RPC [58201] 06ea28b949733b6258b788214ac68f8eb96072eb2847151bf6afdbecddecf709
Sep 5 13:55:27 connect-controller RPC [58201] 47ec00197574a06a4555cabf18d6c01f190b0c21221f0bc917131874688f69362
Sep 5 13:55:27 connect-controller RPC [58201] c287d9df8fa3f21be1b5c9d6dd6e985646d3a2ae523cd6826b8f9c241759f9a
Sep 5 13:55:30 connect-controller RPC [58201] 3f0c422fb395eb010f817c7872274deb4e49f2d42f88e23352c29889250306c1
Sep 5 13:55:44 connect-controller RPC [58201] 4833fc0e407b5f8393d418203deb2b100954e829bafaceadda46e4fbed0af9a
Sep 5 13:55:44 connect-controller RPC [58201] 9450ad23a3d0cf46f84a15c7b63c6aac5106e7797037a0b949e06ebcc7f77f55
Sep 5 13:55:47 connect-controller RPC [58201] 29522748b30abe8f170947e3bc3ee219ddfe448e08a0bde0d723d44692f862
Sep 5 13:55:59 connect-controller RPC [58201] 01987b646af25f7d5a7c5a24b16356bf5b12da5a6bdc0707eb45bd9961ef26d
Sep 5 13:55:59 connect-controller RPC [58201] 2710092b9e9d5baf9c925b2f0d5da6e20edf69fde7b376b94ae33ca7312cd890
Sep 5 13:56:03 connect-controller RPC [58201] de28f4cdc8aaea5a86b165dd610adf2b850bab73d8722b6406d616e806955660
Sep 5 13:56:14 connect-controller RPC [58201] 8a2c44a01d0d51bb41d4dd448b02787769525cd583861ab53c8176bb59ec2a
Sep 5 13:56:14 connect-controller RPC [58201] 8116c770d969a71b92893d6f66d756b8d5fd2f5aeeb42ec1e55ed6ad38510198
Sep 5 13:56:17 connect-controller RPC [58201] 5ccaae70e0015983a560ccc2281ee3c0a0fb032526be513d3a90bb6c5b56c3365
Sep 5 13:56:28 connect-controller RPC [58201] 2e0a8eb9ed20f520de216db9fa98956050b00bd452f4d38ca659c8b47c2756a4
Sep 5 13:56:36 connect-controller RPC [58201] 2952bdfef05880b9c9ca19918c9ad2b6b64876ee0048b13eddf1a02542a7663844

수신서버

/var/log/syslog

SUSER_NM=""] de28f4cdc8aaea5a86b165dd610adf2b850bab73d8722b6406d616e806955660
<134>1 2024-09-05T13:56:14.223+09:00 connect-controller RPC 58201 ZTNA [46@18060 IEVDC No="46" SCLUD_ID="662a5a9c0aca8dfadf2ca7a5dd2a2dce0e
771175e011324ba8f7eeb63ca9a374" SCTRL_FLOW_EXCP_CD="" C CONTROL_FLOW EXISTS AS DEVICE_ID" SDATA_FLOW_APP_ID="" SDATA_FLOW_DEST_URL="" SDEV
HOST_NM="DESKTOP-E5QM3BR" SDEV_MAC_ADDR="54:BF:64:5B:F2:B3" SDEV_MODL_NM="Precision 5820 Tower" SDEV_PLTF_CD="C MS WINDOWS" SDEV_PLTF_VR
SN="10.0" SDEV_USER_NM="SYH" SDEV_VRTL_GW_VRSN="2.6.1.19" SDEV_VRTL_NTWK_IP="" SDEVDC_ID="8a2c44a01d0d51bb41d4dd448b02787769525cd583861a
bd53c8176bb59ec2a" SEVDC_ROOT_ID="eb09e08d76158dcac8683d62e1f852c27956f5d70298eb040c0455392a6e7" SDEVDC_TYPE_CD="C CONTROL_FLOW_DISCONNECT
TION" SINST_DT="2024-09-05 13:56:14" SLOGN_ID="" SRISK_LVL_CD="C CRITICAL" SSCR_NTWK_IP="192.168.30.41" SSCR_NTWK_TYPE_CD="C_WIRE" SSCR_NTWK
_WIFI_ROUT_ID="Unknown WIFI Router ID" SUSER_NM=""] 8a2c44a01d0d51bb41d4dd448b02787769525cd583861ab53c8176bb59ec2a
<134>1 2024-09-05T13:56:14.301+09:00 connect-controller RPC 58201 ZTNA [47@18060 IEVDC No="47" SCLUD_ID="662a5a9c0aca8dfadf2ca7a5dd2a2dce0e
771175e011324ba8f7eeb63ca9a374" SCTRL_FLOW_EXCP_CD="" SDATA_FLOW_APP_ID="" SDATA_FLOW_DEST_URL="" SDEVDC_HOST_NM="DESKTOP-E5QM3BR" SDEV
MAC_ADDR="54:BF:64:5B:F2:B3" SDEV_MODL_NM="Precision 5820 Tower" SDEV_PLTF_CD="C MS WINDOWS" SDEV_PLTF_VRSN="10.0" SDEVDC_USER_NM="SYH" SDEV
C_VRTL_GW_VRSN="2.6.1.19" SDEVDC_VRTL_NTWK_IP="" SDEVDC_ID="5cca7e00015983a560ccc2281ee3c0a0fb032526be513d3a90bb6c5b56c3365" SEVDC_ROOT_ID=""
622127efb414911681ccf2124c939eb1a2800137184925997fb4083f18a58ac0" SEVDC_TYPE_CD="C CONTROL_FLOW_CONNECTION" SINST_DT="2024-09-05 13:56:17"
SLOGN_ID="" SRISK_LVL_CD="C NORMAL" SSCR_NTWK_IP="192.168.30.41" SSCR_NTWK_TYPE_CD="C_WIRE" SSCR_NTWK_WIFI_ROUT_ID="Unknown WIFI Router ID" SUS
ER_NM=""] 8116c770d969a71b92893d6f66d756b8d5fd2f5aeeb42ec1e55ed6ad38510198
<134>1 2024-09-05T13:56:17.864+09:00 connect-controller RPC 58201 ZTNA [48@18060 IEVDC No="48" SCLUD_ID="662a5a9c0aca8dfadf2ca7a5dd2a2dce0e
771175e011324ba8f7eeb63ca9a374" SCTRL_FLOW_EXCP_CD="" SDATA_FLOW_APP_ID="" SDATA_FLOW_DEST_URL="" SDEVDC_HOST_NM="DESKTOP-E5QM3BR" SDEV
MAC_ADDR="54:BF:64:5B:F2:B3" SDEV_MODL_NM="Precision 5820 Tower" SDEV_PLTF_CD="C MS WINDOWS" SDEV_PLTF_VRSN="10.0" SDEVDC_USER_NM="SYH" SDEV
C_VRTL_GW_VRSN="2.6.1.19" SDEVDC_VRTL_NTWK_IP="" SDEVDC_ID="5cca7e00015983a560ccc2281ee3c0a0fb032526be513d3a90bb6c5b56c3365" SEVDC_ROOT_ID=""
622127efb414911681ccf2124c939eb1a2800137184925997fb4083f18a58ac0" SEVDC_TYPE_CD="C CONTROL_FLOW_CONNECTION" SINST_DT="2024-09-05 13:56:17"
SLOGN_ID="" SRISK_LVL_CD="C NORMAL" SSCR_NTWK_IP="192.168.30.41" SSCR_NTWK_TYPE_CD="C_WIRE" SSCR_NTWK_WIFI_ROUT_ID="Unknown WIFI Router ID" SUS
ER_NM=""] 5cca7e00015983a560ccc2281ee3c0a0fb032526be513d3a90bb6c5b56c3365
<134>1 2024-09-05T13:56:18.251+09:00 connect-controller RPC 58201 ZTNA [49@18060 IEVDC No="49" SCLUD_ID="662a5a9c0aca8dfadf2ca7a5dd2a2dce0e
771175e011324ba8f7eeb63ca9a374" SCTRL_FLOW_EXCP_CD="" SDATA_FLOW_APP_ID="" SDATA_FLOW_DEST_URL="" SDEVDC_HOST_NM="DESKTOP-E5QM3BR" SDEV
MAC_ADDR="54:BF:64:5B:F2:B3" SDEV_MODL_NM="Precision 5820 Tower" SDEV_PLTF_CD="C MS WINDOWS" SDEV_PLTF_VRSN="10.0" SDEVDC_USER_NM="SYH" SDEV
C_VRTL_GW_VRSN="2.6.1.19" SDEVDC_VRTL_NTWK_IP="" SDEVDC_ID="2e08aeb9ed20f520de216db9fa98956050b00bd452f4d38ca659c8b47c2756a4" SEVDC_ROOT_ID=""
622127efb414911681ccf2124c939eb1a2800137184925997fb4083f18a58ac0" SEVDC_TYPE_CD="C USER AUTHENTICATION" SINST_DT="2024-09-05 13:56:28" SLOG
N_ID="yhsin" SRISK_LVL_CD="C NORMAL" SSCR_NTWK_IP="192.168.30.41" SSCR_NTWK_TYPE_CD="C_WIRE" SSCR_NTWK_WIFI_ROUT_ID="Unknown WIFI Router ID"
" SUSER_NM="신 액 회"] 2e08aeb9ed20f520de216db9fa98956050b00bd452f4d38ca659c8b47c2756a4
<134>1 2024-09-05T13:56:36.854+09:00 connect-controller RPC 58201 ZTNA [50@18060 IEVDC No="50" SCLUD_ID="662a5a9c0aca8dfadf2ca7a5dd2a2dce0e
771175e011324ba8f7eeb63ca9a374" SCTRL_FLOW_EXCP_CD="C DISCONNECT BY DEVICE" SDATA_FLOW_APP_ID="" SDATA_FLOW_DEST_URL="" SDEVDC_HOST_NM="DESK
TOP-E5QM3BR" SDEV_MAC_ADDR="54:BF:64:5B:F2:B3" SDEV_MODL_NM="Precision 5820 Tower" SDEV_PLTF_CD="C MS WINDOWS" SDEV_PLTF_VRSN="10.0" SD
EVC_USER_NM="SYH" SDEV_VRTL_GW_VRSN="2.6.1.19" SDEV_VRTL_NTWK_IP="" SDEVDC_ID="2952bdfef05880b9c9ca19918c9ad2b6b64876ee0048b13eddf1a02542a76
63844" SEVDC_ROOT_ID="622127efb414911681ccf2124c939eb1a2800137184925997fb4083f18a58ac0" SEVDC_TYPE_CD="C CONTROL_FLOW_DISCONNECT" SINST_
DT="2024-09-05 13:56:36" SLOGN_ID="yhsin" SSCR_NTWK_IP="192.168.30.41" SSCR_NTWK_TYPE_CD="C_WIRE" SSCR_NTWK_WIFI_ROUT_ID="Unknown WIFI_R
OUT_ID="Unknown WIFI Router ID" SUSER_NM="신 액 회"] 2952bdfef05880b9c9ca19918c9ad2b6b64876ee0048b13eddf1a02542a7663844

송신서버

/var/log/local0

SUSER_NM=""] de28f4cdc8aaea5a86b165dd610adf2b850bab73d8722b6406d616e806955660
<134>1 2024-09-05T13:56:14.223+09:00 connect-controller RPC 58201 ZTNA [46@18060 IEVDC No="46" SCLUD_ID="662a5a9c0aca8dfadf2ca7a5dd2a2dce0e
771175e011324ba8f7eeb63ca9a374" SCTRL_FLOW_EXCP_CD="" C CONTROL_FLOW EXISTS AS DEVICE_ID" SDATA_FLOW_APP_ID="" SDATA_FLOW_DEST_URL="" SDEV
HOST_NM="DESKTOP-E5QM3BR" SDEV_MAC_ADDR="54:BF:64:5B:F2:B3" SDEV_MODL_NM="Precision 5820 Tower" SDEV_PLTF_CD="C MS WINDOWS" SDEV_PLTF_VR
SN="10.0" SDEV_USER_NM="SYH" SDEV_VRTL_GW_VRSN="2.6.1.19" SDEV_VRTL_NTWK_IP="" SDEVDC_ID="8a2c44a01d0d51bb41d4dd448b02787769525cd583861a
bd53c8176bb59ec2a" SEVDC_ROOT_ID="eb09e08d76158dcac8683d62e1f852c27956f5d70298eb040c0455392a6e7" SDEVDC_TYPE_CD="C CONTROL_FLOW_DISCONNECT
TION" SINST_DT="2024-09-05 13:56:14" SLOGN_ID="" SRISK_LVL_CD="C CRITICAL" SSCR_NTWK_IP="192.168.30.41" SSCR_NTWK_TYPE_CD="C_WIRE" SSCR_NTWK
_WIFI_ROUT_ID="Unknown WIFI Router ID" SUSER_NM=""] 8a2c44a01d0d51bb41d4dd448b02787769525cd583861ab53c8176bb59ec2a
<134>1 2024-09-05T13:56:14.301+09:00 connect-controller RPC 58201 ZTNA [47@18060 IEVDC No="47" SCLUD_ID="662a5a9c0aca8dfadf2ca7a5dd2a2dce0e
771175e011324ba8f7eeb63ca9a374" SCTRL_FLOW_EXCP_CD="" SDATA_FLOW_APP_ID="" SDATA_FLOW_DEST_URL="" SDEVDC_HOST_NM="DESKTOP-E5QM3BR" SDEV
MAC_ADDR="54:BF:64:5B:F2:B3" SDEV_MODL_NM="Precision 5820 Tower" SDEV_PLTF_CD="C MS WINDOWS" SDEV_PLTF_VRSN="10.0" SDEVDC_USER_NM="SYH" SDEV
C_VRTL_GW_VRSN="2.6.1.19" SDEVDC_VRTL_NTWK_IP="" SDEVDC_ID="5cca7e00015983a560ccc2281ee3c0a0fb032526be513d3a90bb6c5b56c3365" SEVDC_ROOT_ID=""
622127efb414911681ccf2124c939eb1a2800137184925997fb4083f18a58ac0" SEVDC_TYPE_CD="C CONTROL_FLOW_CONNECTION" SINST_DT="2024-09-05 13:56:17"
SLOGN_ID="" SRISK_LVL_CD="C NORMAL" SSCR_NTWK_IP="192.168.30.41" SSCR_NTWK_TYPE_CD="C_WIRE" SSCR_NTWK_WIFI_ROUT_ID="Unknown WIFI Router ID" SUS
ER_NM=""] 8116c770d969a71b92893d6f66d756b8d5fd2f5aeeb42ec1e55ed6ad38510198
<134>1 2024-09-05T13:56:17.864+09:00 connect-controller RPC 58201 ZTNA [48@18060 IEVDC No="48" SCLUD_ID="662a5a9c0aca8dfadf2ca7a5dd2a2dce0e
771175e011324ba8f7eeb63ca9a374" SCTRL_FLOW_EXCP_CD="" SDATA_FLOW_APP_ID="" SDATA_FLOW_DEST_URL="" SDEVDC_HOST_NM="DESKTOP-E5QM3BR" SDEV
MAC_ADDR="54:BF:64:5B:F2:B3" SDEV_MODL_NM="Precision 5820 Tower" SDEV_PLTF_CD="C MS WINDOWS" SDEV_PLTF_VRSN="10.0" SDEVDC_USER_NM="SYH" SDEV
C_VRTL_GW_VRSN="2.6.1.19" SDEVDC_VRTL_NTWK_IP="" SDEVDC_ID="2e08aeb9ed20f520de216db9fa98956050b00bd452f4d38ca659c8b47c2756a4" SEVDC_ROOT_ID=""
622127efb414911681ccf2124c939eb1a2800137184925997fb4083f18a58ac0" SEVDC_TYPE_CD="C USER AUTHENTICATION" SINST_DT="2024-09-05 13:56:28" SLOG
N_ID="yhsin" SRISK_LVL_CD="C NORMAL" SSCR_NTWK_IP="192.168.30.41" SSCR_NTWK_TYPE_CD="C_WIRE" SSCR_NTWK_WIFI_ROUT_ID="Unknown WIFI Router ID"
" SUSER_NM="신 액 회"] 2e08aeb9ed20f520de216db9fa98956050b00bd452f4d38ca659c8b47c2756a4
<134>1 2024-09-05T13:56:36.854+09:00 connect-controller RPC 58201 ZTNA [50@18060 IEVDC No="50" SCLUD_ID="662a5a9c0aca8dfadf2ca7a5dd2a2dce0e
771175e011324ba8f7eeb63ca9a374" SCTRL_FLOW_EXCP_CD="C DISCONNECT BY DEVICE" SDATA_FLOW_APP_ID="" SDATA_FLOW_DEST_URL="" SDEVDC_HOST_NM="DESK
TOP-E5QM3BR" SDEV_MAC_ADDR="54:BF:64:5B:F2:B3" SDEV_MODL_NM="Precision 5820 Tower" SDEV_PLTF_CD="C MS WINDOWS" SDEV_PLTF_VRSN="10.0" SD
EVC_USER_NM="SYH" SDEV_VRTL_GW_VRSN="2.6.1.19" SDEV_VRTL_NTWK_IP="" SDEVDC_ID="2952bdfef05880b9c9ca19918c9ad2b6b64876ee0048b13eddf1a02542a76
63844" SEVDC_ROOT_ID="622127efb414911681ccf2124c939eb1a2800137184925997fb4083f18a58ac0" SEVDC_TYPE_CD="C CONTROL_FLOW_DISCONNECT" SINST_
DT="2024-09-05 13:56:36" SLOGN_ID="yhsin" SSCR_NTWK_IP="192.168.30.41" SSCR_NTWK_TYPE_CD="C_WIRE" SSCR_NTWK_WIFI_ROUT_ID="Unknown WIFI_R
OUT_ID="Unknown WIFI Router ID" SUSER_NM="신 액 회"] 2952bdfef05880b9c9ca19918c9ad2b6b64876ee0048b13eddf1a02542a7663844

수신서버

/var/log/rsyslog/송신서버IP/ztna-2024-09-05.log