

Table 1: Demographics, lifestyle, adiposity and biochemical characteristics by clusters.

	Overall N = 1381	Cluster 1 N = 459	Cluster 2 N = 491	Cluster 3 N = 431
Demographics & Lifestyle				
Age at follow-up (years)	66 (7.1)	64.7 (7.4)	66.5 (7.3)	66.9 (6.4)
Sex				
Women	654 (47%)	175 (38%)	291 (59%)	188 (44%)
Men	727 (53%)	284 (62%)	200 (41%)	243 (56%)
Smoking status				
Current smoker	863 (63%)	266 (58%)	307 (63%)	290 (68%)
Never smoked	508 (37%)	190 (42%)	183 (37%)	135 (32%)
Physical activity (kj/kg/day)	52 (24)	53.4 (23.8)	50.4 (22.1)	52.4 (26.1)
Adiposity & Fat Distribution				
Body mass index (BMI)				
Men	27.4 (3.8)	26.7 (3.4)	26.4 (3.8)	29.2 (3.7)
Women	26.6 (5.1)	26.2 (4.2)	25.3 (4.7)	29 (5.7)
Waist circumference (cm)				
Men	100.3 (11)	98.2 (10.2)	97.7 (11.2)	105 (10.2)
Women	89.8 (12.9)	88.3 (10.6)	86.1 (12.1)	96.8 (13.3)
Body fat (%)				
Men	26.9 (6.1)	25.5 (5.1)	24.9 (5.8)	30.1 (6.2)
Women	37.5 (6.7)	37.2 (5.6)	35.5 (6.9)	40.7 (6.2)
Visceral adipose tissue (cm)				
Men	8.9 (2.7)	8.1 (2.3)	8.5 (2.6)	10.2 (2.8)
Women	6.8 (2.2)	6.2 (1.7)	6.3 (1.9)	8.2 (2.7)
Subcutaneous adipose tissue (cm)				
Men	2.2 (0.9)	2.3 (0.8)	2.1 (0.9)	2.3 (1)
Women	2.8 (1.1)	2.9 (1.1)	2.7 (1.2)	3 (1)
VAT/SAT ratio				
Men	4.8 (3)	4.1 (2.2)	4.9 (2.8)	5.5 (3.7)
Women	2.8 (1.7)	2.5 (1.6)	2.8 (1.6)	3.1 (2)
Biochemical measures				
Glycemic status				
NGT	734 (53%)	319 (69%)	382 (78%)	33 (8%)
iIFG	249 (18%)	105 (23%)	85 (17%)	59 (14%)
iIGT	122 (9%)	18 (4%)	13 (3%)	91 (21%)
IFG+IGT	116 (8%)	< 10 (< 2%)	< 3 (< 1%)	107 (25%)
Type 2 diabetes	160 (12%)	9 (2%)	10 (2%)	141 (33%)
HDL (mmol/l)	1.6 (0.4)	1.6 (0.4)	1.7 (0.4)	1.5 (0.4)
LDL (mmol/l)	3.3 (1)	3.3 (0.9)	3.3 (1)	3.2 (0.9)
Triglycerides (mmol/l)	1.2 (0.7)	1 (0.5)	1.1 (0.6)	1.5 (0.9)
HbA1c (%)	5.7 (0.4)	5.6 (0.3)	5.6 (0.3)	5.9 (0.5)
HbA1c (mmol/mol)	38.8 (4.6)	37.7 (3.5)	37.9 (3.7)	41 (5.7)
n (%); Mean (SD)				
Cells with fewer than 3 observations are suppressed to protect confidentiality.				