

ASD2024-0206-F1344

- [Summary](#)
 - [Introduction](#)
 - [Key Functionalities/Capabilities](#)
 - [Assumptions/Constraints/Recommendations](#)
- [Solution Requirements](#)
 - [User/Usage Requirements](#)
 - [Interface Requirements](#)
 - [Security Requirements](#)
 - [Network Requirements](#)
 - [Software Requirements](#)
 - [Performance Requirements](#)
 - [Supportability Requirements](#)
 - [Storage Requirements](#)
 - [Database Requirements](#)
 - [Disaster Recovery Requirements](#)
 - [Compliance Requirements](#)
 - [Licensing Requirements](#)
 - [Affinity/Anti-Affinity Requirements](#)
 - [Required Environments & LVT](#)
- [Proposed Solution](#)
 - [Current Architecture](#)
 - [Proposed New Architecture](#)
 - [Pre-Production Architecture](#)
 - [Production/DR Architecture](#)
 - [EC2 Sizing/Specifications \(Guidance on OS Volumes & MS Office Support\)](#)
 - [On-Prem Servers Sizing/Specifications \(Constraints\)](#)
 - [Proposed Server Details](#)
 - [WAS/Liberty/WebLogic JVM Requirements \(Sample\)](#)
 - [F5 URLs](#)
 - [Current](#)
 - [New \(Sample\)](#)
 - [Deployment Details](#)
- [Miscellaneous Information](#)
- [Team Engagement\(s\)](#)
 - [Cloud Engineering Team\(s\)](#)
 - [Project Team\(s\)](#)
 - [Delivery Team\(s\)](#)
- [Approvals and Reviews](#)
 - [Solution Reviews](#)
 - [AWS Well Architected Framework Review](#)
 - [Pattern\(s\) referenced](#)
 - [Version History](#)
 - [Architectural Solution Sign-off](#)

Project Name	Eaton DITPM UPS Monitoring Solution
Author	@ Michael Faulkner
SNOW /JIRA Link	 - Getting issue details... STATUS
Approval Status	☒ Pending ☐ Approved ☐ Cancelled
ATG	<i>Pending</i>

Summary

Introduction

A new server hosted component is required to support the Data Centre Services team. This product will monitor and alert on UPS systems hosted on North American locations.
The selected solution is an Eaton Distributed IT Performance Management virtual appliance.

Key Functionalities/Capabilities

Monitoring of UPS systems hosted in distributed locations.
Allows support staff to pro-actively address degraded systems rather than waiting for failure - means less down time for UPS systems and cost savings associated to less on site technician calls.

Assumptions/Constraints/Recommendations

- OVF appliance can be hosted on AWS
- Appliance has network access to distributed end points in the Corporate Network.
- Static IP address required for server and can be supported by CEG.
The IP of the primary ENI won't change during the EC2's lifetime unless the instance is terminated.
Keeping the IP configuration set to DHCP on the EC2 side should be sufficient
- The Data Centre Operations team accepts the risk of having no pre-production test environment
 - This means patches/upgrades will be applied to production directly
 - DCO accepts the risk of an outage related to patch/upgrade activity
- This solution must be hosted on premise using VMWare
 - Cloud Engineering and Server teams confirm they do not have a process to support OVF installation on AWS EC2

Solution Requirements

User/Usage Requirements	Small group of internal users will interact with the system for configuration and alerting. This is the Data Centre Services team.
Interface Requirements	Web UI integrated with product
Security Requirements	N/A
Network Requirements	No significant network impact expected.
Software Requirements	It should be ensured that all software products that are deployed in the final solution in various environments are appropriately procured, and are in compliance to and current with respect to their licensing requirements. For AWS hosted solutions, costs are typically embedded within the service cost model
Performance Requirements	N/A
Supportability Requirements	Since this is a vendor supplied appliance image, the vendor will be responsible for support of the image components.
Storage Requirements	400 GB per server
Database Requirements	N/A - included as part of image
Disaster Recovery Requirements	Disaster recovery approach will be backup and restore.
Compliance Requirements	N/A
Licensing Requirements	Project team needs to ensure that all appropriate licensing is up to date and in compliance with software vendors' EULA, wherever applicable
Affinity/Anti-Affinity Requirements	N/A

Required Environments & LVT

(LVT Definitions) L:4 V:5 T:5	Zone			
Development/Test	☐ PIZ	☐ AIZ	☐ DMZ	☐ CORP
SIT (UAT)	☐ PIZ	☐ AIZ	☐ DMZ	☐ CORP

Production / WK	VM	OVF image supplied	Corp	4	16	400 GB	1	.sunlifecorp. com	none	Internal	VCOM Monitor

Proposed Server Details

☐ Not Applicable

(Server Group #1)

Server Group Attribute	Value	
Application	DITPM UPS Monitor	
Application Resource	DITPM UPS Monitor	
Operations Support Group	Data Centre Technicians	
Cost Centre (current year)	182820	
Cost Centre (subsequent years)	182820	
Applications running on the servers	DITPM UPS Monitor	
Key Services	DITPM UPS Monitor	
Business Process	N/A	
To whom should Request Notifications be sent (Use CMDB Notification Groups)	Data Centre Technicians	
Finance Critical (in production only)	☐ Yes	☒ No
RRSP Critical (in production only)	☐ Yes	☒ No

WAS/Liberty/WebLogic JVM Requirements (Sample)

☒ Not Applicable

Middleware (WAS/WLS)	Version	Server Name	Environment	Application Name	Managed Server	JVM Size	F5 LB method
Websphere Liberty	WAS Core 20.0.0.1						
Environment	Server Name	Application Name		RAM Requirement	Disk Storage Required	Path	

F5 URLs

☒ Not Applicable

Current

New (Sample)

Deployment Details

Hosted Location	Countries/Regions Served	Business Unit(s)
WK	Canada & US	Corporate

Miscellaneous Information

Project Cost Center	182820		
Business Owner/Sponsor	Wendy Neil		
Data Owner	N/A		
Does the proposed solution require an Architectural Deviation?	No		
Does the proposed solution require an Information Security Risk Assessment?	☐ Yes ☒ No	ISRA #:	<i>Commentary</i>

Team Engagement(s)

Cloud Engineering Team(s)

☒ Not Applicable

Description	Details	Commentary
# Workload Account(s) Required		
Environment	☐ Non-Production ☐ Production	
Region		
Permissions		
Services to be Enabled	N/A	
Network Changes	N/A	Multi region requirement or any network changes (Security Group, Ingress/Egress, etc...)

Note:

- An AD group with correct format and it should all be in **lowercase** (e.g.: users_aws_) else request it via [Service Now](#).
 - Not sure how to request an AD group, refer to [How to create AD \(Active Directory\) group](#)
- Make sure that the SU user is added to the AD group,
 - Not sure how, refer to [How to add SUIDs to existing AD Group](#)

Project Team(s)

Name	Role
	Application/Enterprise Architect
	Project Manager

Delivery Team(s)

DCS Server Team

CEG (for accounts only)

Approvals and Reviews

Solution Reviews

Team	Person Invited	Person Attended	Date
Architecture			01 Jan 2023
Client/Requestor			
Cloud Engineering			
DMS			
ICT			
Linux			
Network			
PCT			
Security			
Storage			
WHS			
Wintel			

AWS Well Architected Framework Review

Link to the report

Pattern(s) referenced

☒ Not Applicable

Version History

Version #	Implemented By	Date	Comments
1.0	@ Michael Faulkner	07 Feb 2024	Initial Draft
		01 Jan 2023	

Architectural Solution Sign-off

(The undersigned acknowledge they have reviewed the above full architectural solution, and approve it for delivery)

Name	Title	Date	Approved
Craig Farhood	Director, Enterprise Architecture	01 Jan 2023	Attach Email
Andre Debatis	Director, Wintel Server Engineering		
Edward Kazak	Engineer, Structured Cabling		

