Susceptible (S)


Susceptible (S)
Exposed (E)


Susceptible (S)
Exposed (E)
2 days
Infected (I)


Susceptible (S)
Exposed (E)
2 days
Infected (I)
8 days
State "R"
2–10 days, R0



- Four "compartiments": Susceptible, Exposed, Infected, Controlled/Recovered/Dead



- Four "compartiments": Susceptible, Exposed, Infected, Controlled/Recovered/Dead



- Four "compartiments": Susceptible, Exposed, Infected, Controlled/Recovered/Dead
- Sensitivity $1-\alpha$=Prob (positive | infected)



- Four "compartiments": Susceptible, Exposed, Infected, Controlled/Recovered/Dead
- Sensitivity $1-\alpha$=Prob (positive | infected)
- Specificity $1-\beta$=Prob (negative | not infected)



- Four "compartiments": Susceptible, Exposed, Infected, Controlled/Recovered/Dead
- Sensitivity $1-\alpha$=Prob (positive | infected)
- Specificity $1-\beta$=Prob (negative | not infected)



- Four "compartiments": Susceptible, Exposed, Infected, Controlled/Recovered/Dead
- Sensitivity $1-\alpha$=Prob (positive | infected)
- Specificity $1-\beta$=Prob (negative | not infected)



- Four "compartiments": Susceptible, Exposed, Infected, Controlled/Recovered/Dead
- Sensitivity $1-\alpha$=Prob (positive | infected)
- Specificity $1-\beta$=Prob (negative | not infected)

Take-Home Messages

- Separation between **infection** and **data dynamics**

Take-Home Messages

- Separation between **infection** and **data dynamics**
- Data used to **calibrate** the base reproduction numbers and IFRs

Take-Home Messages

- Separation between **infection** and **data dynamics**
- Data used to **calibrate** the base reproduction numbers and IFRs
- **Wave peak** if contamination $\approx 20\,\%$: No herd immunity but sufficient for mild measures to be effective

Take-Home Messages

- Separation between **infection** and **data dynamics**
- Data used to **calibrate** the base reproduction numbers and IFRs
- **Wave peak** if contamination $\approx 20\,\%$: No herd immunity but sufficient for mild measures to be effective
- As flu, there is a strong **season dependence** (Peru, Australia)

Take-Home Messages

- Separation between **infection** and **data dynamics**
- Data used to **calibrate** the base reproduction numbers and IFRs
- **Wave peak** if contamination $\approx 20\,\%$: No herd immunity but sufficient for mild measures to be effective
- As flu, there is a strong **season dependence** (Peru, Australia)
- hard lockdowns will hardly lead to fewer deaths;
  $\approx$ **30 000 Covid/flu deaths** this winter season in Germany anyway

Take-Home Messages

- Separation between **infection** and **data dynamics**
- Data used to **calibrate** the base reproduction numbers and IFRs
- **Wave peak** if contamination $\approx 20\,\%$: No herd immunity but sufficient for mild measures to be effective
- As flu, there is a strong **season dependence** (Peru, Australia)
- hard lockdowns will hardly lead to fewer deaths;
  $\approx$ **30 000 Covid/flu deaths** this winter season in Germany anyway
- Pandemic **is over** in March/April 2021; in Czechia already now



- hard lockdowns will hardly lead to fewer deaths;
  $\approx$ **30 000 Covid/flu deaths** this winter season in Germany anyway
- Pandemic **is over** in March/April 2021; in Czechia already now
- **Let's see if these projections stand the test of time!**