























































































- ▶ Vier Phasen: infizierbar,



- Vier Phasen: infizierbar, infiziert,




- Vier Phasen: infizierbar, infiziert, ansteckend,




- Vier Phasen: infizierbar, infiziert, ansteckend, nicht mehr ansteckend







- Vier Phasen: infizierbar, infiziert, ansteckend, nicht mehr ansteckend




- Vier Phasen: infizierbar, infiziert, ansteckend, nicht mehr ansteckend



- ▶ Vier Phasen: infizierbar, infiziert, ansteckend, nicht mehr ansteckend
- ▶ Sensitivität  $1 - \alpha = \text{Prob}(\text{positiv} \mid \text{infiziert})$




- ▶ Vier Phasen: infizierbar, infiziert, ansteckend, nicht mehr ansteckend
- ▶ Sensitivität  $1 - \alpha = \text{Prob}(\text{positiv} \mid \text{infiziert})$
- ▶ Spezifität  $1 - \beta = \text{Prob}(\text{negativ} \mid \text{nicht infiziert})$




### Infection Dynamics

- ▶ Vier Phasen: infizierbar, infiziert, ansteckend, nicht mehr ansteckend
- ▶ Sensitivität  $1 - \alpha = \text{Prob}(\text{positiv} \mid \text{infiziert})$
- ▶ Spezifität  $1 - \beta = \text{Prob}(\text{negativ} \mid \text{nicht infiziert})$



- ▶ Vier Phasen: infizierbar, infiziert, ansteckend, nicht mehr ansteckend
- ▶ Sensitivität  $1 - \alpha = \text{Prob}(\text{positiv} \mid \text{infiziert})$
- ▶ Spezifität  $1 - \beta = \text{Prob}(\text{negativ} \mid \text{nicht infiziert})$



### Infection Dynamics

- ▶ Vier Phasen: infizierbar, infiziert, ansteckend, nicht mehr ansteckend
- ▶ Sensitivität  $1 - \alpha = \text{Prob}(\text{positiv} \mid \text{infiziert})$
- ▶ Spezifität  $1 - \beta = \text{Prob}(\text{negativ} \mid \text{nicht infiziert})$

## Take-Home Messages

- ▶ Separation between **infection** and **data dynamics**



## Take-Home Messages

- ▶ Separation between **infection** and **data dynamics**
- ▶ Data used to **calibrate** the base reproduction numbers and IFRs

## Take-Home Messages

- ▶ Separation between **infection** and **data dynamics**
- ▶ Data used to **calibrate** the base reproduction numbers and IFRs
- ▶ **Wave peak** if contamination  $\approx 20\%$ : No herd immunity but sufficient for mild measures to be effective

## Take-Home Messages


- ▶ Separation between **infection** and **data dynamics**
- ▶ Data used to **calibrate** the base reproduction numbers and IFRs
- ▶ **Wave peak** if contamination  $\approx 20\%$ : No herd immunity but sufficient for mild measures to be effective
- ▶ As flu, there is a strong **season dependence** (Peru, Australia)

# Take-Home Messages

- ▶ Separation between **infection** and **data dynamics**
- ▶ Data used to **calibrate** the base reproduction numbers and IFRs
- ▶ **Wave peak** if contamination  $\approx 20\%$ : No herd immunity but sufficient for mild measures to be effective
- ▶ As flu, there is a strong **season dependence** (Peru, Australia)
- ▶ hard lockdowns will hardly lead to fewer deaths;  
 $\approx$  **30 000 Covid/flu deaths** this winter season in Germany anyway

## Take-Home Messages

- ▶ Separation between **infection** and **data dynamics**
- ▶ Data used to **calibrate** the base reproduction numbers and IFRs
- ▶ **Wave peak** if contamination  $\approx 20\%$ : No herd immunity but sufficient for mild measures to be effective
- ▶ As flu, there is a strong **season dependence** (Peru, Australia)
- ▶ hard lockdowns will hardly lead to fewer deaths;  
 $\approx 30\,000$  **Covid/flu deaths** this winter season in Germany anyway
- ▶ Pandemic **is over** in March/April 2021; in Czechia already now



- ▶ hard lockdowns will hardly lead to fewer deaths;  
 $\approx 30\,000$  Covid/flu deaths this winter season in Germany anyway
- ▶ Pandemic **is over** in March/April 2021; in Czechia already now
- ▶ **Let's see if these projections stand the test of time!**