HTTP Method	Route	Description	Role Required	Request Body	Expected Response
POST	/api/auth/register	Registers a new user account as an Organiser or Participant.	None (Public)	{ "fullName": "string", "email": "string", "password": "string", "roleId": "int" }	201 Created - { "userId": 1, "fullName": "string", "email": "string", "roleId": 1 } 400 Bad Request - Validation error 409 Conflict - Email already registered
POST	/api/auth/login	Authenticates user credentials and returns a JWT bearer token.	None (Public)	{ "email": "string", "password": "string" }	200 OK - { "token": "jwt_string", "user": { "userId": 1, "email":

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
					`"string", "role": "string" } }` `401 Unauthorized` - Invalid credentials
GET	`/api/users/profile`	Retrieves the profile information of the currently authenticated user.	Any (Logged In)	None	`200 OK` - Profile details `401 Unauthorized` - Unauthenticated request
PUT	`/api/users/profile`	Updates the logged-in user's profile information.	Any (Logged In)	`{ "fullName": "string", "email": "string" }`	`200 OK` - Updated profile object `400 Bad Request` - Invalid data

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
					`401 Unauthorized` - Unauthenticated request
GET	`/api/events`	Retrieves a list of all published race events with summary details.	None (Public)	None	`200 OK` - Array of Event objects
POST	`/api/events`	Creates a new race event record.	Organiser	`{ "title": "string", "description": "string", "eventDate": "datetime", "location": "string" }`	`201 Created` - Created Event object `400 Bad Request` - Validation failure `403 Forbidden` - Insufficient role

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
					permissions
GET	`/api/events/{id}`	Retrieves detailed information for a single event including its categories.	None (Public)	None	`200 OK` - Event object with categories array `404 Not Found` - Event ID does not exist
POST	`/api/events/{eventId}/categories`	Adds a new category (e.g., 10km Run) to a specific event.	Organiser	`{ "categoryName": "string", "distanceKm": "decimal", "maxParticipants": "int" }`	`201 Created` - Created Category object `400 Bad Request` - Invalid input `404 Not Found` - Event not found

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
POST	`/api/enrolments`	Enrols the logged-in participant into a specific event category.	Participant	`{ "categoryId": "int" }`	`201 Created` - Enrolment record details `400 Bad Request` - Category full or closed `409 Conflict` - Already enrolled in category
GET	`/api/enrolments/my-enrolments`	Retrieves all race enrolments belonging to the logged-in participant.	Participant	None	`200 OK` - Array of user's Enrolments `401 Unauthorized` - Unauthenticated request

HTTP Method	Route	Description	Role Required	Request Body	Expected Response
POST	`/api/results`	Records a race completion time and position for an enrolment.	Organiser	`{ "enrolmentId": "int", "finishTime": "string", "position": "int" }`	`201 Created` - Created Result object `404 Not Found` - Enrolment record not found `409 Conflict` - Result already recorded
GET	`/api/categories/{categoryId}/results`	Retrieves the final leaderboard/results for a specific event category.	None (Public)	None	`200 OK` - Array of Results ordered by position `404 Not Found` - Category not found