



The answer key is wrong. Nobody checked.

Cekgu reviews a quiz before learners sit it.

- Two models, read blind
- Every reading receipted
- Refuses on disagreement

TEAM M1KU

@AlaskanTuna Frontend · Deploy	@kymil4 Testing · Deck	@chaosiris Gateway · Queue · API	@c3638 Docs · Submission
-----------------------------------	---------------------------	-------------------------------------	-----------------------------



PROJECT OBJECTIVE

Spend human attention where it matters.

CEKGU RE-SOLVES EVERY ITEM, BLIND

12

SORTED
→

ONLY THESE NEED A HUMAN

3

Possible Key Error

Possible Key Error

Possible Ambiguity

9 items

Clear

PUBLIC SAMPLE RECORD • 12 ITEMS

OVERALL CONCEPT


Two readers, blind. Then a fixed rule.

THE ITEM AS SUBMITTED

Which data structure removes elements in first in, first out order?

Your key is withheld.

TWO MODEL FAMILIES, ANSWERING BLIND



CHECKED IN THIS ORDER

- 1

Unverified

fewer than two verified readings
- 2

Split Opinion

the two answers differ
- 3

Possible Ambiguity

both list more than one option
- 4

Clear

the shared answer is the key
- 5

Possible Key Error

the shared answer is not the key

OVERALL CONCEPT · THE MOMENT

Nobody told them the key. Both chose Queue.

Which data structure removes elements
in first in, first out order?

SUPPLIED KEY

☒ A ☐ B ☐ C ☐ D

Stack

MiniMaxAI/MiniMax-M2.7

☐ A ☒ B ☐ C ☐ D

Queue

RECEIPT

Verified

moonshotai/Kimi-K2.6

☐ A ☒ B ☐ C ☐ D

Queue

RECEIPT

Verified

●○ Possible Key Error

Both readers chose Queue. The supplied key is Stack.

The supplied key says Stack.

Cekgu asks a human to
look. It changes nothing.

RULE FIRED

Two verified readings agree on a non-key option.

OVERALL CONCEPT · THE PROOF

Every reading carries a request id.

PUBLIC SAMPLE RECORD · QUESTION 9

SERVED MODEL

MiniMaxAI/MiniMax-M2.7

REQUEST ID

req-1788427238422211326-414866

RECEIPT

Verified

SERVED MODEL

moonshotai/Kimi-K2.6

REQUEST ID

req-1788427238422211356-414867

RECEIPT


Verified

ASK THE GATEWAY YOURSELF

`api.gonkarouter.io/v1/receipts/req-1788427238422211326-414866`

Both ids are on the public sample record. Neither reading counts without one.

One process. One gateway. Two models.



- ✓ All inference on GonkaRouter
- ✓ Two models, distinct receipts
- ✓ A request id per step
- ✓ The rule printed on screen

MOTIVATION AND CHALLENGES

No item had two readings in 30 seconds.

So Cekgu queues the work, retries, and fails closed.


12 of 12

items, two verified readings each

PUBLIC SAMPLE RECORD

5 abstained as Unverified. 1 came back Clear.

SECONDS TO A COMPLETED CALL • 3 SEP BENCHMARK



30-ITEM EVALUATION SET • RUN TWICE THROUGH THE DEPLOYED QUEUE

40 clean control runs

0 false flags



20 planted defect runs

14 caught



BUSINESS MODEL

We charge for questions checked. Not tokens.

QUESTIONS CHECKED PER MONTH



The educator never sees a model bill.


Pilot pricing. No buyer has paid yet.

Check the exam before the exam checks us.

LIVE DEMO `cekgu-op7lf5dspq-as.a.run.app`
REPOSITORY `github.com/MUBA-M1KU/Cekgu`
DEVFOLIO `muba-hackathon.devfolio.co`

Twelve items. Two blind readers
each. Three sent back to a human.

@chaosiris · @AlaskanTuna · @kymil4 · @c3638



Scan to open the public sample record