

The answer
key is wrong.
Nobody checked.

Cekgu reviews a quiz before learners sit it.



Cekgu

PROBLEM STATEMENT

One wrong key. Every learner pays.

A wrong key. Two defensible answers. A missing word.

The paper was vetted.
The defect survived.

Which data structure removes elements in first in, first out order?

SUPPLIED KEY

A

Stack

B

Queue

C

Binary search tree

D

Hash table

Published. Nobody re-solved it.



VETTED

PROJECT OBJECTIVE

Spend human attention where it matters.

EVERY ITEM, READ AGAIN

12



THREE ITEMS, IN ORDER

3

●○ Possible Key Error

●○ Possible Key Error

①① Possible Ambiguity

9 items

● Clear

PUBLIC SAMPLE RECORD • 12 ITEMS

OVERALL CONCEPT

Two readers, blind. Then a fixed rule.

THE ITEM AS SUBMITTED

Which data structure removes elements in first in, first out order?

Key Withheld

TWO MODEL FAMILIES, ANSWERING BLIND

MiniMax-M2.7

Queue

=

Kimi-K2.6

Queue

CHECKED IN THIS ORDER

- 1 Unverified
fewer than two verified readings
- 2 Split Opinion
the two answers differ
- 3 Possible Ambiguity
both list more than one option
- 4 Clear
the shared answer is the key

THE SUPPLIED KEY

Stack

5 Possible Key Error
the shared answer is not the key

OVERALL CONCEPT · THE MOMENT

Nobody told them the key. Both chose Queue.

Which data structure removes elements in first in, first out order?

SUPPLIED KEY

☒ A ☐ B ☐ C ☐ D

Stack

MiniMaxAI/MiniMax-M2.7

☐ A ☒ B ☐ C ☐ D

Queue

Receipt Verified

moonshotai/Kimi-K2.6

☐ A ☒ B ☐ C ☐ D

Queue

Receipt Verified

●○ Possible Key Error

Both readers chose Queue. The supplied key is Stack.

The supplied key says Stack.

Cekgu asks a human to look. It changes nothing.

OVERALL CONCEPT · THE PROOF

Every reading carries a request id.

PUBLIC SAMPLE RECORD · QUESTION 9

SERVED MODEL

Verified

MiniMaxAI/MiniMax-M2.7

REQUEST ID

req-1788427238422211326-414866

SERVED MODEL

Verified

moonshotai/Kimi-K2.6

REQUEST ID


req-1788427238422211356-414867

ASK THE GATEWAY YOURSELF

`api.gonkarouter.io/v1/receipts/req-1788427238422211326-414866`

Both ids are on the public sample record. Neither reading counts without one.

One process. One gateway. Two models.



- ✓ All inference on GonkaRouter
- ✓ Two models, distinct receipts
- ✓ A request id per step
- ✓ The rule printed on screen

MOTIVATION AND CHALLENGES

No item had two readings in 30 seconds.

So Cekgu queues the work, retries, and fails closed.


12 of 12

items, two verified readings each

PUBLIC SAMPLE RECORD

5 abstained as Unverified. 1 came back Clear.

SECONDS TO A COMPLETED CALL • 3 SEP BENCHMARK



30-ITEM EVALUATION SET • RUN TWICE THROUGH THE DEPLOYED QUEUE

40 clean control runs

0 false flags



20 planted defect runs

14 caught



BUSINESS MODEL

We charge for questions checked. Not tokens.

QUESTIONS CHECKED PER MONTH



The educator never sees a model bill.

Pilot pricing. No buyer has paid yet.

Check the exam before the exam checks us.

LIVE DEMO

`cekgu-op7lf5dspq-as.a.run.app`

REPOSITORY

`github.com/MUBA-M1KU/Cekgu`

DEVFOLIO

`muba-hackathon.devfolio.co`

