## In [1]:

```
from keras.models import load_model
from keras.preprocessing import image
import numpy as np
```

Using TensorFlow backend.

## In [2]:

```
model=load_model("skindisease.h5")
```

WARNING:tensorflow:From C:\ProgramData\Anaconda3\lib\site-packages\keras\backend\tensorflow\_backend.py:517: The name tf.placeholder is deprecated. Pleas e use tf.compat.v1.placeholder instead.

WARNING:tensorflow:From C:\ProgramData\Anaconda3\lib\site-packages\keras\backend\tensorflow\_backend.py:4138: The name tf.random\_uniform is deprecated. P lease use tf.random.uniform instead.

WARNING:tensorflow:From C:\ProgramData\Anaconda3\lib\site-packages\keras\backend\tensorflow\_backend.py:3976: The name tf.nn.max\_pool is deprecated. Plea se use tf.nn.max\_pool2d instead.

WARNING:tensorflow:From C:\ProgramData\Anaconda3\lib\site-packages\keras\backend\tensorflow\_backend.py:174: The name tf.get\_default\_session is deprecate d. Please use tf.compat.v1.get\_default\_session instead.

WARNING:tensorflow:From C:\ProgramData\Anaconda3\lib\site-packages\keras\backend\tensorflow\_backend.py:181: The name tf.ConfigProto is deprecated. Pleas e use tf.compat.v1.ConfigProto instead.

WARNING:tensorflow:From C:\ProgramData\Anaconda3\lib\site-packages\keras\backend\tensorflow\_backend.py:186: The name tf.Session is deprecated. Please us e tf.compat.v1.Session instead.

WARNING:tensorflow:From C:\ProgramData\Anaconda3\lib\site-packages\keras\opt imizers.py:790: The name tf.train.Optimizer is deprecated. Please use tf.com pat.v1.train.Optimizer instead.

WARNING:tensorflow:From C:\ProgramData\Anaconda3\lib\site-packages\tensorflow\python\ops\math\_grad.py:1250: add\_dispatch\_support.<locals>.wrapper (from tensorflow.python.ops.array\_ops) is deprecated and will be removed in a futu re version.

Instructions for updating:

Use tf.where in 2.0, which has the same broadcast rule as np.where

## In [3]:

```
img=image.load_img("acne.jpg",target_size=(64,64))
```

## In [4]:

```
x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
```

```
In [5]:
x.shape
Out[5]:
(1, 64, 64, 3)
In [6]:
pred0=model.predict_classes(x)
In [8]:
pred0
Out[8]:
array([0], dtype=int64)
In [9]:
img=image.load_img("mel.jpg",target_size=(64,64))
In [10]:
x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
In [11]:
x.shape
Out[11]:
(1, 64, 64, 3)
In [12]:
pred1=model.predict_classes(x)
In [13]:
pred1
Out[13]:
array([1], dtype=int64)
In [14]:
img=image.load_img("ps.png",target_size=(64,64))
```

```
In [15]:
x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
In [16]:
pred2=model.predict_classes(x)
In [17]:
pred2
Out[17]:
array([2], dtype=int64)
In [18]:
img=image.load_img("rw.jpg",target_size=(64,64))
In [19]:
x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
In [20]:
pred3=model.predict_classes(x)
In [21]:
pred3
Out[21]:
array([3], dtype=int64)
In [26]:
img=image.load_img("vit.jpg",target_size=(64,64))
In [27]:
x=image.img_to_array(img)
x=np.expand_dims(x,axis=0)
In [28]:
pred4=model.predict_classes(x)
```

In [29]:	
pred4	
Out[29]:	
array([4], dtype=int64)	
In [ ]:	