



MILCHARSEC • TRACK 1

Digital Security Basics

A complete eight-module learning path covering cybersecurity fundamentals, account security, phishing, safe browsing, data privacy, mobile & remote work, incident reporting, and business email security.

Module Content • Modules 1–8

Contents

Module 1	Cybersecurity Fundamentals
Module 2	Password & Account Security
Module 3	Phishing & Social Engineering
Module 4	Safe Browsing & Device Hygiene
Module 5	Data Handling & Privacy at Work
Module 6	Mobile & Remote Work Security
Module 7	Security Incident Recognition & Reporting
Module 8	Email & Business Communication Security

Module 1: Cybersecurity

Fundamentals

Why This Matters

Cybersecurity is not only the responsibility of an IT or security team. Everyday actions—opening an email, choosing a password, sharing a file, connecting a device, or clicking a link—can either reduce risk or create an opportunity for an attacker.

This module introduces the foundations of cybersecurity and helps learners recognize common threats, understand the **CIA Triad**, and develop safe security habits.

Learning Objectives

By the end of this module, you should be able to:

1. Explain what cybersecurity means.
 2. Explain why cybersecurity is important.
 3. Describe the **Confidentiality, Integrity, and Availability (CIA) Triad**.
 4. Identify common types of cyber threats.
 5. Explain the basics of malware, phishing, ransomware, and social engineering.
 6. Recognize common warning signs of suspicious activity.
 7. Explain the role of employees and users in cybersecurity.
 8. Apply the **Pause** → **Verify** → **Report** security mindset.
 9. Distinguish between safe, suspicious, and reportable situations.
 10. Understand why basic security practices reduce cyber risk.
-

1. What Is Cybersecurity?

Cybersecurity is the practice of protecting **devices, accounts, networks, systems, applications, and information** from unauthorized access, misuse, damage, theft, or disruption.

In simple terms, cybersecurity tries to make sure:

- The right people can access information.
- Unauthorized people cannot access it.
- Information remains accurate and trustworthy.
- Important systems remain available when needed.

Real-World Analogy

Think about an office building.

Physical World	Digital World
Door lock	Password
ID card	Multi-Factor Authentication
Security guard	Security team
Security camera	Security monitoring
Restricted room	Protected system/data

Cybersecurity is therefore similar to physical security, except the environment is digital.

Quick Check

Which action can create a cybersecurity risk?

A. Opening an unexpected attachment B. Reusing a password C. Sending confidential information to the wrong person D. All of the above

Correct answer: D — All of the above

2. Why Is Cybersecurity Important?

Modern life depends heavily on technology.

People and organizations use:

- Email
- Cloud storage
- Mobile phones
- Computers

- Banking applications
- Messaging platforms
- Websites
- Databases
- Business applications
- Online services

If these systems are attacked or misused, the consequences can include:

- Loss of information
- Financial loss
- Privacy violations
- Service disruption
- Reputation damage
- Identity theft
- Loss of customer trust

Example

Imagine a university database containing student records.

If an unauthorized person obtains those records, **confidentiality** may be affected.

If someone secretly changes student grades, **integrity** is affected.

If the database becomes unavailable during examinations, **availability** is affected.

One incident can therefore affect multiple security objectives.

3. The CIA Triad

One of the most important concepts in cybersecurity is the **CIA Triad**.

CIA stands for:

- **C — Confidentiality**
- **I — Integrity**
- **A — Availability**

These three principles provide a simple way to understand the main goals of information security.

3.1 Confidentiality

Confidentiality means information should only be accessible to authorized people.

Example

A student's academic record should not be visible to every person in a university.

Only authorized individuals should be able to access it.

Confidentiality can be affected when:

- A password is shared.
- A confidential email is sent to the wrong person.
- Sensitive documents are left exposed.
- Private information is uploaded to an unauthorized service.
- Someone accesses an account without permission.

Easy Way to Remember

Confidentiality = Keep it secret/private.

3.2 Integrity

Integrity means information remains accurate, complete, and trustworthy.

Cybersecurity is not only about preventing information theft. Attackers may also attempt to **change information**.

Example

Suppose a bank account contains Rs. 50,000.

If someone changes the record without authorization so that it shows Rs. 5,000, the integrity of the information has been compromised.

Integrity problems include:

- Unauthorized changes to records
- Modified documents
- Fake invoices
- Altered financial information
- Malware modifying files
- Incorrect or unauthorized database changes

Easy Way to Remember

Integrity = Keep it correct.

3.3 Availability

Availability means authorized users can access systems and information when they need them.

Example

Imagine a company arrives at work and discovers that:

- Email is unavailable.
- Important files cannot be opened.
- The company's application is offline.

The information might still be confidential and accurate, but the organization has a problem because users cannot access it.

Availability can be affected by:

- Ransomware
- Hardware failures
- Power outages
- Network failures
- Cyberattacks
- Accidental deletion
- System misconfiguration

Easy Way to Remember

Availability = Keep it accessible.

CIA Triad Challenge

Scenario

Ali accidentally sends a confidential customer spreadsheet to the wrong external email address.

Which principle is primarily affected?

A. Availability B. Confidentiality C. Integrity

Answer: B — Confidentiality

Now imagine someone changes information inside the spreadsheet without authorization.

Answer: Integrity

If the server becomes unavailable and employees cannot access the spreadsheet:

4. Understanding the Cyber Threat Landscape

A **threat** is anything that has the potential to cause harm to a person, system, organization, or information.

Cyber threats can come from different sources.

4.1 Cybercriminals

Cybercriminals commonly seek financial or other illegal gains.

They may attempt to:

- Steal credentials
- Commit fraud
- Steal money
- Sell stolen information
- Deploy ransomware
- Take over accounts

Example

An attacker sends fake banking messages to thousands of people hoping that some victims will provide their login information.

4.2 Insider Threats

An **insider threat** involves someone who has legitimate access to an organization but creates a security risk.

An insider threat does **not necessarily mean a malicious employee**.

A person may accidentally create a security incident by:

- Sending information to the wrong person
- Using a weak password
- Falling for phishing
- Connecting an unsafe device
- Misconfiguring file permissions
- Accidentally exposing sensitive information

Important Point

Many security incidents begin with an ordinary mistake rather than deliberate wrongdoing.

4.3 Nation-State Threats

Some cyber activities are associated with governments or groups operating in the interests of governments.

Their objectives may include:

- Espionage
- Intelligence gathering
- Disruption
- Access to sensitive government information
- Access to industrial or strategic information

The important lesson for beginners is that different organizations may face different levels and types of threats.

4.4 Opportunistic Attackers

Some attackers do not specifically target one organization.

Instead, they search for easy opportunities such as:

- Weak passwords
- Unpatched software
- Publicly exposed systems
- Accidentally public files
- Poorly protected accounts

Analogy

Imagine someone walking through a neighborhood checking which doors are unlocked.

They may not know who lives there—they are simply looking for an easy opportunity.

Similar behavior can occur online.

5. Common Cyberattacks

You do not need to become an expert in every attack immediately. However, recognizing common attacks is an important first step.

5.1 Malware

Malware means malicious software designed to harm, disrupt, spy on, or gain unauthorized access to systems.

Examples include:

- Viruses
- Trojans
- Spyware
- Ransomware

Example

A user downloads what appears to be legitimate software from an untrusted source. The program secretly installs malicious software.

Safe response: Do not experiment with suspicious files. Follow the appropriate security-reporting process.

5.2 Viruses

A **virus** is a type of malware that can attach itself to files or programs and may spread when those files or programs are executed or shared.

Basic protection

- Keep software updated.
- Use trusted software sources.
- Avoid suspicious attachments.
- Use security software where appropriate.
- Do not run unknown files.

5.3 Ransomware

Ransomware is malicious software that can prevent access to systems or data and may demand payment from victims.

For beginners, the most important lessons are:

- Avoid suspicious files and links.
- Maintain reliable backups.
- Keep systems updated.
- Report unusual activity quickly.
- Do not assume you can safely fix an incident yourself.

5.4 Phishing

Phishing is an attempt to trick a person into revealing information or performing an unsafe action.

A phishing message may pretend to come from:

- A bank
- A manager
- IT support
- A delivery company
- A university
- A trusted online service

Warning Signs

Look for:

- Unexpected urgency
- Suspicious links
- Unexpected attachments
- Requests for passwords
- Requests for authentication codes
- Requests for money
- Pressure to act immediately
- Unusual sender addresses

Example

"Your account will be disabled soon. Click the link immediately."

The urgency is intended to make the recipient act before thinking.

Golden Rule

Stop → Check → Verify → Then act.

6. Social Engineering

Social engineering attacks target **people and their decisions**, rather than relying only on technical weaknesses.

Attackers may exploit:

- Fear
- Urgency
- Authority
- Curiosity
- Trust
- Impersonation

Example

Someone calls claiming to be from IT support:

"There is a serious problem with your account. Give me your verification code immediately."

Even if the caller sounds convincing, do not casually disclose authentication secrets.

Instead:

1. Stop.
2. Do not provide the code.
3. Verify the request independently.
4. Report it if necessary.

7. Common Social Engineering Techniques

Phishing

Fraudulent messages designed to trick users.

Smishing

Phishing performed through SMS or text messages.

Vishing

Phishing performed through voice calls.

Pretexting

An attacker creates a false story or identity to obtain information.

Impersonation

An attacker pretends to be a trusted person or organization.

Baiting

An attacker uses something attractive or interesting to encourage an unsafe action.

Important Lesson

The technology may be secure, but an attacker may attempt to manipulate the **person using the technology**.

8. Password and Account Security

Passwords are one of the most basic forms of account protection.

Good Password Habits

- Use unique passwords for important accounts.
- Avoid predictable passwords.
- Do not share passwords.
- Do not reuse the same password everywhere.
- Use a password manager when appropriate.
- Enable MFA whenever available.

Why Password Reuse Is Dangerous

Imagine using the same password for:

- Email
- Social media
- University account
- Gaming account

If one service suffers a breach and the password becomes exposed, attackers may attempt the same credentials on other services.

This is known as **credential stuffing**.

9. Multi-Factor Authentication

Multi-Factor Authentication (MFA) adds another verification step beyond a password.

Common authentication factors include:

1. **Something you know** — password or PIN
2. **Something you have** — phone, security key, authenticator
3. **Something you are** — biometric characteristic

Example

A login may require:

Password + authentication code

Even if someone obtains the password, the additional factor can provide another layer of protection.

Quick Check

Which provides stronger protection?

A. Password only B. Password + MFA

Answer: B — Password + MFA

10. Human Role in Cybersecurity

Cybersecurity teams may operate firewalls, monitoring systems, endpoint protection, and other controls.

However, users also have an important role.

Every user can help by:

- Protecting credentials
- Verifying unusual requests
- Handling sensitive information carefully
- Reporting suspicious activity
- Keeping devices updated
- Following security policies
- Using approved software and services

MilcharSec Security Habit

Remember:

RECOGNIZE → STOP → VERIFY → REPORT

This decision process will be used throughout MilcharSec.

11. Real-World Scenario: The Fake Invoice

A finance employee receives an email that appears to come from a regular supplier.

The email says the supplier's bank account details have changed and requests that future payments be sent to the new account.

The email looks professional.

What should the employee do?

A. Update the bank details immediately. B. Reply to the email and ask whether it is legitimate. C. Independently verify the request using known contact information and organizational procedures. D. Ignore all future supplier emails.

Best answer: C

Why?

Replying directly to a potentially fraudulent message may not independently verify the sender.

A stronger approach is to use a **previously trusted contact method** and follow organizational procedures.

12. Tool Spotlight: Have I Been Pwned?

Have I Been Pwned is a public service that allows users to check whether an email address has appeared in known data breaches.

For learning purposes, it demonstrates why password reuse can be dangerous.

If an account from one service appears in a breach, attackers may attempt to use exposed credentials on other services.

Important

A breach notification does **not automatically mean that an account is currently compromised**.

It is a signal to:

- Review account security.
- Change exposed passwords where appropriate.
- Use unique passwords.

- Enable MFA.
-

13. Interactive Learning Challenge

Situation 1

You receive an unexpected attachment from an unknown sender.

What should you do?

A. Open it to see what it contains. B. Forward it to everyone. C. Avoid opening it and report it through the appropriate process.

Best choice: C

Situation 2

A colleague asks for your work account password because they need access quickly.

A. Share it because they are a colleague. B. Refuse to share it and use an approved access process. C. Write it down for them.

Best choice: B

Situation 3

You notice an email that appears to have been sent from your account, but you did not send it.

A. Ignore it. B. Report the suspicious activity using the appropriate security process. C. Delete the email and continue working.

Best choice: B

14. Knowledge Quiz

Question 1

What does the **C** in the CIA Triad represent?

A. Control B. Confidentiality C. Cybercrime D. Communication

Answer: B — Confidentiality

Question 2

Which situation is an example of an integrity problem?

A. A server becomes unavailable. B. An unauthorized person changes financial data. C. A confidential file is sent to the wrong person. D. An employee forgets their password.

Answer: B — An unauthorized person changes financial data.

Question 3

Which attack primarily attempts to manipulate a person into taking an unsafe action?

A. Social engineering B. Backup C. Encryption D. Software update

Answer: A — Social engineering

Question 4

You receive an urgent email requesting sensitive information. What should you do first?

A. Respond immediately. B. Stop and verify the request using a trusted method. C. Forward the information. D. Delete all your files.

Answer: B

Question 5

Which statement is most accurate?

A. Cybersecurity is only the IT department's responsibility. B. Only large organizations experience cyberattacks. C. User decisions can affect organizational cybersecurity. D. Cybersecurity only involves hackers and malware.

Answer: C

15. Final Challenge — Your First Day at MilcharSec

For each situation, choose:

SAFE | SUSPICIOUS | REPORT

Scenario 1

Your organization asks you to complete MFA setup through the official internal portal.

Answer: SAFE

Scenario 2

An unknown person calls asking for your one-time verification code.

Answer: SUSPICIOUS

Scenario 3

You accidentally send a confidential document to the wrong recipient.

Answer: REPORT

Scenario 4

A website contains a slightly misspelled version of your company's name.

Answer: SUSPICIOUS

Scenario 5

You notice account activity that you do not recognize.

Answer: REPORT

MilcharSec Rule

Do not panic. Pause, think, verify, and report when necessary.

16. Key Takeaways

By completing this module, you should understand that:

- Cybersecurity protects information, systems, accounts, devices, and networks.
- The **CIA Triad** consists of Confidentiality, Integrity, and Availability.

- Cyber threats can come from cybercriminals, insiders, opportunistic attackers, and sophisticated threat actors.
 - Malware includes different forms of malicious software.
 - Phishing attempts to manipulate users into unsafe actions.
 - Ransomware can disrupt access to systems or data.
 - Social engineering targets human decision-making.
 - Strong account security includes unique passwords and MFA.
 - Users play an important role in organizational cybersecurity.
 - When something appears suspicious, **pause, verify, and report**.
-

17. Reflect & Apply

Think about your own digital habits:

1. Do you use the same or similar passwords across multiple important accounts?
 2. Do you have MFA enabled on your important accounts?
 3. What warning signs would make you suspicious of an email or message?
 4. If you received a suspicious request tomorrow, how would you verify it?
 5. Who would you report a cybersecurity incident to in your organization or university?
-

Module Completion

Before moving to Module 2, you should be able to explain:

Cybersecurity → CIA Triad → Threats → Attacks → Safe User Behavior

MilcharSec Core Habit

Recognize → Stop → Verify → Report

Module 1 Complete.

Module 2: Password & Account Security

Why This Matters

Your online accounts are often the gateway to your personal information, academic records, communications, files, and other digital resources.

An attacker does not always need to break into a complicated system. Sometimes, obtaining or guessing a user's password is enough.

This module teaches you how to create and maintain stronger accounts, recognize credential theft attempts, use password managers, understand Multi-Factor Authentication (MFA), and protect your most important accounts.

Learning Objectives

By the end of this module, you should be able to:

1. Explain the difference between strong and weak passwords.
2. Understand why password length matters.
3. Explain the risks of password reuse.
4. Identify common password mistakes.
5. Understand how password managers work.
6. Explain Multi-Factor Authentication (MFA).
7. Recognize signs of credential theft.
8. Recognize password reset scams.
9. Understand account takeover.
10. Identify which accounts require the strongest protection.
11. Apply safer password and account-security practices.
12. Use a password-strength checker safely.

1. What Is a Password?

A **password** is a secret used to authenticate a user and help prove that they are authorized to access an account or system.

Examples of accounts protected by passwords include:

- Email accounts
- University accounts
- Social media accounts
- Cloud storage
- Banking accounts
- Gaming accounts
- Work accounts
- Developer platforms

A password is only useful as a security control if it is difficult for unauthorized people to discover or obtain.

2. Strong vs Weak Passwords

Not all passwords provide the same level of protection.

A **weak password** is easy to guess, predict, or obtain.

A **stronger password** is more difficult to guess and is unique to the account.

Examples of Weak Password Patterns

Avoid passwords based on:

- Your name
- Birthday
- Phone number
- University name
- Favorite team
- Family member's name
- Simple sequences
- Common words
- Repeated characters

Examples of weak patterns include:

password123

12345678

qwerty123

Ali2007

These patterns are predictable and should not be used.

Important

Do not use the examples above as actual passwords.

3. Password Length Matters

One of the most important characteristics of a password is **length**.

In general, longer passwords provide more possible combinations and can be harder to guess.

Compare the concepts:

Short password

Tiger7

Longer passphrase

river-lamp-coffee-window

The second example is much longer and can be easier for a person to remember while providing more possible combinations.

Remember

Length is a major part of password strength.

Do not focus only on adding one symbol or changing one letter. A longer, unique password or passphrase is generally a better starting point.

4. Password Complexity

Password complexity can involve:

- Uppercase letters

- Lowercase letters
- Numbers
- Symbols
- Less predictable combinations

However, simply adding a number or symbol to a common password does not automatically make it secure.

For example, changing:

password

to:

Password1!

still follows a very common and predictable pattern.

Better Principle

Think about:

Length + Uniqueness + Unpredictability

rather than complexity alone.

5. Password Reuse

Password reuse means using the same password on multiple accounts.

This creates a major security problem.

Example

Imagine you use the same password for:

- Gaming account
- Social media
- University account
- Email

If the password is exposed from one service, an attacker may attempt to use it on your other accounts.

This can turn one compromised account into several compromised accounts.

Security Rule

One important account = One unique password

Your most important accounts should never depend on the same password.

6. Common Password Mistakes

Users commonly make mistakes such as:

1. Using personal information

Examples:

- Name
- Birthday
- Phone number
- Address

Personal information may be easy for attackers to discover.

2. Using common passwords

Common passwords may be included in lists used by attackers when attempting account access.

3. Reusing passwords

One exposed password can affect multiple accounts.

4. Sharing passwords

Passwords should not be casually shared with friends, classmates, colleagues, or other people.

5. Writing passwords in unsafe locations

Leaving passwords visible on a desk or in an unsecured document can expose them.

6. Using predictable patterns

Examples include:

Password1

Password2

Password3

Changing only a number does not provide meaningful separation between passwords.

7. Password Managers

A **password manager** is a tool designed to securely store and manage passwords.

Instead of remembering dozens of unique passwords, a user can use a password manager to help manage them.

A Password Manager Can Help You:

- Generate unique passwords.
- Store passwords.
- Retrieve passwords when needed.
- Reduce password reuse.
- Manage many different accounts.

Example

Instead of creating:

University123

for several websites, a password manager can generate different passwords for each account.

Important Principle

You still need to protect the password manager itself.

Use strong protection for the password manager and enable MFA where supported.

8. Multi-Factor Authentication

Multi-Factor Authentication (MFA) adds another layer of verification to an account.

Instead of relying only on a password, MFA requires an additional authentication factor.

Common factors include:

Something You Know

Examples:

- Password
- PIN

Something You Have

Examples:

- Phone
- Authentication device
- Security key

Something You Are

Examples:

- Fingerprint
- Face recognition

9. Why MFA Matters

Imagine an attacker obtains your password.

Without MFA:

Password → Account access

With MFA:

Password → Additional verification → Account access

The additional factor can make unauthorized access more difficult.

Example

You log into your email with:

Password + Authentication Code

Even if someone obtains your password, they may still be unable to complete the second authentication step.

Important

Never share authentication codes with someone who unexpectedly asks for them.

10. Protecting Your MFA

MFA improves security, but users still need to protect their authentication factors.

Be cautious when someone asks for:

- One-time codes
- Authentication codes
- Login approval
- Security keys
- Recovery codes

Scenario

Someone calls and says:

"I'm from the IT department. I need the code that just appeared on your phone."

What should you do?

A. Give them the code. B. Ask them to call back later and give the code. C. Do not provide the code and independently verify the request.

Correct answer: C

Rule

Unexpected MFA request = Stop and verify.

11. Account Takeover

An **account takeover** occurs when an unauthorized person gains control of someone else's account.

An attacker may obtain access through:

- Stolen passwords
- Phishing
- Credential stuffing
- Malware
- Social engineering
- Compromised recovery methods

Once inside an account, an attacker may attempt to:

- Change account settings
 - Change the password
 - Access private information
 - Send fraudulent messages
 - Access stored files
 - Attack other accounts
 - Lock the legitimate user out
-

12. Warning Signs of Account Takeover

Possible warning signs include:

- Login alerts you do not recognize.
- Password reset emails you did not request.
- Unexpected MFA notifications.
- Messages sent from your account that you did not send.
- Changes to account settings you did not make.
- Unknown devices appearing in account activity.
- Your password suddenly stops working.

What Should You Do?

If you notice suspicious activity:

1. Stop interacting with suspicious messages.
 2. Use the official account or service website.
 3. Change the password if appropriate.
 4. Enable MFA.
 5. Review account activity and sessions.
 6. Follow the service's account-recovery process.
 7. Report the incident when necessary.
-

13. Credential Theft

Credentials are information used to authenticate a user.

Examples include:

- Usernames
- Passwords
- Authentication codes
- Recovery information
- Authentication tokens

Credential theft occurs when an attacker obtains authentication information without authorization.

Common Methods

Attackers may attempt credential theft through:

- Phishing websites
- Fake login pages
- Social engineering
- Malicious software
- Password reuse attacks
- Fake support messages

14. Fake Login Pages

One common credential-theft technique is creating a website that looks like a legitimate login page.

For example, an attacker may create a fake page that looks similar to an email provider.

The victim enters:

Username → **Password** → **Submit**

The information may then be sent to the attacker.

Warning Signs

Before entering credentials, check:

- The website address
- The domain name
- Unexpected redirects
- Suspicious spelling
- Unexpected urgency
- The source of the link

Do not trust a login page simply because it looks professional.

15. Password Reset Scams

Attackers may also use fake password-reset messages.

Example

You receive:

"A password reset has been requested for your account. Click immediately to cancel it."

The message may contain a malicious link.

Warning Signs

Be cautious when:

- You did not request a reset.
- The message creates unnecessary urgency.
- The link goes to an unexpected domain.
- Someone asks you to provide your password.
- Someone asks for your MFA code.
- Someone asks you to approve an unexpected login.

Safer Approach

If you are concerned about your account:

1. Do not use the suspicious link.
2. Open the official service directly.
3. Check your account security.
4. Use the official password-reset process.

16. Protecting Important Accounts

Not every account has the same importance.

Some accounts can provide access to many other services.

High-Priority Accounts

Pay particular attention to:

- Primary email
- University account
- Financial accounts
- Cloud storage
- Work accounts
- Password manager
- Developer accounts

Why Email Is Especially Important

Your primary email may be connected to password-reset systems for other accounts.

If someone gains control of your email, they may attempt to reset passwords for other services.

Therefore:

Protect your primary email like a master key.

17. Account Security Checklist

Before considering an important account well protected, ask:

- Do I use a unique password?
- Is the password sufficiently long?
- Is MFA enabled?
- Have I checked recent login activity?
- Are my recovery methods current?
- Do I recognize the devices connected to the account?
- Do I know how to report or recover a compromised account?

The more important the account, the more seriously you should treat these questions.

18. Interactive Tool — Password Strength Checker

MilcharSec can provide a **Password Strength Checker** as an interactive learning tool.

The purpose is to teach users what makes passwords stronger or weaker.

The checker can evaluate factors such as:

Password Length

Longer passwords generally provide more possible combinations.

Repeated Patterns

Repeated characters or predictable sequences can reduce strength.

Example:

aaaa1111

Common Password Patterns

The tool can identify patterns associated with common passwords.

Example:

Password123

Predictability

Passwords based on easily guessed information can receive a lower assessment.

Overall Password Strength

The tool can provide educational feedback such as:

Weak

Moderate

Strong

Very Strong

The goal is not simply to give a score, but to explain **why** a password receives that assessment.

19. Privacy Rule for the Password Checker

A password-strength learning tool should be designed with privacy in mind.

Important Security Requirement

The system should not permanently store user passwords.

For a learning platform, the checker should ideally evaluate the password locally or process it temporarily without retaining the original password.

Never Tell Users to Enter Their Real Password

For training purposes, learners should use a **fictional test password**, not a password they actually use.

For example:

Training-Example-Only-2026!

The goal is to learn about password strength without exposing a real credential.

20. Interactive Challenge — Build a Better Account

Scenario

You are creating a new university account.

Which approach is safest?

A. Use the same password as your social media account. B. Use your name and birthday. C. Create a unique password and enable MFA. D. Share the password with your closest friend in case you forget it.

Correct answer: C

21. Interactive Challenge — Spot the Scam

You receive this message:

"Your university account will be deleted today. Send us your password and MFA code immediately to prevent account closure."

What warning signs can you identify?

• ☐

Urgency

- ☐ Request for password
- ☐ Request for MFA code
- ☐ Threat of account closure
- ☐ Pressure to act immediately

Correct answer: All of the above

Best Response

Do not provide the credentials.

Verify the message through an official university channel.

22. Scenario — Unexpected Login

You receive an alert:

"New login detected from an unfamiliar device."

You do not recognize the login.

What should you do?

A. Ignore it. B. Share the notification with friends. C. Investigate through the official account security page and secure the account if necessary. D. Reply to the alert asking the attacker who they are.

Correct answer: C

23. Knowledge Quiz

Question 1

Which characteristic is especially important for password strength?

A. Short length B. Predictability C. Length and uniqueness D. Using your birthday

Answer: C — Length and uniqueness

Question 2

What is password reuse?

- A. Changing a password regularly B. Using the same password across multiple accounts C. Using MFA D. Using a password manager

Answer: B

Question 3

What is the main purpose of a password manager?

- A. Share passwords publicly B. Store and manage passwords securely C. Remove MFA D. Make all accounts use the same password

Answer: B

Question 4

What does MFA provide?

- A. An additional authentication factor B. A shorter password C. Public access to an account D. Automatic account deletion

Answer: A

Question 5

Someone unexpectedly asks for your MFA code. What should you do?

- A. Give it to them. B. Post it online. C. Stop and independently verify the request. D. Send it through another messaging application.

Answer: C

Question 6

What is account takeover?

- A. Creating a new account B. An authorized user changing their password C. An unauthorized person gaining control of an account D. Installing an official application

Answer: C

Question 7

Which account is especially important to protect because it can often be used for password recovery?

A. Primary email B. Temporary game account C. Public website D. Search engine

Answer: A

Question 8

What should a password-strength learning tool avoid doing?

A. Explaining password length B. Identifying predictable patterns C. Permanently storing users' passwords D. Giving educational feedback

Answer: C

24. Final Challenge — Secure the Account

You are given five situations.

Choose:

SAFE | SUSPICIOUS | REPORT

Scenario 1

You create a unique password for your university account and enable MFA.

Answer: SAFE

Scenario 2

A message asks you to send your password so that support can "verify your identity."

Answer: SUSPICIOUS

Scenario 3

You receive an unexpected MFA approval request that you did not initiate.

Answer: REPORT

Scenario 4

You use the same password for your email, university account, and social media.

Answer: SUSPICIOUS

Scenario 5

You use a fictional password in the MilcharSec Password Strength Checker.

Answer: SAFE

25. Key Takeaways

By completing this module, you should understand that:

- Strong account security starts with **long, unique, and unpredictable passwords**.
- Password reuse can allow one exposed password to affect multiple accounts.
- Password managers can help users create and manage unique passwords.
- MFA adds another layer of account protection.
- Passwords and MFA codes should not be casually shared.
- Credential theft can occur through phishing, fake login pages, social engineering, malware, and other methods.
- Account takeover occurs when an unauthorized person gains control of an account.
- Password-reset messages should be verified carefully.
- Primary email and other high-value accounts deserve stronger protection.
- Password-strength tools should educate users without permanently storing their passwords.
- For training tools, users should test **fictional passwords**, not real credentials.

26. Reflect & Apply

Think about your own account-security habits:

1. Which of your accounts are most important?
2. Do your important accounts use unique passwords?
3. Is MFA enabled on your primary email?
4. Do you know how to recognize an unexpected password-reset scam?
5. Do you know what you would do if someone gained access to one of your accounts?

6. Are your account-recovery methods still current?

Module Completion

Before moving to the next module, you should be able to explain:

Strong Passwords → Unique Credentials → Password Managers → MFA → Credential Protection → Account Takeover Prevention

MilcharSec Core Habit

Unique Password → MFA → Verify → Protect

Module 2 Complete.

Module 3: Phishing & Social Engineering

Why This Matters

Attackers do not always need to break through sophisticated technical defenses. Sometimes, they try to **manipulate people into making the security mistake for them**.

A convincing email, text message, phone call, or fake login page may pressure a person into:

- Clicking a malicious link
- Opening an unsafe attachment
- Revealing a password
- Sharing an MFA code
- Sending confidential information
- Approving an unexpected login
- Transferring money
- Installing unsafe software

This module teaches you how to recognize these manipulation techniques and how to safely verify suspicious communication.

Learning Objectives

By the end of this module, you should be able to:

1. Explain what phishing is.
2. Distinguish between phishing, smishing, and vishing.
3. Explain what social engineering means.
4. Identify urgency and fear tactics.
5. Recognize authority impersonation.
6. Identify suspicious links and fake login pages.
7. Recognize suspicious attachments.
8. Identify requests for sensitive information.

9. Verify suspicious communication safely.
 10. Analyze common phishing indicators.
 11. Use the MilcharSec **Phishing & Message Checker**.
 12. Decide whether a message should be treated as low, medium, or high risk.
-

1. What Is Phishing?

Phishing is a social-engineering technique in which an attacker attempts to trick a person into revealing information or performing an unsafe action.

The attacker may pretend to be:

- A bank
- A university
- A manager
- IT support
- A delivery company
- A government organization
- A social-media platform
- A friend or colleague

The message may look legitimate, but its purpose is to manipulate the recipient.

Example

"Your account requires immediate verification. Click the link below to continue."

Instead of immediately clicking, stop and investigate.

MilcharSec Rule

Unexpected + Urgent + Sensitive = STOP AND VERIFY

2. How Phishing Works

A typical phishing attack follows a simple pattern:

Step 1 — Create a believable story

The attacker creates a reason for contacting the victim.

Examples:

- "Your account has been locked."
- "Your payment failed."
- "Your package could not be delivered."
- "Your password is about to expire."

Step 2 — Create pressure

The attacker tries to prevent careful thinking.

Examples:

- "Act immediately."
- "Your account will be deleted."
- "You have only 10 minutes."

Step 3 — Request an action

The victim may be asked to:

- Click a link
- Open an attachment
- Enter credentials
- Send information
- Approve a login
- Make a payment

Step 4 — Capture the result

The attacker may attempt to obtain information or gain unauthorized access.

3. Email Phishing

Email phishing uses email messages to deceive recipients.

A phishing email may imitate a legitimate organization.

Common Signs

Look for:

- Unexpected messages
- Urgent language
- Requests for sensitive information
- Suspicious sender addresses
- Suspicious links
- Unexpected attachments
- Unusual grammar or wording
- Threats or fear-based language
- Requests that bypass normal procedures

Example

Subject: URGENT — Account Security Alert

Your account has been identified for suspicious activity. Verify your password immediately to prevent permanent suspension.

What Should You Notice?

- Urgency
- Threat of account suspension
- Request for credentials
- Pressure to act quickly

Risk: High

4. Smishing

Smishing is phishing performed through SMS or text messages.

Attackers may send messages pretending to be:

- Banks
- Delivery companies
- Universities
- Mobile operators
- Government services

- Online stores

Example

"Your parcel could not be delivered. Confirm your address using the link below."

The message may contain a malicious or deceptive website.

Warning Signs

- Unexpected delivery messages
- Unknown numbers
- Suspicious links
- Urgency
- Requests for payment
- Requests for personal information

Safe Response

Do not automatically trust the message.

If you are expecting a delivery, open the company's official application or website independently rather than using the message's link.

5. Vishing

Vishing means **voice phishing**.

Instead of using email or SMS, the attacker uses a phone call or voice communication.

The attacker may claim to be:

- IT support
- Bank staff
- University administration
- Customer service
- A manager
- Technical support

Example

"We detected suspicious activity on your account. Read the verification code that just appeared on your phone."

Warning Sign

The caller is attempting to obtain an authentication secret.

Correct Response

Do not provide the code.

End the unexpected interaction and independently contact the organization using a trusted contact method.

6. Social Engineering

Social engineering is the manipulation of people into taking actions that may compromise security.

Instead of attacking only technology, attackers attempt to influence **human decisions**.

They may exploit:

- Fear
- Urgency
- Authority
- Trust
- Curiosity
- Greed
- Helpfulness

Simple Formula

Manipulation → Emotion → Action

An attacker wants you to react emotionally before you have time to verify the situation.

7. Urgency Tactics

Urgency is one of the most common phishing techniques.

Attackers may say:

- "Act now."
- "Your account will be deleted today."
- "You have 10 minutes."
- "Immediate action required."
- "Do not ignore this message."

Why Does Urgency Work?

When people feel rushed, they may:

- Skip verification
- Ignore warning signs
- Click links immediately
- Reveal information without thinking

MilcharSec Rule

Urgency is a reason to slow down—not a reason to hurry.

8. Fear Tactics

Attackers may try to frighten the recipient.

Examples:

"Your account has been compromised."
"Your payment will be reported."
"Your account will be permanently closed."
"Your identity has been flagged."

The purpose is to make the victim react emotionally.

Ask Yourself

"What happens if I do nothing for five minutes and verify this independently?"

If the answer is simply that you need to investigate, take that time.

9. Authority Impersonation

Attackers may pretend to be someone with authority.

For example:

"I am your manager. I need you to send this information immediately."

Or:

"This is IT support. We need your verification code."

Why It Works

People naturally tend to trust:

- Managers
- Teachers
- IT staff
- Bank employees
- Government officials
- Other authority figures

Important

Authority does not automatically mean legitimacy.

Verify unusual requests through an independent and trusted channel.

10. Fake Login Pages

A phishing message may direct you to a **fake login page**.

The page may visually imitate:

- Email services
- University portals
- Banking websites
- Cloud storage
- Social-media platforms

It may look professional.

That does not mean it is legitimate.

Before Entering Credentials

Check:

1. The website address.
2. The domain name.
3. Whether you expected the login request.
4. Whether you reached the page through a suspicious message.
5. Whether the organization normally uses this login process.

Important Habit

Never trust a login page simply because it looks real.

11. Suspicious Links

Links can hide the destination from the user.

Before clicking an unexpected link, consider:

- Who sent it?
- Was the message expected?
- Where does the link actually lead?
- Does the domain match the legitimate organization?
- Is there unusual spelling?
- Is the message creating urgency?

Example

A message claims to be from a university.

The visible text says:

"University Student Portal"

But the actual destination belongs to an unrelated domain.

That is a warning sign.

Rule

Check the destination, not just the displayed text.

12. Suspicious Attachments

Phishing messages may include unexpected attachments.

Examples:

- Documents
- Spreadsheets
- Archives
- Executable files
- Fake invoices
- Fake account notices

Warning Signs

Be cautious when:

- You were not expecting the attachment.
- The sender is unknown.
- The message creates urgency.
- The attachment requests unusual actions.
- The sender's identity is uncertain.

Safe Response

Do not open suspicious attachments simply to "see what is inside."

Use the appropriate reporting process.

13. Requests for Sensitive Information

A suspicious message may request:

- Passwords
- MFA codes
- Bank information

- Personal information
- Recovery codes
- Confidential documents
- Identity information

Golden Rule

Legitimate need does not automatically make an unexpected request legitimate.

Verify the request independently.

14. The Human Manipulation Cycle

MilcharSec uses the following model:

1. Trigger an Emotion

The attacker creates:

Fear / Urgency / Curiosity / Trust

↓

2. Reduce Thinking Time

The attacker pressures you to act immediately.

↓

3. Request an Action

Click / Open / Login / Send / Approve

↓

4. Gain the Result

The attacker may obtain:

Credentials / Information / Access / Money

Security Habit

Pause before the action.

15. How to Verify Suspicious Communication

When a message feels unusual, use the **STOP** method.

S — Stop

Do not click, reply, open, approve, or provide information immediately.

T — Think

Ask:

- Was I expecting this?
- Does the request make sense?
- Is someone trying to rush me?

O — Observe

Check:

- Sender
- Domain
- Link destination
- Attachments
- Wording
- Request

P — Prove

Verify through an **independent trusted channel**.

For example:

Instead of replying to a suspicious email from your "manager," contact the manager through a known phone number or official communication method.

16. Interactive Exercise — Spot the Phish

Read the message:

From: university-security@example.com **Subject:** URGENT — Student Account Suspension

Your student account will be permanently disabled today. Click the link below within 15 minutes and enter your password and MFA code to prevent suspension.

Identify the Warning Signs

- ☐ Urgency
- ☐ Threat of account suspension
- ☐ Request for password
- ☐ Request for MFA code
- ☐ Pressure to click a link
- ☐ Need for independent verification

Correct answer: All of the above

Risk Level

HIGH RISK

17. Interactive Exercise — Safe or Suspicious?

Scenario 1

You receive an unexpected text saying your bank account will be closed unless you click a link immediately.

Answer: SUSPICIOUS

Scenario 2

You independently open your bank's official application and see a normal security notification inside the app.

Answer: SAFE

Scenario 3

Someone unexpectedly calls and asks for your MFA code.

Answer: SUSPICIOUS

Scenario 4

Your teacher announces an assignment through the university's normal learning platform.

Answer: SAFE

Scenario 5

Someone claiming to be your manager asks you to bypass the normal process and immediately send confidential information.

Answer: SUSPICIOUS

18. Interactive Tool — Phishing & Message Checker

MilcharSec includes a **Phishing & Message Checker** to help learners practice identifying suspicious communication.

How It Works

A learner can paste or enter a suspicious:

- Email
- SMS
- Message
- Communication example

The tool analyzes security indicators.

Important Privacy Rule

Users should **not paste real passwords, MFA codes, banking information, or other sensitive personal information** into the learning tool.

Use fictional or sanitized examples for training.

19. Phishing & Message Checker — Analysis Engine

The tool can examine indicators such as:

1. Urgent Language

Examples:

- "Immediately"
- "Act now"
- "Within 10 minutes"
- "Final warning"

2. Sensitive Information Requests

The system can identify requests for:

- Passwords
- MFA codes
- Financial information
- Personal information
- Recovery codes

3. Suspicious Wording

The system can identify patterns such as:

- Unusual phrasing
- Threatening language
- Pressure
- Unexpected requests
- Inconsistent communication style

4. Impersonation Indicators

The tool can look for claims of being:

- IT support
- A manager
- A bank
- A university
- Government staff
- A delivery company

5. Suspicious Links

The system can flag links for educational review based on indicators such as:

- Unexpected domains

- Unusual domain structure
- Mismatched organization names
- Suspicious-looking URLs

Important: A URL flag is an indicator, not absolute proof that a website is malicious.

6. Social Engineering Techniques

The checker can identify possible use of:

- Fear
- Urgency
- Authority
- Curiosity
- Trust
- Pressure

20. Risk Assessment

After analyzing the message, MilcharSec provides an educational risk level.

LOW RISK

Few suspicious indicators detected.

Example

A normal informational message with no suspicious links, no unusual requests, and no pressure.

Recommended action:

Continue to use normal security awareness.

MEDIUM RISK

Some indicators are suspicious and should be verified.

Example

An unexpected message from a service requesting that you review account activity.

Recommended action:

Do not use the message's link. Verify through the official service.

HIGH RISK

Multiple strong indicators of phishing or social engineering are present.

Example

An unexpected message:

- Creates urgency
- Requests a password
- Requests an MFA code
- Contains a suspicious link
- Threatens account closure

Recommended action:

Do not interact with the message. Verify independently and report it according to the appropriate process.

21. Example — Phishing & Message Checker

Input

"URGENT! Your account will be deleted today. Click <https://example-login.com> immediately and enter your password and verification code."

Analysis

Urgency: Detected **Sensitive information request:** Detected **Threat/fear:** Detected **Suspicious link:** Potential indicator **Credential request:** Detected **Social engineering:** Detected

Educational Risk Level

HIGH RISK

Why?

The message combines multiple manipulation techniques and requests sensitive authentication information.

Recommended Action

Do not click the link or provide credentials. Verify through the official service and report the message if appropriate.

22. Challenge — Which Message Is More Suspicious?

Message A

"Your university has published a new timetable. Please sign in through the usual university portal."

Message B

"FINAL WARNING!!! Your university account will be deleted in 5 minutes. Send your password and MFA code NOW!"

Which message contains more phishing indicators?

Answer: Message B

Why?

Message B contains:

- Extreme urgency
- Threats
- Credential request
- MFA request
- Pressure to act

23. Challenge — Find the Manipulation

A message says:

"I am the director. I am currently unavailable by phone. Send me the confidential report immediately. Do not ask anyone else."

What techniques may be present?

Authority impersonation

Urgency

Pressure to bypass verification

Request for confidential information

Best Response

Do not send the report immediately.

Verify the request using a trusted, independent communication channel and follow organizational procedures.

24. Phishing Response Decision Tree

When you receive a suspicious message:

Did you expect the message?

YES → Continue checking.

NO → Be cautious.

↓

Does it request sensitive information?

YES → Stop and verify.

NO → Continue checking.

↓

Does it contain urgency, threats, or pressure?

YES → Treat it as suspicious.

NO → Continue checking.

↓

Is there a link or attachment?

YES → Verify before interacting.

NO → Continue checking.

↓

Can you independently verify the sender?

YES → Verify through a trusted channel.

NO → Do not interact and report if appropriate.

25. Knowledge Quiz

Question 1

What is phishing?

A. A method of backing up data B. A technique used to manipulate people into unsafe actions or revealing information C. A type of antivirus software D. A network cable

Answer: B

Question 2

What is smishing?

A. Phishing through SMS or text messages B. Phishing through websites only C. A type of malware D. Password encryption

Answer: A

Question 3

What is vishing?

A. Video editing B. Voice-based phishing C. Password management D. File encryption

Answer: B

Question 4

Which is a common social-engineering tactic?

A. Urgency B. Backup C. Encryption D. Software updates

Answer: A

Question 5

Someone unexpectedly asks for your MFA code. What should you do?

A. Give it to them B. Post it online C. Stop and independently verify the request D. Send it later

Answer: C

Question 6

Which is a warning sign of a suspicious message?

A. Unexpected urgency B. A normal informational announcement C. A message you independently verified D. A routine notification from a trusted system

Answer: A

Question 7

What should you do with an unexpected suspicious attachment?

A. Open it immediately B. Forward it to friends C. Avoid opening it and follow the appropriate reporting process D. Rename it

Answer: C

Question 8

What is the safest way to verify an unusual request from someone claiming to be your manager?

A. Reply to the suspicious message B. Use a trusted independent communication channel C. Follow the request immediately D. Share your password

Answer: B

26. Final Interactive Challenge — Your First Phishing Investigation

You are working through a normal day at MilcharSec.

For each situation, select:

SAFE | SUSPICIOUS | REPORT

Scenario 1

You receive a normal university announcement through the official learning platform.

Answer: SAFE

Scenario 2

A text message says your account will be closed in five minutes unless you click a link.

Answer: SUSPICIOUS

Scenario 3

Someone calls claiming to be IT support and requests your MFA code.

Answer: SUSPICIOUS

Scenario 4

You receive an unexpected attachment from an unknown sender.

Answer: SUSPICIOUS

Scenario 5

You receive a suspicious email requesting your password and report it through the organization's security process.

Answer: REPORT

Scenario 6

A manager makes an unusual request for confidential information. You independently verify the request through a known contact method before taking action.

Answer: SAFE

27. The MilcharSec Phishing Rule

When a message creates pressure, remember:

STOP → THINK → CHECK → VERIFY → REPORT

Never allow urgency to replace verification.

Key Takeaways

By completing this module, you should understand that:

- Phishing attempts to manipulate people into unsafe actions or revealing information.
- **Smishing** is phishing through text messages.
- **Vishing** is phishing through voice communication.
- Social engineering targets human decisions.
- Attackers commonly exploit urgency, fear, authority, trust, and curiosity.
- Fake login pages can be used to steal credentials.
- Suspicious links and attachments require careful verification.
- Passwords, MFA codes, and other sensitive information should never be casually provided.
- Unusual requests should be independently verified.
- A suspicious message can be analyzed using multiple indicators rather than one clue alone.
- The MilcharSec Phishing & Message Checker provides an **educational** risk assessment.
- A risk level of **Low, Medium, or High** is an indicator for learning—not a guarantee that a message is safe or malicious.
- When uncertain, **pause and verify rather than react immediately**.

Reflect & Apply

1. What three emotions do attackers commonly exploit?
2. What makes an urgent message suspicious?
3. How would you verify an unexpected request from your manager?
4. What should you do before entering credentials into a login page?
5. Why should you avoid entering real passwords or MFA codes into a training tool?
6. What is the difference between phishing, smishing, and vishing?

Module Completion

Before moving to the next module, you should be able to explain:

Phishing → Social Engineering → Manipulation → Verification → Safe Response

MilcharSec Core Habit

STOP → THINK → CHECK → VERIFY → REPORT

Module 3 Complete.

Module 4: Safe Browsing & Device Hygiene

Why This Matters

Your browser and devices are constantly connected to the digital world.

Every day, you may:

- Visit websites.
- Download files.
- Install applications.
- Open documents.
- Connect to Wi-Fi.
- Log into online accounts.
- Receive browser notifications.
- Update software.

These everyday activities can introduce security risks when performed without enough caution.

Attackers may use fake websites, unsafe downloads, malicious applications, outdated software, or deceptive advertisements to compromise devices or steal information.

This module teaches you how to browse more safely, recognize potentially suspicious websites, maintain updated software, and develop better device-security habits.

Learning Objectives

By the end of this module, you should be able to:

1. Explain basic safe-browsing practices.
2. Understand what HTTPS does and does not mean.
3. Recognize potentially suspicious website addresses.
4. Identify characteristics of fake or misleading websites.
5. Recognize risks associated with unsafe downloads.
6. Explain why browser and operating-system updates matter.

7. Understand basic malware-prevention practices.
 8. Apply safer application-installation habits.
 9. Perform basic device-security checks.
 10. Use the MilcharSec **URL Safety Checker**.
 11. Interpret an educational URL risk assessment.
 12. Understand that a URL checker cannot guarantee that a website is completely safe.
-

1. What Is Safe Browsing?

Safe browsing means using the internet in a way that reduces the chance of being tricked, infected, or exposed to unnecessary security risks.

Safe browsing includes:

- Checking website addresses.
- Avoiding suspicious links.
- Downloading software from trusted sources.
- Keeping browsers updated.
- Avoiding suspicious pop-ups.
- Being careful with websites requesting sensitive information.
- Using secure account practices.

Simple Rule

Don't trust a website simply because it looks professional.

A website can have a convincing design and still be fraudulent.

2. Website Awareness

Before interacting with a website, consider:

Who owns the website?

Is it a website you recognize?

Why are you visiting it?

Did you intentionally navigate there, or did an unexpected message send you there?

What information is it requesting?

Be especially careful if a website unexpectedly requests:

- Passwords
- MFA codes
- Financial information
- Personal information
- Identity documents

Does the URL make sense?

Look carefully at the domain name and surrounding URL structure.

3. Understanding HTTPS

You may see a website beginning with:

https://

HTTPS means that the connection between your browser and the website is protected using encryption during transmission.

This helps protect data while it travels between your browser and the website.

Important Limitation

HTTPS does not automatically mean that a website is trustworthy.

A malicious or fraudulent website can also use HTTPS.

Therefore:

HTTPS = encrypted connection, not guaranteed legitimacy.

Example

A fake website may use:

https://fake-example-site.com

The connection can still be encrypted even though the website itself may be untrustworthy.

4. Checking the Domain Name

The **domain name** is one of the most useful things to inspect when evaluating a website.

Imagine a message claims to come from a university.

The legitimate organization might use:

university-example.edu

An attacker might create something like:

university-example-login.com

The second address may look convincing at first glance but belongs to a different domain.

Look for:

- Unexpected words
- Misspellings
- Extra words
- Unusual domain endings
- Domains unrelated to the claimed organization
- Look-alike names

5. Look-Alike Websites

Attackers may create websites designed to resemble legitimate services.

They may copy:

- Logos
- Colors
- Fonts
- Login forms
- Page layouts
- Branding

The goal is to make the user believe they are visiting the legitimate website.

Example

A fake website may use a domain that visually resembles a legitimate organization by changing or adding a small part of its name.

Look beyond the design. Check the actual domain.

6. Suspicious URL Structures

Some URLs contain characteristics that deserve additional attention.

Example

A URL may contain:

- Extremely long strings
- Many unnecessary subdomains
- Random-looking characters
- Unexpected words
- Misleading organization names
- Unusual paths

These characteristics do not automatically prove that a website is malicious.

They are **signals that deserve further investigation**.

7. IP-Address-Based URLs

A website can sometimes be accessed directly through an IP address.

Example:

`https://203.0.113.10/login`

An IP-address-based URL is not automatically malicious.

However, when an unexpected message directs you to a login page through an unfamiliar IP address, it may deserve additional caution.

MilcharSec Principle

An unusual URL is an indicator—not proof.

Always consider the context.

8. Excessive or Misleading Subdomains

A website address can contain subdomains.

For example:

login.example.com

However, attackers may create confusing addresses designed to make users focus on the wrong part of the URL.

Consider a structure like:

trusted-company.example-attacker.com

A user may notice the words **trusted-company** and incorrectly assume the site belongs to that organization.

Important

The actual registered domain in this example is associated with:

example-attacker.com

not **trusted-company.com**.

Rule

Learn to identify the actual domain instead of relying on familiar words anywhere in the URL.

9. Suspicious Keywords in URLs

Some URLs may contain words designed to influence the user.

Examples include:

- verify
- secure
- login
- account
- update
- confirm
- security

These words are not inherently malicious.

For example, a legitimate website may naturally contain /login.

However, when combined with an unexpected message, suspicious domain, or unusual URL structure, they may become useful warning indicators.

10. Browser Security


Your browser is an important part of your device's security.

Good Browser Practices

- Keep the browser updated.
 - Install extensions carefully.
 - Remove extensions you no longer need.
 - Avoid unknown browser extensions.
 - Be cautious with notification permissions.
 - Do not allow suspicious websites to access unnecessary information.
 - Avoid saving sensitive information on shared computers.
 - Review browser security settings.
-

11. Browser Notifications

Some websites ask:



"Allow notifications?"

Users may click **Allow** without thinking.

A malicious website may abuse browser notifications to display unwanted or deceptive messages.

Safer Practice

Only allow notifications when:

- You recognize the website.
- You understand why notifications are needed.
- You actually want them.

If a website unexpectedly asks for notification permission, consider selecting **Block**.

12. Suspicious Pop-Ups

A suspicious website may display messages such as:

"Your computer is infected!"
"You have won a prize!"
"Your security software has expired!"
"Click here to fix your device immediately!"

These messages may attempt to create fear or urgency.

Important

Do not assume that a pop-up is legitimate simply because it claims to be a security warning.

Safer Response

Close the suspicious page or browser tab and use your device's legitimate security tools to check the system.

13. Unsafe Downloads

Downloading files from the internet can introduce security risks.

Potentially risky sources include:

- Unknown websites
- Unofficial software repositories
- Suspicious advertisements
- Unexpected email attachments
- Untrusted file-sharing sites
- Pirated or modified software

Why Downloads Can Be Dangerous

A downloaded file may contain:

- Malware
- Unwanted software
- Spyware
- A malicious installer

- Modified software

Safer Download Practice

Use official or trusted sources whenever possible.

14. Fake Software Downloads

Attackers may create websites that advertise software that appears legitimate.

For example:

"Official Browser Update — Download Now"

But the file may actually be unrelated malicious software.

Warning Signs

Be cautious if:

- The download appears unexpectedly.
- The website is unfamiliar.
- The software is not from the official source.
- The download is triggered by a suspicious pop-up.
- The page uses extreme urgency.
- The file name looks unusual.

Rule

Do not install software simply because a website tells you that you need it.

15. Software Updates

Software updates are an important part of device security.

Updates may provide:

- Security fixes
- Bug fixes

- Stability improvements
- Compatibility improvements
- New features

Attackers may take advantage of known weaknesses in outdated software.

Update These Regularly

- Web browsers
- Operating systems
- Applications
- Security software
- Device firmware when applicable

16. Operating System Updates

Your operating system manages many important parts of your device.

Examples include:

- Windows
- Linux
- Android
- macOS
- iOS

Keeping the operating system updated helps ensure that known security problems are addressed when updates are available.

Good Habit

Enable automatic updates where appropriate and restart the device when required to complete important updates.

17. Application Security

Applications can introduce security risks if installed carelessly.

Before Installing an Application, Ask:

1. Do I actually need it?

2. Where am I downloading it from?
3. Is the developer trustworthy?
4. Does the application request unusual permissions?
5. Is the software maintained and updated?
6. Are there safer alternatives?

Permission Awareness

A simple application should not automatically receive access to everything on your device.

Review permissions when appropriate.

18. Malware Prevention

Malware is malicious software that can harm systems, steal information, spy on users, or disrupt normal operation.

Basic prevention includes:

- Keep software updated.
- Download applications from trusted sources.
- Avoid suspicious attachments.
- Be careful with links.
- Use reputable security software where appropriate.
- Avoid pirated or modified software.
- Do not disable security controls without a legitimate reason.

Remember

No single security tool can prevent every possible threat.

Good security combines:

Technology + Safe Habits + Awareness

19. Basic Device Protection

Protecting a device involves more than installing antivirus software.

Basic Practices

- Use a screen lock.

- Keep the operating system updated.
 - Keep applications updated.
 - Use strong account protection.
 - Enable device encryption where appropriate.
 - Back up important information.
 - Install applications carefully.
 - Review connected devices and accounts.
 - Avoid leaving devices unlocked in public places.
-

20. Public and Shared Devices

Be especially careful when using:

- Public computers
- Shared university computers
- Library computers
- Someone else's device

Avoid:

- Saving passwords unnecessarily.
- Saving sensitive documents locally.
- Leaving accounts signed in.
- Connecting unknown USB devices.
- Entering sensitive information when you cannot trust the environment.

Before Leaving

- Sign out.
 - Close browser sessions.
 - Remove personal files if permitted and appropriate.
 - Make sure you have not left sensitive information behind.
-

21. Download Decision Challenge

You want to install a video-editing application.

You find two websites:

Website A

The application's official developer website.

Website B

A random website offering a "FREE PREMIUM UNLOCKED" version.

Which is safer?

Answer: Website A

Why?

The official source provides a stronger basis for trusting the software's origin.

The second website may distribute modified or malicious software.

22. Interactive Exercise — Website Investigation

You receive this message:

"URGENT! Your university account requires security verification. Visit <https://university-login-example.com> immediately."

What should you inspect?

- ☐ Is the message expected?
- ☐ Is the domain actually owned by the university?
- ☐ Is there urgency?
- ☐ Is the website requesting credentials?
- ☐ Can the request be verified independently?

Correct answer: All of the above

Risk Assessment

The message should be treated as **potentially suspicious** until independently verified.

23. Interactive Tool — URL Safety Checker

MilcharSec includes a **URL Safety Checker** designed as an educational learning tool.

Users can enter a URL and receive an analysis of potentially suspicious characteristics.

Important Privacy Rule

Do not enter:

- Passwords
- Authentication codes
- Private account information
- Confidential URLs
- Sensitive organizational information

Use URLs intended for educational testing.

24. URL Safety Checker — Analysis

The tool can examine indicators such as:

1. HTTPS Usage

Does the URL use:

https://

The tool can explain that HTTPS provides encrypted communication but **does not guarantee that the website itself is legitimate.**

2. Suspicious URL Structure

The tool can look for unusual characteristics such as:

- Excessive length
- Unexpected characters
- Unusual paths
- Multiple confusing components

3. IP-Address-Based URLs

The checker can identify whether a URL uses an IP address instead of a conventional domain.

This can be flagged as an **indicator requiring additional context**, not automatically classified as malicious.

4. Excessive or Misleading Subdomains

The checker can identify unusually complicated subdomain structures.

Example:

login.security.example.com

may be normal.

But:

official-login.company.example-attacker.com

should receive additional scrutiny because the actual domain is different from the organization being impersonated.

5. Suspicious Keywords

The tool can identify terms such as:

- Login
- Verify
- Secure
- Account
- Update
- Confirm

These are not automatically malicious.

The tool should explain that keywords become more meaningful when combined with other suspicious indicators.

6. Look-Alike Patterns

The checker can identify possible look-alike patterns, such as:

- Misspelled organization names
- Added characters
- Unusual substitutions
- Deceptive domain structures

25. URL Safety Checker — Educational Risk Levels

The tool provides an **educational assessment**.

LOW RISK

Few suspicious indicators detected.

Recommendation:

The URL does not show obvious warning signs based on the available analysis, but continue using normal security awareness.

MEDIUM RISK

Some characteristics deserve additional investigation.

Recommendation:

Do not enter sensitive information until you independently verify the website.

HIGH RISK

Multiple potentially suspicious indicators are present.

Recommendation:

Avoid interacting with the website and verify the legitimate destination through a trusted source.

26. Important Limitation

The URL Safety Checker is an **educational analysis tool**.

It does **not** guarantee that:

"LOW RISK = Completely Safe"

or:

"HIGH RISK = Definitely Malicious"

A website can appear normal while still containing threats that a simple URL analysis cannot detect.

MilcharSec Principle

Risk assessment is not a guarantee.

Use the tool to learn what indicators mean, not as a replacement for security judgment.

27. URL Safety Checker Example

Input

<https://secure-university-login.example.com/verify>

Possible Analysis

HTTPS: Present **Login-related keyword:** Present **Verify-related keyword:** Present **Subdomain structure:** Requires inspection **Organization domain:** Requires verification **Overall assessment:** Medium Risk

Why?

The URL contains security-related words and a login-style structure.

However, these characteristics alone do not prove that it is malicious.

Recommended Action

Verify the legitimate university domain independently before entering credentials.

28. Challenge — Compare the URLs

Which URL deserves more investigation?

URL A

<https://portal.example.edu>

URL B

<https://portal.example.edu.login-security-example.com>

Answer: URL B

Why?

The actual domain structure indicates that the site belongs to:

login-security-example.com

The words example.edu appear as part of the subdomain structure and do not necessarily mean the site belongs to the university.

29. Scenario — Fake Security Warning

You visit a website and suddenly see:

"WARNING! Your device has 12 viruses! Download our security application immediately!"

What should you do?

A. Download the application immediately. B. Enter your personal information. C. Close the suspicious page and use legitimate device-security tools if you are concerned. D. Call the phone number shown in the pop-up.

Correct answer: C

Why?

A website pop-up should not automatically be trusted as a genuine device-security notification.

30. Scenario — Software Update

Your operating system displays an update notification through its normal system settings.

What should you do?

A. Ignore all updates forever. B. Verify that the notification comes from the legitimate operating system and apply the update appropriately. C. Download an "update tool" from a random website. D. Disable the operating system's security features.

Correct answer: B

31. Scenario — Suspicious Download

You search for an application and find a website offering:

"Premium Paid Software — FREE CRACKED VERSION — Disable antivirus before installation!"

What should you do?

A. Install it. B. Disable security software and install it. C. Avoid the download and obtain software through a legitimate source. D. Send it to friends to test.

Correct answer: C

Warning Signs

- Unofficial software
- "Cracked" version
- Instruction to disable security
- Unknown source

32. Knowledge Quiz

Question 1

What does HTTPS primarily provide?

A. A guarantee that a website is legitimate B. Encryption for communication between the browser and website C. Protection from every type of malware D. Guaranteed anonymity

Answer: B

Question 2

Which statement about HTTPS is correct?

A. Every HTTPS website is trustworthy. B. HTTPS guarantees that a website is not malicious. C. HTTPS protects communication but does not guarantee website legitimacy. D. HTTPS means the website is owned by a government.

Answer: C

Question 3

Which is a good software-download practice?

A. Download from random advertisements. B. Use unofficial cracked versions. C. Prefer official or trusted sources. D. Disable security software before downloading.

Answer: C

Question 4

Why are software updates important?

A. They can include security fixes. B. They always make computers faster. C. They remove the need for passwords. D. They guarantee complete security.

Answer: A

Question 5

Which URL deserves additional investigation?

A. A familiar official domain accessed directly B. An unexpected IP-address-based login URL C. A known university portal D. A trusted application store

Answer: B

Question 6

What should you do when a suspicious website claims your computer has viruses?

A. Immediately install its software. B. Provide your credit-card information. C. Close the page and use legitimate security tools. D. Disable your antivirus.

Answer: C

Question 7

What is the purpose of the MilcharSec URL Safety Checker?

A. To guarantee every website is safe B. To automatically remove malware C. To provide educational analysis of URL indicators D. To store users' browsing history

Answer: C

Question 8

A URL contains https://. What can you conclude?

A. The website is definitely legitimate. B. The website is definitely malicious. C. The connection uses HTTPS, but the website's legitimacy still needs to be considered. D. The website cannot contain malware.

Answer: C

33. Final Interactive Challenge — Secure Your Device

For each situation, choose:

SAFE | SUSPICIOUS | REPORT

Scenario 1

You install an application from its official developer website.

Answer: SAFE

Scenario 2

A random website tells you to disable your antivirus before installing software.

Answer: SUSPICIOUS

Scenario 3

A website displays a frightening pop-up claiming your device is infected and asks you to call an unknown number.

Answer: SUSPICIOUS

Scenario 4

Your operating system offers a normal security update through its built-in update system.

Answer: SAFE

Scenario 5

You discover that a suspicious website has requested your password after you clicked an unexpected link.

Answer: REPORT

Scenario 6

A URL uses HTTPS but has a domain that does not match the organization it claims to represent.

Answer: SUSPICIOUS

34. MilcharSec Device Security Routine

Use this simple routine regularly:

1. CHECK

Check websites, downloads, and applications before using them.

2. UPDATE

Keep your browser, operating system, and applications updated.

3. PROTECT

Use account protection, screen locks, security software, and backups where appropriate.

4. VERIFY

Verify unusual websites, downloads, and security messages independently.

5. REPORT

Report suspicious activity according to the appropriate process.

Key Takeaways

By completing this module, you should understand that:

- Safe browsing requires awareness of websites, links, downloads, and browser behavior.
- HTTPS encrypts communication but does **not** guarantee that a website is legitimate.

- Domain names are important when evaluating websites.
- Look-alike domains can be used to imitate legitimate organizations.
- IP-address-based URLs are not automatically malicious but may deserve additional attention depending on context.
- Suspicious downloads can expose devices to malware.
- Software and operating-system updates can contain important security fixes.
- Applications should preferably be obtained from official or trusted sources.
- Browser notifications and suspicious pop-ups should be handled carefully.
- Basic device protection includes updates, screen locks, backups, careful application installation, and appropriate security controls.
- The MilcharSec URL Safety Checker analyzes indicators such as HTTPS usage, URL structure, IP addresses, subdomains, keywords, and look-alike patterns.
- The URL Safety Checker provides an **educational risk assessment**, not a guarantee that a website is completely safe.
- When a website looks suspicious, **stop, verify, and avoid entering sensitive information until you are confident about the destination.**

Reflect & Apply

1. What does HTTPS tell you—and what does it **not** tell you?
2. How can a look-alike domain trick a user?
3. Why should software preferably be downloaded from official sources?
4. Why are operating-system updates important?
5. What would you do if a website displayed a frightening security pop-up?
6. Why should a URL checker never be treated as a guarantee of safety?

Module Completion

Before moving to the next module, you should be able to explain:

Safe Browsing → Website Awareness → Safe Downloads → Updates → Application Security → Device Protection

MilcharSec Core Habit

CHECK → UPDATE → PROTECT → VERIFY → REPORT

Module 4 Complete.

Module 5: Data Handling & Privacy at Work

Why This Matters

Information is one of the most valuable assets in an organization.

Employees may work with:

- Customer information
- Student records
- Employee information
- Financial documents
- Business plans
- Internal communications
- Password-reset information
- Technical documents
- Contracts
- Company files

A security incident does not always require malware or hacking. **Accidentally sending the right information to the wrong person can also become a serious security and privacy incident.**

This module teaches you how to recognize sensitive information, understand basic data classification, share information safely, use cloud storage responsibly, and prevent accidental data leakage.

Learning Objectives

By the end of this module, you should be able to:

1. Explain what sensitive information means.
2. Distinguish personal information from organizational information.
3. Recognize confidential business information.
4. Understand basic data-classification concepts.

5. Explain why data classification matters.
 6. Share information only with appropriate recipients.
 7. Understand common causes of data leakage.
 8. Apply safer cloud-storage practices.
 9. Understand basic privacy principles.
 10. Recognize unauthorized disclosure.
 11. Handle organizational information appropriately.
 12. Respond correctly when information is accidentally shared with the wrong person.
-

1. What Is Data?

Data is information that can be stored, processed, communicated, or used by people and systems.

Examples include:

- Names
- Email addresses
- Student records
- Financial information
- Documents
- Images
- Messages
- Business reports
- Database records
- System information

Organizations depend on data to operate.

Therefore:

Protecting data is an important part of cybersecurity.

2. What Is Sensitive Information?

Sensitive information is information that could cause harm, privacy problems, financial loss, or security risks if it is exposed, changed, or misused.

Examples may include:

- Personal information
- Financial information
- Authentication information
- Confidential business information
- Employee records
- Customer records
- Internal documents

Important

Not every piece of information has the same sensitivity.

For example:

Public university website

→ Usually low sensitivity.

Private student academic record

→ Much higher sensitivity.

This is why organizations need to understand what type of information they are handling.

3. Personal Data

Personal data is information relating to an identifiable person.

Examples can include:

- Name
- Email address
- Phone number
- Address
- Student ID
- Employee information
- Account information
- Other information associated with a specific individual

Example

A spreadsheet containing:

Name	Student ID	Email
Ali	2026-001	ali@example.com
Ahmed	2026-002	ahmed@example.com

contains personal information.

Such information should not be shared publicly without an appropriate reason and authorization.

4. Confidential Business Information

Organizations also have information that should not be publicly disclosed.

Examples include:

- Business strategies
- Internal financial reports
- Contracts
- Customer lists
- Product plans
- Internal investigations
- Unreleased projects
- Internal security documentation
- Company credentials and secrets

Example

A company is preparing to launch a new product.

The product design documents are stored internally.

Sharing those documents publicly before authorization could harm the organization.

5. Personal vs Organizational Information

Information can belong to different categories.

Type	Example
Personal data	Employee phone number

Type	Example
Customer data	Customer contact information
Financial data	Payment records
Confidential business data	Business strategy
Technical data	Internal system documentation
Public information	Published company website

The appropriate handling depends on the sensitivity and classification of the information.

6. Data Classification

Data classification is the process of organizing information according to its sensitivity and the level of protection it requires.

A simple classification model is:

Public

Information that can generally be shared publicly.

Examples:

- Public website content
- Published announcements
- Public job advertisements

Internal

Information intended for use within an organization.

Examples:

- Internal procedures
- Routine internal communications
- Internal schedules

Confidential

Information that should only be accessible to authorized people.

Examples:

- Customer records
- Internal financial documents
- Business plans
- Employee records

Highly Confidential / Restricted

Information requiring strong access controls because unauthorized disclosure could cause significant harm.

Examples may include:

- Highly sensitive personal information
- Critical business secrets
- Security credentials
- Sensitive investigation information

Note: Actual classification names and handling rules depend on the organization.

7. Why Data Classification Matters

Data classification helps employees answer:

"How should I handle this information?"

For example:

A public announcement may be suitable for a public website.

A confidential customer document should not be uploaded to a public website.

Classification Helps Determine:

- Who can access the information
- Where it can be stored
- How it can be shared
- Whether encryption is required
- How it should be transmitted
- How long it should be retained

- How it should eventually be disposed of

8. The Right Person Is Not Always the Right Recipient

One of the most common data-handling mistakes is sending information to the wrong recipient.

Example

An employee needs to send a customer report to:

accounts@example.com

But accidentally sends it to:

accounting@example.net

The recipient may be a real person, but the information still went to the wrong destination.

Important Rule

Verify the recipient before sending sensitive information.

9. Email Data-Sharing Mistakes

Before sending an email containing sensitive information, check:

Recipient

Is the email address correct?

CC/BCC

Are all recipients supposed to receive the information?

Attachment

Is the correct file attached?

Content

Does the email contain information that should not be shared?

Permission

Are you authorized to send the information?

Destination

Is the recipient using an approved communication method?

10. Accidental Disclosure

An **unauthorized disclosure** occurs when information is shared with someone who is not authorized to receive it.

This can happen accidentally.

Examples

- Sending an email to the wrong person.
- Attaching the wrong document.
- Posting a confidential document publicly.
- Sharing a private cloud link incorrectly.
- Including confidential information in a group email.
- Uploading internal files to an unauthorized platform.

Important

Accidental does not mean harmless.

An accidental disclosure can still create a security or privacy incident.

11. Data Leakage

Data leakage occurs when information becomes accessible to unauthorized people or systems.

It may happen because of:

- Human mistakes
- Misconfigured cloud storage
- Weak access controls
- Lost devices
- Unsafe file sharing
- Unauthorized applications
- Compromised accounts

Example

An employee creates a cloud-storage folder and accidentally sets the sharing option to:

"Anyone with the link."

The folder contains confidential documents.

The information may now be accessible to people who were never supposed to see it.

12. Cloud Storage Awareness

Cloud storage can be extremely useful for organizations.

Examples include:

- File-sharing platforms
- Cloud drives
- Collaboration systems
- Online document platforms

However, cloud storage introduces important security considerations.

Before Sharing a Cloud File, Ask:

1. Who can access it?
 2. Is the link public?
 3. Is access restricted to specific users?
 4. Does the recipient actually need the file?
 5. Is the platform approved by the organization?
 6. Is the file appropriately classified?
 7. Should the access expire later?
-

13. Public Links vs Restricted Links

Consider two sharing methods.

Option A

Anyone with the link can access the document.

Option B

Only specifically authorized users can access the document.

For sensitive information, restricted access is generally preferable when supported by organizational policy.

Principle

Give the minimum access necessary.

This is related to the security principle of **least privilege**.

14. Cloud Sharing Scenario

You need to send a confidential report to three authorized employees.

Which approach is better?

A. Upload it publicly and send the link. B. Upload it to an approved organizational platform and restrict access to the intended recipients. C. Upload it to a random file-sharing website. D. Post it in a public group.

Correct answer: B

15. Privacy

Privacy concerns how information about people is collected, used, stored, shared, and protected.

Good privacy practices help reduce unnecessary exposure of personal information.

Ask Yourself:

- Do I need this information?
- Who actually needs access?
- Why am I collecting or using it?
- Where is it stored?
- Who can access it?
- Am I sharing more information than necessary?

Only use and share information for an appropriate and authorized purpose.

16. Data Minimization

Data minimization means avoiding unnecessary collection, storage, or sharing of personal information.

Example

Suppose a simple event registration only requires:

- Name
- Email

There may be no legitimate reason to collect unrelated personal information.

Security Benefit

The less unnecessary information an organization stores, the less information could potentially be exposed during an incident.

17. Need-to-Know Principle

Sensitive information should generally be available only to people who need it for a legitimate purpose.

Example

A finance employee may need access to financial records.

A person working in an unrelated department may not need that same access.

Remember

Access should be based on business need, not curiosity.

18. Unauthorized Disclosure

Imagine you are working with a confidential employee document.

A friend asks:

"Can you send me that document? I just want to see what it contains."

Even if the friend promises not to share it, you should not send it unless they are authorized to receive it.

Correct Response

Do not share the document.

Follow organizational rules for access and information sharing.

19. Clean Desk & Screen Awareness

Data protection also applies to physical and visible information.

Avoid leaving sensitive information:

- On an unlocked computer
- On a desk where others can see it
- On a whiteboard in a public area
- Printed and unattended
- Visible on a shared screen

Good Habit

When stepping away from a device:

Lock the screen.

20. Removable Storage

USB drives and other removable storage can create risks.

Potential problems include:

- Loss of confidential files

- Malware
- Unauthorized copying
- Accidental disclosure

Safer Practice

Use organization-approved removable storage and follow organizational rules for transferring sensitive information.

Do not connect unknown devices simply because someone gives them to you.

21. Data Sharing Decision Process

Before sharing sensitive information, use:

STOP

Pause before sending.

CHECK

Check the information and recipient.

VERIFY

Confirm authorization and the communication method.

SHARE

Share only what is necessary.

CONFIRM

Make sure the information went to the intended destination.

22. Interactive Exercise — Wrong Recipient

You receive an email containing a confidential customer spreadsheet.

You accidentally click **Reply All**, sending the spreadsheet to a large group that was not supposed to receive it.

What should you do?

A. Ignore it because it was accidental. B. Delete the sent email and assume the problem is solved. C. Report the incident according to the organization's process. D. Ask everyone to ignore it and do nothing else.

Correct answer: C

Why?

The information may already have been delivered to unauthorized recipients.

Reporting allows the organization to assess and respond to the incident.

23. Interactive Exercise — Choose the Correct Data Classification

Scenario 1

A company's public holiday announcement.

Answer: PUBLIC

Scenario 2

An internal team meeting schedule.

Answer: INTERNAL

Scenario 3

A customer database containing contact information.

Answer: CONFIDENTIAL

Scenario 4

A highly sensitive internal security credential.

Answer: HIGHLY CONFIDENTIAL / RESTRICTED

Important

Classification labels can vary between organizations. Always follow the organization's official classification policy.

24. Interactive Exercise — Should You Share It?

Scenario

A colleague asks:

"Send me the entire customer database. I only need the email addresses."

Should you send the complete database?

A. Yes. B. No. Determine what information is actually required and use an approved sharing process. C. Upload it publicly. D. Send it to everyone in the department.

Correct answer: B

Why?

The colleague may only need a small portion of the information.

Sharing unnecessary data increases exposure.

25. Interactive Exercise — Cloud Storage

You discover a cloud folder containing confidential documents.

The sharing setting says:

"Anyone with the link can view."

What should you do?

A. Leave it unchanged. B. Share the link with more people. C. Follow organizational procedures to restrict access and report the issue if necessary. D. Download everything to your personal device.

Correct answer: C

26. Real-World Scenario — The Wrong Attachment

You are sending a routine email to a customer.

You attach a document but later realize you accidentally attached an internal financial report instead of the intended public brochure.

What should you do?

Correct Response

1. Stop further communication.
2. Follow the organization's incident-reporting process.
3. Do not attempt to hide the mistake.
4. Provide accurate information about what was sent and to whom.
5. Follow instructions from the responsible security/privacy team.

Important Lesson

Report mistakes quickly.

Fast reporting can help an organization respond appropriately.

27. Data Handling Golden Rules

Rule 1 — Know Your Data

Understand what information you are handling.

Rule 2 — Know the Classification

Know whether it is public, internal, confidential, or restricted.

Rule 3 — Know the Recipient

Verify who will receive the information.

Rule 4 — Share the Minimum

Only share what is necessary.

Rule 5 — Use Approved Systems

Use authorized storage and communication platforms.

Rule 6 — Protect Access

Do not provide sensitive information to unauthorized people.

Rule 7 — Report Mistakes

If you accidentally expose information, report it promptly.

28. Knowledge Quiz

Question 1

What is sensitive information?

A. Information that can never be stored digitally B. Information that could create harm or risk if exposed or misused C. Only passwords D. Only public information

Answer: B

Question 2

What is personal data?

A. Information relating to an identifiable person B. Only company financial records C. Public advertisements only D. Software source code only

Answer: A

Question 3

What is data classification?

A. Deleting old files B. Organizing information according to sensitivity and protection requirements C. Sharing all data publicly D. Encrypting every file

Answer: B

Question 4

What should you check before sending sensitive information?

A. Recipient B. Authorization C. Attachment/content D. All of the above

Answer: D

Question 5

What is an unauthorized disclosure?

A. Sharing information with an authorized recipient B. Information becoming available to someone who is not authorized to receive it C. Encrypting a document D. Updating a file

Answer: B

Question 6

Which cloud-sharing option generally provides better control for confidential information?

A. Public link B. Restricted access for authorized users C. Posting on social media D. Anonymous public access

Answer: B

Question 7

What does data minimization encourage?

A. Collecting everything possible B. Sharing information with everyone C. Collecting and sharing only information that is necessary D. Publishing confidential information

Answer: C

Question 8

You accidentally send confidential information to the wrong person. What should you do?

A. Hide the mistake B. Delete your sent email and forget about it C. Report the incident according to organizational procedures D. Send more confidential information

Answer: C

29. Final Interactive Challenge — Protect the Data

For each situation, choose:

SAFE | SUSPICIOUS | REPORT

Scenario 1

You send a public company announcement through an approved public communication channel.

Answer: SAFE

Scenario 2

A colleague asks for confidential information but you cannot confirm that they are authorized to receive it.

Answer: SUSPICIOUS

Scenario 3

You accidentally send an employee record to the wrong email address.

Answer: REPORT

Scenario 4

You upload confidential business documents to an approved cloud platform and restrict access to authorized employees.

Answer: SAFE

Scenario 5

You find that a confidential cloud folder is accessible to anyone with the link.

Answer: REPORT

Scenario 6

A friend asks you to send them an internal company document "just for curiosity."

Answer: SUSPICIOUS

30. Data Handling Decision Tree

When handling information, ask:

Step 1 — What am I handling?

Public / Internal / Confidential / Restricted

↓

Step 2 — Who needs it?

Authorized recipient?

↓

Step 3 — How should it be shared?

Approved communication/storage method?

↓

Step 4 — How much information is needed?

Minimum necessary information?

↓

Step 5 — Did anything go wrong?

If yes → Report promptly.

Key Takeaways

By completing this module, you should understand that:

- Data is an important organizational asset.
- Sensitive information requires appropriate protection.
- Personal data relates to identifiable individuals.
- Organizations may hold confidential business information that should not be publicly disclosed.
- Data classification helps determine how information should be handled.
- Information should only be shared with authorized recipients.
- Accidental disclosure can still become a security or privacy incident.
- Cloud-storage sharing settings must be checked carefully.
- Public links can expose sensitive information to unintended users.
- Data minimization reduces unnecessary exposure.
- The need-to-know principle helps limit access to sensitive information.
- Approved organizational systems should be used for sensitive information.

- Physical screens, printed documents, and removable storage also require protection.
- If sensitive information is accidentally sent to the wrong person, **report it rather than hiding the mistake.**

Reflect & Apply

1. What types of information do you consider sensitive?
2. How would you classify a public announcement versus a customer database?
3. What should you check before sending a confidential document?
4. Why is "Anyone with the link" potentially dangerous for sensitive files?
5. What does data minimization mean?
6. What would you do if you accidentally sent confidential information to the wrong recipient?

Module Completion

Before moving to the next module, you should be able to explain:

Identify Data → Classify → Verify Recipient → Share Minimally → Protect → Report

MilcharSec Core Habit

KNOW → CLASSIFY → VERIFY → SHARE CAREFULLY → REPORT

Module 5 Complete.

Module 6 — Mobile & Remote Work Security

Why This Matters

Cybersecurity does not stop when you leave the office.

Today, people access organizational systems from:

- Smartphones
- Tablets
- Laptops
- Home computers
- Public Wi-Fi
- Hotels
- Cafés
- Universities
- Libraries
- Airports
- Other remote locations

Working outside a traditional office can create additional risks because devices may be lost, stolen, connected to unfamiliar networks, or used around other people.

This module teaches users how to protect mobile devices, laptops, accounts, and organizational information while working remotely.

Learning Objectives

By the end of this module, you should be able to:

1. Explain basic mobile-device security.
2. Understand why screen locking is important.
3. Review application permissions.

4. Keep mobile devices and applications updated.
 5. Recognize risks associated with public Wi-Fi.
 6. Apply safer remote-working practices.
 7. Protect laptops from unauthorized access.
 8. Respond appropriately to lost or stolen devices.
 9. Understand physical device protection.
 10. Apply secure-access practices outside the office.
 11. Recognize risks of working in public places.
 12. Build a basic mobile and remote-work security routine.
-

1. Mobile Device Security

Smartphones contain a large amount of personal and organizational information.

A smartphone may provide access to:

- Email
- Cloud storage
- Social-media accounts
- University systems
- Work applications
- Banking applications
- Messages
- Photos
- Documents
- Authentication applications

Because so much information is concentrated on one device, protecting the device is extremely important.

Basic Security Practices

- Use a screen lock.
- Keep the operating system updated.
- Install applications carefully.
- Review application permissions.
- Use trusted app stores where appropriate.
- Avoid connecting to unknown devices.

- Protect the device physically.

MilcharSec Rule

Your phone is a computer you carry everywhere. Protect it like one.

2. Screen Locking

A screen lock helps prevent unauthorized people from accessing your device if you leave it unattended.

Common protection methods include:

- PIN
- Password
- Pattern
- Fingerprint
- Face authentication

Good Habit

Set your device to lock automatically after a reasonable period of inactivity.

Example

You leave your phone on a desk and walk away.

Without a screen lock, someone nearby may be able to access your:

- Messages
- Email
- Photos
- Applications
- Accounts

With a properly configured lock, unauthorized access becomes more difficult.

3. Why Automatic Locking Matters

People often think:

"I'll remember to lock my phone."

But people become distracted.

Automatic locking provides an additional layer of protection.

Recommended Habit

Use both:

Automatic screen lock + manual locking when leaving the device

4. Application Permissions

Applications may request access to device features and information.

Examples include:

- Camera
- Microphone
- Location
- Contacts
- Photos
- Files
- Notifications

Ask Yourself

Does this application actually need this permission?

For example:

A calculator application normally has little reason to require access to your contacts.

Good Practice

Review permissions periodically and remove unnecessary access where your device allows it.

5. Permission Challenge

Scenario

You install a simple flashlight application.

It asks for:

- Camera access
- Contacts
- Microphone
- Location
- Files

What should you do?

A. Allow everything automatically. B. Review the permissions and consider whether they are necessary. C. Give the application access to all information. D. Ignore the permissions.

Correct answer: B

Lesson

Permissions should match the application's purpose.

6. Software Updates

Mobile devices and applications should be kept updated.

Updates can include:

- Security fixes
- Bug fixes
- Stability improvements
- Performance improvements
- New features

Update:

- Mobile operating system
- Laptop operating system
- Applications
- Browser
- Security software where applicable

An available security update should not be ignored without a good reason.

7. Public Wi-Fi Awareness

Public Wi-Fi can be convenient when working outside the office.

Examples include Wi-Fi at:

- Cafés
- Hotels
- Airports
- Libraries
- Universities
- Shopping centers

However, users should not automatically assume that every public network is trustworthy.

8. Risks of Public Wi-Fi

Potential risks include:

- Fake Wi-Fi networks
- Unauthorized network access
- Untrusted network operators
- Exposure of poorly protected traffic
- Attackers attempting to intercept or manipulate connections

Example

You see two networks:

CoffeeShop_WiFi

CoffeeShop_Free_Official

You do not know which one is legitimate.

Do not simply connect to one because its name looks convincing.

9. Safer Public Wi-Fi Practices

When using public Wi-Fi:

1. Verify the Network

Ask the venue for the correct network name when possible.

2. Avoid Sensitive Activity When Appropriate

Be cautious about accessing highly sensitive information on unfamiliar networks.

3. Use Secure Connections

Prefer services that use encrypted connections.

4. Keep Device Security Enabled

Do not disable important security controls just because you are on public Wi-Fi.

5. Forget Unused Networks

Remove saved networks you no longer need, particularly if they are unfamiliar.

10. Fake Wi-Fi Networks

An attacker may create a network with a name designed to look legitimate.

For example:

Airport_Free_WiFi

may look trustworthy.

But the name alone does not prove who operates the network.

Important

A familiar Wi-Fi name does not automatically mean a trustworthy Wi-Fi network.

11. Remote Work Security

Remote work means performing organizational tasks outside the normal workplace.

Examples include:

- Working from home
- Studying remotely
- Working from a hotel
- Working from a university
- Working while travelling

Remote work can create additional security challenges.

Common Risks

- Unsecured networks
- Shared devices
- Lost laptops
- Shoulder surfing
- Unattended screens
- Unauthorized people seeing documents
- Personal devices being used for organizational information

12. Secure Remote Access

When accessing organizational systems remotely:

- Use approved access methods.
- Follow organizational security policies.
- Use strong account protection.
- Enable MFA where provided.
- Keep devices updated.
- Avoid sharing work accounts.
- Do not bypass security controls.

Important

Remote access should be as controlled as office access.

13. Laptop Security

Laptops may contain large amounts of organizational information.

Protect laptops by:

- Using a screen lock.
- Keeping software updated.
- Using appropriate security software.
- Protecting the laptop physically.
- Avoiding leaving it unattended.
- Following organizational security policies.
- Using encryption where provided or required.

14. Lock Your Laptop

Suppose you are working in a university library.

You need to leave your desk for five minutes.

What should you do?

Correct Action

Lock the laptop before leaving.

Do not assume:

"I'll only be gone for a minute."

Someone could access the device during that time.

MilcharSec Rule

If you leave the device, lock the device.

15. Physical Device Protection

Cybersecurity also includes physical security.

Protect devices from:

- Theft
- Loss
- Unauthorized access
- Accidental damage
- Unauthorized viewing

Good Practices

- Keep devices within your control.
 - Avoid leaving laptops unattended in public places.
 - Use a suitable carrying case.
 - Keep devices away from edges where they can fall.
 - Avoid displaying sensitive information where strangers can see it.
-

16. Shoulder Surfing

Shoulder surfing is when someone observes information displayed on your screen or entered on your device.

This can happen in:

- Cafés
- Public transport
- Airports
- Libraries
- Classrooms
- Shared offices

Example

You are entering sensitive information while sitting in a crowded café.

Someone sitting behind you may be able to see your screen.

Protection

- Position your screen carefully.
- Avoid displaying sensitive information unnecessarily.
- Be aware of people around you.
- Use a privacy screen when appropriate.

17. Working in Public Places

Public environments require additional awareness.

Before working with sensitive information, consider:

Environment

Can someone see your screen?

Network

Are you connected to a trustworthy network?

Device

Can someone physically access your device?

Information

Does the task involve confidential information?

Conversation

Are you discussing sensitive information where others can hear?

18. The Public Workspace Challenge

You are sitting in a crowded café with your laptop.

You need to work on a confidential company document.

Which action is safest?

A. Display the document where people behind you can see it. B. Leave the laptop unlocked while ordering coffee. C. Move to a more private position, protect the screen, and lock the device when stepping away. D. Share the document with nearby people.

Correct answer: C

19. Lost or Stolen Devices

A lost or stolen device can potentially expose:

- Emails
- Documents
- Accounts
- Personal information
- Organizational information

If a Device Is Lost

Do not simply wait and hope it comes back.

Follow your organization's lost-device procedure as soon as possible.

Depending on the device and organizational setup, security teams may have options such as:

- Remote location
- Remote lock
- Remote data protection
- Account session management
- Device management controls

20. Lost Device Scenario

You realize that your work laptop is missing after leaving a café.

What should you do?

Step 1

Report the loss immediately through the organization's approved process.

Step 2

Provide relevant information:

- Device type
- Approximate time
- Last known location
- What happened

Step 3

Follow security-team instructions.

Step 4

If instructed, take appropriate account-protection actions.

Important

Fast reporting can reduce the potential impact of a lost device.

21. Do Not Hide a Lost Device

Imagine you lose a company laptop.

You think:

"Maybe I'll find it tomorrow, so I won't tell anyone."

This is unsafe.

The organization may need time to:

- Protect accounts
- Assess the device
- Apply remote controls
- Investigate potential exposure

Rule

Report first. Investigate afterward.

22. Secure Access Practices

When accessing accounts remotely:

Use Your Own Account

Do not share account credentials with coworkers or friends.

Use MFA

Enable multi-factor authentication where available.

Use Approved Devices

Follow organizational rules about which devices may access organizational systems.

Keep Sessions Secure

Sign out of sensitive services when appropriate, especially on shared devices.

Avoid Unnecessary Access

Only access information needed for your work.

23. Shared Devices

Using another person's computer can create security and privacy risks.

Avoid accessing sensitive organizational systems from:

- Public computers
- Someone else's personal computer
- Unknown devices

unless the organization specifically permits it and appropriate protections are available.

Why?

You may not know:

- What software is installed.
- Whether the device is updated.
- Who has access to it.
- Whether malware is present.
- Whether browser data is being saved.

24. Personal Devices for Work

Some organizations allow employees to use personal phones or laptops for work.

This is sometimes called **Bring Your Own Device (BYOD)**.

If BYOD is permitted:

- Follow organizational policies.
- Keep the device updated.
- Use screen locking.
- Protect organizational accounts.
- Install required security controls.
- Do not share the device casually.
- Report loss or theft.

Important

Personal ownership does not remove organizational security responsibilities.

25. Physical Security Checklist

Before leaving your workspace:

- ☐ Laptop locked
- ☐ Phone locked
- ☐ Sensitive documents put away
- ☐ No confidential information visible
- ☐ Devices within your control
- ☐ Accounts not left open on shared devices

26. Interactive Challenge — Secure or Risky?

Choose:

SECURE | RISKY

Scenario 1

Your phone automatically locks after inactivity.

Answer: SECURE

Scenario 2

You install every application and allow every permission without reviewing them.

Answer: RISKY

Scenario 3

You verify the official public Wi-Fi network with the venue before connecting.

Answer: SECURE

Scenario 4

You leave your laptop unlocked while going to order coffee.

Answer: RISKY

Scenario 5

You report a lost work phone immediately.

Answer: SECURE

Scenario 6

You allow strangers to see a confidential document on your laptop screen.

Answer: RISKY

27. Interactive Exercise — Public Wi-Fi

You are at a hotel.

You see:

Hotel_Guest_WiFi

The hotel receptionist confirms that this is the official network.

Is connecting automatically safe for every activity?

A. Yes, every activity is completely safe. B. No. The network is verified as official, but you should still use secure connections and normal security practices. C. No network security is ever possible. D. Disable all device security before connecting.

Correct answer: B

Lesson

Network legitimacy is important, but it does not eliminate every security risk.

28. Interactive Exercise — Lost Smartphone

You lose your smartphone while travelling.

It contains access to your organizational email.

What should you do?

A. Wait several days. B. Ignore it if the phone had a screen lock. C. Report it immediately and follow the organization's lost-device procedure. D. Tell nobody.

Correct answer: C

Why?

A screen lock helps protect the device, but a lost device can still require a security response.

29. Interactive Exercise — Remote Work

You are working from home on a laptop.

Your younger sibling asks to use the laptop for gaming while you are still signed into your work account.

What should you do?

A. Give them the laptop. B. Leave the work account open. C. Secure your work session and use an appropriate separate account/device according to policy. D. Give them your password.

Correct answer: C

30. Remote Work Security Routine

Use the **HOME** routine:

H — Harden

Keep your device updated, locked, and protected.

O — Observe

Pay attention to your surroundings, network, and people nearby.

M — Minimize

Access and display only the information you actually need.

E — Escalate

Report lost devices, suspicious activity, or security incidents promptly.

HOME =

Harden → Observe → Minimize → Escalate

31. Mobile Security Routine

Before leaving home:

DEVICE

D — Device locked

Make sure screen locking is enabled.

E — Ensure updates

Install important updates.

V — Verify apps

Review applications and permissions.

I — Inspect connections

Be cautious with unknown Wi-Fi and Bluetooth connections.

C — Control access

Use appropriate authentication and MFA.

E — Escalate problems

Report loss, theft, or suspicious activity.

32. Knowledge Quiz

Question 1

Why is screen locking important?

A. It makes the battery last longer. B. It helps prevent unauthorized access. C. It increases internet speed. D. It prevents every form of malware.

Answer: B

Question 2

What should you consider when an application requests permissions?

A. Whether the permissions are appropriate for the application's purpose B. Whether the application looks colorful C. Whether your friends use it D. Nothing

Answer: A

Question 3

Which is a good practice when using public Wi-Fi?

A. Connect to any network with a familiar name. B. Verify the network when possible and maintain normal security practices. C. Disable security controls. D. Share passwords over the network.

Answer: B

Question 4

What should you do if you lose a work device?

A. Wait a week. B. Hide the incident. C. Report it promptly according to organizational procedures. D. Post about it publicly first.

Answer: C

Question 5

What is shoulder surfing?

A. A type of malware B. Someone observing information on your screen or as you enter it C. A method of encrypting files D. A Wi-Fi standard

Answer: B

Question 6

Which is good remote-work practice?

A. Leave your laptop unlocked in public. B. Share your work account with family. C. Lock your device when stepping away. D. Disable updates.

Answer: C

Question 7

Why should devices be updated?

A. Updates can include security fixes. B. Updates guarantee complete security. C. Updates remove the need for authentication. D. Updates prevent physical theft.

Answer: A

Question 8

What should you do if someone nearby can see confidential information on your screen?

A. Ignore it. B. Continue displaying the information. C. Move or protect the screen and minimize unnecessary exposure. D. Share the document with them.

Answer: C

33. Final Interactive Challenge — Remote Security Mission

You are working remotely from a café.

You have:

- A laptop
- A smartphone
- Access to organizational email

- A confidential document

Complete the mission safely.

Step 1

Your laptop is unlocked while you order coffee.

Action: LOCK IT

Step 2

You notice someone sitting behind you can see your screen.

Action: CHANGE POSITION / PROTECT THE SCREEN

Step 3

You need Wi-Fi.

Action: VERIFY THE OFFICIAL NETWORK

Step 4

Your phone shows an available operating-system update.

Action: UPDATE APPROPRIATELY

Step 5

An application requests access to contacts even though it does not appear necessary.

Action: REVIEW THE PERMISSION

Step 6

You accidentally leave your phone behind when leaving the café.

Action: REPORT THE LOST DEVICE IMMEDIATELY

34. Remote Work Decision Tree

Before working remotely:

Is your device protected?

NO → Lock and secure it.

YES → Continue.

↓

Is the software updated?

NO → Update appropriately.

YES → Continue.

↓

Is the network trustworthy?

UNCERTAIN → Verify before connecting.

YES → Continue.

↓

Can other people see your screen?

YES → Move or protect the screen.

NO → Continue.

↓

Are you accessing sensitive information?

YES → Use approved systems and secure access practices.

NO → Continue.

↓

Did you lose the device or notice suspicious activity?

YES → **REPORT PROMPTLY**

Key Takeaways

By completing this module, you should understand that:

- Mobile devices and laptops can contain valuable personal and organizational information.
- Screen locking is an important basic protection.
- Automatic locking provides additional protection when you forget to manually lock a device.
- Application permissions should be reviewed and should make sense for the application's purpose.
- Operating systems and applications should be kept updated.

- Public Wi-Fi requires additional awareness.
- A familiar Wi-Fi name does not automatically prove that a network is trustworthy.
- Remote work requires protection of both digital information and the physical environment.
- Laptops should be locked whenever you step away.
- Shoulder surfing can expose sensitive information in public places.
- Lost or stolen devices should be reported promptly.
- Personal devices used for work should follow organizational security requirements.
- Secure remote access should use approved methods and appropriate authentication.
- Physical security is an important part of cybersecurity.
- Working safely outside the office requires awareness of **device + network + surroundings + information**.

Reflect & Apply

1. Why should you lock your phone and laptop when stepping away?
2. What should you check when an application requests permissions?
3. Why should you verify public Wi-Fi networks?
4. What is shoulder surfing?
5. What should you do if a work laptop is lost?
6. Why is physical security part of cybersecurity?
7. What security risks can occur when working from a café or other public location?

Module Completion

Before moving to the next module, you should be able to explain:

Secure Device → Secure Access → Secure Network → Secure Environment → Report Problems

MilcharSec Core Habit

LOCK → UPDATE → VERIFY → PROTECT → REPORT

Module 6 Complete.

Module 7 — Security Incident Recognition & Reporting

Why This Matters

Not every cybersecurity problem requires a technical expert.

A normal employee, student, or user may be the **first person to notice something unusual**, such as:

- An unexpected login notification
- A lost work device
- A sudden password change
- A suspicious file
- A malware warning
- Accidental exposure of confidential information
- An account behaving strangely

Recognizing these warning signs early and reporting them correctly can help an organization respond before the situation becomes more serious.

The goal of this module is **not** to turn non-technical users into forensic investigators.

Instead, MilcharSec teaches a simple process:

RECOGNIZE → STOP → PRESERVE INFORMATION → REPORT → FOLLOW INSTRUCTIONS

Learning Objectives

By the end of this module, you should be able to:

1. Explain what a security incident is.
2. Recognize common indicators of a possible security incident.
3. Identify suspicious login activity.

4. Recognize signs of possible account compromise.
5. Understand how to respond to lost or stolen devices.
6. Recognize accidental data exposure.
7. Understand the importance of malware warnings.
8. Identify unexpected password changes.
9. Recognize suspicious files and unauthorized-access indicators.
10. Understand when an incident should be reported.
11. Know what information should be included in an incident report.
12. Follow the correct process without attempting advanced investigation.

1. What Is a Security Incident?

A **security incident** is an event that may threaten the confidentiality, integrity, or availability of information, systems, devices, or accounts.

In simple terms:

Something happened that may have created a cybersecurity or information-security risk.

Examples include:

- Someone accessed your account unexpectedly.
- A work laptop was lost.
- Confidential information was sent to the wrong person.
- Malware was detected.
- Your password changed unexpectedly.
- An unknown person appears to have accessed your account.

2. Security Incident vs Normal Event

Not every unusual event is necessarily a security incident.

Normal Event

Your organization regularly asks you to change your password through the normal account-management system.

Likely normal.

Potential Incident

You receive a password-change notification even though **you did not change your password.**

Potential security incident.

MilcharSec Rule

Unexpected + Security-related = Stop and consider reporting.

3. The Five-Step Incident Process

MilcharSec uses a simple five-step process:

1. RECOGNIZE

Notice something unusual.

↓

2. STOP

Avoid actions that could make the situation worse.

↓

3. PRESERVE INFORMATION

Keep useful evidence or information available.

↓

4. REPORT

Contact the appropriate security or organizational reporting channel.

↓

5. FOLLOW INSTRUCTIONS

Allow the responsible team to guide the next steps.

Remember:

Your role is to recognize and report—not perform advanced forensics.

4. Step 1 — RECOGNIZE

The first step is noticing that something may be wrong.

Possible warning signs include:

- Unexpected login alerts
- Password changes you did not make
- Unknown devices accessing your account
- Missing devices
- Malware warnings
- Suspicious files
- Unexpected account activity
- Accidental data exposure
- Unauthorized access indicators

You do not need to prove that an attack occurred.

Important

You only need enough information to recognize that something may require attention.

5. Step 2 — STOP

Once you notice something suspicious, avoid making the situation worse.

Depending on the situation, this may mean:

- Stop clicking suspicious links.
- Stop opening suspicious files.
- Stop entering information into a suspicious website.
- Stop sharing potentially exposed information.
- Do not continue interacting with a suspicious attacker.

- Do not attempt random fixes without guidance.

Example

You open an unexpected file and your security software displays a warning.

Do not keep opening similar files to "see what happens."

Stop. Preserve information. Report.

6. Step 3 — PRESERVE INFORMATION

Useful information can help the responsible team understand what happened.

Depending on the situation, preserve:

- Time of the event
- Date
- Relevant screenshots
- Error messages
- Sender information
- Email subject
- Device involved
- Approximate location
- File name
- Account affected
- What you observed

Important

Do not alter or destroy information unnecessarily.

For example:

If a suspicious message is reported, do not immediately delete it if your organization's reporting procedure requires the message to be preserved.

7. Step 4 — REPORT

Use the organization's approved reporting channel.

This might be:

- Security team
- IT help desk
- Incident-reporting system
- Supervisor
- Security email
- Emergency organizational process

Important

Follow the organization's actual reporting procedure.

MilcharSec teaches the principle:

When in doubt about a potential security incident, report it through the appropriate channel.

8. Step 5 — FOLLOW INSTRUCTIONS

After reporting an incident:

Do not become your own investigator.

The security or IT team may instruct you to:

- Change a password
- Disconnect a device
- Stop using an account
- Preserve a device
- Provide additional information
- Run an approved security check
- Wait for further instructions

Rule

Follow instructions from the responsible team.

9. Suspicious Login Activity

One of the most common indicators of account compromise is an unexpected login.

You may receive:

"New sign-in detected."

But you did not sign in.

Possible Indicators

- Unknown location
- Unknown device
- Unknown browser
- Unexpected time
- Unexpected login notification
- Multiple failed login attempts

What Should You Do?

1. Do not ignore it.
2. Check whether the login was actually yours.
3. Preserve relevant information.
4. Report according to your organization's process.
5. Follow security-team instructions.

10. Login Activity Scenario

You receive:

New login detected from an unfamiliar device.

You are certain that you did not make the login.

What should you do?

A. Ignore the notification. B. Tell friends about it. C. Treat it as a potential security incident and report it through the appropriate channel. D. Delete the notification immediately.

Correct answer: C

11. Possible Account Compromise

An account may be compromised when someone gains unauthorized access to it.

Possible indicators include:

- Unexpected login alerts
- Password suddenly not working
- Password changed without your action
- Unexpected MFA prompts
- Messages sent from your account that you did not send
- Account settings changed unexpectedly
- Unknown devices or sessions
- Unexpected account-recovery activity

Important

One indicator does not always prove compromise.

However:

Unexpected account activity deserves attention.

12. Unexpected MFA Prompts

You receive an MFA approval request.

You are not trying to log in.

Then another request appears.

And another.

What might this mean?

Someone may be attempting to access your account.

What Should You Do?

- Do not approve unexpected requests.

- Do not share authentication codes.
- Preserve relevant information.
- Report the activity.
- Follow your organization's account-security instructions.

MilcharSec Rule

Never approve an authentication request you did not initiate.

13. Unexpected Password Changes

You receive:

"Your password was successfully changed."

But you did not change your password.

This Is a Warning Sign

Someone may have attempted to modify your account.

Correct Response

Recognize → Stop → Preserve → Report → Follow instructions

Do not assume that the notification is harmless.

14. Lost or Stolen Devices

A lost device can become a security incident.

Examples:

- Work laptop
- Company phone
- University device
- Tablet
- USB storage containing organizational information

Why?

The device may contain:

- Documents
- Emails
- Account sessions
- Personal information
- Organizational information

Correct Response

Report the loss promptly.

Do not wait several days hoping the device will return.

15. Lost Device Scenario

You leave a café and realize your work laptop is missing.

What should you do?

A. Wait until tomorrow. B. Search social media first. C. Report it immediately through the approved process. D. Tell nobody.

Correct answer: C

Why?

Early reporting allows the organization to take appropriate protective action.

16. Accidental Data Exposure

Sometimes an incident occurs because of a mistake.

Examples:

- Sending a confidential document to the wrong person
- Sharing a private cloud link publicly
- Uploading internal information to the wrong location
- Adding the wrong recipient to an email
- Posting sensitive information in a public channel

Important

You should **not hide the mistake**.

The correct approach is:

Stop → Preserve → Report

The organization can then determine what response is appropriate.

17. Accidental Exposure Scenario

You accidentally send a confidential report to the wrong email address.

What should you do?

A. Pretend it never happened. B. Delete the sent email and do nothing. C. Report the incident promptly through the organization's process. D. Send the recipient more documents.

Correct answer: C

18. Malware Warnings

Security software may display warnings such as:

"Malware detected."

"Suspicious file blocked."

"Threat detected."

These warnings should not simply be ignored.

Correct Response

1. Stop interacting with the suspicious file.
2. Note the warning.
3. Preserve useful information.
4. Report if required by organizational policy.
5. Follow the instructions provided by the responsible team.

19. What NOT to Do With Malware Warnings

Do not:

- Keep opening the suspicious file.
- Disable security software just to make the file run.
- Delete important security information before reporting.
- Randomly install unrelated security programs.
- Attempt advanced malware analysis yourself.

Remember

The goal is safe reporting, not amateur forensic investigation.

20. Suspicious Files

A suspicious file may be:

- Unexpected
- Received from an unknown sender
- Named strangely
- Associated with an unusual message
- Triggering security warnings
- Inconsistent with what you expected

Example

You receive an unexpected document from an unknown sender.

The message says:

"Open this immediately."

Correct Response

Do not open it simply because the sender tells you to.

Preserve the information and report it according to the organization's process.

21. Unauthorized Access Indicators

Possible indicators include:

- Unknown account sessions
- Unexpected login notifications
- Unknown devices
- Unusual account changes
- Files modified unexpectedly
- Messages sent without your knowledge
- Unexpected password resets
- Unexpected MFA requests

Important

These indicators do not automatically prove that an attacker is present.

But they can justify reporting and further investigation by the appropriate team.

22. When Should You Report?

Report when you notice:

Account Problems

- Unexpected login
- Unexpected password change
- Suspicious MFA activity
- Unknown account activity

Device Problems

- Lost device
- Stolen device
- Unexpected security warning

Data Problems

- Wrong recipient
- Accidental disclosure
- Public exposure of confidential information

Technical Problems

- Malware warning
- Suspicious file
- Unexpected security alert

General Rule

If you reasonably believe something may have affected security, report it.

23. What Information Should Be Included in a Report?

A useful report should contain facts you actually know.

Include:

WHAT?

What happened?

Example:

"I received an unexpected login notification."

WHEN?

When did it happen?

Example:

"Approximately 2:30 PM today."

WHERE?

Where did it occur?

Example:

"On my work laptop."

WHO?

Who or what account was involved?

Example:

"My organizational email account."

HOW?

What were you doing when it happened?

Example:

"I was not logging in at the time."

WHAT DID YOU DO?

Describe the actions you already took.

Example:

"I did not approve the MFA request and reported it."

24. Good vs Poor Incident Report

Poor Report

"Something weird happened to my account."

This does not provide much useful information.

Better Report

"At approximately 3:15 PM, I received two MFA approval requests for my organizational account. I was not attempting to log in. I did not approve either request."

This gives the security team useful facts.

25. Report Facts — Not Guesses

When reporting an incident, distinguish between:

What You Know

"I received an unexpected password-change notification."

What You Suspect

"I think someone hacked my account."

The second statement may be possible, but you do not know it for certain.

Better Approach

Report what you observed and allow the security team to investigate.

26. Interactive Tool — Incident Report Assistant

MilcharSec can include an **Incident Report Assistant** to help users practice creating clear reports.

The tool can ask:

What happened?

Users describe the event.

When did it happen?

Date and approximate time.

Which device or account was involved?

Laptop, phone, email account, etc.

What did you observe?

Login alert, malware warning, lost device, accidental disclosure, etc.

What actions did you take?

For example:

- Did not click the link
- Did not approve MFA
- Locked the device
- Reported the lost device

27. Incident Report Assistant — Example

User Input

"Someone tried to log into my account."

Tool Response

Your report could be more specific.

Please provide:

- Approximate time
- Device/account involved
- What notification appeared
- Whether you initiated the login
- Whether you took any action

Improved Report

"At approximately 10:20 AM, I received a login notification for my organizational email account. I was not attempting to log in. The notification showed an unfamiliar device. I did not approve any authentication request and am reporting the event."

Result

Report contains useful information

28. Interactive Exercise — Is This an Incident?

Scenario 1

You receive an expected password-expiration notification from your organization's normal system.

Answer: LIKELY NORMAL

Scenario 2

You receive a password-change confirmation but did not change your password.

Answer: POTENTIAL INCIDENT

Scenario 3

You accidentally send a confidential document to the wrong person.

Answer: POTENTIAL INCIDENT

Scenario 4

Your antivirus or security software reports a suspicious file.

Answer: POTENTIAL INCIDENT

Scenario 5

You lose your work laptop.

Answer: POTENTIAL INCIDENT

Scenario 6

You receive an MFA request while you are not logging in.

Answer: POTENTIAL INCIDENT

29. Interactive Exercise — What Should You Do?

Situation A

You receive a suspicious login alert.

RECOGNIZE → STOP → PRESERVE → REPORT → FOLLOW INSTRUCTIONS

Situation B

You accidentally expose a confidential file.

RECOGNIZE → STOP FURTHER SHARING → PRESERVE INFORMATION → REPORT → FOLLOW INSTRUCTIONS

Situation C

Your work phone is stolen.

RECOGNIZE → REPORT → FOLLOW INSTRUCTIONS

Situation D

Security software detects malware.

STOP INTERACTION → PRESERVE INFORMATION → REPORT → FOLLOW INSTRUCTIONS

30. Incident Severity Awareness

MilcharSec users do **not** need to determine the technical severity of an incident.

However, it is useful to understand that incidents can have different levels of impact.

Lower Concern

A suspicious event with no confirmed exposure.

Example:

An unusual login alert that is quickly identified as a legitimate login.

Greater Concern

A potential unauthorized account access.

Example:

Unknown login activity that the user did not initiate.

Serious Concern

Potential exposure of sensitive information or loss of a device containing organizational data.

Important

The user should report the incident rather than trying to assign the final severity.

The appropriate security team should make that determination.

31. Incident Response: What Not to Do

Non-technical users should avoid:

Investigating beyond their role

Do not attempt advanced forensic analysis.

Destroying information

Do not unnecessarily delete messages, files, or alerts that may help investigation.

Hiding mistakes

Accidental exposure should still be reported.

Guessing

Report facts rather than unsupported conclusions.

Continuing suspicious activity

Stop interacting with suspicious files, links, or accounts.

Taking unauthorized actions

Follow organizational procedures and instructions.

32. The Incident Response Golden Rule

Don't make the situation worse while trying to fix it.

Your first responsibility is to:

Recognize → Stop → Preserve → Report → Follow Instructions

33. Knowledge Quiz

Question 1

What is a security incident?

A. Only a confirmed cyberattack B. An event that may threaten information, systems, devices, or accounts C. Only a computer virus D. A normal software update

Answer: B

Question 2

You receive an unexpected MFA request while you are not logging in. What should you do?

A. Approve it. B. Ignore all future MFA requests. C. Do not approve it and report the suspicious activity through the appropriate process. D. Share the code with someone.

Answer: C

Question 3

You accidentally send confidential information to the wrong person. What should you do?

A. Hide the mistake. B. Report it promptly. C. Send additional files. D. Do nothing.

Answer: B

Question 4

What should you preserve when reporting an incident?

A. Useful factual information about what happened B. Only your guesses C. Nothing D. Random files

Answer: A

Question 5

Which is useful in an incident report?

A. Approximate time B. Device/account involved C. What you observed D. All of the above

Answer: D

Question 6

Should a non-technical user perform advanced forensic investigation?

A. Yes, always. B. No. The focus should be recognizing, preserving relevant information, reporting, and following instructions. C. Only if they are curious. D. Before reporting.

Answer: B

Question 7

Which statement is best when reporting an incident?

A. "A hacker definitely did this." B. "I received an unexpected login notification at approximately 2 PM and was not logging in." C. "Something happened." D. "The whole system is hacked."

Answer: B

Question 8

What is the correct MilcharSec incident process?

A. Investigate → Delete → Ignore B. Report → Guess → Investigate C. Recognize → Stop → Preserve Information → Report → Follow Instructions D. Restart → Delete → Continue

Answer: C

34. Final Interactive Challenge — Incident Commander

You are the first person to notice unusual activity.

Complete each situation using the correct response.

Scenario 1 — Unexpected Login

You receive an unfamiliar login notification.

Your Actions

1. RECOGNIZE

The login is unexpected.

2. STOP

Do not approve unexpected authentication requests.

3. PRESERVE

Keep the notification details.

4. REPORT

Use the approved security channel.

5. FOLLOW

Follow the security team's instructions.

Result

Correct Response

Scenario 2 — Malware Warning

Security software reports a suspicious file.

Your Actions

1. RECOGNIZE

A security warning appeared.

2. STOP

Do not continue opening the file.

3. PRESERVE

Record the warning and relevant file information.

4. REPORT

Notify the appropriate team.

5. FOLLOW



Follow their instructions.

Result

Correct Response

Scenario 3 — Wrong Recipient

You accidentally send a confidential document to the wrong person.

Your Actions

1. RECOGNIZE

Confidential information was sent incorrectly.

2. STOP

Do not continue sharing the document.

3. PRESERVE

Keep information about what was sent and to whom.

4. REPORT

Report the incident promptly.

5. FOLLOW

Follow instructions from the responsible team.

Result

Correct Response

Scenario 4 — Lost Laptop

Your work laptop is missing.

Your Actions

1. RECOGNIZE

The device cannot be located.

2. STOP

Do not assume the situation is harmless.

3. PRESERVE

Record the last known location and relevant details.

4. REPORT

Report the lost device immediately.

5. FOLLOW

Follow the organization's device-security procedure.

Result

Correct Response

35. Incident Reporting Checklist

Before submitting a report, ask:

Event

- ☐ What happened?
- ☐ When did it happen?
- ☐ Which device or account was involved?
- ☐ What did I observe?
- ☐ Did I take any action?
- ☐ Is there relevant information that should be preserved?

Report

- ☐ Am I using the correct reporting channel?
- ☐ Am I reporting facts rather than guesses?
- ☐ Have I avoided unnecessary investigation?
- ☐ Have I followed the organization's instructions?

36. Quick Reference Card

Something Looks Wrong?

1. RECOGNIZE

Notice the warning sign.

↓

2. STOP

Don't continue suspicious activity.

↓

3. PRESERVE

Keep useful information.

↓

4. REPORT

Contact the appropriate team.

↓

5. FOLLOW

Follow their instructions.

Key Takeaways

By completing this module, you should understand that:

- A security incident is an event that may create a cybersecurity or information-security risk.
- Unexpected login activity can indicate a possible account-security problem.
- Unexpected password changes and MFA requests deserve attention.
- Lost or stolen work devices should be reported promptly.
- Accidental data exposure can still be a security or privacy incident.
- Malware warnings and suspicious files should not simply be ignored.
- Unauthorized-access indicators should be reported rather than independently investigated.
- Users do not need to prove that an attack occurred before reporting a concern.

- Incident reports should contain useful facts such as **what, when, where, who/what was affected, and what actions were taken.**
- Users should report facts rather than guesses.
- Non-technical users should **not perform advanced forensic investigations.**
- Do not unnecessarily delete, modify, or destroy information that may help the responsible team.
- The correct response is:

RECOGNIZE → STOP → PRESERVE INFORMATION → REPORT → FOLLOW INSTRUCTIONS

Reflect & Apply

1. What is a security incident?
2. Give three examples of possible security incidents.
3. What should you do if you receive an unexpected MFA request?
4. Why should accidental data exposure be reported?
5. What information makes an incident report useful?
6. Why should users report facts instead of guesses?
7. Why should non-technical users avoid advanced forensic investigation?
8. What are the five MilcharSec incident-response steps?

Module Completion

Before moving to the next module, you should be able to explain:

Recognize → Stop → Preserve Information → Report → Follow Instructions

MilcharSec Core Habit

SEE SOMETHING UNUSUAL? STOP. PRESERVE. REPORT.

Module 7 Complete.

Module 8 — Email & Business Communication Security

Why This Matters

Email is one of the most important communication tools used by organizations.

Employees use email to:

- Communicate with colleagues
- Exchange documents
- Receive invoices
- Discuss projects
- Communicate with customers
- Share business information
- Request payments
- Exchange account information

Because email is so widely used, attackers often target it.

A malicious email may attempt to:

- Steal credentials
- Deliver malware
- Redirect payments
- Obtain confidential information
- Impersonate an executive
- Trick employees into changing bank details

This module teaches users how to communicate securely and recognize common business-email threats.

Learning Objectives

By the end of this module, you should be able to:

1. Explain basic business email security.
2. Recognize suspicious attachments.
3. Identify suspicious links.
4. Recognize fake invoices.
5. Understand executive impersonation.
6. Explain the basic concept of Business Email Compromise.
7. Verify email senders.
8. Identify suspicious payment or bank-detail change requests.
9. Use CC and BCC appropriately.
10. Recognize misaddressed emails.
11. Apply safer business communication practices.
12. Report suspicious business emails appropriately.

1. Business Email Security

Business email often contains valuable information.

For example:

- Customer information
- Contracts
- Financial documents
- Internal communications
- Meeting details
- Invoices
- Account information
- Business plans

Compromising one employee's email account may potentially expose information or allow attackers to impersonate that employee.

Treat business email as a business system—not just a messaging app.

2. What Makes a Business Email Suspicious?

A suspicious email may contain one or more warning signs.

Look for:

- Unexpected requests
- Urgent language
- Suspicious attachments
- Suspicious links
- Unusual sender addresses
- Requests for confidential information
- Requests to change payment details
- Unexpected invoices
- Executive impersonation
- Requests that bypass normal procedures

Important

One warning sign does not automatically prove an email is malicious.

Multiple unusual indicators should increase your caution.

3. Suspicious Attachments

Attachments can be useful, but unexpected attachments can also create security risks.

Be cautious when an attachment is:

- Unexpected
- From an unknown sender
- Inconsistent with the conversation
- Associated with urgent instructions
- Requesting you to enable unusual functionality
- Triggering a security warning

Example

You receive:

"URGENT — PAYMENT DOCUMENT"

from an unfamiliar sender with an unexpected attachment.

Don't immediately open it.

Instead:

Stop → Verify → Report if suspicious

4. Attachment Scenario

Your manager normally sends you PDF documents.

Today you receive an unexpected attachment from an unfamiliar address claiming to be your manager.

What should you do?

- A. Open it immediately.
- B. Forward it to everyone.
- C. Verify the sender using a trusted communication method before opening it.
- D. Disable security software first.

Correct answer: C

5. Suspicious Links

Links can direct users to:

- Fake login pages
- Malicious websites
- Credential-stealing pages
- Unexpected downloads
- Impersonation websites

Warning Signs

Look for:

- Unexpected links
- Unusual domains
- Misspelled domain names
- Strange URL structures
- Shortened links you were not expecting
- Links that do not match the claimed organization

6. Link Verification

Suppose an email says:

"Your account will be suspended today. Click here immediately."

Before clicking:

Ask:

Who sent it?

↓

Was I expecting this message?

↓

Where does the link actually lead?

↓

Does the request make sense?

↓

Can I verify it through another trusted method?

7. Urgency Is a Warning Sign

Attackers may use pressure to make users act without thinking.

Examples:

"Pay immediately."

"Your account will be closed today."

"The CEO needs this within 10 minutes."

"Do not contact anyone about this."

Why?

Urgency can discourage normal verification procedures.

MilcharSec Rule

Urgency should increase verification—not reduce it.

8. Fake Invoices

A fake invoice is designed to appear like a legitimate business payment request.

It may contain:

- Company branding
- Invoice numbers
- Payment instructions
- Bank details
- Professional-looking formatting

But appearance alone does not prove legitimacy.

9. Fake Invoice Scenario

Your organization receives an invoice from a supplier.

The invoice looks normal, but the bank account is different from previous invoices.

What should you do?

- A. Pay immediately.
- B. Verify the bank-detail change using a trusted, independent method.
- C. Reply to the same email asking whether it is real.
- D. Ignore all future invoices.

Correct answer: B

10. Payment or Bank-Detail Change Requests

This is one of the most important areas of business-email security.

Be particularly careful with requests such as:

"Please use this new bank account for future payments."

or:

"The supplier has changed its payment details."

Do Not Rely Only on Email

Verify important financial changes through an **independent trusted communication method** according to organizational procedures.

For example:

- Existing trusted contact information
- Previously verified phone number
- Approved internal procedure

Important

Never treat a new bank-detail request as automatically legitimate just because it came from a familiar-looking email address.

11. Business Email Compromise

Business Email Compromise (BEC) is a type of fraud in which attackers use email or compromised accounts to deceive organizations or employees into performing actions that benefit the attacker.

Possible goals include:

- Fraudulent payments

- Theft of sensitive information
- Account compromise
- Unauthorized changes
- Impersonation

Example

An attacker impersonates a senior employee and requests an urgent payment.

12. Executive Impersonation

Attackers may pretend to be:

- CEO
- Manager
- Director
- Finance officer
- Customer
- Supplier
- Other trusted person

Example

An employee receives:

From: CEO
Subject: URGENT PAYMENT

The message requests an immediate transfer.

The employee feels pressure because the sender appears to be a senior executive.

Correct Response

Verify the request independently before taking action.

13. Executive Impersonation Scenario

You receive an email apparently from the CEO:

"I'm in a meeting. I need you to purchase gift cards immediately. Don't call me because I'm busy."

What are the warning signs?

- Urgency
- Unusual request
- Request to bypass normal communication
- Financial impact
- Possible impersonation

Correct Action

Do not make the purchase. Verify the request through an approved trusted method and report it if suspicious.

14. Sender Verification

Never rely only on the sender's display name.

For example:

Display Name: Muhammad Ali — Finance Department

The actual address could be something completely different.

Check:

- Full email address
- Domain
- Previous communication
- Context of the message
- Whether the request is expected

Important

A familiar display name does not prove that the email is from that person.

15. Look-Alike Domains

Attackers may use domains that look similar to legitimate organizations.

Example:

Legitimate:

company-example.com

Look-alike:

company-examp1e.com

A small difference can be easy to miss.

Be Careful

Pay attention to:

- Spelling
- Extra characters
- Replaced letters/numbers
- Unexpected domain endings
- Additional words

16. Email Verification Exercise

Which sender deserves more verification?

Email A

From: finance@trusted-company.com

Expected communication and normal context.

Email B

From: finance@trusted-companny.com

Unexpected request for urgent payment.

Answer: B

The look-alike domain and unexpected payment request are warning signs.

17. CC and BCC Security

CC and BCC are useful email features, but they should be used carefully.

CC — Carbon Copy

People in CC receive the message and can see other recipients included in the normal recipient fields.

BCC — Blind Carbon Copy

BCC recipients generally cannot see the other BCC recipients.

18. Safe Use of CC

Before adding someone to CC, ask:

Does this person need this information?

Avoid unnecessarily copying people into sensitive conversations.

Example

A confidential employee discussion should not automatically be copied to an entire department.

Principle

Include only people who have a legitimate reason to receive the information.

19. Safe Use of BCC

BCC can be useful when recipients should not see each other's email addresses.

For example:

Sending an organizational announcement to a large group where recipients do not need to know each other's addresses.

But remember:

BCC is not a replacement for proper access control.

Do not use email simply because BCC "hides" recipients if the information itself is inappropriate to share.

20. Misaddressed Emails

A simple typing mistake can send information to the wrong person.

For example:

You intend to send an email to:

ahmad@company.com

but accidentally select:

ahmad@another-company.com

Before sending sensitive information:

- Check To
 - Check CC
 - Check BCC
 - Check attachments
 - Check the message content
-

21. The "Pause Before Send" Rule

Before sending an important business email:

STOP

Don't immediately click Send.

CHECK

Verify:

- Recipient
- CC
- BCC
- Attachment
- Information
- Links

SEND

Only after confirming everything is correct.

22. Sensitive Information by Email

Before sending sensitive information, ask:

1. Is email an approved method?
2. Does the recipient need the information?
3. Is the recipient address correct?
4. Is the attachment correct?
5. Is additional protection required by organizational policy?

Important

Convenience should not override security requirements.

23. Suspicious Business Email Scenario

You receive:

Subject: URGENT — Change Supplier Bank Details
From: supplier-finance@company-support.example

The message says:

"Please update our bank information immediately. This request is confidential."

Warning Signs

- Urgency
- Financial request
- Change in bank details
- Unusual sender/domain
- Pressure to keep it confidential

Correct Action

Do not change the bank details based solely on the email.

Verify independently using the organization's approved process.

24. Interactive Tool — Email Security Checker

MilcharSec can include an **Email Security Checker** to help users identify suspicious characteristics in business emails.

Users can paste or enter:

- Sender address
- Subject
- Email body
- Link information
- Attachment name

The tool can analyze educational indicators such as:

Sender

- Unusual domain
- Look-alike domain
- Sender mismatch

Message

- Urgent language
- Unexpected request
- Pressure tactics
- Requests for sensitive information

Financial Requests

- Payment requests
- Bank-detail changes
- Invoice anomalies

Links

- Suspicious URLs
- Unexpected destinations

- Look-alike domains

Attachments

- Unexpected attachments
- Suspicious file names
- Unusual context

25. Email Security Checker — Example

User Input

From: ceo-office@company-support.example

Subject: URGENT — Need Payment Now

"I'm currently unavailable. Please make this payment immediately. Do not call me."

Tool Analysis

Risk Indicators Detected:

- Urgent language
- Financial request
- Executive impersonation possibility
- Request to avoid normal verification
- Unusual sender domain

Educational Risk Level

HIGH RISK

Explanation

The message contains multiple indicators commonly associated with business-email threats.

Recommended Action

Do not make the payment. Verify through an independent trusted channel and report the email according to organizational procedures.

26. Interactive Exercise — Safe or Suspicious?

Choose:

SAFE | SUSPICIOUS

Scenario 1

Your colleague sends an expected project update from their normal organizational address.

Answer: SAFE

Scenario 2

An unknown sender sends an unexpected invoice attachment.

Answer: SUSPICIOUS

Scenario 3

Your manager asks you to change supplier bank details through an unexpected email.

Answer: SUSPICIOUS

Scenario 4

You verify a payment request using an independently known contact method before processing it.

Answer: SAFE

Scenario 5

An email asks you to keep an urgent financial request secret.

Answer: SUSPICIOUS

Scenario 6

You carefully check the To, CC, BCC, and attachment before sending a sensitive email.

Answer: SAFE

27. Interactive Exercise — Find the Red Flags

Email

From: director@company-support-help.example

Subject: URGENT — Confidential Payment

Message:

"I need you to process this payment immediately. I am currently unavailable. Do not contact anyone else. Use the new bank account in the attached invoice."

Identify the warning signs.

Red Flag 1

Urgency

"Immediately"

Red Flag 2

Authority/Executive Impersonation

The sender claims to be a director.

Red Flag 3

Request to bypass normal procedures

"Do not contact anyone else."

Red Flag 4

Payment request

Financial activity is requested.

Red Flag 5

Bank-detail change

A new account is provided.

Red Flag 6

Suspicious sender domain

The domain may not match the organization's legitimate domain.

Result

HIGH RISK

28. What Should You Do With a Suspicious Email?

DO

- Stop before clicking.
- Verify the sender.
- Check the request carefully.
- Preserve the email when required.
- Report suspicious messages.
- Use trusted communication channels for verification.

DON'T

- Click suspicious links.
- Open unexpected attachments.
- Send passwords or sensitive information.
- Change bank details based only on an email.
- Approve unusual financial requests without verification.
- Let urgency bypass normal procedures.

29. Independent Verification

When an email requests an important action, verify it using a method that is **independent of the suspicious message**.

Example

Email:

"Please change the supplier's bank account."

Do not simply reply:

"Did you really send this?"

Instead, use a previously trusted contact method or the organization's established verification procedure.

Why?

If the email account itself has been compromised, replying to that same account may not provide meaningful verification.

30. Email Security Decision Tree

Did you expect the email?

NO → Be cautious

YES → Continue checking

↓

Is the sender genuine?

UNCERTAIN → Verify

↓

Does the email request sensitive information or money?

YES → Verify independently

↓

Is there an attachment or link?

YES → Inspect carefully before interacting

↓

Is there unusual urgency or pressure?

YES → Increase caution

↓

Does anything still seem suspicious?

YES → REPORT

↓

Everything checks out?

Proceed according to organizational policy.

31. Knowledge Quiz

Question 1

What is Business Email Compromise?

- A. A normal email update
- B. A type of fraud involving deceptive or compromised business email activity
- C. A software update
- D. A spam filter

Answer: B

Question 2

What should you do if an email requests a bank-detail change?

- A. Make the change immediately.
- B. Verify it independently using an approved trusted method.
- C. Forward it to everyone.
- D. Ignore all future payment requests.

Answer: B

Question 3

Why can executive impersonation be effective?

- A. Employees may trust requests appearing to come from senior people.
- B. Executives always send suspicious emails.
- C. Email cannot be verified.
- D. Executives cannot use MFA.

Answer: A

Question 4

What should you check when verifying a sender?

- A. Display name only
- B. Full email address and domain
- C. Font size
- D. Email color

Answer: B

Question 5

What is a look-alike domain?

- A. A legitimate website
- B. A domain designed to resemble a legitimate domain
- C. A secure password
- D. An email attachment

Answer: B

Question 6

What should you check before sending a sensitive email?

- A. Recipient
- B. CC/BCC
- C. Attachment
- D. All of the above

Answer: D

Question 7

Which is a warning sign in a business email?

- A. Unexpected urgent payment request
- B. Normal expected project update
- C. Routine meeting reminder
- D. Approved internal announcement

Answer: A

Question 8

What should you do with a suspicious attachment?

- A. Open it to investigate.
- B. Disable security software.

- C. Avoid opening it and follow the organization's reporting process.
- D. Forward it to friends.

Answer: C

32. Final Interactive Challenge — Protect the Company

You work in the finance department.

You receive this email:

From: ceo-office@company-support.example

Subject: URGENT — Supplier Payment

"I'm in a meeting and need you to process this payment immediately. The supplier has changed its bank details. Please use the attached invoice. Do not contact me because I'm unavailable."

Step 1 — Sender

The domain does not clearly match the organization's normal domain.

✖ **SUSPICIOUS**

Step 2 — Urgency

The email demands immediate action.

✖ **SUSPICIOUS**

Step 3 — Authority

The sender claims to represent the CEO.

✖ **SUSPICIOUS**

Step 4 — Financial Request

The email requests a payment.

✖ **SUSPICIOUS**

Step 5 — Bank Details

The supplier's bank information has changed.

HIGH-RISK INDICATOR

Step 6 — Bypass Verification

The sender tells you not to contact them.

SUSPICIOUS

Final Decision

DO NOT PROCESS THE PAYMENT

Instead:

STOP → VERIFY INDEPENDENTLY → PRESERVE → REPORT → FOLLOW INSTRUCTIONS

33. Business Email Security Checklist

Before acting on an important email:

Sender

- Do I recognize the sender?
- Did I check the complete email address?
- Does the domain look correct?

Request

- Was I expecting this?
- Is the request reasonable?
- Is it unusually urgent?
- Is it asking for sensitive information?

Financial

- Is money involved?
- Are bank details changing?
- Did I independently verify the request?

Attachments

- Was the attachment expected?
- Does the file make sense in context?

Links

- Did I verify where the link leads?
- Does the domain appear legitimate?

Recipients

- Is the To address correct?
 - Are CC recipients necessary?
 - Is BCC appropriate?
-

34. The Email Security Golden Rules

Rule 1 — Don't Trust the Display Name

Check the actual sender address.

Rule 2 — Don't Let Urgency Override Verification

Pressure is not proof of legitimacy.

Rule 3 — Verify Financial Changes

Especially payment and bank-detail changes.

Rule 4 — Think Before Clicking

Unexpected links and attachments deserve caution.

Rule 5 — Check Recipients

Review To, CC, BCC, and attachments.

Rule 6 — Use Independent Verification

For important requests, verify through a trusted method.

Rule 7 — Report Suspicious Emails

Do not simply delete and forget about them when organizational procedures require reporting.

Key Takeaways

By completing this module, you should understand that:

- Business email can contain valuable organizational information.
- Suspicious attachments and links can create security risks.
- Sender display names can be misleading.
- Look-alike domains may imitate legitimate organizations.

- Urgency and pressure are common warning signs.
- Fake invoices can appear professional and convincing.
- Payment and bank-detail changes should be independently verified.
- Business Email Compromise can involve deceptive or compromised business communication.
- Attackers may impersonate executives or other trusted people.
- CC and BCC should be used carefully.
- Misaddressed emails can cause accidental information exposure.
- Important business requests should be verified before action.
- Suspicious emails should be reported according to organizational procedures.
- Users should **stop rather than react quickly under pressure**.

Reflect & Apply

1. Why should you verify a payment or bank-detail change independently?
2. What is Business Email Compromise?
3. Give three warning signs of an executive-impersonation email.
4. Why is checking the full sender address important?
5. What should you check before sending a sensitive email?
6. What is the difference between CC and BCC?
7. Why can urgency be a warning sign?
8. What should you do when an email still seems suspicious after checking it?

Module Completion

Before moving to the next module, you should be able to explain:

VERIFY SENDER → CHECK REQUEST → THINK BEFORE CLICKING → VERIFY IMPORTANT ACTIONS → REPORT

MilcharSec Core Habit

STOP → CHECK → VERIFY → THEN ACT

Module 8 Complete.