# Lab 01: Introduction to HTML

## Lab Task(s):

### Exercises

1. Create an HTML page as shown below using ordered and nested ordered lists.

```
<!DOCTYPE html>
<html>
    <head>
        <title>Task 1</title>

        </head>
<body>
    <!-- Task 1-->
    <fieldset>
    <h1 align="center" > Web Site Outline</h1>
    <ol>
        <li>Home Page</li>
        <li>Link Page</li>
            <ol type="I">
                <li>Links to Search Engines</li>
                <li>Links to Information Site</li>
                    <ol type="A">
                        <li>News Site</li>
                            <ol type="i">
                                <li>TV based</li>
                                    <ol type="a">
                                        <li>CNN</li>
                                        <li>Headline</li>
                                    </ol>
                            </ol>
                        <li>Stock Site</li>
                    </ol>
                <li>Links to Fun Site</li>
            </ol>
        <li>Contact Page</li>

```

```
    </ol>
</fieldset>
</body>

</html>
```

**Web Site Outline**

1. Home Page
2. Link Page
    I. Links to Search Engines
    II. Links to Information Site
        A. News Site
            i. TV based
                a. CNN
                b. Headline
        B. Stock Site
    III. Links to Fun Site
3. Contact Page

2. Create a login form as shown below:

```
<!DOCTYPE html>
<html>
    <header>

    </header>
    <body>

        <!--Task 2-->
    <table border="0">
        <tr >
            <td colspan="2" align="left" >
                <img src="G:\All Html projects\aa.jpg" width="200px"
alt="image">
            </td>
        </tr>
        <tr>
            <td width="10%">UserName</td>
            <td ><input type="text"></td>
        </tr>
        <tr>
            <td >Password</td>
            <td ><input type="password"></td>
        </tr>
      <tr>
          <td colspan="2" ><button>Login</button>
```

```
            <button>Cancel</button></td>
        </tr>
        <tr>
            <td colspan="2"><input type="checkbox" name="" id=""> remember
me</td>
        </tr>
        <tr>
            <td colspan="2">Forgot <a href="">Password</a></td>
        </tr>
    </table>
    </body>
</html>
```




3. Create following tables using rowspan & colspan.

```
<!DOCTYPE html>
<html>
    <header></header>
    <body>
```

```html
<!--Rowspan-->
<h2>rowspan</h2>
<table border="1" width="25%" cellspacing="2px" cellpadding="5px" >
    <tr>
        <td rowspan="3">
            Users Info
        </td>
        <td>
            1
        </td>
        <td>
            John Carter
        </td>
        <td>
            Johncarter@mail.com
        </td>
    </tr>
    <tr>

        <td>
            2
        </td>
        <td>
            Peter Parker
        </td>
        <td>
            Peterparker@mail.com
        </td>
    </tr>
    <tr>

        <td>
            3
        </td>
        <td>
            John Rambo
        </td>
        <td>
            johnrambo@mail.com
        </td>
    </tr>
</table>
<br>
<br>
<h2>Colspan</h2>
```

```html
<!--Colspan-->
<table border="1" width="20%" cellspacing="2px" cellpadding="5px" >
    <tr>
        <td colspan="3">Users Info</td>
    </tr>
    <tr>
        <td>1</td>
        <td>John Carter</td>
        <td>Johncarter@mail.com</td>
    </tr>
    <tr>
        <td>2</td>
        <td>Peter Parker</td>
        <td>Peterparker@mail.com</td>
    </tr>
    <tr>
        <td>3</td>
        <td>John Rambo</td>
        <td>johnrambo@mail.com</td>
    </tr>

</table>

<br>
<br>

<p></p>
<table border="1" width="25%" cellspacing="10px" cellpadding="5px" >
    <caption>fruit juice Drinks and Milks</caption>
    <tr>
        <td rowspan="2"></td> <td colspan="3">fruit juice Drinks</td>
    </tr>
    <tr>
        <td>Apple</td>
        <td>Orange</td>
        <td>ScrewDriver</td>
    </tr>
    <tr>
        <td>BreakFast</td>
        <td>0</td>
        <td>1</td>
        <td>0</td>
    </tr>
    <tr>
        <td>Lunch</td>
```

```
            <td>1</td>
            <td>0</td>
            <td>0</td>

        </tr>
        <tr>
            <td>Dinner</td>
            <td>0</td>
            <td>0</td>
            <td>1</td>
        </tr>
    </table>

    </body>
</html>
```

## rowspan

| | | | |
|---|---|---|---|
| Users Info | 1 | John Carter | Johncarter@mail.com |
| | 2 | Peter Parker | Peterparker@mail.com |
| | 3 | John Rambo | johnrambo@mail.com |

## Colspan

| | | |
|---|---|---|
| Users Info | | |
| 1 | John Carter | Johncarter@mail.com |
| 2 | Peter Parker | Peterparker@mail.com |
| 3 | John Rambo | johnrambo@mail.com |

fruit juice Drinks and Milks

| | | | |
|---|---|---|---|
| | fruit juice Drinks | | |
| | Apple | Orange | ScrewDriver |
| BreakFast | 0 | 1 | 0 |
| Lunch | 1 | 0 | 0 |
| Dinner | 0 | 0 | 1 |

4. Create webpage about a recipe. Your page should have a description of the recipe, an image showing its output, list of ingredients, and steps/instructions to be followed in sequence to prepare that recipe.

```html
<!DOCTYPE html>
<html>
    <header>

    </header>
    <body>
        <h3>To Die For Fettuccine Alfredo</h3>
        <pre style="font-family:verdana">
            This is a recipe that I created by modifying my mother's recipe.
            My boyfriend is a fettuccine Alfredo connoisseur and he scrapes the
pan every time!
            I get nothing but rave reviews when I make this dish. I must warn
you, this recipe is not for the health conscious. Enjoy!
            <br>
            <img src="image.png" alt="">
            <h3>Ingredients</h3>
            <input type="checkbox" name="" id=""> 1 cup butter
            <input type="checkbox" name="" id=""> 24 ounces dry fettuccini
pasta
            <input type="checkbox" name="" id=""> ¾ pint heavy cream
            <input type="checkbox" name="" id=""> salt and pepper to taste
            <input type="checkbox" name="" id=""> 1 dash garlic salt
            <input type="checkbox" name="" id=""> ½ cup grated Parmesan cheese
         <h3>Instructions</h3>
         <input type="checkbox" name="" id=""> Step# 1<br>
         Bring a large pot of lightly salted water to a boil. Add fettuccini
and cook for 8 to 10 minutes or until al dente; drain.
         <input type="checkbox" name="" id=""> Step# 2<br>
         In a large saucepan, melt butter into cream over low heat. Add salt,
pepper and garlic salt. Stir in cheese over medium heat
         until melted; this will thicken the sauce.
         <input type="checkbox" name="" id=""> Step# 3<br>
         Add pasta to sauce. Use enough of the pasta so that all of the sauce
is used and the pasta is thoroughly coated. Serve immediately.


        </pre>


    </body>
</html>
```

File | G:/BECS%20DEGREE/smstert%207/web%20engineering/lab/solution%20lab%201/task%204.html

**To Die For Fettuccine Alfredo**

This is a recipe that I created by modifying my mother's recipe.
My boyfriend is a fettuccine Alfredo connoisseur and he scrapes the pan every time!
I get nothing but rave reviews when I make this dish. I must warn you, this recipe is not for the health conscious. Enjoy!

**Ingredients**

- ☐ 1 cup butter
- ☐ 24 ounces dry fettuccini pasta
- ☐ ¾ pint heavy cream
- ☐ salt and pepper to taste
- ☐ 1 dash garlic salt
- ☐ ½ cup grated Parmesan cheese

**Instructions**

☐ Step# 1

Bring a large pot of lightly salted water to a boil. Add fettuccini and cook for 8 to 10 minutes or until al dente; drain.

☐ Step# 2

In a large saucepan, melt butter into cream over low heat. Add salt, pepper and garlic salt. Stir in cheese over medium heat until melted; this will thicken the sauce.

☐ Step# 3

Add pasta to sauce. Use enough of the pasta so that all of the sauce is used and the pasta is thoroughly coated. Serve immediately.

5. Create the following form using only HTML.

```
<!DOCTYPE html>
<html>
    <header>

    </header>
    <body>
```

```html
        <h2>Welcome to millenium Gymnastic Booster Club Popcorn Sales</h2>
        Buyer's Name: <input type="text"><br>
        Street Address: <input type="text"><br>
        City State zip: <input type="text">

        <table width="20%">
            <tr>
                <td width="80%"><h3>Product Name</h3></td>
                <td><h3>Price</h3></td>
                <td ><h3>Quality</h3></td>

            </tr>
            <tr>
                <td>Unpopped Popcorns(1 lb.)</td>
                <td>$3.00</td>
                <td><input size="1px" type="text"></td>
            </tr>
            <tr>
                <td>caremal Popcorns(1 lb.)</td>
                <td>$3.50</td>
                <td><input size="1px" type="text"></td>
            </tr>
            <tr>
                <td>caramal nut Popcorns(1 lb.)</td>
                <td>$4.50</td>
                <td><input size="1px" type="text"></td>
            </tr>
            <tr>
                <td>Toffee nut Popcorns(1 lb.)</td>
                <td>$5.00</td>
                <td><input size="1px" type="text"></td>
            </tr>
        </table>

        <H3>Payment Method</H3>
        <input type="radio" value=""> Visa <br>
        <input type="radio" value=""> MasterCard <br>
        <input type="radio" value=""> Discover <br>
        <input type="radio" value=""> Check <br><br>
        <button type="submit">Submit Order</button>
        <button type="reset">Clear Order form</button>



    </body>
```

```
</html>
```

# Welcome to millenium Gymnastic Booster Club Popcorn Sales

Buyer's Name:
Street Address:
City State zip:

| Product Name | Price | Quality |
|---|---|---|
| Unpopped Popcorns(1 lb.) | $3.00 | |
| caremal Popcorns(1 lb.) | $3.50 | |
| caramal nut Popcorns(1 lb.) | $4.50 | |
| Toffee nut Popcorns(1 lb.) | $5.00 | |

## Payment Method

- Visa
- MasterCard
- Discover
- Check

Submit Order | Clear Order form

6. Create the following timetable using HTML table tags.

**Note**:
1. Ignore the SIBAU Logo (i.e., do NOT insert image). Just focus on the textual data
2. Inside the cells that contain subject names, only write/put subject names. Do NOT write batch name or section or location/room number (just subject name is enough).
3. Also, do NOT worry about the vertical text mentioning **Lunch Break**. You can just write horizontal text there.

```
<!DOCTYPE html>
<html>
    <header>

    </header>
    <body>
        <h2 style="text-align: center;">Teacher Riaz Soomro</h2>
```

```html
        <table border="1" align="center"style="text-align: center;"
width="80%"   >
            <caption>sukkur iba</caption>
            <tr>
                <td width="7%"></td>
                <td width="7%"><h2>1</h2></td>
                <td width="7%"><h2>2</h2></td>
                <td width="7%" ><h2>Break</h2></td>
                <td width="7%"><h2>3</h2></td>
                <td width="7%"><h2>4</h2></td>
                <td width="7%"><h2>Lunch time</h2></td>
                <td width="7%"><h2>5</h2></td>
                <td width="7%"><h2>6</h2></td>
                <td width="7%"><h2>7</h2></td>
                <td width="7%"><h2>8</h2></td>
                <td width="7%"><h2>9</h2></td>
                <td width="7%"><h2>10</h2></td>

            </tr>
            <tr>
                <td><h2>Mo</h2></td>
                <td></td>
                <td></td>
                <td rowspan="6" ></td>
                <td></td>
                <td ></td>
                <td rowspan="6" style="writing-mode: vertical-lr;"> <h2>Lunch
Break 30 minutes</h2></td>
                <td></td>
                <td></td>

                <td colspan="2">Introduction to programming</td>
                <td></td>
                <td></td>



            </tr>
            <tr>
                <td><h2>Tue</h2></td>
                <td></td>
                <td></td>
                <td></td>
                <td></td>
                <td></td>
```

```
            <td></td>
            <td colspan="2">Introduction to programming</td>
            <td></td>
            <td></td>


        </tr>
        <tr>
            <td><h2>Wed</h2></td>
            <td colspan="2">Web Engineering-Lab</td>
            <td>Web Engineering-Lab</td>
            <td></td>
            <td></td>
            <td></td>
            <td></td>
            <td></td>
            <td></td>
            <td></td>

        </tr>
        <tr>
            <td><h2>Thu</h2></td>
            <td></td>
            <td></td>
            <td></td>
            <td></td>
            <td></td>
            <td></td>
            <td colspan="2">Introduction to programming</td>
            <td></td>
            <td></td>


        </tr>
        <tr>
            <td><h2>Fri</h2></td>
            <td></td>
            <td></td>
            <td></td>
            <td></td>
            <td></td>
            <td></td>
            <td></td>
            <td colspan="2">Introduction to programming</td>
            <td></td>
```

```html
            </tr>
            <tr>
                <td><h2>Sat</h2></td>
                <td></td>
                <td></td>
                <td colspan="2">Web Engineering-Lab</td>
                <td>Web Engineering-Lab</td>
                <td></td>
                <td></td>
                <td></td>
                <td></td>
                <td></td>

            </tr>



        </table>
    </body>
</html>
```

**Teacher Riaz Soomro**

sukkur iba

| | 1 | 2 | Break | 3 | 4 | Lunch time | 5 | 6 | 7 | 8 | 9 | 10 |
|---|---|---|---|---|---|---|---|---|---|---|---|---|
| **Mo** | | | | | | **Lunch Break 30 minutes** | | | Introduction to programming | | | |
| **Tue** | | | | | | | | | Introduction to programming | | | |
| **Wed** | Web Engineering-Lab | | | Web Engineering-Lab | | | | | | | | |
| **Thu** | | | | | | | | | Introduction to programming | | | |
| **Fri** | | | | | | | | | | Introduction to programming | | |
| **Sat** | | | | Web Engineering-Lab | | | Web Engineering-Lab | | | | | |