

--	--	--	--	--	--	--	--

NATIONAL INSTITUTE OF TECHNOLOGY KARNATAKA
C PROGRAMMING QUIZ
DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING
SECTION S7-S12

MARKS: 15
DATE: 9.09.2016
TIME: 5.30-6.30 PM

1. Arrange the following memory units into their decreasing order of access speed
Hard Disk, Pen Drive, Cache, Random Access Memory, Register 1M
2. Assume that you have to design a coding scheme for representing a character set containing 258 characters. What would be the length of each character in your coding scheme, in terms of bits? (Hint: ASCII uses 7 or 8 bit coding scheme) 1M
3. An algorithm can be given as input to a compiler to generate a machine level code. True/False. 1M
4. An algorithm can accept no input and produce an output. True/False. 1M
5. Unconditional transfer of control to a label is done through _____ statement in C. 1M
6. What will be the output of the following code, when you try to compile and execute? If you get an error, what type of error you get? In which statements you get errors? 3M

```
#define NITK { printf("NITK"); printf("Surathkal"); }
#define KREC printf("KREC Surathkal");
#include<stdio.h>
main( )
{ int x = 2002;
if(--x % 2)
    NITK        else
    KREC
if( x%2 )
    printf("Srinivasnagar");   else
if(x<<3)
printf("MANGALORE");
else
printf("SURATHKAL");
printf("%d",x>>3);
}
```

7. What will be the output of the following code, when you try to compile and execute? If you get an error, what type of error you get? In which statements you get errors? 1M

```
#include<stdio.h>
main()
{
    float x=2;
    switch(x)
    {
        case 2:printf("%f",x);
    }
}
```

8. What will be the output of the following code, when you try to compile and execute? If you get an error, what type of error you get? In which statements you get errors? 1M

```
#include <stdio.h>
main()
{
    int i = 2;
    switch (i)
    {
        default: printf("Default");
        case '1': printf("Case1 ");
            break;
        case '2': printf("Case2");
            break; }
}
```

9. What will be the output of the following code, when you try to compile and execute? If you get an error, what type of error you get? In which statements you get errors? 1M

```
#include<stdio.h>
main()
{
    int a=010;
    printf("a=%d", a);
}
```

10. What will be the output of the following code, when you try to compile and execute? If you get an error, what type of error you get? In which statements you get errors? 1M

```
#include<stdio.h>
main()
{
    int a=5;
    a=printf("good") + printf("boy");
    printf("%d",a);
}
```

11. What will be the value of z in the sample code given below?

1M

```
#include<stdio.h>
main()
{
    int z, x=5, y= -10, a=4, b=2;
    z=x++ - --y*b/a;
    printf("%d",z);
}
```

12. What will be the output of the following code, when you try to compile and execute?
If you get an error, what type of error you get? In which statements you get errors? 1M

```
#include<stdio.h>
{
    int res;
    res=(64>>(2+1-2)) & ((1<<2));
    printf("%d",res);
}
```

13. What will be the output of the following code, when you try to compile and execute?
If you get an error, what type of error you get? In which statements you get errors? 1M

```
#include<stdio.h>
main()
{
    printf("Hi");
    if(-1)
    printf("Bye");
}
```