

WIPRO TALENTNEXT PROGRAM
PBL HANDS-ON ASSIGNMENT

Name: Munagala Deepika

Roll No: 23BQ1A4932

PBL ID: DB_262790191

Date: 07-07-2026

Topic: Retrieving Data using the SQL SELECT Statement

Question 1

Determine the structure of the DEPT table and its contents.

Query:

```
CREATE TABLE DEPT
```

```
(
```

```
    DEPTNO NUMBER(2),
```

```
    DNAME VARCHAR2(14),
```

```
    LOC VARCHAR2(13)
```

```
);
```

```
INSERT INTO DEPT VALUES (10,'ACCOUNTING','NEW YORK');
```

```
INSERT INTO DEPT VALUES (20,'RESEARCH','DALLAS');
```

```
INSERT INTO DEPT VALUES (30,'SALES','CHICAGO');
```

```
INSERT INTO DEPT VALUES (40,'OPERATIONS','BOSTON');
```

```
COMMIT;
```

```
DESC DEPT;
```

```
SELECT * FROM DEPT;
```

Output:

```
Command Prompt - sqlplus / X + v

SQL> desc dept;
Name                                     Null?  Type
-----
DEPTNO                                     NOT NULL  NUMBER(2)
DNAME                                     VARCHAR2(14)
LOC                                       VARCHAR2(13)

SQL> select * from dept;

DEPTNO  DNAME          LOC
-----
10 ACCOUNTING    NEW YORK
20 RESEARCH      DALLAS
30 SALES          CHICAGO
40 OPERATIONS    BOSTON

SQL>
```

Question 2

Determine the Structure of EMP Table and its Contents.

Query:

CREATE TABLE EMP

(

EMPNO NUMBER(4),

ENAME VARCHAR2(10),

JOB VARCHAR2(10),

HIREDATE DATE,

SAL NUMBER(7,2),

DEPTNO NUMBER(2)

);

INSERT INTO EMP VALUES(7369,'SMITH','CLERK',DATE '1980-12-17',800,20);

INSERT INTO EMP VALUES(7499,'ALLEN','SALESMAN',DATE '1981-02-20',1600,30);

INSERT INTO EMP VALUES(7521,'WARD','SALESMAN',DATE '1981-02-22',1250,30);

INSERT INTO EMP VALUES(7788,'SCOTT','ANALYST',DATE '1987-04-19',3000,20);


COMMIT;

DESC EMP;

SELECT * FROM EMP;

OUTPUT:

```
Command Prompt - sqlplus / X + v
2 (7521,'WARD','SALESMAN',DATE '1981-02-22',1250,30);
1 row created.
SQL> INSERT INTO EMP VALUES
2 (7788,'SCOTT','ANALYST',DATE '1987-04-19',3000,20);
1 row created.
SQL> COMMIT;
Commit complete.
SQL> DESC EMP;
Name                                     Null?    Type
-----
EMPNO                                     NUMBER(4)
ENAME                                    VARCHAR2(10)
JOB                                       VARCHAR2(10)
HIREDATE                                 DATE
SAL                                       NUMBER(7,2)
DEPTNO                                   NUMBER(2)
SQL> SELECT * FROM EMP;
EMPNO  ENAME    JOB      HIREDATE    SAL    DEPTNO
-----
7369 SMITH    CLERK     17-DEC-80    800     20
7499 ALLEN    SALESMAN  20-FEB-81   1600     30
7521 WARD     SALESMAN  22-FEB-81   1250     30
7788 SCOTT    ANALYST   19-APR-87   3000     20
SQL> |
```




Question 3

To display the employee name and department number whose employee number is 7788.

Query:

```
SELECT ENAME, DEPTNO FROM EMP WHERE EMPNO = 7788;
```

Output:



```
Command Prompt - sqlplus / X + -
JOB                                VARCHAR2(10)
HIREDATE                           DATE
SAL                                NUMBER(7, 2)
DEPTNO                             NUMBER(2)

SQL> SELECT * FROM EMP;

  EMPNO  ENAME      JOB              HIREDATE          SAL        DEPTNO
-----
   7369  SMITH          CLERK              17-DEC-80          800         20
   7499  ALLEN          SALESMAN           20-FEB-81         1600         30
   7521  WARD           SALESMAN           22-FEB-81         1250         30
   7788  SCOTT          ANALYST            19-APR-87         3000         20

SQL> SELECT EMPNO,ENAME FROM EMP WHERE EMPNO=7788;

  EMPNO  ENAME
-----
   7788  SCOTT

SQL> SELECT EMPNO,DEPTNO FROM EMP WHERE EMPNO=7788;

  EMPNO  DEPTNO
-----
   7788     20

SQL> SELECT ENAME,DEPTNO FROM EMP WHERE EMPNO=7788;

  ENAME  DEPTNO
-----
 SCOTT     20

SQL>
```