

FLIGHT TICKET MANAGEMENT


You can directly download the zip file from here: <https://github.com/MUPPALA-SAI-SHASHANK/FlightTicketBooking/blob/main/plane.zip>

After Clicking on it just click view raw, that can download all the files.

In this pdf, here it contains only the main php and css files.

After you finish downloading the project, unzip the project file.

However, the structure after unzipping the project folder look likes.



The main php and css files are:

index.php:

```
<!DOCTYPE html>
```

```
<?php
```

```
include 'constants.php';
```

```
?>
```

<head>

<meta charset="utf-8">

<meta name="viewport" content="width=device-width, initial-scale=1.0, maximum-scale=1.0, user-scalable=no">

<meta http-equiv="X-UA-Compatible" content="IE=edge">

<title><?php echo @\$title; ?></title>

<!-- [FONT-AWESOME ICON]

=====

<link rel="stylesheet" type="text/css" href="library/font-awesome-4.3.0/css/font-awesome.min.css">

<!-- [PLUGIN STYLESHEET]

=====

<link rel="shortcut icon" type="image/x-icon" href="images/icon.png">

<link rel="stylesheet" type="text/css" href="css/animate.css">

<link rel="stylesheet" type="text/css" href="css/owl.carousel.css">

<link rel="stylesheet" type="text/css" href="css/owl.theme.css">

<link rel="stylesheet" type="text/css" href="css/magnific-popup.css">

<!-- [Boot STYLESHEET]

=====

<link rel="stylesheet" type="text/css" href="library/bootstrap/css/bootstrap-theme.min.css">

<link rel="stylesheet" type="text/css" href="library/bootstrap/css/bootstrap.css">

<!-- [DEFAULT STYLESHEET]

=====

<link rel="stylesheet" type="text/css" href="css/style.css">

<link rel="stylesheet" type="text/css" href="css/responsive.css">

<link rel="stylesheet" type="text/css" href="css/color/themecolor.css">

</head>

<body>

<!-- [LOADERS]

=====

<div class="preloader">

<div class="loader theme_background_color">

</div>

</div>

<!-- [/PRELOADER]

=====

<!-- [WRAPPER]

=====

<div class="wrapper">

<!-- [NAV]

=====

<!-- Navigation

=====-->

<nav class="nim-menu navbar navbar-default navbar-fixed-top">

<div class="container">

<!-- Brand and toggle get grouped for better mobile display -->

<div class="navbar-header">

<button type="button" class="navbar-toggle collapsed" data-toggle="collapse"

data-target="#bs-example-navbar-collapse-1">

Toggle navigation

</button>

<?php echo \$title[0]; ?><span
style="color:#117d8b"><?php echo \$title[1]; ?><?php for (\$i = 2; \$i < strlen(\$title);
\$i++) echo \$title[\$i]; ?>

</div>

<!-- Collect the nav links, forms, and other content for toggling -->

<div class="collapse navbar-collapse" id="bs-example-navbar-collapse-1">

<ul class="nav navbar-nav navbar-right">

<h3>Home</h3>

<h3>About</h3>

<h3>Map</h3>

<h3>Passenger Portal</h3>

<h3>Admin</h3>

</div>

<!-- /.navbar-collapse -->

</div><!-- /.container-fluid -->

</nav>

<!-- [/NAV]

=====
=====-->

<!-- [/MAIN-HEADING]

=====
=====-->

<section class="main-heading" id="home">

<div class="overlay">

<div class="container">

<div class="row">

<div class="main-heading-content col-md-12 col-sm-12 text-center">

Online Ticket

Reservation System

 WELCOME TO,&br/>E - TICKETING FOR AIRWAYS

```
<div class="btn-bar">
```

 <a href="pro/signin.php"
class="btn btn-custom theme_ background_color"> Make Reservations Now

</div>

</div>

</div>

</div>

</div>

</section>

```
<section class="main-heading" id="home">
```



```
<div class="overlay">
```

```
<div class="container">
```

```
<div class="row">
```

```
<div class="main-heading-content col-md-12 col-sm-12 text-center">
```

```
<h1 class="main-heading-title"><br><br><br><br><br><br><span  
style="color:#117d8b">ABC</span> AIRLINES<br><span style="color:#117d8b">FLY  
</span>Nonstop</h1>
```

```
<p class="main-heading-text"><br>Spend less time getting there, and more  
time being there. Fly conveniently within your country with our extensive domestic flight  
network. Experience seamless connectivity as our nonstop flights connect major cities and  
destinations across the country. Whether you're traveling for business or leisure, our  
domestic airline services ensure that you spend less time getting there and more time being  
there.
```

```
</p>
```

```
<div class="btn-bar">
```

```
<a href="http://localhost/plane/pro/signin.php" class="btn btn-custom  
theme_background_color">Get Started</a>
```

```
<a href="http://localhost/plane/pro/adminsignin.php" class="btn btn-  
custom-outline">Admin</a>
```

```
</div>
```

```
</div>
```

</div>

</div>

</div>

</section>

<!-- [/MAIN-HEADING]

=====

=====-->

<!-- [ABOUT US]

=====

=====-->

<section class="aboutus white-background black" id="two">

<div class="container">

<div class="row">

<div class="col-md-12 text-center black">

<h3 class="title">ABOUT US</h3>

<p class="a-slog">Developed By <?php echo \$developer_name; ?> (<?php
echo \$developer_matric; ?>)
</p>

</div>

</div>

<div class="gap">

</div>

<div class="row about-box">

<div class="col-sm-4 text-center">

<div class="margin-bottom">

<i class="fa fa-newspaper-o"></i>

<h4>Get Plane Tickets from the comfort of your home</h4>

<p class="black">Book plane tickets from anywhere using the robust
ticketing platform

exclusively built to provide the passengers with pleasant ticketing experience. </p>

</div> <!-- / margin -->

</div> <!-- /col -->

<div class="col-sm-4 about-line text-center">

<div class="margin-bottom">

<i class="fa fa-diamond"></i>

<h4>Plane & Ticketing related information at your fingertips</h4>

<p class="black">Checkout available seats, route information, fare information on real time

basis with this Platform.</p>

</div> <!-- / margin -->

</div><!-- /col -->

<div class="col-sm-4 text-center">

<div class="margin-bottom">

<i class="fa fa-dollar"></i>

<h4>Pay Securely</h4>

`<p class="black">With our robust security measures, you can trust that your payment is protected, ensuring peace of mind while conducting transactions on our platform.</p>`

`</div> <!-- / margin -->`

`</div><!-- /col -->`

`</div> <!-- /row -->`

`</div>`

`</section>`

`<footer class="site-footer section-spacing text-center " id="eight">`

`<div class="container">`

`<div class="row">`

`<div class="col-md-4">`

`<p class="footer-links">Terms of Use Privacy Policy</p>`

`</div>`

`<div class="col-md-4"> <small>© <?php echo date('Y'); ?>, Developed By <?php echo $developer_name; ?> </small></div>`

`<div class="col-md-4">`

`<!--social-->`

`<!--`

`<ul class="social">`

`<i class="fa fa-twitter"></i>`

`<i class="fa fa-facebook"></i>`

`<i class="fa fa-youtube-play"></i>`

` -->`

`<!--social end-->`

`</div>`

</div>

</div>

</footer>

<!-- [/FOOTER]

=====

=====-->

</div>

<!-- [/WRAPPER]

=====

=====-->

<!-- [DEFAULT SCRIPT] -->

<script src="library/modernizr.custom.97074.js"></script>

```
<script src="library/jquery-1.11.3.min.js"></script>
```

```
<script src="library/bootstrap/js/bootstrap.js"></script>
```

```
<script type="text/javascript" src="js/jquery.easing.1.3.js"></script>
```

```
<!-- [ PLUGIN SCRIPT ] -->
```

```
<script src="library/vegas/vegas.min.js"></script>
```

```
<script src="js/plugins.js"></script>
```

```
<!-- [ TYPING SCRIPT ] -->
```

```
<script src="js/typed.js"></script>
```

```
<!-- [ COUNT SCRIPT ] -->
```

```
<script src="js/fappear.js"></script>
```

```
<script src="js/jquery.countTo.js"></script>
```

```
<!-- [ SLIDER SCRIPT ] -->
```

```
<script src="js/owl.carousel.js"></script>
```

```
<script src="js/jquery.magnific-popup.min.js" type="text/javascript"></script>
```



```
<script type="text/javascript" src="js/SmoothScroll.js"></script>
```

```
<!-- [ COMMON SCRIPT ] -->
```

```
<script src="js/common.js"></script>
```

```
</body>
```

```
</html>
```

Constants.php

```
<?php
```

```
use PHPMailer\PHPMailer\Exception;
```

```
use PHPMailer\PHPMailer\PHPMailer;
```

```
if (!class_exists('PHPMailer\PHPMailer\Exception')){
```

```
    // require_once('PHPMailer_5.2.2/class.phpmailer.php');
```

```
    require_once 'PHPMailer/src/Exception.php';
```

```
    require_once 'PHPMailer/src/PHPMailer.php';
```

```
    require_once 'PHPMailer/src/SMTP.php';
```

```
    }else{
```

```
        die("HArD");
```

```
    }
```

```
include_once 'config.php';
```

```

define("SITE_NAME", $title);

date_default_timezone_set("Africa/Lagos");

$date = date('D, d-M-Y h:i:s A');

$date_small = date('d-M-Y');

//INSERT YOUR OWN PAYSTACK API KEYS

$paystack = "sk_test_3a3bc0b517fb667992644d851b5cbfabadf4abac"; //Do not change
this! Redirect URL http://localhost/train/pro/verify.php

if (!function_exists('connect')) {

    function connect()
    {
        $con = new mysqli("localhost", "root", "", "otrsphp1");
        if (!$con) die("Database is being upgraded!");
        return $con;
    }
}

function sendMail($to, $subject, $msg)
{ //error_reporting(E_ALL);

    global $title;

    //die("<script>alert('".$_SERVER['PHP_SELF']."'."</script>");

    // require 'vendor/autoload.php';

    $mail = new PHPMailer(true);

    try {
        //Server settings

        $mail->SMTPDebug = 0; // Enable verbose debug output

        $mail->isSMTP(); // Set mailer to use SMTP

        $mail->Host = 'smtp.gmail.com'; // Specify main and backup SMTP servers

```

```

$mail->SMTPAuth = true; // Enable SMTP authentication

$mail->Username = "fromcodemail@mail.com"; // SMTP username

$mail->Password = "0000001XYZZ"; // SMTP password

$mail->SMTPSecure = 'ssl'; // Enable TLS encryption, `ssl` also accepted

$mail->Port = 465; // TCP port to connect to

//Recipients

$from_name = 'E-TICKET SYSTEM ';

$mail->setFrom($mail->Username, $from_name);

$mail->addAddress($to); // Name is optional

$mail->addReplyTo("simbi@mail.com", "Name Name");

// $mail->addCC('cc@example.com');

// $mail->addBCC('bcc@example.com');


// Attachments

// $mail->addAttachment('/var/tmp/file.tar.gz'); // Add attachments
// $mail->addAttachment('/tmp/image.jpg', 'new.jpg'); // Optional name
// Content

$mail->isHTML(true); // Set email format to HTML

$mail->Subject = $subject;

$mail->Body = '<!DOCTYPE html>
<html lang="en">

<head>

<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<title>Our Response</title>
<style type="text/css">
body {margin: 0; padding: 0; min-width: 100%!important;}
img {height: auto;}
.content {width: 100%; max-width: 600px;}

```

```

.header {padding: 40px 30px 20px 30px;}
.innerpadding {padding: 30px 30px 30px 30px;}
.borderbottom {border-bottom: 1px solid #f2eeed;}
.subhead {font-size: 15px; color: #ffffff; font-family: sans-serif; letter-spacing: 10px;}
.h1, .h2, .bodycopy {color: #153643; font-family: sans-serif;}
.h1 {font-size: 33px; line-height: 38px; font-weight: bold;}
.h2 {padding: 0 0 15px 0; font-size: 24px; line-height: 28px; font-weight: bold;}
.bodycopy {font-size: 16px; line-height: 22px;}
.button {text-align: center; font-size: 18px; font-family: sans-serif; font-weight: bold;
padding: 0 30px 0 30px;}
.button a {color: #ffffff; text-decoration: none;}
.footer {padding: 20px 30px 15px 30px;}
.footercopy {font-family: sans-serif; font-size: 14px; color: #ffffff;}
.footercopy a {color: #ffffff; text-decoration: underline;}

@media only screen and (max-width: 550px), screen and (max-device-width: 550px) {
body[yahoo] .hide {display: none!important;}
body[yahoo] .buttonwrapper {background-color: transparent!important;}
body[yahoo] .button {padding: 0px!important;}
body[yahoo] .button a {background-color: #e05443; padding: 15px 15px
13px!important;}
body[yahoo] .unsubscribe {display: block; margin-top: 20px; padding: 10px 50px;
background: #2f3942; border-radius: 5px; text-decoration: none!important; font-weight:
bold;}
}

/*@media only screen and (min-device-width: 601px) {
.content {width: 600px !important;}
.col425 {width: 425px!important;}
.col380 {width: 380px!important;}
}*/

```

```
</style>
</head>

<body yahoo bgcolor="#f6f8f1">
<table width="100%" bgcolor="#f6f8f1" border="0" cellpadding="0" cellspacing="0">
<tr>
<td>
<!--[if (gte mso 9)|(IE)]>
<table width="600" align="center" cellpadding="0" cellspacing="0" border="0">
<tr>
<td>
<![endif]-->
<table bgcolor="#ffffff" class="content" align="center" cellpadding="0" cellspacing="0"
border="0">
<tr>
<td bgcolor="#c7d8a7" class="header">
<table width="70" align="left" border="0" cellpadding="0" cellspacing="0">
<tr>
<td height="70" style="padding: 0 20px 20px 0;">

</td>
</tr>
</table>
<!--[if (gte mso 9)|(IE)]>
<table width="425" align="left" cellpadding="0" cellspacing="0" border="0">
<tr>
<td>
```

```

<![endif]-->

<table class="col425" align="left" border="0" cellpadding="0" cellspacing="0"
style="width: 100%; max-width: 425px;">

  <tr>

    <td height="70">

      <table width="100%" border="0" cellspacing="0" cellpadding="0">

        <tr>

          <td class="h2" style="padding: 0 0 0 3px;">

            E-TICKET SYSTEM

          </td>

        </tr>

        <tr>

          <td class="h3" style="padding: 5px 0 0 0;">

            URGENT NOTIFICATION

          </td>

        </tr>

      </table>

    </td>

  </tr>

</table>

<!--[if (gte mso 9)|(IE)]>

  </td>

</tr>

</table>

<![endif]-->

</td>

</tr>

<tr>

  <td class="innerpadding borderbottom">

    <table width="100%" border="0" cellspacing="0" cellpadding="0">

```

```

<tr>

  <td class="h2">

    Howdy, How are you doing?

  </td>

</tr>

<tr>

  <td class="bodycopy">

    You have an urgent message</td>

  </tr>

</table>

</td>

</tr>

<tr>

  <td class="innerpadding borderbottom">

    <table width="115" align="left" border="0" cellpadding="0" cellspacing="0">

      <tr>

        <td height="115" style="padding: 0 20px 20px 0;">

        </td>

      </tr>

    </table>

    <!--[if (gte mso 9)|(IE)]>

      <table width="380" align="left" cellpadding="0" cellspacing="0" border="0">

        <tr>

          <td>

            <![endif]-->

            <table class="col380" align="left" border="0" cellpadding="0" cellspacing="0"
style="width: 100%; max-width: 380px;">

```

```
<tr>

<td>

<table width="100%" border="0" cellspacing="0" cellpadding="0">

<tr>

<td class="bodycopy" align="justify">

    ' . $msg . '

</td>

</tr>

<tr>

<td style="padding: 20px 0 0 0;">

    <table class="buttonwrapper" bgcolor="#e05443" border="0" cellspacing="0"
cellpadding="0">

<tr>

<td class="button" height="45">

    <a href="" . $_SERVER["HTTP_HOST"] . "">Visit Us!</a>

</td>

</tr>

</table>

</td>

</tr>

</table>

</td>

</tr>

</table>

<!--[if (gte mso 9)|(IE)]>

</td>

</tr>

</table>

<![endif]-->

</td>
```


</tr>

<tr>

<td class="innerpadding bodycopy">

If you would like to reach out to us, talk to us any time via the feedback in your account.
Thank You!

</td>

</tr>

<tr>

<td class="footer" bgcolor="#44525f">

<table width="100%" border="0" cellspacing="0" cellpadding="0">

<tr>

<td align="center" class="footercopy">

'. \$title.'

</td>

</tr>

<tr>

<td align="center" style="padding: 20px 0 0 0;">

</td>

</tr>

</table>

</td>

</tr>

</table>

<!--[if (gte mso 9)|(IE)]>

</td>

</tr>

</table>

```
<![endif]-->
```

```
</td>
```

```
</tr>
```

```
</table>
```

```
</body>
```

```
</html>
```

```
';
```

```
$mail->SMTPOptions = array(
```

```
    'ssl' => array(
```

```
        'verify_peer' => false,
```

```
        'verify_peer_name' => false,
```

```
        'allow_self_signed' => true
```

```
    )
```

```
);
```

```
$mail->AltBody = $msg;
```

```
$mail->send();
```

```
return 1;
```

```
} catch (Exception $e) {
```

```
    // var_dump($e);
```

```
    // exit;
```

```
    // return 0;
```

```
    // echo "Message could not be sent. Mailer Error: {$mail->ErrorInfo}";
```

```
    return 0;
```

```
}
```

```
return 0;
```

```
}
```

```

function genSeat($id, $type, $number)
{
    $conn = connect();

    $type_seat = $conn->query("SELECT plane.first_seat as first, plane.second_seat as second
FROM schedule INNER JOIN plane ON plane.id = schedule.plane_id WHERE schedule.id =
'$id'")->fetch_assoc();

    $me = $type_seat[$type];

    $query = $conn->query("SELECT SUM(no) AS no FROM booked WHERE schedule_id = '$id'
AND class = '$type'")->fetch_assoc();

    $no = $query['no'];

    if ($no == null) $no = 1;

    else $no++;

    //Multiple Seats or Not
    if ($number == 1) {
        while (strlen($no) != strlen($me)) {
            $no = "0" . $no;
        }

        return strtoupper(substr($type, 0, 1)) . "$no";
    } else {
        $start = $no;

        $end = $no + ($number - 1);

        while (strlen($start) != strlen($me)) {
            $start = "0" . $start;
        }

        while (strlen($end) != strlen($me)) {
            $end = "0" . $end;
        }
    }
}

```

```

$append = strtoupper(substr($type, 0, 1));

return $append . $start . " - " . $append . $end;
}
}

function genCode($id, $user, $class)
{
    $conn = connect();

    $query = $conn->query("SELECT SUM(no) AS no FROM booked WHERE schedule_id = '$id'")->fetch_assoc();

    $no = $query['no'];
    if ($no == null) $no = 1;
    else $no++;

    $number = "";
    switch (strlen($id)) {
        case 1:
            $number = "00";
            break;
        case 2:
            $number = "0";
            break;
        default:
            $number = "0";
            break;
    }

    $code = date('Y') . "/" . $number . $id . "/" . $no . mt_rand(1, 882);
    return $code;
}

```

```

function login($username, $password)
{
    $password = md5($password);

    $q = connect()->query("SELECT * FROM passenger WHERE email = '$username' AND
password = '$password' AND status = '1' ")->num_rows;

    if ($q == 1) return 1;

    return 0;
}

```

```

function adminLogin($username, $password)
{
    $q = connect()->query("SELECT * FROM users WHERE username = '$username' AND
password = '$password' ")->num_rows;

    if ($q == 1) return 1;

    return 0;
}

```

```

function getIndividualName($id, $conn = null)
{
    $conn = connect();

    $q = $conn->query("SELECT * FROM passenger WHERE id = '$id'")->fetch_assoc();

    return $q['name'];
}

```

```

function uploadFile($file)
{
    $loc = genRand() . "." . strtolower(pathinfo(@$_FILES[$file]['name'],
PATHINFO_EXTENSION));
}

```

```

$valid_extension = array("jpg", "png", "jpeg");

//Check for valid file size

if (($_FILES[$file]['size'] && !in_array(strtolower(pathinfo(@$_FILES[$file]['name'],
PATHINFO_EXTENSION)), $valid_extension)) || ($_FILES[$file]['size'] &&
$_FILES[$file]['error'] > 0) {
    return -1;
}

$upload = move_uploaded_file(@$_FILES[$file]['tmp_name'], "uploads/" . $loc);
if ($upload) {
    chmod("uploads/" . $loc, 0777);
    return $loc;
} else {
    return -1;
}
}

```

```

function genRand()
{
    return md5(mt_rand(1, 3456789) . date('dmyhmis'));
}

```

```

function getImage($id, $conn)
{
    $row = $conn->query("SELECT loc FROM passenger WHERE id = '$id'")->fetch_assoc();
    if (strlen($row['loc']) < 10) return "images/trainlg1.png";
    else return "uploads/" . $row['loc'];
}

```

```

function formatDate($date)
{

```

```
    return date('d-m-Y', strtotime($date));  
}
```

```
function getRoutePath($id)  
{  
    $val = connect()->query("SELECT * FROM route WHERE id = '$id'")->fetch_assoc();  
    return $val['start'] . " to " . $val['stop'];  
}
```

```
function formatTime($time)  
{  
    $time = explode(":", $time);  
    if ($time[0] > 12) {  
        $string = ($time[0] - 12) . ":" . $time[1] . " PM";  
    } else {  
        $string = ($time[0]) . ":" . $time[1] . " AM";  
    }  
    return $string;  
}
```

```
function getToday()  
{  
    return date('d-m-Y');  
}
```

```
function getTime()  
{  
    return date('H:i');  
}
```

```

function querySchedule($type)
{
    $today = getToday();
    $conn = connect();
    $row = 0;
    if ($type == 'future') {
        $row = $conn->query("SELECT * FROM `schedule` WHERE STR_TO_DATE(`date`, '%d-%m-%Y') >= STR_TO_DATE('$today', '%d-%m-%Y')");
    } else {
        $row = $conn->query("SELECT * FROM `schedule` WHERE STR_TO_DATE(`date`, '%d-%m-%Y') <= STR_TO_DATE('$today', '%d-%m-%Y')");
    }
    return $row;
}

```

```

function getRouteFromSchedule($id)
{
    $q = connect()->query("SELECT route_id as id FROM schedule WHERE id = '$id'")->fetch_assoc();
    return getRoutePath($q['id']);
}

```

```

function getFee($id, $type = 'second')
{
    if ($type == 'second') {
        $type = 'second_fee';
    } else {
        $type = 'first_fee';
    }
}

```



```

    $q = connect()->query("SELECT $type FROM schedule WHERE id = '$id'")->fetch_assoc();
    return $q[$type];
}

```

```

function getTotalBookByType($id)
{

```

```

    $con = connect()->query("SELECT SUM(no) as no FROM `booked` WHERE schedule_id = '$id' AND class = 'second'")->fetch_assoc();

```

```

    $con2 = connect()->query("SELECT SUM(no) as no FROM `booked` WHERE schedule_id = '$id' AND class = 'first'")->fetch_assoc();

```

```

    $no = $con['no'];

```

```

    $no2 = $con2['no'];

```

```

    $num = $no == null ? 0 : $con['no'];

```

```

    $num2 = $no2 == null ? 0 : $con2['no'];

```

```

    $qu = connect()->query("SELECT plane.first_seat as first, plane.second_seat as second
FROM schedule INNER JOIN plane ON plane.id = schedule.plane_id WHERE schedule.id = '$id'")->fetch_assoc();

```

```

    $first = $qu['first'];

```

```

    $second = $qu['second'];

```

```

    $first = intval($first);

```

```

    $second = intval($second);

```

```

    $num = intval($num);

```

```

    $num2 = intval($num2);

```

```

    return array("first" => $first, "second" => $second, "first_booked" => $num,
"second_booked" => $num2);

```

```

}

```

```

function isScheduleActive($id)
{

```

```

{

```

```

    $today = getToday();

```

```

$con = connect();

$conn = $con->query("SELECT * FROM `schedule` WHERE STR_TO_DATE(`date`, '%d-%m-%Y') >= STR_TO_DATE('$today', '%d-%m-%Y') AND `id` = '$id'");

if ($conn->num_rows == 1) {
    $row = $conn->fetch_assoc();
    $time = getTime();
    $schedule_date = $row['date'];
    $schedule_time = $row['time'];
    if ($schedule_date == $today) {
        if (strtotime($schedule_time) <= strtotime($time)) return false;
    }
    return true;
}
return false;
}

```

```

function getPlaneName($id)
{
    $val = connect()->query("SELECT name FROM plane WHERE id = '$id'")->fetch_assoc();
    return $val['name'];
}

```

```

function alert($msg)
{
    echo "<script>alert('$msg')</script>";
}

```

```

function load($link)
{
    echo "<script>window.location = ('$link')</script>";
}

```

```

function printClearance($id)
{
    ob_start();

    $con = connect();

    $me = $_SESSION['user_id'];

    $getCount = (connect()->query("SELECT schedule.id as schedule_id, passenger.name as
fullname, passenger.email as email, passenger.phone as phone, passenger.loc as loc,
payment.amount as amount, payment.ref as ref, payment.date as payment_date,
schedule.plane_id as plane_id, booked.code as code, booked.no as no, booked.class as
class, booked.seat as seat, schedule.date as date, schedule.time as time FROM booked
INNER JOIN schedule on booked.schedule_id = schedule.id INNER JOIN payment ON
payment.id = booked.payment_id INNER JOIN passenger ON passenger.id = booked.user_id
WHERE booked.id = '$id'"));

    if ($getCount->num_rows != 1) die("Denied");

    $row = $getCount->fetch_assoc();

    $passenger_name = substr($fullname = ($row['fullname']), 0, 15);

    $name = $fullname;

    $phone = $row['phone'];

    $email = $row['email'];

    $timeframe = '<tr><th style="text-align:center"><b>Project Phase</b></th><th
style="text-align:center"><b>Date Accepted</b></th></tr>';

    $date = $row['date'];

    $time = formatTime($row['time']);

    $uniqueCode = $row['code'];

    $route = getRouteFromSchedule($row['schedule_id']);

    $date = date("D d, M Y", strtotime($date));

    $barcode = "$fullname Ticket For $route - $date by $time. Ticket ID : $uniqueCode";

    $barcodeOutput = generateQR($id, $barcode);

    $loc = $row['loc'];

```

```

$seat = $row['seat'];
$plane = getPlaneName($row['plane_id']);
$class = $row['class'];
$payment_date = $row['payment_date'];
$amount = $row['amount'];
$file_name = preg_replace('/[^a-z0-9]+/', '-', strtolower($passenger_name)) . ".pdf";
require_once 'PDF/tcpdf_config_alt.php';

```

// Include the main TCPDF library (search the library on the following directories).

```

$tcpdf_include_dirs = array(
    realpath('PDF/tcpdf.php'),
    '/usr/share/php/tcpdf/tcpdf.php',
    '/usr/share/tcpdf/tcpdf.php',
    '/usr/share/php-tcpdf/tcpdf.php',
    '/var/www/tcpdf/tcpdf.php',
    '/var/www/html/tcpdf/tcpdf.php',
    '/usr/local/apache2/htdocs/tcpdf/tcpdf.php',
);

foreach ($tcpdf_include_dirs as $tcpdf_include_path) {
    if (@file_exists($tcpdf_include_path)) {
        require_once $tcpdf_include_path;
        break;
    }
}

```

```

class MYPDF extends TCPDF
{
    //Page header
    public function Header()

```

```

{
    // get the current page break margin
    $bMargin = $this->getBreakMargin();

    // get current auto-page-break mode
    $auto_page_break = $this->AutoPageBreak;

    // disable auto-page-break
    $this->SetAutoPageBreak(false, 0);

    // set background image
    $img_file = K_PATH_IMAGES . "trainlg1.jpg";

    // die($img_file);

    $this->Image($img_file, 0, 0, 210, 297, "", "", false, 300, "", false, false, 0);

    $this->SetAlpha(0.5);

    // restore auto-page-break status
    $this->SetAutoPageBreak($auto_page_break, $bMargin);

    // set the starting point for the page content
    $this->setPageMark();
}
}

$pdf = new MYPDF(PDF_PAGE_ORIENTATION, PDF_UNIT, PDF_PAGE_FORMAT, true,
'UTF-8', false);

// $pdf = new MYPDF(PDF_PAGE_ORIENTATION, PDF_UNIT, $pageLayout, true, 'UTF-8',
false);

// set document information
$pdf->SetCreator(PDF_CREATOR);

$pdf->SetAuthor($fullname);

$pdf->SetTitle($fullname . " Ticket");

$pdf->SetSubject(SITE_NAME);

$pdf->SetKeywords("Plane Booking System, Rail, Rails, Railway, Booking, Project, System,
Website, Portal ");

```

```
// set default monospaced font
$pdf->SetDefaultMonospacedFont(PDF_FONT_MONOSPACED);

// set margins
$pdf->SetMargins(PDF_MARGIN_LEFT, 7, PDF_MARGIN_RIGHT);
// $pdf->SetHeaderMargin(PDF_MARGIN_HEADER);
// $pdf->SetFooterMargin(PDF_MARGIN_FOOTER);

// set auto page breaks
$pdf->SetAutoPageBreak(true, 5);

// set image scale factor
$pdf->setImageScale(PDF_IMAGE_SCALE_RATIO);

// set some language-dependent strings (optional)
if (@file_exists(dirname(__FILE__) . '/lang/eng.php')) {
    require_once dirname(__FILE__) . '/lang/eng.php';
    $pdf->setLanguageArray($l);
}

// -----

// set default font subsetting mode
$pdf->setFontSubsetting(true);

// Set font
// dejavusans is a UTF-8 Unicode font, if you only need to
```

[illegible]

```

<tr><th><b>Seat Number:</b></th><td>$seat</td></tr>
<tr><th><b>Date:</b></th><td>$date</td></tr>
<tr><th><b>Time:</b></th><td>$time</td></tr>
<tr><th colspan="2" style="text-align:center"><b>Payment</b></th></tr>
<tr><th><b>Amount:</b></th><td>$ $amount</td></tr>
<tr><th><b>Payment Date:</b></th><td>$payment_date</td></tr>

```

```

</table>

```

```

EOD;

```

```

// @unlink($barcodeOutput);

```

```

$html .= <<<EOD

```

```

<table width="100%">

```

```

<tr><td colspan="2"><p>&nbsp;</p></td></tr>

```

```

<tr><td colspan="2" style="text-align:center"><font size="-3"><i><em><strong>CAUTION:
</strong></em> Any person who (1) Falsifies any of the data on this ticket or (2) uses a
falsified ticket as true, Knowing it to be false is liable to prosecution. </i></font></td></tr>

```

```

<tr><td colspan="2" style="text-align:center"><font size="-3"><i><em><strong>NOTE:
</strong></em> Be an hour early for all neccessary proceedings! </i></font></td></tr>

```

```

<tr>

```

```

<td style="text-align:left">

```

```

</td>

```

```

<td style="text-align:right">

```

```

</td></tr></table>

```

```

EOD;

```

```

// die($html);

```



```

// Print text using writeHTMLCell()
$pdf->writeHTMLCell(0, 0, "", "", $html, 0, 1, 0, true, "", true);
// -----

// Close and output PDF document
// This method has several options, check the source code documentation for more
information.
$pdf->Output($file_name, 'D');
@unlink($src);
}

function generateQR($id, $data)
{
    $imgname = intval($id) . ".png";
    // === Create qrcode image
    include 'phpqrcode/qrlib.php';
    QRcode::png($data, $imgname, QR_ECLEVEL_L, 11.45, false);

    // === Adding image to qrcode
    $QR = imagecreatefrompng($imgname);

    imagefilter($QR, IMG_FILTER_COLORIZE, 41, 255, 111); //  rgb(197, 167, 95) || rgb(27,
78, 25) || rgb(41, 22, 111) || rgb(15, 81, 22)
    imagealphablending($QR, false);

    // === Change image color
    $im = imagecreatefrompng($imgname);
    //This changes the color
    $r = 41;
    $g = 22;

```

```

$b = 111;
for ($x = 0; $x < imagesx($im); ++$x) {
    for ($y = 0; $y < imagesy($im); ++$y) {
        //imagefilter($im, IMG_FILTER_COLORIZE, 0, 255, 0); //This changes the color
        $index = imagecolorat($im, $x, $y);
        $c = imagecolorsforindex($im, $index);
        if (($c['red'] < 100) && ($c['green'] < 100) && ($c['blue'] < 100)) { // dark colors
            // here we use the new color, but the original alpha channel
            $colorB = imagecolorallocatealpha($im, 0x12, 0x2E, 0x31, $c['alpha']);
            imagesetpixel($im, $x, $y, $colorB);
        }
    }
}

imagepng($im, $imgname);
imagedestroy($im);

// === Convert Image to base64
$type = pathinfo($imgname, PATHINFO_EXTENSION);
$data = file_get_contents($imgname);
$imgbase64 = 'data:image/' . $type . ';base64,' . base64_encode($data);
chmod($imgname, 0777);

// === Show image
// $html = <<<EOD
// 
// EOD;

// return array($imgname,$imgbase64);

```

```

    return $imgname;
}

function sum($id, $type = null)
{
    $conn = connect();
    if ($type == null) {
        $row = $conn->query("SELECT SUM(amount) as amount FROM `payment` INNER JOIN
booked ON booked.payment_id = payment.id AND booked.schedule_id =
payment.schedule_id WHERE payment.schedule_id = '$id'")->fetch_assoc();
    } else {
        $row = $conn->query("SELECT SUM(amount) as amount FROM `payment` INNER JOIN
booked ON booked.payment_id = payment.id AND booked.schedule_id =
payment.schedule_id WHERE payment.schedule_id = '$id' AND booked.class = '$type'")-
>fetch_assoc();
    }
    return $row['amount'] == null ? 0 : $row['amount'];
}

```

```

function printReport($id)
{
    ob_start();
    $con = connect();
    $getCount = (connect()->query("SELECT schedule.date as date, schedule.time as time,
schedule.plane_id as plane, schedule.route_id as route, booked.seat as seat,
passenger.name as fullname, booked.code as code, booked.class as class FROM booked
INNER JOIN schedule ON schedule.id = booked.schedule_id INNER JOIN passenger ON
passenger.id = booked.user_id WHERE booked.schedule_id = '$id' ORDER BY class "));

```

```
$output = "<style>
```

```
.a {
```

```
    text-align:left;
```

```
    width: 10%;
```

```
}
```

```
.b{
```

```
    width: 20%
```

```
}.c{
```

```
width:30%;
```

```
}
```

```
table {
```

```
    border: 1px solid green;
```

```
    border-collapse: collapse;
```

```
    width: 100%;
```

```
    white-space: nowrap;
```

```
}
```

```
    table th.shrink {
```

```
        white-space: nowrap
```

```
}
```

```
th{
```

```
    font-weight:bolder;
```

```
}
```

```
.shrink {
```

```
    white-space: nowrap;
```

```
    width: 40%;
```

```

}

table td.expand {
    width: 99%
}

</style>";

$sn = 0;

$schedule = getRouteFromSchedule($id);

if ($getCount->num_rows < 1) {
    echo "<script>alert('No passenger yet for this
schedule!');window.location='admin.php?page=report'</script>";
    exit;
}

while ($row = $getCount->fetch_assoc()) {
    $date = $row['date'];
    $time = $row['time'];
    $plane = getPlaneName($row['plane']);
    $route = getRouteFromSchedule($id);
    $time = formatTime($time);
    $sn++;

    $output .= '<tr><td class="a">' . $sn . '</td><td class="c">' .
substr(ucwords(strtolower($row['fullname'])), 0, 15) . '</td><td class="shrink">' .
$row['code'] . ' (' . ucwords(strtolower($row['class'])) . ')</td><td class="b">' .
(strtoupper($row['seat'])) . '</td></tr>';
}

$start = '<table class="table" width="100%" border="1"><tr><th class="a">SN</th><th
class="c">Full Name</th><th class="shrink">Code/Class</th><th class="b">Seat
No</th></tr>';

$end = '</table>';

```

```

$result = $start . $output . $end;

// die($result);

$file_name = preg_replace('/[^a-z0-9]+/', '-', strtolower('plane_booking')) . ".pdf";
require_once 'PDF/tcpdf_config_alt.php';


// Include the main TCPDF library (search the library on the following directories).
$tcpdf_include_dirs = array(
    realpath('PDF/tcpdf.php'),
    '/usr/share/php/tcpdf/tcpdf.php',
    '/usr/share/tcpdf/tcpdf.php',
    '/usr/share/php-tcpdf/tcpdf.php',
    '/var/www/tcpdf/tcpdf.php',
    '/var/www/html/tcpdf/tcpdf.php',
    '/usr/local/apache2/htdocs/tcpdf/tcpdf.php',
);

foreach ($tcpdf_include_dirs as $tcpdf_include_path) {
    if (@file_exists($tcpdf_include_path)) {
        require_once $tcpdf_include_path;
        break;
    }
}

class MYPDF extends TCPDF
{
    //Page header
    public function Header()
    {
        // get the current page break margin
        $bMargin = $this->getBreakMargin();
    }
}

```

```

// get current auto-page-break mode
$auto_page_break = $this->AutoPageBreak;
// disable auto-page-break
$this->SetAutoPageBreak(false, 0);
// set background image
$img_file = K_PATH_IMAGES . "trainlg1.jpg";
// die($img_file);
$this->Image($img_file, 0, 0, 210, 297, "", "", false, 300, "", false, false, 0);
$this->SetAlpha(0.5);

// restore auto-page-break status
$this->SetAutoPageBreak($auto_page_break, $bMargin);
// set the starting point for the page content
$this->setPageMark();
}
}

$pdf = new MYPDF(PDF_PAGE_ORIENTATION, PDF_UNIT, PDF_PAGE_FORMAT, true,
'UTF-8', false);

// $pdf = new MYPDF(PDF_PAGE_ORIENTATION, PDF_UNIT, $pageLayout, true, 'UTF-8',
false);

// set document information
$pdf->SetCreator(PDF_CREATOR);
$pdf->SetAuthor("Admin");
$pdf->SetTitle("Plane Bookings " . " Ticket");
$pdf->SetSubject(SITE_NAME);

$pdf->SetKeywords("Plane Booking System, Rail, Rails, Railway, Booking, Project, System,
Website, Portal ");

// set default monospaced font

```

```
$pdf->SetDefaultMonospacedFont(PDF_FONT_MONOSPACED);
```

```
// set margins
```

```
$pdf->SetMargins(PDF_MARGIN_LEFT, 7, PDF_MARGIN_RIGHT);
```

```
// $pdf->SetHeaderMargin(PDF_MARGIN_HEADER);
```

```
// $pdf->SetFooterMargin(PDF_MARGIN_FOOTER);
```

```
// set auto page breaks
```

```
$pdf->SetAutoPageBreak(true, 5);
```

```
// set image scale factor
```

```
$pdf->setImageScale(PDF_IMAGE_SCALE_RATIO);
```

```
// set some language-dependent strings (optional)
```

```
if (@file_exists(dirname(__FILE__) . '/lang/eng.php')) {
```

```
    require_once dirname(__FILE__) . '/lang/eng.php';
```

```
    $pdf->setLanguageArray($l);
```

```
}
```

```
// -----
```

```
// set default font subsetting mode
```

```
$pdf->setFontSubsetting(true);
```

```
// Set font
```

```
// dejavusans is a UTF-8 Unicode font, if you only need to
```

```
// print standard ASCII chars, you can use core fonts like
```

```
// helvetica or times to reduce file size.
```

```
$pdf->SetFont('dejavusans', '', 12, '', true);
```



```

// Add a page

// This method has several options, check the source code documentation for more
information.

$pdf->AddPage();

// set text shadow effect

$pdf->setTextShadow(array('enabled' => true, 'depth_w' => 0.2, 'depth_h' => 0.2, 'color'
=> array(196, 196, 196), 'opacity' => 1, 'blend_mode' => 'Normal'));

// Set some content to print

$html = '<h5 style="text-align:center"><br/>ONLINE TICKET RESERVATION SYSTEM<br/> LIST OF BOOKINGS FOR ' .
$date . ' (' . $time . ')</h5> <div style="text-align:right; font-family:courier;font-
weight:bold"><font size="+1">Plane ' . $plane . ' (' . $sn . ' Passengers) : ' . $schedule . '
</font></div>' . $result;

// die($html);

// Print text using writeHTMLCell()

$pdf->writeHTMLCell(0, 0, "", "", $html, 0, 1, 0, true, "", true);

// -----

// Close and output PDF document

// This method has several options, check the source code documentation for more
information.

$pdf->Output($file_name, 'D');

@unlink($src);
}

```

```

function sendFeedback($msg)
{
    $me = $_SESSION['user_id'];

    $msg = connect()->real_escape_string($msg);

```

```

    $stmt = connect()->query("INSERT INTO feedback (user_id, message) VALUES ('$me',
'$msg')");
    if ($stmt) return 1;
    return 0;
}

```

```

function getFeedbacks()
{
    $me = $_SESSION['user_id'];
    return connect()->query("SELECT * FROM feedback WHERE user_id = '$me'");
}

```

```

function replyTo($id, $reply)
{
    $con = connect();
    $reply = $con->real_escape_string($reply);
    $sql = $con->query("UPDATE feedback SET response = '$reply' WHERE id = '$id' ");
    if ($sql) return 1;
    return 0;
}

```

Conn.php

```
<?php
```

```

function connect()
{
    $conn = new mysqli("localhost", "root", "", "otrsphp1");
    if (!$conn) die("Database is being upgrade!");
    return $conn;
}

```

```
$conn = connect();  
if (!$conn) die("Under Construction!");
```

config.php

```
<?php  
$title = 'Online Ticket Reservation System';  
//E-Ticketing System For Railway  
$supervisor_name = "MUPPALA SAI SHASHANK";  
$developer_name = "MUPPALA SAI SHASHANK";  
$developer_matric = "20BF1A3332";
```

Otrsphp1.sql

```
-- phpMyAdmin SQL Dump  
-- version 5.2.1  
-- https://www.phpmyadmin.net/  
--  
-- Host: 127.0.0.1  
-- Generation Time: Jun 22, 2023 at 05:10 PM  
-- Server version: 10.4.28-MariaDB  
-- PHP Version: 8.2.4
```

```
SET SQL_MODE = "NO_AUTO_VALUE_ON_ZERO";  
START TRANSACTION;  
SET time_zone = "+00:00";
```

```
/*!40101 SET @OLD_CHARACTER_SET_CLIENT=@@CHARACTER_SET_CLIENT */;  
/*!40101 SET @OLD_CHARACTER_SET_RESULTS=@@CHARACTER_SET_RESULTS */;  
/*!40101 SET @OLD_COLLATION_CONNECTION=@@COLLATION_CONNECTION */;
```

```
/*!40101 SET NAMES utf8mb4 */;
```

```
--
```

```
-- Database: `otrsphp1`
```

```
--
```

```
-- -----
```

```
--
```

```
-- Table structure for table `booked`
```

```
--
```

```
CREATE TABLE `booked` (
```

```
  `id` int(11) NOT NULL,
```

```
  `schedule_id` int(11) NOT NULL,
```

```
  `payment_id` int(11) NOT NULL,
```

```
  `user_id` int(11) NOT NULL,
```

```
  `code` varchar(100) NOT NULL,
```

```
  `class` varchar(10) NOT NULL DEFAULT 'second',
```

```
  `no` int(11) NOT NULL DEFAULT 1,
```

```
  `seat` varchar(30) NOT NULL,
```

```
  `date` varchar(40) NOT NULL
```

```
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
```

```
--
```

```
-- Dumping data for table `booked`
```

```
--
```

```
INSERT INTO `booked` (`id`, `schedule_id`, `payment_id`, `user_id`, `code`, `class`, `no`,  
`seat`, `date`) VALUES
```

```
(39, 115, 51, 11, '2023/0115/1577', 'second', 5, 'S01 - S05', 'Thu, 22-Jun-2023 03:44:19 PM'),
(40, 113, 52, 12, '2023/0113/162', 'first', 2, 'F01 - F02', 'Thu, 22-Jun-2023 03:47:34 PM'),
(41, 114, 53, 13, '2023/0114/1521', 'first', 10, 'F01 - F10', 'Thu, 22-Jun-2023 03:51:33 PM'),
(42, 118, 54, 14, '2023/0118/1120', 'second', 1, 'S001', 'Thu, 22-Jun-2023 03:54:21 PM'),
(43, 115, 55, 15, '2023/0115/6616', 'second', 3, 'S06 - S08', 'Thu, 22-Jun-2023 03:58:03 PM');
```

```
-- -----
```

```
--
```

```
-- Table structure for table `feedback`
```

```
--
```

```
CREATE TABLE `feedback` (
  `id` int(11) NOT NULL,
  `user_id` int(11) NOT NULL,
  `message` varchar(400) NOT NULL,
  `response` varchar(400) DEFAULT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
```

```
--
```

```
-- Dumping data for table `feedback`
```

```
--
```

```
INSERT INTO `feedback` (`id`, `user_id`, `message`, `response`) VALUES
(14, 11, 'Easy to Book Tickets and the service tooo good\r\n', NULL),
(15, 12, 'Bessssssssst Service ', NULL),
(16, 13, 'Just loved it', NULL);
```

```
-- -----
```

```
--  
-- Table structure for table `passenger`  
--
```

```
CREATE TABLE `passenger` (  
  `id` int(11) NOT NULL,  
  `name` varchar(100) NOT NULL,  
  `email` varchar(70) NOT NULL,  
  `password` varchar(40) NOT NULL,  
  `phone` varchar(11) NOT NULL,  
  `address` varchar(200) NOT NULL,  
  `loc` varchar(40) NOT NULL,  
  `status` int(11) NOT NULL DEFAULT 1  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
```

```
--  
-- Dumping data for table `passenger`  
--
```

```
INSERT INTO `passenger` (`id`, `name`, `email`, `password`, `phone`, `address`, `loc`, `status`)  
VALUES
```

```
(11, 'ABC-UserName', 'abc@gmail.com', 'b24331b1a138cde62aa1f679164fc62f',  
'01234567890', '2nd Floor, Bandra West, Mumbai',  
'4c08734c16dc55ab092be751b135b63a.jpeg', 1),
```

```
(12, '1234567890', '123@gmail.com', '53e6086284353cb73d4979f08537d950',  
'09876543210', '18 block, new nagar, kerala', '9ce02f5102094037c58ceeb8d7fc5b3f.jpeg',  
1),
```

```
(13, 'xyz-username', 'xyz@gmail.com', '742f40cbb203f3b2c879a72a2828dac1',  
'01234543210', '3rd cross, India nagar, Delhi', '7dceb5ef3d74412ca5da82ef077dbe31.jpeg',  
1),
```

```
(14, 'mno-username', 'mno@gmail.com', '892afebfe010f508341ab474261e5856',  
'09182736450', '3rd Street, Nagar Road, Patna',  
'ac4c2270852be657562654ad874c18e6.jpeg', 1),  
  
(15, '987-username', '987@gmail.com', 'a2a52f1c31d127c0c847eca113daf7c6',  
'01928374650', '212-A, Sagar Nagar', '79ccff7f5e1e3b5fc441af10557e0872.jpeg', 1);
```

```
-- -----
```

```
--
```

```
-- Table structure for table `payment`
```

```
--
```

```
CREATE TABLE `payment` (  
  `id` int(11) NOT NULL,  
  `passenger_id` int(11) NOT NULL,  
  `schedule_id` int(11) NOT NULL,  
  `amount` varchar(255) NOT NULL,  
  `ref` varchar(100) NOT NULL,  
  `date` varchar(40) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
```

```
--
```

```
-- Dumping data for table `payment`
```

```
--
```

```
INSERT INTO `payment` (`id`, `passenger_id`, `schedule_id`, `amount`, `ref`, `date`) VALUES  
(51, 11, 115, '1010', '08S1DF01I6', 'Thu, 22-Jun-2023 03:44:19 PM'),  
(52, 12, 113, '1212', '5HAJBAEVJ1', 'Thu, 22-Jun-2023 03:47:34 PM'),  
(53, 13, 114, '2020', 'EN9NO390OT', 'Thu, 22-Jun-2023 03:51:33 PM'),  
(54, 14, 118, '202', 'J3HMKDJO8', 'Thu, 22-Jun-2023 03:54:21 PM'),
```

```
(55, 15, 115, '606', '1RTJ3ZBBJ7', 'Thu, 22-Jun-2023 03:58:03 PM');
```

```
-- -----
```

```
--
```

```
-- Table structure for table `plane`
```

```
--
```

```
CREATE TABLE `plane` (
```

```
  `id` int(11) NOT NULL,
```

```
  `name` varchar(80) NOT NULL,
```

```
  `first_seat` int(11) NOT NULL,
```

```
  `second_seat` int(11) NOT NULL
```

```
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
```

```
--
```

```
-- Dumping data for table `plane`
```

```
--
```

```
INSERT INTO `plane` (`id`, `name`, `first_seat`, `second_seat`) VALUES
```

```
(16, 'SkyScreamer HyperX', 200, 250),
```

```
(17, 'JetVelocity Express', 100, 150),
```

```
(18, 'AeroZoom Rapid', 150, 200),
```

```
(19, 'FlyShine Express', 200, 250),
```

```
(20, 'SkySonic Sprinter', 300, 400),
```

```
(21, 'TurboJet Velocity', 70, 90),
```

```
(22, 'Flymania Express', 50, 75),
```

```
(23, 'AeroGlide Speedster', 75, 75),
```

```
(24, 'AeroRush Express', 60, 80),
```



```
(25, 'FlyRush Thunderbolt', 75, 100),  
(26, 'AirFlash Lightning', 100, 125);
```

```
-- -----
```

```
--
```

```
-- Table structure for table `route`
```

```
--
```

```
CREATE TABLE `route` (  
  `id` int(11) NOT NULL,  
  `start` varchar(100) NOT NULL,  
  `stop` varchar(100) NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
```

```
--
```

```
-- Dumping data for table `route`
```

```
--
```

```
INSERT INTO `route` (`id`, `start`, `stop`) VALUES
```

```
(3, 'New Delhi', 'Mumbai'),
```

```
(4, 'Chennai', 'Kolkata'),
```

```
(5, 'Tirupati', 'Shirdi'),
```

```
(6, 'Bangalore', 'Lucknow'),
```

```
(7, 'Agra', 'Mysore'),
```

```
(8, 'Patna', 'Pondicherry'),
```

```
(9, 'Madurai', 'Nasik'),
```

```
(10, 'Rajahmundry', 'Nasik'),
```

```
(11, 'Visakhapatnam', 'Varanasi'),
```

```
(12, 'Hyderabad', 'Vijayawada'),  
(13, 'Bhubaneswar', 'Simla'),  
(14, 'Jammu', 'Aurangabad'),  
(15, 'Aizwal', 'Trivandrum'),  
(16, 'Allahabad', 'Jaisalmer'),  
(17, 'Surat', 'Port Blair'),  
(18, 'Gwalior', 'Tirupati'),  
(19, 'Mysore', 'Varanasi');
```

```
-- -----
```

```
--
```

```
-- Table structure for table `schedule`
```

```
--
```

```
CREATE TABLE `schedule` (  
  `id` int(11) NOT NULL,  
  `plane_id` int(11) NOT NULL,  
  `route_id` int(11) NOT NULL,  
  `date` varchar(30) NOT NULL,  
  `time` varchar(10) NOT NULL,  
  `first_fee` float NOT NULL,  
  `second_fee` float NOT NULL  
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
```

```
--
```

```
-- Dumping data for table `schedule`
```

```
--
```

```
INSERT INTO `schedule` (`id`, `plane_id`, `route_id`, `date`, `time`, `first_fee`, `second_fee`)
VALUES
```

```
(112, 16, 3, '01-07-2023', '05:30', 200, 125),
(113, 23, 10, '01-07-2023', '06:00', 600, 450),
(114, 24, 5, '08-07-2023', '02:00', 200, 150),
(115, 21, 14, '15-07-2023', '20:00', 250, 200),
(116, 19, 6, '10-07-2023', '18:00', 125, 75),
(117, 17, 18, '29-06-2023', '14:30', 300, 225),
(118, 18, 7, '25-06-2023', '22:30', 250, 200);
```

```
-- -----
```

```
--
```

```
-- Table structure for table `users`
```

```
--
```

```
CREATE TABLE `users` (
  `id` int(11) NOT NULL,
  `email` varchar(40) NOT NULL,
  `password` varchar(255) NOT NULL
) ENGINE=InnoDB DEFAULT CHARSET=utf8mb4 COLLATE=utf8mb4_general_ci;
```

```
--
```

```
-- Dumping data for table `users`
```

```
--
```

```
INSERT INTO `users` (`id`, `email`, `password`) VALUES
(1, 'admin@admin.com', 'D00F5D5217896FB7FD601412CB890830');
```

```
--
```

-- Indexes for dumped tables

--

--

-- Indexes for table `booked`

--

ALTER TABLE `booked`

ADD PRIMARY KEY (`id`),

ADD UNIQUE KEY `schedule_id` (`schedule_id`,`user_id`,`payment_id`) USING BTREE,

ADD KEY `schedule_id_2` (`schedule_id`),

ADD KEY `user_id` (`user_id`);

--

-- Indexes for table `feedback`

--

ALTER TABLE `feedback`

ADD PRIMARY KEY (`id`);

--

-- Indexes for table `passenger`

--

ALTER TABLE `passenger`

ADD PRIMARY KEY (`id`);

--

-- Indexes for table `payment`

--

ALTER TABLE `payment`

ADD PRIMARY KEY (`id`),

```
ADD UNIQUE KEY `passenger_id` (`passenger_id`,`schedule_id`),  
ADD KEY `passenger_id_2` (`passenger_id`) USING BTREE,  
ADD KEY `schedule_id` (`schedule_id`);
```

```
--
```

```
-- Indexes for table `plane`
```

```
--
```

```
ALTER TABLE `plane`
```

```
ADD PRIMARY KEY (`id`);
```

```
--
```

```
-- Indexes for table `route`
```

```
--
```

```
ALTER TABLE `route`
```

```
ADD PRIMARY KEY (`id`);
```

```
--
```

```
-- Indexes for table `schedule`
```

```
--
```

```
ALTER TABLE `schedule`
```

```
ADD PRIMARY KEY (`id`),
```

```
ADD KEY `plane_id` (`plane_id`),
```

```
ADD KEY `route_id` (`route_id`);
```

```
--
```

```
-- Indexes for table `users`
```

```
--
```

```
ALTER TABLE `users`
```

```
ADD PRIMARY KEY (`id`);
```

```
--  
-- AUTO_INCREMENT for dumped tables  
--  
  
--  
-- AUTO_INCREMENT for table `booked`  
--  
ALTER TABLE `booked`  
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=44;  
  
--  
-- AUTO_INCREMENT for table `feedback`  
--  
ALTER TABLE `feedback`  
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=17;  
  
--  
-- AUTO_INCREMENT for table `passenger`  
--  
ALTER TABLE `passenger`  
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=16;  
  
--  
-- AUTO_INCREMENT for table `payment`  
--  
ALTER TABLE `payment`  
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=56;
```

```
--  
  
-- AUTO_INCREMENT for table `plane`  
  
--  
  
ALTER TABLE `plane`  
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=27;  
  
--  
  
-- AUTO_INCREMENT for table `route`  
  
--  
  
ALTER TABLE `route`  
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=20;  
  
--  
  
-- AUTO_INCREMENT for table `schedule`  
  
--  
  
ALTER TABLE `schedule`  
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=119;  
  
--  
  
-- AUTO_INCREMENT for table `users`  
  
--  
  
ALTER TABLE `users`  
  MODIFY `id` int(11) NOT NULL AUTO_INCREMENT, AUTO_INCREMENT=2;  
  
--  
  
-- Constraints for dumped tables  
  
--  
  
--
```

```

-- Constraints for table `booked`
--
ALTER TABLE `booked`
  ADD CONSTRAINT `booked_ibfk_1` FOREIGN KEY (`schedule_id`) REFERENCES `schedule`
(`id`),
  ADD CONSTRAINT `booked_ibfk_2` FOREIGN KEY (`user_id`) REFERENCES `passenger` (`id`);

--

-- Constraints for table `payment`
--
ALTER TABLE `payment`
  ADD CONSTRAINT `payment_ibfk_1` FOREIGN KEY (`passenger_id`) REFERENCES
`passenger` (`id`),
  ADD CONSTRAINT `payment_ibfk_2` FOREIGN KEY (`schedule_id`) REFERENCES `schedule`
(`id`);

--

-- Constraints for table `schedule`
--
ALTER TABLE `schedule`
  ADD CONSTRAINT `schedule_ibfk_1` FOREIGN KEY (`plane_id`) REFERENCES `plane` (`id`),
  ADD CONSTRAINT `schedule_ibfk_2` FOREIGN KEY (`route_id`) REFERENCES `route` (`id`);
COMMIT;

/*!40101 SET CHARACTER_SET_CLIENT=@OLD_CHARACTER_SET_CLIENT */;
/*!40101 SET CHARACTER_SET_RESULTS=@OLD_CHARACTER_SET_RESULTS */;
/*!40101 SET COLLATION_CONNECTION=@OLD_COLLATION_CONNECTION */;

```


admin.php

```
<?php
@session_start();
$file_access = true;
include '../conn.php';
include 'admin_session.php';
include '../constants.php';
if (@$_GET['page'] == 'print' && isset($_GET['code'])) {
    printClearance($_GET['code']);
    // echo "<script>window.location='admin.php'</script>";
}
if (@$_GET['page'] == 'report' && isset($_GET['id'])) {
    printReport($_GET['id']);
    // echo "<script>window.location='admin.php'</script>";
}

$fullname = "System Administrator";
?>
<!DOCTYPE html>

<html lang="en">

<head>
    <meta charset="utf-8">
    <meta name="viewport" content="width=device-width, initial-scale=1">
    <meta http-equiv="x-ua-compatible" content="ie=edge">
    <link rel="stylesheet" href="plugins/datatables-bs4/css/dataTables.bootstrap4.css">
```

```

<title><?php echo SITE_NAME, ' - ', ucwords($_SESSION['category']); ?> </title>

<!-- Font Awesome Icons -->

<link rel="stylesheet" href="plugins/fontawesome-free/css/all.min.css">

<!-- Theme style -->

<link rel="stylesheet" href="dist/css/adminlte.min.css">
</head>

<body class="hold-transition sidebar-mini">

<div class="wrapper">

    <!-- Navbar -->

    <nav class="main-header navbar navbar-expand navbar-white navbar-light">

        <!-- Left navbar links -->

        <ul class="navbar-nav">
            <li class="nav-item">
                <a class="nav-link" data-widget="pushmenu" href="#"><i class="fas fa-bars"></i></a>
            </li>
            <li class="nav-item">
                <a class="nav-link" href="#"><?php echo SITE_NAME ?></a>
            </li>
        </ul>

        <!-- Right navbar links -->

    </nav>

    <!-- /.navbar -->

```

```

<!-- Main Sidebar Container -->

<aside class="main-sidebar sidebar-dark-success elevation-4">

    <!-- Brand Logo -->

    <a href="admin.php" class="brand-link">

        <span class="brand-text font-weight-light"><?php echo date("D d, M y");
?></span>

    </a>

<!-- Sidebar -->

<div class="sidebar">

    <!-- Sidebar user panel (optional) -->

    <div class="user-panel mt-3 pb-3 mb-3 d-flex">

        <div class="image">

        </div>

        <div class="info">

            <a href="#" class="d-block">Admin</a>

        </div>

    </div>

<!-- Sidebar Menu -->

<nav class="mt-2">

    <ul class="nav nav-pills nav-sidebar flex-column" data-widget="treeview"
role="menu"

        data-accordion="false">

        <!-- Add icons to the links using the .nav-icon class
with font-awesome or any other icon font library -->

```

```

<li class="nav-item">
    <a href="admin.php" class="nav-link <?php if (!isset($_GET['page'])) echo
'active'; ?>">
        <i class="nav-icon fas fa-tachometer-alt"></i>
        <p>
            Home
        </p>
    </a>

</li>

```

```

<li class="nav-item">
    <a href="admin.php?page=users" class="nav-link
    <?php
    echo (@$_GET['page'] == 'users') ? 'active' : '';
    ?>
    ">
        <i class="nav-icon fas fa-users"></i>
        <p>
            Users
        </p>
    </a>

</li>

```

```

<li class="nav-item">
    <a href="admin.php?page=dynamic" class="nav-link
    <?php
    echo (@$_GET['page'] == 'dynamic') ? 'active' : '';
    ?>
    ">

```

```
<i class="nav-icon fas fa-calendar-day"></i>

<p>
    Schedules
</p>
</a>
</li>
<li class="nav-item">
    <a href="admin.php?page=route" class="nav-link" <?php
        echo (@$_GET['page'] == 'route') ? 'active' : '';
        ?>">

        <i class="nav-icon fas fa-route"></i>

        <p>
            Routes
        </p>
    </a>
</li>
</li>
<li class="nav-item">
    <a href="admin.php?page=plane" class="nav-link" <?php
        echo (@$_GET['page'] == 'plane') ? 'active' : '';
        ?>">

        <i class="nav-icon fas fa-plane"></i>

        <p>
            Flights
        </p>
    </a>
</li>

<li class="nav-item">
```

```

<a href="admin.php?page=report" class="nav-link" <?php
    echo (@$_GET['page'] == 'report') ? 'active' :
";
    ?>">
    <i class="nav-icon fas fa-file-pdf"></i>
    <p>
        Report
    </p>
</a>

</li>
<li class="nav-item">
    <a href="admin.php?page=payment" class="nav-link" <?php
        echo (@$_GET['page'] == 'payment') ? 'active'
: ";
        ?>">
        <i class="nav-icon fas fa-dollar-sign"></i>
        <p>
            Payments
        </p>
    </a>
</li>

<li class="nav-item">
    <a href="admin.php?page=feedback" class="nav-link" <?php
        echo (@$_GET['page'] == 'feedback') ?
'active' : ";
        ?>">
        <i class="nav-icon fas fa-mail-bulk"></i>
        <p>

```

Feedbacks

</p>

<li class="nav-item">

<a href="admin.php?page=search" class="nav-link" <?php

echo (@\$_GET['page'] == 'search') ? 'active' :

";

?>">

<i class="nav-icon fas fa-search"></i>

<p>

Search

</p>

<li class="nav-item">

<i class="nav-icon fas fa-power-off"></i>

<p>

Logout

</p>

</nav>

<!-- /.sidebar-menu -->

</div>

<!-- /.sidebar -->

</aside>

<!-- Content Wrapper. Contains page content -->

<div class="content-wrapper">

<!-- Content Header (Page header) -->

<div class="content-header">

<div class="container-fluid">

<div class="row mb-2">

<div class="col-sm-6">

<h1 class="m-0 text-dark"> Administrator Dashboard</h1>

</div><!-- /.col -->

</div><!-- /.row -->

</div><!-- /.container-fluid -->

</div>

<!-- /.content-header -->

<!-- Main content -->

<?php

if (!isset(\$_GET['page']))

include 'admin/index.php';

elseif (\$_GET['page'] == 'dynamic')

include 'admin/dynamic_schedule.php';

elseif (\$_GET['page'] == 'report')

include 'admin/report.php';

elseif (\$_GET['page'] == 'plane')

include 'admin/plane.php';

elseif (\$_GET['page'] == 'users')

include 'admin/users.php';

elseif (\$_GET['page'] == 'route')


```

        include 'admin/route.php';
elseif ($_GET['page'] == 'logout') {
    @session_destroy();

    echo "<script>alert('You are being logged out'); window.location='../';</script>";

    exit;
} elseif ($_GET['page'] == 'payment')
    include 'admin/sales.php';

elseif ($_GET['page'] == 'feedback')
    include 'admin/feedback.php';

elseif ($_GET['page'] == 'search')
    include 'admin/search.php';

else {
    include 'admin/index.php';
}

//TODO:
?>

<!-- /.content -->
</div>
<!-- /.content-wrapper -->

<!-- Control Sidebar -->
<aside class="control-sidebar control-sidebar-dark">

    <!-- Control sidebar content goes here -->

    <div class="p-3">

        <h5>Title</h5>

        <p>Sidebar content</p>

```

```
</div>
</aside>
<!-- /.control-sidebar -->

<!-- Main Footer -->
<footer class="main-footer">
  <!-- To the right -->
  <div class="float-right d-none d-sm-inline">
    <?php echo SITE_NAME; ?>
  </div>
  <!-- Default to the left -->
  <strong><?php echo date("Y"); ?> - All Rights Reserved</strong>
</footer>
</div>
<!-- ./wrapper -->

<!-- REQUIRED SCRIPTS -->

<!-- jQuery -->
<script src="plugins/jquery/jquery.min.js"></script>
<!-- Bootstrap 4 -->
<script src="plugins/bootstrap/js/bootstrap.bundle.min.js"></script>
<!-- AdminLTE App -->
<script src="dist/js/adminlte.min.js"></script>
<script src="plugins/jquery/jquery.min.js"></script>
<!-- DataTables -->
<script src="plugins/datatables/jquery.dataTables.js"></script>
<script src="plugins/datatables-bs4/js/dataTables.bootstrap4.js"></script>
<!-- AdminLTE App -->
```

```
<script src="dist/js/demo.js"></script>
```

```
<script src="dist/js/pages/dashboard3.js"></script>
```

```
<script>
```

```
$(function() {
```

```
    $('#example1').DataTable();
```

```
});
```

```
</script>
```

```
<?php if (@$_GET['page'] == 'query') { ?>
```

```
<script src="plugins/jquery-knob/jquery.knob.min.js"></script>
```

```
<!-- Sparkline -->
```

```
<script src="plugins/sparkline/jquery.sparkline.min.js"></script>
```

```
<!-- page script -->
```

```
<script>
```

```
$(function() {
```

```
    /* jQueryKnob */
```

```
    $('.knob').knob({
```

```
        draw: function() {}
```

```
    })
```

```
})
```

```
</script>
```

```
<?php } ?>
```

```
</body>
```

```
</html>
```

admin_session.php

```
<?php
    @session_start();
    if (!isset($_SESSION['admin'])) {
        echo "<script>alert('You are not logged in!'); window.location='../';</script>";
        exit;
    }

    if (($_SESSION['category'] != 'admin' && $_SESSION['category'] != 'super') {
        echo "<script>alert('You are not logged in!'); window.location='../';</script>";
        exit;
    }
    $user_id = $_SESSION['admin'];
    if (!isset($conn)) require '../conn.php';

    ?>
```

adminsignin.php

```
<?php
session_start();
require_once '../conn.php';
$file = "admin";

?>

<?php
$cur_page = 'signup';
include 'includes/inc-header.php';
if (isset($_POST['email'])) {
```

```

$email = $_POST['email'];
$password = $_POST['password'];
if (!isset($email, $password)) {
?>
<script>
alert("Ensure you fill the form properly.");
</script>
<?php
    } else {

        //Check for login
        $password = md5($password);
        $check = $conn->prepare("SELECT * FROM users WHERE email = ? AND password = ?");
        $check->bind_param("ss", $email, $password);
        if (!$check->execute()) die("Form Filled With Error");
        $res = $check->get_result();
        $no_rows = $res->num_rows;
        if ($no_rows == 1) {
            $row = $res->fetch_assoc();
            $id = $row['id'];
            session_regenerate_id(true);
            $_SESSION['category'] = "super";
            $_SESSION['admin'] = $id;

        }
?>
<script>
alert("Access Granted!");
window.location = "admin.php";
</script>

```

```
<?php

    } else { ?>
<script>
alert("Access Denied.");
</script>
<?php
    }
}
}
?>
<div class="signup-page">
    <div class="form">
        <h2>Admin Sign In</h2>
        <br>
        <form class="login-form" method="post" role="form" id="signup-form"
autocomplete="off">
            <!-- json response will be here -->
            <div id="errorDiv"></div>
            <!-- json response will be here -->

            <div class="col-md-12">
                <div class="form-group">
                    <label>Email Address</label>
                    <input type="text" required name="email">
                </div>
            </div>

            <div class="col-md-12">
                <div class="form-group">
```

```
        <label>Password</label>

        <input type="password" name="password" id="password">

        <span class="help-block" id="error"></span>

    </div>

</div>
```

```
<div class="col-md-12">

    <div class="form-group">

        <button type="submit" id="btn-signup">

            SIGN IN

        </button>

    </div>

</div>

<p class="message">

    <a href="#">.</a><br>

</p>

</form>

</div>

</div>

</div>

<script src="assets/js/jquery-1.12.4-jquery.min.js"></script>

</body>

</html>
```

check.php

```
<?php
```

```
include '../conn.php';
```

```
include '../constants.php';
```

```
?>
```

```
<!DOCTYPE html>
```

```
<html>
```

```
<head>
```

```
    <meta charset="utf-8">
```

```
    <meta http-equiv="X-UA-Compatible" content="IE=edge">
```

```
    <title><?php echo SITE_NAME; ?></title>
```

```
    <!-- Tell the browser to be responsive to screen width -->
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1">
```

```
    <!-- Font Awesome -->
```

```
    <link rel="stylesheet" href="plugins/fontawesome-free/css/all.min.css">
```

```
    <!-- Icons -->
```

```
    <link rel="stylesheet"
```

```
href="https://code.ionicframework.com/ionicons/2.0.1/css/ionicons.min.css">
```

```
    <!-- Theme style -->
```

```
    <link rel="stylesheet" href="dist/css/adminlte.min.css">
```

```
    <!-- Google Font: Source Sans Pro -->
```

```
    <link href="https://fonts.googleapis.com/css?family=Source+Sans+Pro:300,400,400i,700"
rel="stylesheet">
```

```
</head>
```

```
<body class="hold-transition lockscreen">
```

```
<!-- Automatic element centering -->
```

```
<div class="lockscreen-wrapper">
```



```
<div class="lockscreen-logo">

    <a href="#"><b>
<?php echo SITE_NAME; ?>
</b></a>

</div>

<!-- User name -->

<?php
if (isset($_POST['number'])){
    $code = $_POST['number'];

    $check = $conn->prepare("SELECT * FROM individual INNER JOIN state ON state.id =
individual.state_id WHERE code = ?");

    $check->bind_param("s", $code);
    $check->execute();
    $res = $check->get_result();

    $row = $res->fetch_assoc();
    if ($res->num_rows != 1){
echo "<script>alert('Record not found!'); window.location='check.php';</script>";
        exit;
    }
    ?>
<div class="lockscreen-name"></div>

<!-- START LOCK SCREEN ITEM -->

<div class="lockscreen-item">

    <!-- lockscreen image -->

    <!-- lockscreen credentials (contains the form) -->

<table class='table table-bordered table-hober table-info table-striped'>

    <tr>
```

```
<th colspan='2' class='alert alert-success text-center'>Verified <i class='fas fa-check'></i></th>
```

```
</tr>
```

```
<tr>
```

```
<th>Full Name</th><td><?php echo $row['fullname'] ?></td></tr><tr>
```

```
<th>Date of Birth</th><td><?php echo $row['dob'] ?></td></tr><tr>
```

```
<th>State</th><td><?php echo $row['state'] ?></td></tr><tr>
```

```
<th>L.G.A</th><td><?php echo $row['lga'] ?></td></tr><tr>
```

```
<th>Gender</th><td><?php echo $row['gender'] ?></td></tr><tr>
```

```
<th>Issued Date</th><td><?php echo $row['issued_date'] ?></td>
```

```
</table>
```

```
</div>
```

```
<div align='center'><a href="check.php"> <button type="button" class='btn btn-success' name="button">Check Again</button> </a></div>
```

```
<?php
```

```
}else{
```

```
?>
```

```
<div class="lockscreen-name">Verify Certificate</div>
```

```
<!-- START LOCK SCREEN ITEM -->
```

```
<div class="lockscreen-item">
```

```
<!-- lockscreen image -->
```

```
<div class="lockscreen-image">
```

```

```

```
</div>
```

```
<!-- /.lockscreen-image -->
```

```
<!-- lockscreen credentials (contains the form) -->
```

```
<form class="lockscreen-credentials" method='post'>
```

```
<div class="input-group">

    <input type="text" minlength='8' name='number' required class="form-control"
placeholder="Certificate Number">
```

```
    <div class="input-group-append">

        <button type="submit" class="btn"><i class="fas fa-arrow-right text-
muted"></i></button>
```

```
    </div>
```

```
</div>
```

```
</form>
```

```
<!-- /.lockscreen credentials -->
```

```
</div>
```

```
<?php
```

```
}
```

```
?>
```

```
<!-- /.lockscreen-item -->
```

```
<div class="help-block text-center">
```

```
    System
```

```
</div>
```

```
<div class="text-center">
```

```
    <a href="..">Go back</a>
```

```
</div>
```

```
<div class="lockscreen-footer text-center">
```

```
<?php echo date("Y"); ?> - All Rights Reserved
```

```
</div>
```

```
</div>
```

```
<!-- /.center -->
```

```
<!-- jQuery -->
<script src="plugins/jquery/jquery.min.js"></script>
<!-- Bootstrap 4 -->
<script src="plugins/bootstrap/js/bootstrap.bundle.min.js"></script>
</body>
</html>
```

index.php(in subfolder pro):

```
<?php
header("location: ../");
?>
```

individual.php

```
<?php
@session_start();
$file_access = true;
include '../conn.php';
include 'session.php';
include '../constants.php';
if (@$_GET['page'] == 'print' && isset($_GET['print'])) printClearance($_GET['print']);
$fullname = getIndividualName($_SESSION['user_id'], $conn);
if (isset($_GET['error'])) {
    echo "<script>alert('Payment could not be initialized! Network Error!'); window.location =
'individual.php?page=reg';</script>";
    exit;
}
?>
```

```
<!DOCTYPE html>
```

```
<html lang="en">
```

```
<head>
```

```
    <meta charset="utf-8">
```

```
    <meta name="viewport" content="width=device-width, initial-scale=1">
```

```
    <meta http-equiv="x-ua-compatible" content="ie=edge">
```

```
    <title><?php echo SITE_NAME, ' - Passenger\'s Account' ?> </title>
```

```
    <link rel="stylesheet" href="plugins/datatables-bs4/css/dataTables.bootstrap4.css">
```

```
    <script src="../js/alpine.js"></script>
```

```
    <!-- Font Awesome Icons -->
```

```
    <link rel="stylesheet" href="plugins/fontawesome-free/css/all.min.css">
```

```
    <!-- Theme style -->
```

```
    <link rel="stylesheet" href="dist/css/adminlte.min.css">
```

```
</head>
```

```
<body class="hold-transition sidebar-mini">
```

```
    <div class="wrapper">
```

```
        <!-- Navbar -->
```

```
        <nav class="main-header navbar navbar-expand navbar-white navbar-light">
```

```
            <!-- Left navbar links -->
```

```
            <ul class="navbar-nav">
```

```
                <li class="nav-item">
```

```
                    <a class="nav-link" data-widget="pushmenu" href="#"><i class="fas fa-bars"></i></a>
```

```
                </li>
```

```

        <li class="navbar-nav">

            <a class="nav-link" href="#"><?php echo SITE_NAME ?></a>

        </li>
    </ul>

    <!-- Right navbar links -->

</nav>

<!-- /.navbar -->

<!-- Main Sidebar Container -->
<aside class="main-sidebar sidebar-dark-success elevation-4">

    <!-- Brand Logo -->

    <a href="individual.php" class="brand-link">

        <span class="brand-text font-weight-light"><?php echo date("D d, M y");
?></span>

    </a>

    <!-- Sidebar -->

    <div class="sidebar">

        <!-- Sidebar user panel (optional) -->

        <div class="user-panel mt-3 pb-3 mb-3 d-flex">

            <div class="image">

            </div>

```

```

<div class="info">
    <a href="#" class="d-block"><?php echo $fullname; ?></a>
</div>
</div>

<!-- Sidebar Menu -->
<nav class="mt-2">
    <ul class="nav nav-pills nav-sidebar flex-column" data-widget="treeview"
role="menu"
    data-accordion="false">
        <!-- Add icons to the links using the .nav-icon class
with font-awesome or any other icon font library -->
        <li class="nav-item has-treeview menu-open">
            <a href="individual.php" class="nav-link <?php echo (@$_GET['page'] == '') ?
'active' : '';?>">
                <i class="nav-icon fas fa-tachometer-alt"></i>
                <p>
                    Home
                </p>
            </a>

        </li>

        <li class="nav-item">
            <a href="individual.php?page=reg" class="nav-link <?php echo
(@$_GET['page'] == 'reg') ? 'active' : '';?>">
                <i class="fa fa-plus nav-icon"></i>
                <p>New Booking</p>
            </a>

```

```

</li>

<li class="nav-item">

    <a href="individual.php?page=paid" class="nav-link <?php echo
(@$_GET['page'] == 'paid') ? 'active' : '';?>">

        <i class="fa fa-book nav-icon"></i>

        <p>View Bookings</p>

    </a>

</li>

<li class="nav-item">

    <a href="individual.php?page=feedback" class="nav-link <?php echo
(@$_GET['page'] == 'feedback') ? 'active' : '';?>">

        <i class="fa fa-mail-bulk nav-icon"></i>

        <p>Feedback</p>

    </a>

</li>

<li>

<li class="nav-item">

    <a href="individual.php?page=logout" class="nav-link">

        <i class="nav-icon fas fa-power-off"></i>

        <p>

            Logout

        </p>

    </a>

</ul>

</nav>

<!-- /.sidebar-menu -->

</div>

<!-- /.sidebar -->

</aside>

```



```

<!-- Content Wrapper. Contains page content -->
<div class="content-wrapper">

    <!-- Content Header (Page header) -->
    <div class="content-header">

        <div class="container-fluid">

            <div class="row mb-2">

                <div class="col-sm-6">

                    <h1 class="m-0 text-dark"> Passenger's Dashboard</h1>

                </div><!-- /.col -->

            </div><!-- /.row -->

        </div><!-- /.container-fluid -->
    </div>

<!-- /.content-header -->


<!-- Main content -->
<?php

if (!isset($_GET['page']))
    include 'individual/index.php';
elseif ($_GET['page'] == 'reg')
    include 'individual/reg.php';
elseif ($_GET['page'] == 'pay')
    include 'individual/make_payment.php';
elseif ($_GET['page'] == 'paid')
    include 'individual/paid.php';
elseif ($_GET['page'] == 'upload')
    include 'individual/upload.php';
elseif ($_GET['page'] == 'status')

```

```
        include 'individual/status.php';
elseif ($_GET['page'] == 'logout') {
    @session_destroy();

    echo "<script>alert('You are being logged out'); window.location='../';</script>";

    exit;
} elseif ($_GET['page'] == 'print') {
    printClearance($user_id);

    include 'individual/status.php';
} else {

    //Feedback

    include 'individual/feedback.php';
}

//TODO:

?>

<!-- /.content -->
</div>
<!-- /.content-wrapper -->

<!-- Control Sidebar -->
<aside class="control-sidebar control-sidebar-dark">

    <!-- Control sidebar content goes here -->

    <div class="p-3">

        <h5>Title</h5>

        <p>Sidebar content</p>

    </div>
</aside>
<!-- /.control-sidebar -->

<!-- Main Footer -->
```

```

<footer class="main-footer">

    <!-- To the right -->

    <div class="float-right d-none d-sm-inline">

        <?php echo SITE_NAME; ?>

    </div>

    <!-- Default to the left -->

    <strong><?php echo date("Y"); ?> - All Rights Reserved</strong>

</footer>

</div>

<!-- ./wrapper -->

<script src="plugins/jquery/jquery.min.js"></script>

<!-- Bootstrap 4 -->

<script src="plugins/bootstrap/js/bootstrap.bundle.min.js"></script>

<!-- AdminLTE App -->

<script src="dist/js/adminlte.min.js"></script>

<script src="plugins/jquery/jquery.min.js"></script>

<!-- DataTables -->

<script src="plugins/datatables/jquery.dataTables.js"></script>

<script src="plugins/datatables-bs4/js/dataTables.bootstrap4.js"></script>

<!-- AdminLTE App -->

<script src="dist/js/demo.js"></script>

<script src="dist/js/pages/dashboard3.js"></script>

<script>

$(function() {

    $('#example1').DataTable();

});

</script>

```

</body>

</html>

individual_reg.php

<?php

session_start();

require_once '../conn.php';

require_once '../constants.php';

\$class = "reg";

?>

<?php

\$cur_page = 'signup';

include 'includes/inc-header.php';

include 'includes/inc-nav.php';

if (isset(\$_POST['name'])) {

 \$name = \$_POST['name'];

 \$phone = \$_POST['phone'];

 \$email = \$_POST['email'];

 \$file = 'file';

 \$address = \$_POST['address'];

 \$cpassword = \$_POST['cpassword'];

 \$password = \$_POST['password'];

 if (!isset(\$name, \$address, \$phone, \$email, \$password, \$cpassword) || (\$password != \$cpassword)) { ?>

<script>

alert("Ensure you fill the form properly.");

</script>

<?php

```

    } else {

        //Check if email exists

        $check_email = $conn->prepare("SELECT * FROM passenger WHERE email = ? OR
phone = ?");

        $check_email->bind_param("ss", $email, $phone);

        $check_email->execute();

        $res = $check_email->store_result();

        $res = $check_email->num_rows();

        if ($res) {

            ?>
<script>
alert("Email already exists!");
</script>
<?php

        } elseif ($cpassword != $password) { ?>
<script>
alert("Password does not match.");
</script>
<?php

        } else {

            //Insert

            $password = md5($password);

            $can = 1;

            $loc = uploadFile('file');

            if ($loc == -1) {

                echo "<script>alert('We could not complete your registration, try again
later!')</script>";

                exit;

            }

```

```
$stmt = $conn->prepare("INSERT INTO passenger (name, email, password, phone, address, loc) VALUES (?, ?, ?, ?, ?, ?)");
```

```
$stmt->bind_param("ssssss", $name, $email, $password, $phone, $address, $loc);
```

```
if ($stmt->execute()) {
```

```
?>
```

```
<script>
```

```
alert("Congratulations.\nYou are now registered.");
```

```
window.location = 'signin.php';
```

```
</script>
```

```
<?php
```

```
    } else {
```

```
?>
```

```
<script>
```

```
alert("We could not register you!.");
```

```
</script>
```

```
<?php
```

```
    }
```

```
    }
```

```
}
```

```
}
```

```
?>
```

```
<div class="signup-page">
```

```
    <div class="form">
```

```
        <h2>Create Account </h2>
```

```
        <br>
```

```
        <p class="alert alert-info">
```

```
            <marquee behavior="" scrollamount="2" direction="">You need to create an account to book/view planes!
```

```
        </marquee>
```

```
    </p>
```

```
<form class="login-form" method="post" role="form" enctype="multipart/form-data"
id="signup-form"
    autocomplete="off">
    <!-- json response will be here -->
    <div id="errorDiv"></div>
    <!-- json response will be here -->
    <div class="col-md-12">
        <div class="form-group">
            <label>Full Name</label>
            <input type="text" required minlength="10" name="name">
        </div>
    </div>

    <div class="col-md-6">
        <div class="form-group">
            <label>Contact Number</label>
            <input type="text" minlength="11" pattern="[0-9]{11}" required name="phone">
        </div>
    </div>

    <div class="col-md-6">
        <div class="form-group">
            <label>Email Address</label>
            <input type="email" required name="email">
        </div>
    </div>

    <div class="col-md-6">
        <div class="form-group">
            <label>Select Picture</label>
            <input type="file" name='file' required>
```

```
</div>
</div>
<div class="col-md-6">
  <div class="form-group">
    <label>Address</label>
    <input type='text' name="address" class="form-group" required>
    </select>
    <span class="help-block" id="error"></span>
  </div>
</div>
<div class="col-md-6">
  <div class="form-group">
    <label>Password</label>
    <input type="password" name="password" id="password">
    <span class="help-block" id="error"></span>
  </div>
</div>
<div class="col-md-6">
  <div class="form-group">
    <label>Confirm Password</label>
    <input type="password" name="cpassword" id="cpassword">
    <span class="help-block" id="error"></span>
  </div>
</div>
<div class="col-md-12">
  <div class="form-group">
    <button type="submit" id="btn-signup">
      CREATE ACCOUNT
    </button>
```



```
        </div>
    </div>
    <p class="message">
        <a href="#">.</a><br>
    </p>
</form>
</div>
</div>
</div>
<script src="assets/js/jquery-1.12.4-jquery.min.js"></script>

</body>

</html>
```

pay.php:

```
<?php
require_once 'session.php';
require_once '../constants.php';
if (!isset($_SESSION['amount'], $_SESSION['email'])) {
    @session_destroy();
    header("Location: ../");
    exit;
}

header("Location: https://localhost/plane/pro/individual.php?page=paid&now=true");
$pay = curl_init();
```

```

$email = $_SESSION['email'];

$amount = $_SESSION['amount'] . "00";

// die($amount);

//the amount in kobo. This value is actually NGN 5000

curl_setopt_array($pay, array(

    CURLOPT_URL => "https://api.paystack.co/transaction/initialize",

    CURLOPT_RETURNTRANSFER => true,

    CURLOPT_SSL_VERIFYPEER => 0,

    CURLOPT_CUSTOMREQUEST => "POST",


    CURLOPT_POSTFIELDS => json_encode([

        'amount' => $amount,

        'email' => $email,

    ]),

    CURLOPT_HTTPHEADER => [

        "authorization: Bearer $paystack", //replace this with your own test key

        "content-type: application/json",

        "cache-control: no-cache"

    ],

));

$response = curl_exec($pay);

$error = curl_error($pay);

if ($error) {

    header("Location: individual.php?page=pay&error=payment&access=0");

    exit();

}

$tranx = json_decode($response);

if (!$tranx->status or empty($tranx->status)) {

```

```
// there was an error from the API
header("Location: individual.php?page=pay&error=payment&access=1");
exit();
}
```

```
// redirect to page so User can pay
//uncomment this line to allow the user redirect to the payment page
header('Location: ' . $tranx->data->authorization_url);
```

print.php

```
<?php require 'functions.php';
$file_access = 1;
?>
<?php include('session.php');

$student = $_SESSION['id'];
echo printClearance($student);
?>
```

session.php

```
<?php
@session_start();
if (!isset($_SESSION['user_id'])) {
    echo "<script>alert('You are not logged in!'); window.location='../';</script>";
    exit;
}

$user_id = $_SESSION['user_id'];
$email = $_SESSION['email'];
```

```

if (!isset($conn)) require '../conn.php';

$exist = $conn->query("SELECT * FROM passenger WHERE id = '$user_id'")->num_rows;

if ($exist != 1) {
    echo "<script>alert('You are not logged in!'); window.location='../';</script>";
    exit;
}

?>

```

signin.php

```

<?php
session_start();
require_once '../conn.php';
$class = "signin";

?>

<?php
$cur_page = 'signup';
include 'includes/inc-header.php';
include 'includes/inc-nav.php';
if (isset($_POST['email'])) {
    $email = $_POST['email'];
    $password = $_POST['password'];
    if (!isset($email, $password)) {
        ?>
        <script>
        alert("Ensure you fill the form properly.");
        </script>
        <?php

```

```

} else {

    //Check for login
    $password = md5($password);
    $check = $conn->prepare("SELECT * FROM passenger WHERE email = ? AND password = ?");
    $check->bind_param("ss", $email, $password);
    if (!$check->execute()) die("Form Filled With Error");
    $res = $check->get_result();
    $no_rows = $res->num_rows;
    if ($no_rows == 1) {
        $row = $res->fetch_assoc();
        $id = $row['id'];
        $status = $row['status'];
        if ($status != 1) {
            ?>
<script>
alert("Account Deactivated!\nContact The System Administrator!");
window.location = "signin.php";
</script>
<?php
    exit;
}
    session_regenerate_id(true);
    $_SESSION['user_id'] = $id;
    $_SESSION['email'] = $email;

    ?>
<script>
alert("Access Granted!");

```

```
window.location = "individual.php";

</script>

<?php
    exit;
    } else { ?>

<script>
alert("Access Denied.");
</script>

<?php
    }
    }
}
?>

<div class="signup-page">
    <div class="form">
        <h2>Customer Panel</h2>
        <br>
        <form class="login-form" method="post" role="form" id="signup-form"
autocomplete="off">
            <!-- json response will be here -->
            <div id="errorDiv"></div>
            <!-- json response will be here -->

            <div class="col-md-12">
                <div class="form-group">
                    <label>Email Address</label>
                    <input type="email" required name="email">
                </div>
            </div>
        </div>
    </div>
</div>
```

```
<div class="col-md-12">
  <div class="form-group">
    <label>Password</label>
    <input type="password" name="password" id="password">
    <span class="help-block" id="error"></span>
  </div>
</div>
```

```
<div class="col-md-12">
  <div class="form-group">
    <button type="submit" id="btn-signup">
      SIGN IN
    </button>
  </div>
</div>
<p class="message">
  <a href="#">.</a><br>
</p>
</form>
</div>
</div>
</div>
<script src="assets/js/jquery-1.12.4-jquery.min.js"></script>
<script src="assets/js/sweetalert2.js"></script>
</body>

</html>
```

verify.php

```
<?php
require_once 'session.php';
require_once '../conn.php';
require_once '../constants.php';
// require_once 'helper.php';
// require_once 'mail_template.php';

// $message_text = "<p> Thank you for joining the contest. Sitback while we update you on
events and processes involved. </p>

// <p>In order to login, use your email and your first name as password. Once you are
logged in, you are advised to change your password. <a
href='https://netrepeneurs.com/login/'>Login Here</a></p>

// <p>Regards, Netrepeneurs team.</p>

// ";

if (isset($_GET['reference'])) {
    $email = $_SESSION['email'];
    $reference = $_GET['reference'];
    $uid = $_SESSION['user_id'];
    $pay = curl_init();
    $paid = $_SESSION['original'];
    $schedule_id = $_SESSION['schedule'];
    $number = $_SESSION['no'];
    $class = $_SESSION['class'];
    $price = 0;

    $amount = $_SESSION['amount'] . "00";
    curl_setopt_array($pay, array(
```



```

CURLOPT_URL => "https://api.paystack.co/transaction/verify/" .
rawurlencode($reference),

CURLOPT_RETURNTRANSFER => true,

CURLOPT_SSL_VERIFYPEER => 0,

CURLOPT_HTTPHEADER => [
    "accept: application/json",
    "authorization: Bearer $paystack",
    "cache-control: no-cache"
],
));

$response = curl_exec($pay);
$error = curl_error($pay);
if ($error) {

    // there was an error contacting the Paystack API
    header("Location: individual.php?page=pay&error=payment");
    exit();
}

if ($response) {

    $result = json_decode($response, true);

    if (array_key_exists('data', $result) && array_key_exists('status', $result['data']) &&
($result['data']['status'] === 'success') && ($result['data']['requested_amount'] ===
intval($amount))) {

        //confirm access to payment success page

        $paid = substr($paid, 0, -2);

        $reference = strtoupper($reference);

```

```
$ins = $conn->query("INSERT INTO payment (passenger_id, schedule_id, amount, ref, date) VALUES ('$user_id', '$schedule_id', '$paid', '$reference', '$date')");
```

```
$code = genCode($schedule_id, $user_id, $class);
```

```
$seat = genSeat($schedule_id, $class, $number);
```

```
$payment_id = $conn->insert_id;
```

```
if ($payment_id > 0) {
```

```
    $conn->query("INSERT INTO booked (payment_id, schedule_id, user_id, code, class, no, date, seat) VALUES ('$payment_id', '$schedule_id', '$user_id', '$code', '$class', '$number', '$date', '$seat')");
```

```
    unset($_SESSION['discount']);
```

```
    unset($_SESSION['amount']);
```

```
    unset($_SESSION['original']);
```

```
    unset($_SESSION['schedule']);
```

```
    unset($_SESSION['no']);
```

```
    unset($_SESSION['class']);
```

```
    $_SESSION['pay_success'] = 'true';
```

```
    $_SESSION['has_paid'] = 'true';
```

```
    header("Location: individual.php?page=paid&now=true");
```

```
    exit();
```

```
}
```

```
} else {
```

```
    header("Location: individual.php?page=pay&error=payment");
```

```
    exit();
```

```
}
```

```
header("Location: individual.php?page=pay&error=payment");
```

```
exit();
```

```
}
```

```
header("Location: individual.php?page=pay&error=payment");
```

```
exit();
```

```
}  
header("Location: individual.php?page=pay&error=payment");  
exit();
```

main.css

```
@import url(http://fonts.googleapis.com/css?family=Dosis:400,200,300,500,600,700,800);  
@import url(http://fonts.googleapis.com/css?family=Yanone+Kaffeesatz:400,300,200,700);
```

```
/*  
*****Typography*****  
*/
```

```
body {  
    font-family: 'Dosis', sans-serif;  
    font-size: 17px;  
    color: #fff  
}
```

```
.btn {  
    border-radius: 0;  
    font-family: 'Yanone Kaffeesatz', 'sans-serif';  
    font-size: 20px;  
    padding: 9px 23px;  
}
```

```
a {  
    -webkit-transition: 300ms;
```

```
-moz-transition: 300ms;  
-o-transition: 300ms;  
transition: 300ms;  
}
```

```
a:focus,  
a:hover {  
    text-decoration: none;  
    outline: none  
}
```

```
h1, h2, h3, h4, h5, h6 {  
    font-family: 'Yanone Kaffeesatz', 'sans-serif';  
    font-weight: 300;  
    text-transform: uppercase;  
}
```

```
h2 {  
    font-size: 36px  
}
```

```
.navbar-toggle {  
    margin-top: 12px  
}
```

```
.navbar-toggle .icon-bar {  
    background-color: #fff;  
}
```

```
.navbar-toggle,  
.navbar-toggle:focus {  
    border: 1px solid #fff;  
    outline: none;  
}
```

```
/******  
*****Header CSS*****  
*****/
```

```
.header-top {  
    display: block;  
    overflow: hidden;  
    padding: 25px;  
}
```

```
.main-nav {  
    position: absolute;  
    width: 100%;  
    z-index: 999;  
}
```

```
.main-nav  
.container {  
    width: 100%  
}
```

```
.social-icons a {
```

```
font-size: 18px;  
color: #fff;  
padding-left: 20px;  
}
```

```
.social-icons .fa-facebook:hover {  
    color: #3B5997  
}
```

```
.social-icons .fa-twitter:hover {  
    color: #29C5F6  
}
```

```
.social-icons .fa-google-plus:hover {  
    color: #D13D2F  
}
```

```
.social-icons .fa-youtube:hover {  
    color: #ec5538  
}
```

```
.navbar-brand {  
    background-color: #1B7B98;  
    height: 90px;  
    margin-bottom: 20px;  
    position: relative;  
    width: 297px;  
}
```

```
.navbar-brand img {  
  position: absolute;  
  top: -35px;  
}
```

```
.navbar-right {  
  background-color: #1B7B98;  
  padding: 0 95px 0 0;  
  opacity: .9  
}
```

```
.navbar-right li a {  
  padding: 35px 21px;  
  font-size: 22px;  
  color: #fff;  
  text-transform: uppercase;  
  font-family: 'Yanone Kaffeesatz', 'sans-serif';  
  font-weight: 300;  
}
```

```
.navbar-right li a:hover,  
.navbar-right li a:focus,  
.navbar-right .active a {  
  background-color: #fff;  
  color: #16728f  
}
```

```
.fixed-menu {
```

```
background-color: #1B7B98;  
position: fixed;  
top: 0;  
}
```

```
.fixed-menu .navbar-right {  
padding: 0;  
}
```

```
.fixed-menu .navbar-right li a {  
font-size: 18px;  
padding: 20px 25px;  
text-shadow: inherit;  
}
```

```
.fixed-menu .navbar-brand {  
height: 60px;  
margin-top: 0;  
padding: 0;  
margin-bottom: 0;  
width: 125px;  
}
```

```
.fixed-menu .navbar-brand img {  
height: 60px;  
top: 0;  
}
```



```
.fixed-menu .header-top {  
    display: none;  
}
```

```
/******  
*****Home CSS*****  
*****/
```

```
#home {  
    position: relative;  
    overflow: hidden;  
}
```

```
#main-slider img {  
    width: 100%  
}
```

```
#main-slider  
.carousel-caption {  
    background: none repeat scroll 0 0 #000000;  
    bottom: 14%;  
    float: left;  
    left: 0;  
    opacity: 0.8;  
    padding: 10px 60px 35px;  
    right: inherit;  
    text-transform: uppercase;
```

```
color: #fff;  
text-align: left;  
}
```

```
#main-slider  
.carousel-caption h2 {  
    font-size: 38px;  
  
}
```

```
#main-slider  
.carousel-caption h4 {  
    font-size: 24px;  
  
}
```

```
#main-slider  
.carousel-caption a {  
    font-size: 22px;  
    color: #2da1c5  
  
}
```

```
#main-slider  
.carousel-caption a:hover {  
    color: #2588a6  
  
}
```

```
#main-slider  
.carousel-caption a:hover i {
```

```
margin-left: 35px
}
```

```
#main-slider
```

```
.carousel-caption a i {
margin-left: 15px;
-webkit-transition: all 0.3s ease-in-out;
-moz-transition: all 0.3s ease-in-out;
-ms-transition: all 0.3s ease-in-out;
-o-transition: all 0.3s ease-in-out;
transition: all 0.3s ease-in-out;
}
```

```
#main-slider
```

```
.carousel-indicators li {
background-color:#1B7B98;
border: 1px solid #1B7B98;
}
```

```
#main-slider
```

```
.carousel-indicators li.active {
background-color:#fff;
border: 1px solid #fff;
}
```

```
/******
```

```
*****Explore CSS*****
```

```
*****/
```

```
#explore {  
  background-color: #C34C39;  
  background-image: url("../images/event-bg.jpg");  
  background-position: center bottom;  
  background-size: contain;  
  background-repeat: no-repeat;  
  position: relative;  
  overflow: hidden;  
  padding: 130px 0 100px;  
}
```

```
.watch {  
  position: absolute;  
  left: 0;  
  top: 7%;  
}
```

```
#explore h2 {  
  font-size: 42px;  
  text-transform: uppercase;  
  text-align: center;  
}
```

```
#countdown {  
  display: block;  
  overflow: hidden;  
  text-align: center;  
  padding: 0  
}
```

```
#countdown li {  
    list-style: none;  
    display:inline-block;  
    margin-right: 40px;  
    text-align: center;  
    text-transform: uppercase;  
    font-size: 18px;  
    position: relative;  
}
```

```
#countdown li:last-child {  
    margin-right: 0  
}
```

```
#countdown li span {  
    display: block;  
    font-size: 40px;  
    font-weight: 700;  
    height: 82px;  
    line-height: 79px;  
    width: 75px;  
    border-radius: 10px;  
    border-right: 1px solid #9e3e2e;  
    border-bottom: 1px solid #9e3e2e;  
}
```

```
#countdown li .days {  
    background-color: #45b29d;
```

```
border-top: 1px solid #6ac1b1;
border-left: 1px solid #6ac1b1;
}
```

```
#countdown li .hours {
background-color: #efc94c;
border-top: 1px solid #f2d470;
border-left: 1px solid #f2d470;
}
```

```
#countdown li .minutes {
background-color: #e27a3f;
border-top: 1px solid #e89565;
border-left: 1px solid #e89565;
}
```

```
#countdown li .seconds {
background-color: #df5a49;
border-top: 1px solid #e57b6d;
border-left: 1px solid #e57b6d;
}
```

```
#countdown li:before {
background-color: #FFFFFF;
content: "";
height: 11px;
left: 0;
position: absolute;
top: 36px;
```

```
width: 1px;  
}
```

```
#countdown li:after {  
  background-color: #FFFFFF;  
  content: "";  
  height: 11px;  
  right:0;  
  position: absolute;  
  top: 36px;  
  width: 1px;  
}
```

```
.cart {  
  background-color: #b34534;  
  position: absolute;  
  right:-200px;  
  top: 37%;  
  width:252px;  
  -webkit-transition: all 0.7s ease-in-out;  
  -moz-transition: all 0.7s ease-in-out;  
  -ms-transition: all 0.7s ease-in-out;  
  -o-transition: all 0.7s ease-in-out;  
  transition: all 0.7s ease-in-out;  
}
```

```
.cart:hover {  
  right:0;  
}
```

```
.cart a {  
    color: #FFFFFF;  
    display: block;  
    font-size: 24px;  
    text-transform: uppercase;  
}
```

```
.cart a i {  
    font-size: 30px;  
    padding: 20px 12px;  
    background-color: #A64030;  
    margin-right: 3px;  
}
```

```
/******  
*****Event CSS*****  
*****/  
  
#event {  
    background-color: #33888F;  
    background-image: url("../images/performar-bg.jpg");  
    background-position: 50% 0;  
    background-size: contain;  
    position: relative;  
    background-repeat: no-repeat;  
}
```



```
.guitar {  
  position: absolute;  
  right:0;  
  top: 0  
}
```

```
#event h2 {  
  color: #FFFFFF;  
  font-size: 36px;  
  font-weight: 300;  
  margin-bottom: 40px;  
  margin-top: 70px;  
  text-transform: uppercase;  
}
```

```
.single-event {  
  margin-bottom: 70px;  
}
```

```
.single-event h4 {  
  color: #FFFFFF;  
  font-size: 24px;  
  font-weight: 300;  
  line-height: 26px;  
  margin-top: 25px;  
  text-transform: uppercase;  
}
```

```
.single-event h5 {  
    font-size: 18px;  
    font-weight: 100;  
    display: block;  
}
```

```
#event-carousel {  
    position: relative;  
}
```

```
.even-control-left,  
.even-control-right {  
    position: absolute;  
    font-size: 24px;  
    color: #fff;  
    top: 0;  
}
```

```
.even-control-left {  
    right: 3%  
}
```

```
.even-control-right {  
    right: 0;  
}
```

```
/*  
*****About CSS*****  
*****/
```

```
#about {  
    background-color: #75B46E;  
    position: relative;  
    width: 100%;  
    display: flex;  
}
```

```
.guitar2 {  
    top: 0;  
    width: 50%;  
}
```

```
.guitar2 img {  
    padding-top: 3%;  
}
```

```
.about-content {  
    width: 50%;  
    background-image: url("../images/about-bg.jpg");  
    background-position: left bottom;  
    background-repeat: no-repeat;  
    background-size: cover;  
    padding: 70px 70px 110px;  
}
```

```
#about h2 {  
  margin-bottom: 23px;  
}
```

```
.about-content p {  
  font-size: 17px;  
  font-family: 'Dosis',sans-serif;  
}
```

```
#about .btn-primary {  
  background-color: #137c61;  
  color: #fff;  
  text-transform: capitalize;  
  border: none;  
  margin-top: 28px;  
}
```

```
#about .btn-primary:hover {  
  background-color: #126d55  
}
```

```
/*  
*****Twitter CSS*****  
*/
```

```
#twitter {
```

```
background-color: #ecedef;
background-image: url("../images/twitter-bg.jpg");
background-position: center bottom;
background-size: cover;
background-repeat: no-repeat;
position: relative;
padding: 95px 0 90px;
overflow: hidden;
}
```

```
.twit {
  position: absolute;
  left: 0;
  top: -42%;
}
```

```
#twitter-feed .item {
  text-align: center;
}
```

```
#twitter-feed .item img {
  display: inline-block;
  width: 78px;
  height: 78px;
  border-radius: 50%;
  background-color: #c5c8ce;
  padding: 5px;
  margin-bottom: 30px;
}
```

```
#twitter-feed .item a,  
#twitter-feed .item p {  
    font-size: 24px;  
    font-weight: 300;  
    font-family: 'Yanone Kaffeesatz','sans-serif';  
}
```

```
#twitter-feed .item p {  
    color: #3D3D3D;  
}
```

```
#twitter-feed .item a {  
    color:#00c3ff;  
}
```

```
.twitter-control-left,  
.twitter-control-right {  
    position: absolute;  
    color: #00c3ff;  
    top: 59%;  
    font-size: 24px  
}
```

```
.twitter-control-left {  
    left: 0;  
}
```

```
.twitter-control-right {
```

```
right:0;
}
```

```
/******
*****Sponsor CSS*****
*****/
```

```
#sponsor {
  background-color: #1881a2;
  background-image: url("../images/sponsor-bg.jpg");
  background-position:50% 0;
  background-size: cover;
  background-repeat:no-repeat;
  position: relative;
}
```

```
.light {
  position: absolute;
  right: 0;
  bottom: 0;
}
```

```
#sponsor .col-sm-10 {
  z-index: 10;
}
```

```
#sponsor h2 {
```

```
margin-top: 90px;
margin-bottom: 40px;
}
```

```
#sponsor .item ul {
  font-size: 0;
  padding: 0;
}
```

```
#sponsor .item ul li {
  display: inline-block;
  list-style: none;
  width: 33.33%;
  margin-bottom: 75px;
}
```

```
#sponsor .item ul li:last-child {
  margin-right: 0
}
```

```
.sponsor-control-left,
.sponsor-control-right {
  color: #FFFFFF;
  font-size: 24px;
  position: absolute;
  top: 20%;
}
```



```
.sponsor-control-left {  
    right: 12%;  
}
```

```
.sponsor-control-right {  
    right: 10%;  
}
```

```
/*  
*****Map CSS*****  
*/  
  
#map {  
    position: relative;  
}
```

```
#gmap {  
    height:450px;  
}
```

```
/*  
*****Contact CSS*****  
*/
```

```
.contact-section {  
    background-color: #f7ab24;  
    background-image: url("../images/contact-bg.jpg");  
    background-position:60% 0;
```

```
background-size:contain;
background-repeat:no-repeat;
position: relative;
}
```

```
.ear-piece {
position: absolute;
left: 0;
top: 0;
}
```

```
#contact .container {
padding-top:47px;
}
```

```
#contact h3 {
text-transform:inherit;
color: #373737;
}
```

```
#contact-section h3 {
margin-bottom: 25px
}
```

```
#contact address {
font-size: 18px;
color: #373737;
}
```

```
.contact-text {  
  margin-bottom: 35px;  
  display: block;  
}
```

```
#contact-section .form-control {  
  border-color: #ae750d;  
  box-shadow:none;  
  outline: 0 none;  
  border-radius: 0;  
  color: #797979;  
  font-size: 18px;  
}
```

```
#contact-section .form-control:focus {  
  border-color: #ae750d;  
}
```

```
#contact-section input {  
  height: 44px;  
}
```

```
#contact-section textarea {  
  height: 90px;  
  resize:none;  
}
```

```
#contact-section .btn-primary {
```

```
background-color: #373737;
color: #f7ab24;
border: none;
font-size: 24px;
padding: 6px 42px;
margin-bottom: 110px;
margin-top: 10px
}

#contact-section .btn-primary:hover {
background-color: #212020;
color: #fff
}
```

```
/*****
*****Footer CSS****
*****/
```

```
#footer {
background-color: #212121;
background-image: url("../images/footer-bg.jpg");
background-position: center bottom;
background-repeat: no-repeat;
background-size: cover;
color: #FFFFFF;
font-size: 20px;
padding: 35px 0;
```

```
}
```

```
#footer a {  
  color:#f7ab24  
}
```

```
#footer a:hover {  
  color:#1B7B98  
}
```

style.css

```
/*
```

```
+++++
```

AUTHOR : Vijayan PP

PROJECT : Nim-MUTLIT PURPOSE LANDING PAGE TEMPLATE

VERSION : 1.1

```
+++++
```

```
*/
```

```
/*+++++
```

INDEX

```
+++++
```

1> IMPORT FONTS

2> RESET

3> GENERAL

4> TYPOGRAPHY

5> BUTTON

6> PRELOADER

7> NAVIGATION

- 8> MAIN HEADER
- 9> ABOUT US
- 10> OUR WORKS
- 11> OUR TEAM
- 12> INSPIRATION
- 13> TESTIMONIAL
- 14> OUR STATS
- 15> SERVICES
- 16> CONTACT US
- 17> SITE-FOOTER
- 18> ANIMATION

-----*/

/*+++++

IMPORT FONTS

+++++*/

@import

url("http://fonts.googleapis.com/css?family=Roboto:400,900italic,900,700italic,700,500italic,500,400italic,300italic,300,100italic,100");

@import

url("http://fonts.googleapis.com/css?family=Open+Sans:300italic,400italic,600italic,700italic,800italic,400,300,600,700,800");

/*+++++

RESET

+++++*/

* {

padding: 0;

```
margin: 0;
vertical-align: baseline;
}
```

```
html {
  -webkit-font-smoothing: antialiased;
}
```

```
body,
div,
dl,
dt,
dd,
ul,
ol,
li,
h1,
h2,
h3,
h4,
h5,
h6,
pre,
form,
fieldset,
p,
blockquote,
hr,
th,
```

```
td {  
    margin: 0;  
    padding: 0;  
}
```

```
/*+++++
```

```
    GENERAL
```

```
+++++*/
```

```
body {  
    color: #fff;  
    font: normal 16px "Roboto", "Helvetica Neue", Helvetica, Arial, sans-serif;  
    font-weight: 300;  
    background-color: #000;  
    overflow-x: hidden;  
    line-height: 1.5;  
    font-family: "Lato", sans-serif;  
    text-rendering: optimizeLegibility !important;  
    -webkit-font-smoothing: antialiased !important;  
}
```

```
h1 strong {  
    font-weight: 900;  
}
```

```
h2 {  
    line-height: 20px;  
    margin: 0;  
}
```

```
h3 {  
    font-size: 1.2em;
```



```
font-weight: 900;  
}
```

```
h5 {  
font-weight: 700;  
line-height: 20px;  
}
```

```
p {  
font-family: "Open Sans", sans-serif;  
font-size: 0.93em;  
}
```

```
a {  
text-decoration: none !important;  
transition: all 0.3s linear;  
-webkit-transition: all 0.3s linear;  
-moz-transition: all 0.3s linear;  
-ms-transition: all 0.3s linear;  
-o-transition: all 0.3s linear;  
}
```

```
ul {  
list-style: none;  
margin: 0;  
padding: 0;  
}
```

```
.text-capitalize {  
text-transform: uppercase;  
}
```

```
p.intro {  
    font-size: 0.9em;  
    margin: 14px 0;  
    line-height: 24px;  
    font-family: "Open Sans", sans-serif;  
}  
  
.relative {  
    position: relative;  
}  
  
.wrapper {  
    width: 100%;  
    height: 100%;  
    position: relative;  
}  
  
.rightText {  
    text-align: justify;  
}  
  
.leftText {  
    text-align: left;  
}  
  
.RightText {  
    text-align: right;  
}  
  
.top10 {  
    margin-top: 1.2em;  
}  
  
.top20 {
```

```
    margin-top: 1.3em;  
}
```

```
.top30 {  
    margin-top: 2em;  
}
```

```
.top40 {  
    margin-top: 2.2em;  
}
```

```
.margin-top {  
    margin-top: 30px;  
}
```

```
.margin-bottom {  
    margin-bottom: 30px;  
}
```

```
.a-slog {  
    font-size: 0.93em;  
    max-width: 450px;  
    margin: 0 auto;  
    padding-top: 10px;  
}
```

```
.gap {  
    width: 100%;  
    height: 2em;  
}
```

```
.title {  
    font-weight: 700;
```

```
letter-spacing: 0.02em;
text-transform: uppercase;
font-family: "Roboto Slab", serif;
margin-bottom: 20px;
font-size: 30px;
font-weight: bold;
}

.scroll-block {
height: 100%;
overflow-x: hidden;
overflow-y: auto;
-webkit-overflow-scrolling: touch;
}

/*    TYPOGRAPHY
-----*/

h1,
h2,
h3,
h4,
h5,
h6,
.h1,
.h2,
.h3,
.h4,
.h5,
.h6 {
font-family: "Roboto", sans-serif;
margin: 0;
```

```
}
```

```
/*    BUTTON
```

```
-----*/
```

```
.btn {
```

```
    font-size: 14px;
```

```
    font-family: "Source Sans Pro", sans-serif;
```

```
    text-transform: uppercase;
```

```
    border-radius: 0;
```

```
}
```

```
.btn:focus,
```

```
.btn:active {
```

```
    outline: none;
```

```
    color: #ffffff;
```

```
}
```

```
.btn-custom {
```

```
    border-radius: 3px;
```

```
    padding: 0.8em 1.8em;
```

```
    color: #fff;
```

```
    font-weight: 700;
```

```
    -webkit-transition: all 0.5s ease-out;
```

```
    -moz-transition: all 0.5s ease-out;
```

```
    transition: all 0.5s ease-out;
```

```
    text-transform: uppercase;
```

```
}
```

```
.btn-custom:hover,
```

```
.btn-custom:focus {
```

```
    color: #fff;
```

```
}
```

```
.btn-custom-outline {
    border-radius: 3px;
    padding: 0.8em 1.8em;
    color: #117d8b;
    font-weight: 700;
    -webkit-transition: all 0.5s ease-out;
    transition: all 0.5s ease-out;
    text-transform: uppercase;
    background-color: transparent;
    border-color:#117d8b;
}

.btn-custom-outline:hover,
.btn-custom-outline:focus {
    color: #117d8b;
    background-color: rgba(255, 255, 255, 0.5);
}

.btn-bar a {
    margin-right: 10px;
}
```

```
/*    PRELOADER
-----*/
```

```
div.preloader {
    position: fixed;
    left: 0;
    top: 0;
    z-index: 9999;
    width: 100%;
```

```
height: 100%;  
overflow: visible;  
background-color: #f7f7f7;  
}
```

```
@-webkit-keyframes loader {  
  0%,  
  10%,  
  100% {  
    width: 80px;  
    height: 80px;  
  }  
  65% {  
    width: 150px;  
    height: 150px;  
  }  
}
```

```
@keyframes loader {  
  0%,  
  10%,  
  100% {  
    width: 80px;  
    height: 80px;  
  }  
  65% {  
    width: 150px;  
    height: 150px;  
  }  
}
```

```
}
```

```
.loader {  
  position: absolute;  
  top: 50%;  
  left: 50%;  
  width: 80px;  
  height: 80px;  
  -webkit-transform: translate(-50%, -50%) rotate(45deg) translate3d(0, 0, 0);  
  transform: translate(-50%, -50%) rotate(45deg) translate3d(0, 0, 0);  
  -webkit-animation: loader 1.2s infinite ease-in-out;  
  animation: loader 1.2s infinite ease-in-out;  
  border-radius: 50%;  
  -webkit-border-radius: 50%;  
  -moz-border-radius: 50%;  
}
```

```
.loader span {  
  position: absolute;  
  display: block;  
  width: 40px;  
  height: 40px;  
  left: 50%;  
  margin-left: -20px;  
  top: 50%;  
  margin-top: 20px;  
  border-radius: 50%;  
  -webkit-animation: loaderBlock 1.2s infinite ease-in-out both;  
  animation: loaderBlock 1.2s infinite ease-in-out both;
```



```
background: #000;  
}
```

```
.loader span:nth-child(1) {  
    top: 0;  
    left: 0;  
}
```

```
.loader span:nth-child(2) {  
    top: 0;  
    right: 0;  
    -webkit-animation: loaderBlockInverse 1.2s infinite ease-in-out both;  
    animation: loaderBlockInverse 1.2s infinite ease-in-out both;  
}
```

```
.loader span:nth-child(3) {  
    bottom: 0;  
    left: 0;  
    -webkit-animation: loaderBlockInverse 1.2s infinite ease-in-out both;  
    animation: loaderBlockInverse 1.2s infinite ease-in-out both;  
}
```

```
.loader span:nth-child(4) {  
    bottom: 0;  
    right: 0;  
}
```

```
/*    RAMSH-STYLE STARTS HERE  
-----*/
```

```
/* Navigation */
.nim-menu {
  padding: 10px;
  transition: all 0.8s;
  background: #000;
  border-bottom: none;
  transition: all 0.4s ease-in;
  -webkit-transition: all 0.4s ease-in;
  -moz-transition: all 0.4s ease-in;
  -ms-transition: all 0.4s ease-in;
}

.nim-menu a.navbar-brand {
  text-transform: uppercase;
  font-size: 1.5em;
  font-weight: 900;
  color: #fff;
}

.nim-menu.navbar-default .navbar-nav > li > a {
  color: #fafafa;
  letter-spacing: 1px;
  font-size: 0.73em;
  //text-shadow: 1px 0px rgba(0,0,0,0.5);
}

.navbar-default .navbar-nav > .active > a,
.navbar-default .navbar-nav > .active > a:hover,
```

```
.navbar-default .navbar-nav > .active > a:focus {  
    background-color: transparent;  
    font-weight: 700;  
}
```

```
.navbar-toggle {  
    border-radius: 20%;  
    transition: all 1s;  
}
```

```
.navbar-default .navbar-toggle:hover,  
.navbar-default .navbar-toggle:focus {  
    box-shadow: 2px 2px 3px 3px rgba(0, 0, 0, 0.4);  
    -webkit-box-shadow: 2px 2px 3px 3px rgba(0, 0, 0, 0.4);  
    -moz-box-shadow: 2px 2px 3px 3px rgba(0, 0, 0, 0.4);  
    -ms-box-shadow: 2px 2px 3px 3px rgba(0, 0, 0, 0.4);  
}
```

```
.navbar-default .navbar-toggle:hover > .icon-bar {  
    background-color: #fff;  
}
```

```
/*      MAIN HEADING  
-----*/
```

```
.main-heading {  
    background: url(../images/plane.jpg) center center no-repeat;  
    background-size: cover;  
    background-attachment: fixed;  
    color: #cfcfcf;  
    margin-top: 80px;
```

```
}
```

```
.overlay {
```

```
background: -moz-linear-gradient(
```

```
top,
```

```
rgba(0, 0, 0, 0.8) 0%,
```

```
rgba(0, 0, 0, 0.73) 17%,
```

```
rgba(0, 0, 0, 0.66) 35%,
```

```
rgba(0, 0, 0, 0.55) 62%,
```

```
rgba(0, 0, 0, 0.4) 100%
```

```
); /* FF3.6+ */
```

```
/*background: -webkit-gradient(
```

```
linear,
```

```
left top,
```

```
left bottom,
```

```
color-stop(0%, rgba(0, 0, 0, 0.8)),
```

```
color-stop(17%, rgba(0, 0, 0, 0.73)),
```

```
color-stop(35%, rgba(0, 0, 0, 0.66)),
```

```
color-stop(62%, rgba(0, 0, 0, 0.55)),
```

```
color-stop(100%, rgba(0, 0, 0, 0.4))
```

```
); /* Chrome,Safari4+ */
```

```
/*background: -webkit-linear-gradient(
```

```
top,
```

```
rgba(0, 0, 0, 0.8) 0%,
```

```
rgba(0, 0, 0, 0.73) 17%,
```

```
rgba(0, 0, 0, 0.66) 35%,
```

```
rgba(0, 0, 0, 0.55) 62%,
```

```
rgba(0, 0, 0, 0.4) 100%
```

```
); /* Chrome10+,Safari5.1+ */
```

```
background: -o-linear-gradient(
  top,
  rgba(0, 0, 0, 0.8) 0%,
  rgba(0, 0, 0, 0.73) 17%,
  rgba(0, 0, 0, 0.66) 35%,
  rgba(0, 0, 0, 0.55) 62%,
  rgba(0, 0, 0, 0.4) 100%
); /* Opera 11.10+ */

background: -ms-linear-gradient(
  top,
  rgba(0, 0, 0, 0.8) 0%,
  rgba(0, 0, 0, 0.73) 17%,
  rgba(0, 0, 0, 0.66) 35%,
  rgba(0, 0, 0, 0.55) 62%,
  rgba(0, 0, 0, 0.4) 100%
); /* IE10+ */

/*background: linear-gradient(
  to bottom,
  rgba(0, 0, 0, 0.8) 0%,
  rgba(0, 0, 0, 0.73) 17%,
  rgba(0, 0, 0, 0.66) 35%,
  rgba(0, 0, 0, 0.55) 62%,
  rgba(0, 0, 0, 0.4) 100%
); /* W3C */

filter: progid:DXImageTransform.Microsoft.gradient( startColorstr='#cc000000',
endColorstr='#66000000',GradientType=0 ); /* IE6-9 */

//background-attachment: fixed;

height: auto;

height: 100%;

position: relative;
```

```
}
```

```
.overlay > .container {  
  padding: 170px 0px;  
}
```

```
.main-heading > .overlay {  
  height: 750px;  
}
```

```
p.lead {  
  position: relative;  
  top: 5px;  
  color: #e3e3e3;  
  font-size: 0.93em;  
}
```

```
.main-heading-content {  
  -webkit-transform: translateY(-50%);  
  -ms-transform: translateY(-50%);  
  transform: translateY(-50%);  
  position: absolute;  
  top: 30%;  
  left: 0;  
  right: 0;  
}
```

```
.main-heading-title {  
  font-weight: 900;  
  color: #ffffff;
```

```
text-transform: uppercase;

font-size: 3.5em;

/*text-shadow: rgba(0, 0, 0, 0.498039) 2px 2px 2px;*/

letter-spacing: 0.02em;
}

.main-heading-title span {

margin-left: 6px;

}

.main-heading-text {

font-size: 20px;

color: #000000;

font-weight: bold;

margin-bottom: 20px;

}

.main-cursor {

opacity: 1;

-webkit-animation: blink 0.6s infinite;

-moz-animation: blink 0.6s infinite;

-ms-animation: blink 0.6s infinite;

-o-animation: blink 0.6s infinite;

animation: blink 0.6s infinite;

}

@keyframes typing {

from { width: 0; }

to { width: 100%; }

}

.typeeffect {

display: inline-block;

overflow: hidden;
```

```
white-space: nowrap;
width: 0;
animation: typing 3s steps(20) forwards;
transition: opacity 0.5s;
}
```

```
/*-----ABOUT US
```

```
-----*/
```

```
.aboutus > .container {
padding: 60px 0px;
}
```

```
.about-box {
overflow: hidden;
clear: both;
margin-bottom: 30px;
}
```

```
.about-box i {
font-size: 36px;
}
```

```
.about-box .about-line {
border-left: 1px solid #eee;
border-right: 1px solid #eee;
}
```

```
.about-box h4 {
padding-top: 10px;
```



```
}
```

```
.about-box p {  
  font-size: 0.93em;  
  padding-top: 10px;  
}
```

```
/*-----OUR WORKS
```

```
-----*/
```

```
.recent-works > .container {  
  padding: 70px 0px;  
}
```

```
.item-img-wrap {  
  position: relative;  
  text-align: center;  
  overflow: hidden;  
}
```

```
.item-img-wrap img {  
  -webkit-transition: all 200ms linear;  
  -moz-transition: all 200ms linear;  
  -o-transition: all 200ms linear;  
  -ms-transition: all 200ms linear;  
  transition: all 200ms linear;  
}
```

```
.item-img-overlay {  
  position: absolute;  
  width: 100%;
```

```
height: 100%;  
left: 0;  
top: 0;  
}  
.item-img-overlay span {  
width: 100%;  
height: 100%;  
position: absolute;  
top: 0;  
left: 0;  
background: #222 url("../images/plus.png") center center no-repeat;  
-ms-filter: "progid:DXImageTransform.Microsoft.Alpha(Opacity=0)";  
filter: alpha(opacity=0);  
opacity: 0;  
z-index: 99;  
-webkit-transition: opacity 250ms linear;  
transition: opacity 250ms linear;  
}  
.item-img-wrap:hover .item-img-overlay span {  
opacity: 0.6;  
}  
.item-img-wrap:hover img {  
-moz-transform: scale(1.1);  
-webkit-transform: scale(1.1);  
-o-transform: scale(1.1);  
transform: scale(1.1);  
}  
  
.work-desc {
```

```
width: 100%;  
padding: 10px 20px;  
border-top: none;  
-webkit-border-bottom-right-radius: 5px;  
-webkit-border-bottom-left-radius: 5px;  
-moz-border-radius-bottomright: 5px;  
-moz-border-radius-bottomleft: 5px;  
border-bottom-right-radius: 5px;  
border-bottom-left-radius: 5px;  
position: relative;  
}
```

```
.work-desc h3 {  
margin: 0;  
padding: 0;  
font-size: 0.93em;  
font-weight: 700;  
text-transform: capitalize;  
font-family: "Roboto Slab", serif;  
margin-bottom: 5px;  
}
```

```
.work-desc h3 a {  
color: #fff;  
}
```

```
.work-desc span {  
margin-top: 10px;  
font-size: 0.82em;  
}
```

```
/*-----OUR TEAM
```

```
-----*/
```

```
.our-team > .container {  
  padding: 70px 0px;  
}
```

```
.our-team h4 {  
  font-family: "Roboto Slab", serif;  
}
```

```
.our-team h4,  
.our-team h5 {  
  padding-top: 15px;  
}
```

```
.our-team p {  
  font-size: 0.83em;  
  padding-top: 15px;  
}
```

```
.list-inline a {  
  color: #000;  
}
```

```
/*-----INSPIRATION
```

```
-----*/
```

```
.inspiration {  
  background: url("../images/img-1.jpg");  
  background-position: center center;
```

```
background-attachment: fixed;
background-size: cover;
}

.inspiration > .overlay.container {
padding: 80px 0px;
}

.subheading h4 {
color: #ffffff;
font-style: italic;
font-family: "Roboto Slab", serif;
}

.intermediate-container .heading h2 {
font-size: 40px;
line-height: 47px;
text-transform: uppercase;
margin-top: 30px;
color: #ffffff;
margin-bottom: 20px;
font-weight: 700;
}

/*    TESTIMONIAL
-----*/

.client-testimonial {
background: url("../images/img-2.jpg");
background-position: center center;
background-attachment: fixed;
background-size: cover;
```

```
}
```

```
.client-testimonial .container {  
  padding: 70px 0px;  
}
```

```
#testimonial {  
  padding: 30px 0;  
}
```

```
#testimonial .item {  
  display: block;  
  width: 100%;  
  height: auto;  
}
```

```
#testimonial .item p {  
  font-weight: 400;  
  margin: 30px 0;  
  color: #d1d1d1;  
}
```

```
/*    STATS  
-----*/
```

```
.our-stats {  
  background: #35434f;  
}
```

```
.our-stats > .container {  
  padding: 60px 0px;
```

```
}
```

```
.our-stat-icon .fa {  
  font-size: 60px;  
  color: #fff;  
  line-height: 90px;  
}
```

```
.our-stat-info span {  
  color: #fff;  
  font-size: 32px;  
  margin: 1em 0;  
  line-height: 60px;  
}
```

```
.our-stat-info h5 {  
  color: #fff;  
  line-height: 3em;  
  text-transform: uppercase;  
  letter-spacing: 0.05em;  
  margin: 0 0;  
}
```

```
/* Services
```

```
----- */
```

```
.services > .container {  
  padding: 60px;  
}
```

```
.nim-service i.fa {  
  float: left;  
  font-size: 1.6em;  
  width: 70px;  
  height: 70px;  
  background: #000;  
  border-radius: 50%;  
  color: #fff;  
  text-align: center;  
  padding-top: 25px;  
  transition: all 200ms ease-in;  
  -webkit-transition: all 200ms ease-in;  
  -moz-transition: all 200ms ease-in;  
  -ms-transition: all 200ms ease-in;  
}  
  
.nim-service .nim-service-detail {  
  margin-left: 90px;  
}  
  
.nim-service .nim-service-detail h4 {  
  font-family: "Roboto Slab", serif;  
}  
  
.nim-service .nim-service-detail p {  
  color: #9aa7af;  
  margin-top: 10px;  
  font-size: 0.83em;  
  color: #202020;  
}  
  
.nim-service:hover > i.fa {
```



```
background: #222 url("../images/5.jpg") center center no-repeat;
color: #000;
box-shadow: 2px 3px 5px 8px rgba(0, 0, 0, 0.3);
-webkit-box-shadow: 2px 3px 5px 2px rgba(0, 0, 0, 0.3);
-moz-box-shadow: 2px 3px 5px 2px rgba(0, 0, 0, 0.3);
-ms-box-shadow: 2px 3px 5px 2px rgba(0, 0, 0, 0.3);
}
```

```
/*-----CONTACTUS
```

```
-----*/
```

```
.sub-form {
  background: #222;
}
```

```
.sub-form > .container {
  padding: 80px 0px;
}
```

```
.form-control::-webkit-input-placeholder {
  color: #8a8a8a;
}
```

```
.form-control:-moz-placeholder {
  color: #8a8a8a;
}
```

```
.form-control::-moz-placeholder {
  color: #8a8a8a;
}
```

```
.form-control:-ms-input-placeholder {
  color: #8a8a8a;
```

```
}
```

```
.form-control {  
  background-color: #222;  
  color: #4c4c4c;  
  box-shadow: none;  
  height: 60px;  
  font-weight: 400;  
  font-size: 16px;  
  padding: 0 1.5em;  
}
```

```
#mc-form {  
  margin-top: 50px;  
  margin-left: auto;  
  margin-right: auto;  
}
```

```
.form-control:focus {  
  border-color: #fa5454;  
  outline: 0;  
  box-shadow: none;  
}
```

```
.center-block {  
  margin-left: auto;  
  margin-right: auto;  
}
```

```
.sub-form .btn {
```

```
padding: 1em;
}
```

```
#mc-form .btn-default {
    height: 60px;
}
```

```
#mc-notification {
    margin: 0.75em 0 0;
    font-weight: 400;
    color: #8a8a8a;
    font-size: 17px;
}
```

```
.error {
    color: #ff4c4c !important;
}
```

```
.valid {
    color: #4caf50 !important;
}
```

```
.error i,
.valid i {
    padding-right: 0.5em;
}
```

```
/*-----SITE FOOTER
```

-----*/

```
.site-footer {  
  background: #fafafa;  
  font-size: 0.93em;  
}
```

```
.site-footer > .container {  
  padding: 30px 0px;  
}
```

```
.site-footer small {  
  display: inline-block;  
}
```

```
.footer-links,  
.site-footer small {  
  margin: 0 0 0.75em;  
}
```

```
.site-footer small,  
.footer-links a {  
  color: #8a8a8a;  
  font-weight: 300;  
  font-size: 0.93em;  
}
```

```
.footer-links a:hover {  
  color: #fa5454;  
}
```

```
.footer-links a:first-child {  
    padding-right: 0.4em;  
}
```

```
/*-----SOCIAL
```

```
-----*/
```

```
.social li {  
    display: inline-block;  
    padding-right: 0.5em;  
    text-align: center;  
}
```

```
.social li:last-child {  
    padding-right: 0;  
}
```

```
.social li a {  
    display: block;  
    width: 45px;  
    height: 45px;  
    line-height: 45px;  
    color: #fff;  
    border-radius: 50%;  
    position: relative;  
    transition: all 0.8s ease;  
    font-size: 1.3em;  
    background: #d6d6d6;
```

```
}
```

```
.social li a:hover {  
    background: #000;  
}
```

```
/*-----ANIMATIONS
```

```
-----*/
```

```
@-webkit-keyframes blink {
```

```
    0% {  
        opacity: 1;
```

```
    }
```

```
    50% {  
        opacity: 1;
```

```
    }
```

```
    50.01% {  
        opacity: 0;
```

```
    }
```

```
    100% {  
        opacity: 0;
```

```
    }
```

```
}
```

```
@-moz-keyframes blink {
```

```
    0% {  
        opacity: 1;
```

```
    }
```

```
    50% {  
        opacity: 1;
```

```
}  
50.01% {  
    opacity: 0;  
}  
100% {  
    opacity: 0;  
}  
}  
@-ms-keyframes blink {  
    0% {  
        opacity: 1;  
    }  
    50% {  
        opacity: 1;  
    }  
    50.01% {  
        opacity: 0;  
    }  
    100% {  
        opacity: 0;  
    }  
}  
@-o-keyframes blink {  
    0% {  
        opacity: 1;  
    }  
    50% {  
        opacity: 1;  
    }  
}
```

```
50.01% {  
  opacity: 0;  
}  
100% {  
  opacity: 0;  
}  
}  
@keyframes blink {  
  0% {  
    opacity: 1;  
  }  
  50% {  
    opacity: 1;  
  }  
  50.01% {  
    opacity: 0;  
  }  
  100% {  
    opacity: 0;  
  }  
}
```