


TITLE: - BRANCHING EXERCISE


AIM: - To perform Branching Exercise in Git

DESCRIPTION:


Make a new folder called Patronus




Make a new git repo inside the folder (make sure you're not in an existing repo)



Create a new file called patronus.txt (leave it empty for now)



Add and commit the empty file, with the message "add empty patronus file"




Immediately make a new branch called harry and another branch called Snape (both based on the master branch)

```
M:\Training\GIT\BRANCHING\Patronus>git branch harry  
M:\Training\GIT\BRANCHING\Patronus>git branch Snape  
M:\Training\GIT\BRANCHING\Patronus>
```

Move to the harry branch using the "new" command to change branches.

```
M:\Training\GIT\BRANCHING\Patronus>git switch harry  
Switched to branch 'harry'  
M:\Training\GIT\BRANCHING\Patronus>
```

In the patronus.txt file, add the following:



Add and commit the changes, with the commit message "add harry's stag patronus"

```
M:\Training\GIT\BRANCHING\Patronus>git add .

M:\Training\GIT\BRANCHING\Patronus>git commit -m "add harry's stag patronus"
[harry e693e25] add harry's stag patronus
1 file changed, 13 insertions(+)

M:\Training\GIT\BRANCHING\Patronus>
```


Move over to the Snape branch using the "older" command to change branches.

```
M:\Training\GIT\BRANCHING\Patronus>git switch Snape
Switched to branch 'Snape'

M:\Training\GIT\BRANCHING\Patronus>
```

Put the following text in the patronus.txt file:

^^^



```

      .  _  _
      |  \  /  /
      \  .  .(
      |  _T|
      /   |
      _-----'  |
//              {}
`|      ,   ,   {}
\  _   /___;   ,'
) ,-'  ^  ^  ^  //
| / (      ;|| | |
|| ^^^^      |||
||  ^^^      |||
)\  ^  ^      )||
^  ^  ^      ^^^
EOF
```

Add and commit the changes on the snape branch with the commit message "add snape's doe patronus"

```
M:\Training\GIT\BRANCHING\Patronus>git commit -m "add snape's doe patronus"
[snap 2a85605] add snape's doe patronus
1 file changed, 30 insertions(+)

M:\Training\GIT\BRANCHING\Patronus>|
```

Next, create a new branch based upon the snape branch called lily


```
M:\Training\GIT\BRANCHING\Patronus>git switch -c lily
Switched to a new branch 'lily'

M:\Training\GIT\BRANCHING\Patronus>|
```

Move to the lily branch

ALREADY DONE IN SAME COMMENT ITSELF

Edit the patronus.txt file so that it says LILY'S PATRONUS at the top instead of SNAPE'S PATRONUS



```
patronus.txt
File Edit View

LILY'S PATRONUS

      .      _
      |`\\_ / /
      \\ . .(
      | _T|
      /  |
      _ .-----' |
      //          {}
      `|      , ,   {}
      \\      /__ ; , '
      ) , ; ` `\\ //
      | / (      ; || | |
      ||`\\\\      |||
      ||  \\\\      |||
      )\\  )\\      )||
      ~"  ~"      ~""

EOF
```

(leave the doe ascii-art alone)

Add and commit the change with the message "add lily's doe patronus"

```
M:\Training\GIT\BRANCHING\Patronus>git commit -m "add lily's doe patronus"
[lily 2a5ea8e] add lily's doe patronus
1 file changed, 2 insertions(+), 1 deletion(-)

M:\Training\GIT\BRANCHING\Patronus>
```

Run a git command to list all branches (you should see 4)

```
M:\Training\GIT\BRANCHING\Patronus>git branch
harry
* lily
master
snape

M:\Training\GIT\BRANCHING\Patronus>
```

Bonus: delete the snape branch (poor Snape)

```
M:\Training\GIT\BRANCHING\Patronus>git branch -d snape
Deleted branch snape (was 2a85605).

M:\Training\GIT\BRANCHING\Patronus>git branch
harry
* lily
master

M:\Training\GIT\BRANCHING\Patronus>
```