# Weekly FPL Points Dataset Creator

This document is used to create new players' datasets that describe weekly performance in the Premier league from 2016-2019

#### Loading the datasets

```
s17_1 <- read.csv("~/DSI-SRP1/season2017.csv", encoding = "UTF-8")
s17_2 <- read.csv("~/DSI-SRP1/FPL_2016.csv")
s18_1 <- read.csv("~/DSI-SRP1/season2018.csv", encoding = "UTF-8")
s18_2 <- read.csv("~/DSI-SRP1/FPL_2017.csv")
s19_1 <- read.csv("~/DSI-SRP1/season2019.csv", encoding = "UTF-8")
s19_2 <- read.csv("https://raw.githubusercontent.com/vaastav/Fantasy-Premier-League/master/data/2018-19</pre>
```

## Function for transforming and merging datsets

```
fpl_merge <- function(df, df2) {
    df2 <- df2 %>%
        rename(c(player_name = name))
    df1 <- df %>%
        select(player_name, club_name, position_index, position, season)
    df1$player_name <- as.character(df1$player_name)
    df2$player_name <- as.character(df2$player_name)
    df4 <- inner_join(df2, df1, by = "player_name")
    return(df4)
}</pre>
```

# Premier League 2016/17

```
s17_2 <- s17_2 %>%
    separate(name, into = c("first", "last"), "_")
s17_2 <- s17_2 %>%
    unite(name, first,last, sep = " ")
s17_3 <- fpl_merge(s17_1,s17_2)
nrow(s17_3)

## [1] 22065

write_csv(s17_3, "FPL_2016_17.csv")</pre>
```

# Premier League 2017/18

```
s18_2 <- s18_2 %>%
    separate(name, into = c("first", "last"), "_")
s18_2 <- s18_2 %>%
    unite(name, first,last, sep = " ")
s18_3 <- fpl_merge(s18_1,s18_2)
nrow(s18_3)
## [1] 20186
write_csv(s18_3, "FPL_2017_18.csv")</pre>
```

### Premier League 2018/19

```
s19_2 <- s19_2 %>%
    separate(name, into = c("first", "last", "id"), "_")
s19_2 <- s19_2 %>%
    unite(name, first:last, sep = " ")
s19_2 <- s19_2 %>%
    select(-id)
s19_3 <- fpl_merge(s19_1,s19_2)
nrow(s19_3)

## [1] 16979

write_csv(s19_3, "FPL_2018_19.csv")</pre>
```

## Loading newly made datasets

```
data17 <- read.csv("~/DSI-SRP1/FPL_2016_17.csv", encoding = "UTF-8")
data18 <- read.csv("~/DSI-SRP1/FPL_2017_18.csv", encoding = "UTF-8")
data19 <- read.csv("~/DSI-SRP1/FPL_2018_19.csv", encoding = "UTF-8")</pre>
```

#### Function for cumulatively adding specific columns

```
accumulated <- function(df) {</pre>
  df %>%
   mutate(n = 1) \%
    group_by(player_name, club_name) %>%
    mutate(goals_scored =cumsum(goals_scored) - goals_scored,
           assists =cumsum(assists) - assists,
           ict_index =cumsum(ict_index) - ict_index ,
           goals_conceded =cumsum(goals_conceded) - goals_conceded,
           minutes =cumsum(minutes) - minutes,
           own_goals =cumsum(own_goals) - own_goals,
           total_points =cumsum(total_points), bps =cumsum(bps)-bps,
           clean_sheets =cumsum(clean_sheets)-clean_sheets,
           bonus = cumsum(bonus) - bonus,
           GW = cumsum(n)) \%>\%
    select(player_name, club_name, position, position_index, goals_scored,
           assists, ict_index, goals_conceded, minutes, own_goals,
           total_points, bps, bonus, clean_sheets, GW) %>%
   filter(ict index > 0)
```

## Applying the functions on the datasets

```
year17 <- accumulated(data17)
year18 <- accumulated(data18)
year19 <- accumulated(data19)</pre>
```

## Cleaning datasets

function for removing duplicate players' record

```
rem_dup <- function(df) {
    df %>%
        group_by(GW) %>%
        distinct(player_name, .keep_all = TRUE)
}

year19 <- year19 %>%
    filter(player_name != "Danny Ward")
year17 <- rem_dup(year17)
year18 <- rem_dup(year18)
year19 <- rem_dup(year19)</pre>
```

# Number of rows in each dataset

```
nrow(year17)
## [1] 15348
nrow(year18)
## [1] 14738
nrow(year19)
## [1] 13413
```

# Saving the newly formed datasets to csv files

```
write.csv(year17, "FPL_2016_17_new.csv")
write.csv(year18, "FPL_2017_18_new.csv")
write.csv(year19, "FPL_2018_19_new.csv")
```