# Weekly FPL Points Dataset Creator

## This document is used to create new players' datasets that describe weekly performance in the Premier league from 2016-2019

```r
library(tidyverse)
```

```
## -- Attaching packages -------------------------------------- tidyverse 1.3.0 --
```

```
## v ggplot2 3.3.0     v purrr   0.3.4
## v tibble  3.0.1     v dplyr   0.8.5
## v tidyr   1.0.3     v stringr 1.4.0
## v readr   1.3.1     v forcats 0.5.0
```

```
## -- Conflicts ----------------------------------------- tidyverse_conflicts() --
## x dplyr::filter() masks stats::filter()
## x dplyr::lag()    masks stats::lag()
```

```r
library(tidyr)
```

## Loading the datasets

```r
s17_1 <- read.csv("~/DSI-SRP1/season2017.csv", encoding = "UTF-8")
s17_2 <- read.csv("~/DSI-SRP1/FPL_2016.csv")
s18_1 <- read.csv("~/DSI-SRP1/season2018.csv", encoding = "UTF-8")
s18_2 <- read.csv("~/DSI-SRP1/FPL_2017.csv")
s19_1 <- read.csv("~/DSI-SRP1/season2019.csv", encoding = "UTF-8")
s19_2 <- read.csv("https://raw.githubusercontent.com/vaastav/Fantasy-Premier-League/master/data/2018-19/
```

## Function for transforming and merging datsets

```r
fpl_merge <- function(df, df2) {
  df2 <- df2 %>%
    rename(c(player_name = name))
  df1 <- df %>%
    select(player_name, club_name, position_index, position, season)
  df1$player_name <- as.character(df1$player_name)
  df2$player_name <- as.character(df2$player_name)
  df4 <- inner_join(df2, df1, by = "player_name")
  return(df4)
}
```

## Premier League 2016/17

```
s17_2 <- s17_2 %>%
  separate(name, into = c("first", "last"), "_")
s17_2 <- s17_2 %>%
  unite(name, first,last, sep = " ")
s17_3 <- fpl_merge(s17_1,s17_2)
nrow(s17_3)
```

```
## [1] 22065
```

```
write_csv(s17_3, "FPL_2016_17.csv")
```

## Premier League 2017/18

```
s18_2 <- s18_2 %>%
  separate(name, into = c("first", "last"), "_")
s18_2 <- s18_2 %>%
  unite(name, first,last, sep = " ")
s18_3 <- fpl_merge(s18_1,s18_2)
nrow(s18_3)
```

```
## [1] 20186
```

```
write_csv(s18_3, "FPL_2017_18.csv")
```

## Premier League 2018/19

```
s19_2 <- s19_2 %>%
  separate(name, into = c("first", "last", "id"), "_")
s19_2 <- s19_2 %>%
 unite(name, first:last, sep = " ")
s19_2 <- s19_2 %>%
  select(-id)
s19_3 <- fpl_merge(s19_1,s19_2)
nrow(s19_3)
```

```
## [1] 16979
```

```
write_csv(s19_3, "FPL_2018_19.csv")
```

## Loading newly made datasets

```
data17 <- read.csv("~/DSI-SRP1/FPL_2016_17.csv")
data18 <- read.csv("~/DSI-SRP1/FPL_2017_18.csv")
data19 <- read.csv("~/DSI-SRP1/FPL_2018_19.csv")
```

## Function for cumulatively adding specific columns

```
accumulated <- function(df) {
  df %>%
    mutate(n = 1) %>%
    group_by(player_name) %>%
    mutate(goals_scored =cumsum(goals_scored), assists =cumsum(assists),
           ict_index =cumsum(ict_index),goals_conceded =cumsum(goals_conceded),
           minutes =cumsum(minutes), own_goals =cumsum(own_goals),
           total_points =cumsum(total_points), bps =cumsum(bps),
           clean_sheets =cumsum(clean_sheets), GW = cumsum(n)) %>%
    select(player_name, club_name, position, position_index, goals_scored,
           assists, ict_index, goals_conceded, minutes, own_goals,
           total_points, bps, clean_sheets, GW)
}
```

## Applying the functions on the datasets

```
year17 <- accumulated(data17)
year18 <- accumulated(data18)
year19 <- accumulated(data19)
```

## Saving the accumulated datasets to csv files

```
new17 <- file('FPL_2016_17_new.csv', encoding = "UTF-8")
write.csv(year17, file = new17)
new18 <- file('FPL_2017_18_new.csv', encoding = 'UTF-8')
write.csv(year18, file = new18)
new19 <- file('FPL_2018_19_new.csv', encoding = "UTF-8")
write.csv(year19, file = new19)
```