AST 426: Precision Water and Nutrient Management II

Instructor: **Pappu Kumar Yadav, Ph.D.**Department of Agricultural & Biosystems Engineering
Machine Vision & Optical Sensors Laboratory
South Dakota State University
Fall 2024

Quiz II

Questions and worksheet provided in-class

• Full marks: 25

• Time: 30 Minutes








Article


Transforming Unmanned Aerial Vehicle (UAV) and Multispectral Sensor into a Practical Decision Support System for Precision Nitrogen Management in Corn

Laura J. Thompson 1,* and Laila A. Puntel 20

- University of Nebraska Extension, University of Nebraska-Lincoln, 116 W 19th Street, Falls City, NE 68355, USA
- Department of Agronomy and Horticulture, University of Nebraska-Lincoln, Keim Hall, 1825 N 38th Street, Lincoln, NE 68583-0915, USA; lpuntel2@unl.edu
- * Correspondence: laura.thompson@unl.edu













INPUTS AND OUTPUTS




https://support.micasense.com/hc/en-us/articles/226364087-RedEdge-3-Integration-Guide











Computers and Electronics in Agriculture 225 (2024) 109341



Contents lists available at ScienceDirect

Computers and Electronics in Agriculture

journal homepage: www.elsevier.com/locate/compag



Machine learning and fluorosensing for estimation of maize nitrogen status at early growth-stages



Dipankar Mandal^a, Rafael de Siqueira^b, Louis Longchamps^c, Raj Khosla^{a,b,*}





^a Department of Agronomy, Kansas State University, Manhattan, KS 66506, USA

^b Department of Soil and Crop Sciences, Colorado State University, Fort Collins, CO 80523-1170, USA

^c Department of Soil and Crop Sciences Section, Cornell University, Ithaca, NY 14853, USA




Fig. 1. Geographic location of the ARDEC and Iliff sites (star symbols) overlaid on a Google Earth imagery (A). An enlarged view of fields over two sites are highlighted in yellow (B) and red (C) polygons for ARDEC and Iliff respectively.




Fig. 2. Variability of %N, above ground biomass, and N uptake with N rate applications at V6 and V9 growth stages of maize for three site-years.






Fig. 2. Variability of %N, above ground biomass, and N uptake with N rate applications at V6 and V9 growth stages of maize for three site-years.



Next Lecture

Guest Lecture by Dr. Sushant Mehan, SDSU