

MVP Dagen

mvpdagen.no



Kjente feil og fallgruver i Microsoft sikkerhetsstacken



mvpdagen.no

Hey!

Vi er Anders og Truls



Anders Kristiansen
Lead Security Architect @
Storebrand

Microsoft MVP Security
SIEM & XDR,
Identity & Access




Truls Thorstad Dahlsveen
Security Architect
@ Sopra Steria

Microsoft MVP Security SIEM
& XDR

mvpdagen.no

Security Operations (SecOps/SOC)



Cybersecurity Reference Architecture

Security modernization with Zero Trust Principles

April 2025 – aka.ms/MCRA



This is interactive!

1. Present Slide
2. Hover for Description
3. Click for more information


Security Guidance

1. [Security Adoption Framework](#)
2. [Security Documentation](#)
3. Cloud Security [Benchmarks](#)


Software as a Service (SaaS)




Endpoints & Devices




Hybrid Infrastructure – IaaS, PaaS, On-Premises



Information Protection



Microsoft Entra



Securing Privileged Access – aka.ms/SPA

Privileged Access Workstations (PAWs) - Secure workstations for administrators, developers, and other sensitive users

Privileged Access Management (PAM)

Cloud Infrastructure Entitlement Management (CIEM)

Microsoft Security Exposure Management – Provides unified view of security posture + attack surface across organization, enabling you to investigate security insights, identify critical assets, reduce attack surfaces and security risk

Windows 11 & 10 Security



IoT and Operational Technology (OT)



Microsoft Defender for IoT (and OT)

- ICS, SCADA, OT
- Internet of Things (IoT)
- Industrial IoT (IIoT)
- Asset & Vulnerability management
- Threat Detection & Response

Defender for Cloud – Cross-Platform, Multi-Cloud XDR
Detection and response capabilities for infrastructure and development across IaaS, PaaS, and on-premises

Defender for APIs

People Security

Attack Simulator

Insider Risk Management

Communication Compliance

GitHub Advanced Security & Azure DevOps Security
Secure development and software supply chain

Microsoft Security Copilot

Threat Intelligence – 78+ Trillion signals per day of security context

Service Trust Portal – How Microsoft secures cloud services

Security Development Lifecycle (SDL)

Dagens fokus

Microsoft Sentinel



Microsoft Defender XDR



Entra ID



mvpdagen.no

Entra ID Applikasjoner


- Mye rom for feilkonfigurasjon
- Egne applikasjoner og tredjeparts applikasjoner
- Applikasjons governance settings er 
- Deteksjon på høyt privilegerte apps

Warning

Microsoft-user-default-recommended is a Microsoft managed policy. The conditions included in the policy are automatically updated based on Microsoft's latest security recommendations for end-user consent.



Entra ID: Consents



Innsikt:

- Innebygde verktøy:

- Entra ID portal: Microsoft Entra application activity and workbooks

- Security portal: App Governance

- MSIdentityTools

- AzADServicePrincipalInsights - <https://aka.ms/azadspi>

- Aztier.com

- graphpermissions.merill.net

- Maester- Entra ID Config analyzer

XDR – Hva er det?

Trenger vi msportals.io fortsatt?

Prøver å lage en portal for pre og post breach portal for bedrifter.

Sentinel vil bli fjernet 1. Juli 2026.

- [Microsoft Defender for Endpoint](#)
- Microsoft Defender for Office 365
- Microsoft Defender for Identity
- Microsoft Defender for Cloud Apps
- Microsoft Defender Vulnerability Management
- Microsoft Defender for Cloud
- Microsoft Entra ID Protection
- Microsoft Data Loss Prevention
- App Governance
- Microsoft Purview Insider Risk Management

XDR Unified RBAC

Med unified RBAC Roller kan vi fjerne bruk av security admin rolle som altfor ofte brukes. (Security Admin ses på som tier 0)

Microsoft states that Unified RBAC is now the default permissions model for new tenants, existing tenants need to activate Unified RBAC

Med Unified RBAC vil man en rolle man PIMer seg opp til (om nødvendig) så har man tilgang på tvers av produkter.

Workloads

Endpoints & Vulnerability Management

☒ Active

Email & Collaboration

Enforcing Exchange Online permissions will impact the Email & Collab capabilities that were previously configured in the Exchange admin center. [Exchange admin center](#).

☒ Active - Defender for Office 365

☒ Active - Exchange Online permissions ⓘ

Identity

Enabling this setting will also enforce these permissions on the Microsoft Defender for Identity portal. [Learn more about role groups for MDI](#).

☒ Active

Cloud Apps

Turning on this setting will apply these permissions to Microsoft Defender for Cloud Apps experiences, with the exception of app governance. Note: built in roles such as discovery admin, discovery report admin, app/instance admin and user group admin will no longer be supported once this setting is activated. [Learn more about the existing cloud apps roles](#).


☒ Active



Demo – show and tell

mvpdagen.no

XDR Design






Sentinel kostnader

Sentinel Cost use Case

Hei Anders, vi må spare noe penger, sentinel koster for mye.

Pls fix asap!

1. Du må klare oppdage en kostendring



Mail

Subscription summary

Anomaly detected	Yes
Delta compared to expected range	527.14 %

Resource group summary

- Cost up 79.05% from 5 new resource group(s).
- Cost changed 9.09% from 3 existing resource group(s).

Most significant changes in resource group(s) during this period

Name	Cost change %	Percent of total
mc_mvpdagen_mvpdagen-aks_westeurope	88.43	51.94
t-aks-np	20.3	16.21
t-aks	39.66	9.09
defaultresourcegroup-weu	196.88	4.98
mvpdagen	79.22	4.82

Review additional details in the Azure portal.

Hvordan?

1. Undersøk hvor du kan "spare" eller filtrere bort data*

- **Security Portal** → **Sentinel** → **Threat Management** → **Workbooks**
- **Or Content Management- content hub**

 Microsoft Sentinel Optimization Workbook

2. Grav videre ned i tabell som generer mye ingest

- Avhengig av hva slags tabell dette er, finn ut om det er mønster eller om det er enkelte servere, løsninger, ressurser som "spammer" ned tabellen

3. Hva er egentlig denne loggkilden og hva slags data inneholder den?

Trenger vi dette i det hele tatt? (Eksisterende deteksjon, planlagte deksjoner)

Trenger vi det pga compliance/Dora?

Lag deg en matrise på hvordan du analyser de typiske spørsmålene.

Del informasjon med stakeholders, åpent før du gjør tiltak (gjerne ADR)

Use case ADR: Nsg resource logs

Within the Diagnostics settings we noticed these a certain resource type was about 40 % + of the logs.

Status	COMPLETED
Owner	@Anders Kristiansen
Contributors	@Anders Kristiansen @Eirik Sveen
Approved	Approved by Security Architecture Group Sep 25, 2024
Created On	Sep 24, 2024
Decision Outcome	1 : Stopp logging these events completely. Proof of meeting
On this page	• ? Problem statement • 💡 Research insights • 📊 Solution hypothesis • 🌈 Design options • 😊 Criteria for voting • ☀️ Results • ✅ Follow up • 💎 Examples and links

Mye logger, er det verdt det?

Results			Chart
Category	Count	Percent	
> NetworkSecurityGroupEvent	24918956	22	
> NetworkSecurityGroupRuleCounter	24917188	22	
> ApplicationGatewayAccessLog	16368602	14	
> WorkflowRuntime	10631111	9	
> ApplicationGatewayFirewallLog	9529821	8	
> kube-apiserver	8607653	8	
> EventHubVNetConnectionEvent	6841746	6	
> AuditEvent	6439714	6	
> SQLSecurityAuditEvents	1824422	2	
> guard	1675761	1	
> RuntimeAuditLogs	801291	1	
> Engine	550393	0	
> OperationalLogs	199790	0	
> ActivityRuns	110818	0	
> Service	74419	0	
> Blocks	50836	0	

Categories


☒ Network Security Group Event

☒ Network Security Group Rule Counter

 Storage retention via diagnostic settings is being deprecated and new rules will no longer be configured. To maintain your existing retention rules please migrate to Azure Storage Lifecycle Management by September 30th 2025. [What do I do?](#)

Evaluering av loggkilde

Bruker vi disse til deteksjoner?
Har vi andre måter å se denne
type informasjon på?
Legal?

A screenshot of a dark-themed user interface showing a list of configuration options for a log source. The options are listed vertically, each preceded by a small icon: a hamburger menu icon for expandable sections and a key icon for individual settings.

- Log Source
- Log Type/Table
- Description
- Reviewed
- Log ingestion volume
- Integration status
- Detection Value
- Hunting Value
- Storage Solution
- log ship method
- Use Case
- Relevant links
- ISCD/DORA Requirement

Design opsjoner

	↓	Option 1	Option 2	Option 3
Overview		Stopp logging these events completely.	Log to storage account.	As is, Do nothing
Benefits and risks		+ saving about 70 K SEK each month. + Aligned with log management evaluation schema. - no monitor to detect anomalies and high spikes in deny/allow hits.	+ cost effective solution + Keep logs for possible audit, post mortem incident - Most likely waste of money and never used. - Time spent on implementing and documenting should be used on other areas.	+ All logs in sentinel ready for use with live detection. - high cost - Wrong tier modell on this log.
Criteria/Decision drivers		These logs give little added value from both a hunting and incident response. The	If these logs are required for compliance and audit we should store them in storage account.	As is solution, no required job, just pay as is.



Microsoft Sentinel Logging

Feil tiering



Ofte setter man opp
Sentinel og sender all logg
– uansett bruksområde –
direkte inn i analytic tier

☐ Table name ↑↓	Type ↑↓	Plan ↑↓
☐  ABAPAuditLog	Azure table	Analytics
☐  ABAPAuthorizationDetails	Azure table	Analytics
☐  ABAPChangeDocsLog	Azure table	Analytics
☐  ABAPTableDataLog	Azure table	Analytics
☐  ABAPUserDetails	Azure table	Analytics
☐  ADAssessmentRecommendation	Azure table	Analytics
☐  ADReplicationResult	Azure table	Analytics
☐  AggregatedSecurityAlert	Azure table	Analytics
☐  Alert	Azure table	Analytics
☐  AlertEvidence	Azure table	Analytics
☐  AlertInfo	Azure table	Analytics
☐  Anomalies	Azure table	Analytics
☐  AppCenterError	Azure table	Analytics
☐  ASimAuditEventLogs	Azure table	Analytics
☐  ASimAuthenticationEventLogs	Azure table	Analytics

Microsoft Sentinel Logging




Microsoft Sentinel Logging



Microsoft Sentinel Audit

LAQueryLogs

Mange glemmer å slå på
Audit-logging direkte på
log analytics workspacet
som kreves for å bruke
LAQueryLogs



The screenshot shows the configuration page for a diagnostic setting named 'AuditLogs'. Under the 'Logs' section, the 'Category groups' are 'audit' (checked) and 'allLogs' (unchecked). Under the 'Categories' section, 'Audit' is checked, while 'Summary Logs' and 'Job Logs' are unchecked.

Category groups	Categories
☒ audit	☒ Audit
☐ allLogs	☐ Summary Logs
	☐ Job Logs

Microsoft Sentinel Health

SentinelHealth

Samme historie her –
SentinelHealth kan være
ekstremt nyttig for å
feilsøke komponenter som
analytic rules, automation
rules og playbooks

mvpdagen.no

^ Auditing and health monitoring

What is it?

With the Microsoft Sentinel health and audit feature, you can keep an eye on the availability and health of system resources.

How to enable it?

Select **Enable** to enable health monitoring for all resources, or select **Configure diagnostic settings** for advanced configuration. [Learn more >](#)

Enabled

[Configure diagnostic settings >](#)

Logs

Category groups ⓘ

☒ allLogs

Categories

☒ Analytics

☒ Automation

☒ Data Collection - Connectors

Microsoft Sentinel Logging

Workspace retention

Glemmer man å konfigurere retention på workspacet har man bare 30 dager med data – selv om 90 er «gratis»

mvpdagen.no

Data Retention

31 days of retention is included with your pricing plan. Longer retention will incur additional charges. Retention can also be [configured individually for specific data types](#).

Data Retention (Days)

90


Retention for Application Insights data types default to 90 days and will get the workspace retention if it is over 90 days. To set the retention on these types to be less than 90 days, set the retention on each of these data types. [Learn more](#).

In addition to setting the default retention for tables in this workspace here, you can configuration data retention and data archive on a per-table basis on the [Tables](#) page of this workspace.

OK

Microsoft Sentinel Logging

Slås kanskje på for å få
kostnadskontroll uten å
være klar over
konsekvensen – man er
effektivt blind fra man når
cap



Microsoft Sentinel Deteksjon




Manglende deteksjon

Ingen eller få alarmer til tross for «mange» regler kan bety en av to ting – enten har man *lite aktivitet*, ellers har man for *dårlig dekning*.

Dårlig deteksjon

Begrep som falske positive og alert fatigue er velkjente i security operations – skyldes ofte at man belager seg på standardmaler som ikke egner seg for alle.

Microsoft Sentinel Deteksjon



Microsoft 365/Azure Audit logging



Data Source	# Unique Actions	% of Activities Covered
Purview Audit Search (Unified Audit Log)	190	99,5%
Defender For Cloud Apps CloudAppEvents Logs	170	89,5%
Sentinel OfficeActivity Logs	76	40,0%
Total Unique Actions	191	100%

Microsoft 365/Azure Unified Audit Log

The **Unified Audit Log (UAL)** is a Microsoft 365 feature that consolidates user and administrator activity across various services into a single, searchable log.

```
PS C:\Program Files\PowerShell\7> Get-AdminAuditLogConfig | Format-List UnifiedAuditLogIngestionEnabled  
  
UnifiedAuditLogIngestionEnabled : False  
  
PS C:\Program Files\PowerShell\7> Set-AdminAuditLogConfig -UnifiedAuditLogIngestionEnabled $true
```

Start recording user and admin activity

Searches completed | Active searches | Active unfiltered searches
0 | 0 | 0

Date and time range (UTC) *

Start  

End  

Keyword Search

Admin Units



Activities - friendly names



Activities - operation names ⓘ

Record Types



Search name

Users

ObjectId (File, folder, or site) ⓘ

Workloads



 Copy this search  Delete  Refresh


0 items

Search name  Job status  Progress (%)  Search time  Total results  Creation tim...   Search performed by 

Defender for Linux

Standard configuration

```
root@mde-test-tux:/home/mdetest# mdatp health
healthy : true
health_issues : []
licensed : true
engine_version : "1.1.25070.4000"
engine_load_status : "Engine not loaded"
app_version : "101.25082.0003"
org_id : "e66378e2-49cb-4233-a97e-ea70652bcf23"
log_level : "info"
machine_guid : "1585eed5-8b04-42b6-a4ee-e33207ac486f"
release_ring : "Production"
product_expiration : Jun 04, 2026 at 01:55:31 PM
cloud_enabled : true
cloud_automatic_sample_submission_consent : "safe"
cloud_diagnostic_enabled : false
cloud_pin_certificate_thumbs : false
passive_mode_enabled : true
behavior_monitoring : "disabled"
real_time_protection_enabled : false
real_time_protection_available : true
real_time_protection_subsystem : "fanotify"
supplementary_events_subsystem : "ebpf"
automatic_definition_update_enabled : true
definitions_updated : Sep 30, 2025 at 07:36:28 AM
definitions_updated_minutes_ago : 265
definitions_version : "1.437.227.0"
definitions_status : "up_to_date"
edr_early_preview_enabled : "disabled"
edr_device_tags : [{"key": "AzureResourceId", "value": "/subscriptions/6558eb22-631e-4ae8-9858-3c60595050e5/resourceGroups/mde-test/providers/Microsoft.Compute/virtualMachines/mde-test-tux"}, {"key": "SecurityWorkspaceId", "value": "6558eb22-631e-4ae8-9858-3c60595050e5"}]
edr_group_ids : ""
edr_configuration_version : "30.199999.main.2025.09.28.26-456999a3392a7b494c50cd4b88e64e540c495082"
edr_machine_id : "8e7abfe9ea5494dbb992cf7fecdd602d9e5fe31dd"
conflicting_applications : []
network_protection_status : "stopped"
network_protection_enforcement_level : "disabled"
```



Configuration status

✔ Configuration updated

Real time protection/RTP

✔ Enabled

Behavior monitoring/BM

✔ Enabled

Device health status

Defender Antivirus not active +2 more issues

Type	State	Date & time
Last full scan	● No scan performed	
Last quick scan	● No scan performed	
Security intelligence	✔ Version 1.437.227.0	Sep 30, 2025 9:36:28 AM
Engine	✔ Version 1.1.25070.4000	Sep 30, 2025 9:36:25 AM
Platform	✔ Version 101.25082.0003	Sep 30, 2025 9:36:20 AM
Defender Antivirus mode	● Passive	Sep 30, 2025 8:57:16 PM

Device health status

Security intelligence is not up to date +4 more issues

Type	State	Date & time
Last full scan	● No scan performed	
Last quick scan	● No scan performed	
Security intelligence	● Version 1.409.120.0	Apr 8, 2024 10:25:08 AM
Engine	● Version 1.1.24030.4	Apr 8, 2024 10:25:08 AM
Platform	● Version 4.18.24020.7	Sep 3, 2025 1:47:24 PM
Defender Antivirus mode	✔ Active	Sep 30, 2025 8:59:17 PM

Defender for Linux

Endpoint Security Policies

**Linux AV**
Antivirus

[Overview](#) [Policy settings values](#) [Policy settings status](#) [Applied devices](#) [Assigned groups](#)

Settings

Cloud delivered protection preferences

Enable cloud delivered protection

Enabled

Enable automatic sample submissions

Safe

Diagnostic data collection level

optional

Automatic security intelligence updates

Enabled

Configure cloud block level

High

Antivirus engine

Enable real-time protection (deprecated)

Enabled

Enable passive mode (deprecated)

Enabled

Exclusions merge

admin_only

Threat type settings merge

admin_only

Enable scanning of archives

Enabled

Enable scanning after definition update

Enabled

Enable file hash computation

Enabled

Enable behavior monitoring

Enabled

Network protection

Enforcement Level

block

mdatp_managed.json

```
{
  "antivirusEngine":{
    "enforcementLevel":"real_time",
    "threatTypeSettings":[
      {
        "key":"potentially_unwanted_application",
        "value":"block"
      },
      {
        "key":"archive_bomb",
        "value":"audit"
      }
    ]
  },
  "cloudService":{
    "automaticDefinitionUpdateEnabled":true,
    "automaticSampleSubmissionConsent":"safe",
    "enabled":true,
    "proxy": "<EXAMPLE DO NOT USE> http://proxy.server:port/"
  }
}
```

- Make sure it's valid json
- Set realtime monitoring on
- Enable cloud block mode
- Enable cloud protection
- Set all merge policies to admin_only!

<https://learn.microsoft.com/en-us/defender-endpoint/linux-preferences>

Defender for Cloud Apps

Standard configuration

Blokkering av applikasjoner

For å blokkere applikasjoner som er markert unsanctioned må man sette på integrasjon mot Defender for Endpoint

Microsoft Defender for Endpoint

Microsoft Defender for Endpoint Integration

☐

Enforce app access

Enabling this will Block access to apps that were marked as Unsanctioned and will deliver a Warning on access and allow bypass to apps marked as Monitored.

Defender for Endpoint

Standard configuration

Oppdagelse og blokkering av applikasjoner

Må også sette på integrasjonen fra Defender for Endpoint sine settings mot MCAS



On

Microsoft Defender for Cloud Apps

Forwards Microsoft Defender for Endpoint signals to [Defender for Cloud Apps](#), giving administrators deeper visibility into both sanctioned cloud apps and shadow IT. It also gives them the ability to block unauthorized applications when the custom network indicators setting is turned on. Forwarded data is stored and processed in the same location as your Cloud App Security data. This feature is available with an E5 license for [Enterprise Mobility + Security](#) on devices running Windows 10 version 1709 (OS Build 16299.1085 with KB4493441), Windows 10 version 1803 (OS Build 17134.704 with KB4493464), Windows 10 version 1809 (OS Build 17763.379 with KB4489899) or later Windows 10 versions.

Defender for Endpoint

Standard configuration

Custom network indicators

MCAS legger inn domener, URL og IP her når man markerer som unsanctioned – så dette må også stå på



On

Custom network indicators

Configures devices to allow or block connections to IP addresses, domains, or URLs in your [custom indicator lists](#). To use this feature, devices must be running Windows 10 version 1709 or later. They should also have network protection in block mode and version 4.18.1906.3 or later of the antimalware platform ([see KB 4052623](#)). Note that network protection leverages reputation services that process requests in locations that might be outside of the location you have selected for your Microsoft Defender for Endpoint data.

Defender for Endpoint

Standard configuration

EDR i blokkeringsmodus

Når Defender ikke er hovedpersonen på en server er blokkeringsmodus nyttig for ekstra beskyttelse – ingen grunn til å ha det slått av (*utenom oppdukkende kompatibilitetsproblemer*)



On

Enable EDR in block mode

When turned on, Microsoft Defender for Endpoint leverages behavioral blocking and containment capabilities by blocking malicious artifacts or behaviors observed through post-breach endpoint detection and response (EDR) capabilities. This feature does not change how Microsoft Defender for Endpoint performs detection, alert generation, and incident correlation. To get the best protection, make sure to apply [security baselines in Intune](#). See [EDR in block mode](#) for more details.

Defender for Endpoint

Standard configuration

Automatisk lukking av alarmer

Har en tendens til å lukke alarmer med f.eks URL-klikk på phishing-lenker uten å faktisk få verifisert om brukeren har gitt fra seg info.



On

Automatically resolve alerts

Resolves an alert if Automated investigation finds no threats or has successfully remediated all malicious artifacts.

Defender for Endpoint

Standard configuration

Automation uploads fra automated investigation

File Content Analysis

Content analysis submits suspicious files identified by Automated investigation to the cloud for additional inspection. Only files with the specified extension names will be submitted.

Content analysis

☐ Off

File extension names ⓘ

","air,bat,cmd,com,cpl,dll,elf,exe,gadget,inf,job,js,ko,ko.gz,msi,pl,ps1,py,rb,reg,rgs,scr,sh,sys,tcl,url,vb,vbe,vbs,ws,wsf

Memory Content Analysis

If you would like Microsoft Defender for Endpoint to automatically investigate memory content of processes, please enable the Memory Content Analysis. When enabled, memory content might be uploaded to Microsoft Defender for Endpoint during an Automated investigation.

Enabled

☐ Off

Defender for XDR

Oppdatering 30 Oktober

Automatisk tuning av alarmer

30. Oktober vil alle tuning-regler være på som standard. Målet er å fjerne støy og redusere antall alarmer med lav prioritet og verdi.

Alert tuning



Built-in rules will start tuning alerts automatically on October 30, 2025 - helping SOC teams focus on what matters. Review the rules to see which alert types are affected and manage them as needed.



Rule name	Type	Service sources	Scope	Action
Auto-Resolve - Email reported by user as malware or phish	Built in	Office 365	Organization	Resolve alert
Auto-Resolve - A user clicked through to a potentially malicious URL	Built in	Office 365	Organization	Resolve alert
Auto-Resolve - A potentially malicious URL click was detected	Built in	Office 365	Organization	Resolve alert
Auto-Resolve - Messages containing malicious entity not removed after delivery	Built in	Office 365	Organization	Resolve alert
Auto-Resolve - Email messages containing malicious URL removed after delivery	Built in	Office 365	Organization	Resolve alert
Auto-Resolve - Email messages removed after delivery	Built in	Office 365	Organization	Resolve alert
Auto-Resolve - Admin triggered manual investigation of email	Built in	Office 365	Organization	Resolve alert
Auto-Resolve - Email messages containing malicious file removed after delivery	Built in	Office 365	Organization	Resolve alert
Auto-Resolve - Email messages from a campaign removed after delivery	Built in	Office 365	Organization	Resolve alert
Auto-Resolve - Suspicious email sending patterns detected	Built in	Office 365	Organization	Resolve alert
Auto-Resolve - Admin triggered user compromise investigation	Built in	Office 365	Organization	Resolve alert
Auto-Resolve - User restricted from sending email	Built in	Office 365	Organization	Resolve alert
Auto-Resolve - Remediation Action Taken By Admin on Emails or Url or Sender	Built in	Office 365	Organization	Resolve alert

Takk!

Spørsmål?

Du finner oss på:

- **Anders** - @linkedin.com/in/akristiansendotcom
- **Truls** - @linkedin.com/in/truls-dahlsveen/

mvpdagen.no

