Chapter 7, first half. Here you take the use cases from section 3.4 and write the most important of them out turn by turn, still with the technology switched off.

4.1 Use cases selected for analysis

Use case	Name	Why it was selected	Non-trivial steps
UC - 01	Generate New Password	This touches the security quality requirements directly, it cant be predictable and needs to pass the strength check.	Step 4:The random selection must be unpredictable. Step 3: The strength calculation must be consistent with what the user needs.
UC - 02	Store New Credential	One of the main focus of the project since almost all of our other use case depends on storing the new credentials.	Step 3: Saving to the storage system without losing any data if it fails.
UC - 03	Autofill Passwords	This needs to use the web browser, but also the least sure we can build because of making sure we can integrate due to the browser	Match the current site to the right stored credentials. Also needing the vault to be unlocked

GUIDANCE: DELETE THIS BOX BEFORE SUBMITTING

Analyze at least three use cases, including the two you specified in full at P1. We recommend that one of them involves an external system or a failure that the actor can see.

Choose by risk and value, not by ease: the use case that carries most of the product, the one that touches most of your quality requirements, the one you are least sure you can build.

Budget: a quarter of a page.

4.2 Expanded use cases

Copy the block below once for each use case in 4.1.

UC-01 Generate New Password

Primary actor	**Account Holder**
Supporting actors and external systems	**None**

TUCBW (this use case begins when)	**The account holder requests a new password**
TUCEW (this use case ends when)	**The system confirms the password is accepted/cancelled**
Preconditions	**Account holder is logged in**
Postconditions	**A password that meets the holders restrictions is available**
Traces to requirements	FR-05 , QR- , CON

Actor input / action	**System response**
	(0) vault home with an option to generate password

Actor input / action	**System response**
(1) request new password	(2) ask for restrictions:length, characters, strength
(3) enters restrictions	(4) shows a generated password that fits
(5) accepts password	(6) confirms password is ready to use

Alternate flow	**At step**	**Condition**	**What happens**	**Ends or rejoins at**
A1	3	Restrictions conflict (length is too short for the strength needed)	Systems tells holder what is conflicting and asks to change it	Rejoin at 3
A2	5	Holder rejects password	System generates another password and shows strength rating	Rejoin at 5
A3	5	Holder cancels	System tells holder no password was kept	ends

UC-02 Store New Credential

Primary actor	**Account Holder**
Supporting actors and external systems	**None**
TUCBW (this use case begins when)	**The account holder chooses to add a new credential**

TUCEW (this use case ends when)	**The system confirms the credential is saved and shows in the list**
Preconditions	**Account holder is logged in**
Postconditions	**The new credential is stored and available to manage and autofill**
Traces to requirements	FR-02 , QR- , CON

Actor input / action	**System response**
	(0) Shows list of stored credentials with an option to ass a new one

Actor input / action	**System response**
(1) Chooses to add a new credential	(2) shows what is needed: credential name, web address, user/email, and pass
(3) FIlls in details and submits them	(4) confirms credential is saved and shows on list

Alternate flow	**At step**	**Condition**	**What happens**	**Ends or rejoins at**
A1	3	A required detail is missing	Systems names missing field and keeps details already entered	Rejoin at 3
A2	4	Saving fails	System tells holder nothing was saved and to reenter details	Rejoin at 3
A3	5	Holder cancels	System tells holder nothing was stored	ends

UC-03 Autofill passwords

Primary actor	**Account Holder**
Supporting actors and external systems	
TUCBW (this use case begins when)	
TUCEW (this use case ends when)	
Preconditions	