

Minimum Edit Distance

Definition of Minimum

Edit Distance

How similar are two strings?

- Spell correction
 - The user typed "graffe" Which is closest?
 - graf
 - graft
 - grail
 - giraffe

- Computational Biology
 - · Align two sequences of nucleotides

AGGCTATCACCTGACCTCCAGGCCGATGCCC
TAGCTATCACGACCGCGGTCGATTTGCCCGAC

• Resulting alignment:

-AGGCTATCACCTGACCTCCAGGCCGA--TGCCC--TAG-CTATCAC--GACCGC--GGTCGATTTGCCCGAC


• Also for Machine Translation, Information Extraction, Speech Recognition

Edit Distance

- The minimum edit distance between two strings
- Is the minimum number of editing operations
 - Insertion
 - Deletion
 - Substitution
- Needed to transform one into the other

Minimum Edit Distance

Two strings and their alignment:



Minimum Edit Distance

- If each operation has cost of 1
 - Distance between these is 5
- If substitutions cost 2 (Levenshtein)
 - Distance between them is 8

Alignment in Computational Biology

Given a sequence of bases

AGGCTATCACCTGACCTCCAGGCCGATGCCC
TAGCTATCACGACCGCGGTCGATTTGCCCGAC


An alignment:

```
-AGGCTATCACCTGACCTCCAGGCCGA--TGCCC---
TAG-CTATCAC--GACCGC--GGTCGATTTGCCCGAC
```

Given two sequences, align each letter to a letter or gap

How to find the Min Edit Distance?

- Searching for a path (sequence of edits) from the start string to the final string:
 - Initial state: the word we're transforming
 - Operators: insert, delete, substitute
 - Goal state: the word we're trying to get to
 - Path cost: what we want to minimize: the number of edits



7

Minimum Edit as Search

- But the space of all edit sequences is huge!
 - We can't afford to navigate naïvely
 - Lots of distinct paths wind up at the same state.
 - · We don't have to keep track of all of them
 - Just the shortest path to each of those revisted states.

Defining Min Edit Distance

- For two strings
 - X of length n
 - Y of length m
- We define D(i,j)
 - the edit distance between X[1..i] and Y[1..j]
 - i.e., the first *i* characters of X and the first *j* characters of Y
 - The edit distance between X and Y is thus D(n,m)

Minimum Edit Distance

Computing Minimum
Edit Distance

Dynamic Programming for Minimum Edit Distance

- **Dynamic programming**: A tabular computation of D(n,m)
- Solving problems by combining solutions to subproblems.
- Bottom-up
 - We compute D(i,j) for small i,j
 - And compute larger D(i,i) based on previously computed smaller values
 - i.e., compute D(i,j) for all i (0 < i < n) and j (0 < j < m)

Defining Min Edit Distance (Levenshtein)

Initialization

$$D(i,0) = i$$

 $D(0,j) = j$

Recurrence Relation:

For each
$$i = 1...M$$

For each $j = 1...N$

$$D(i,j) = min \begin{cases} D(i-1,j) + 1 & \text{* insertion */} \\ D(i,j-1) + 1 & \text{* deletion */} \\ D(i-1,j-1) + 2; & \text{if } X(i) \neq Y(j) \\ 0; & \text{if } X(i) = Y(j) \end{cases}$$
Termination:

```
D(N,M) is distance
```

Levenstein's Algorithm: the Edit Distance Table

N	9									
0	8									
I	7									
Т	6									
N	5									
Е	4									
Т	3									
N	2									
I	1									
#	0	1	2	3	4	5	6	7	8	9
	#	Е	Χ	Е	С	U	Т	I	0	N

The Edit Distance Table

	N	9											
	0	8											
	Ι	7		I	ا D(ı i-1,j) +							
	Т	6	D(<i>i</i> ,	$D(i,j) = \min \begin{cases} D(i-1,j) + 1 \\ D(i,j-1) + 1 \\ D(i-1,j-1) + \begin{cases} 2; & \text{if } S_1(i) \neq S_2(j) \end{cases} \end{cases}$									
	N	5			D(i-1,j-1)	+ [2]	; if S ₁ (i) $\neq S_2$	j)			
j	Е	4		I	I	I	[0;	if S ₁ (i	$) = S_{2}($	j)			
	Т	3											
	N	2											
	Ι	1	F										
	#	0	1	2	3	4	5	6	7	8	9		
		#	Е	Χ	Е	С	U	Т	Ι	0	N		
						i							

N	9									
0	8									
Ι	7									
Т	6									
N	5									
Е	4									
Т	3									
N	2									
Ι	1	2								
#	0	1	2	3	4	5	6	7	8	9
	#	Е	Χ	Е	С	U	Т	I	0	N

The Edit Distance Table

	N	9												
	0	8												
	Ι	7		(D(i-1,i) + 1										
	Т	6	D(<i>i,j</i>) = m	ıin [) (i,j-1) -	+ 1							
	N	5		$D(i,j) = \min \begin{cases} D(i-1,j) + 1 \\ D(i,j-1) + 1 \\ D(i-1,j-1) + \begin{cases} 2; & \text{if } S_1(i) \neq S_2(j) \\ 0; & \text{if } S_1(i) = S_2(j) \end{cases}$										
j	Е	4		ı	ı	ı	['	0; if S₁	(i) = S	₂ (j)				
	Т	3												
	N	2												
	Ι	1	2											
	#	0	1	2	3	4	5	6	7	8	9			
		#	Е	X	Е	С	U	Т	I	0	N			
		-				i		-	-					

Edit Distance
$$D(i,j) = \min \begin{cases} D(i-1,j) + 1 \\ D(i,j-1) + 1 \\ D(i-1,j-1) + \end{cases} \begin{cases} 2; & \text{if } S_1(i) \neq S_2(j) \\ 0; & \text{if } S_1(i) = S_2(j) \end{cases}$$

N	9									
0	8									
Ι	7									
Т	6									
N	5									
Е	4									
Т	3									
N	2	3								
Ι	1	2								
#	0	1	2	3	4	5	6	7	8	9
	#	Е	Χ	Е	С	U	Т	I	0	N

The Edit Distance Table

Final Table

N	9	8	9	10	11	12	11	10	9 (8
0	8	7	8	9	10	11	10	9	8	9
I	7	6	7	8	9	10	9	8	9	10
Т	6	5	6	7	8	9	8	9	10	11
N	5	4	5	6	7	8	9	10	11	10
Е	4	3	4	5	6	7	8	9	10	9
Т	3	4	5	6	7	8	7	8	9	8
N	2	3	4	5	6	7	8	7	8	7
I	1	2	3	4	5	6	7	6	7	8
#	0	1	2	3	4	5	6	7	8	9
	#	Е	Χ	Е	С	U	Т	I	0	N