itsmeyuukii / myps_backend

Code Issues 2 Pull requests Actions Projects 1 Security Insigl

Commit 315b72f

itsmeyuukii committed 2 days ago

```
push need to fix
```

modification

1 parent 7ca78af commit 315b72f

9 files changed +558 -664 lines changed

Top

Filter files...

- FE/src/pages/Modification
  - Model.d.ts
  - Service.ts
  - atoms
    - componentCosts.atom.ts
  - dialogs
    - RejectModifyDialog.tsx
  - hooks
    - useComponentCosts.ts
  - projectmodification/components
    - ComponentCostForm.tsx
    - ProjectForm.tsx
    - RevisionForm.tsx
  - views
    - ModifcationList.tsx

9 files changed +558 -664 lines changed

Search within code

FE/src/pages/Modification/Model.d.ts

```
@@ -49,12 +49,11 @@ export interface RevisionProjectPayload extends ProjectFormPayload{
49  }                                                  49  }
50                                                     50
51  export interface ForCorrectionsDetails             51  export interface ForCorrectionsDetails
    {                                                      {
52  -     Id: number,                                  52  +     Id?: number;
53  -     TransactionId: string,                       53  +     TransactionId?: string;
54  -     ROComment: string,                           54  +     CorrectionReason?: string;
55  -     ROForCorrectionDate: string,                 55  +     ForCorrectionDate?: string;
56  -     COComment: string,                           56  +     IsCentralOffice?: boolean;
57  -     COForCorrectionDate: string
58      }                                              57  }
59                                                     58
60      export interface RevisionDoc {                 59  export interface RevisionDoc {
@@ -176,8 +175,4 @@ export interface RevisionFilter {
176       ReasonId?: number;                           175       ReasonId?: number;
177       RegionApproveStatus?: number;                176       RegionApproveStatus?: number;
178       COApproveStatus?: number;                    177       COApproveStatus?: number;
179 - }
180 -
181 - export interface ComponentCostWithYears
    extends ComponentCost {
182 -
183     }                                              178   }
```

FE/src/pages/Modification/Service.ts

```
@@ -54,13 +54,6 @@ export const submitModificationRequest = async (
54                                                     54
55  export const updateRevisionRequestStatus           55  export const updateRevisionRequestStatus
    = async (transactionId: string, status:                = async (transactionId: string, status:
    number, ApprovedDocument?: any,                        number, ApprovedDocument?: any,
    ApprovalDate?: string, remarks?: string)               ApprovalDate?: string, remarks?: string)
    => {                                                   => {
```

```
56          try {
57  -           console.log('=== updateRevisionRequestStatus Parameters ===');
58  -           console.log('transactionId:', transactionId);
59  -           console.log('status:', status);
60  -           console.log('ApprovedDocument:', ApprovedDocument);
61  -           console.log('ApprovalDate:', ApprovalDate);
62  -           console.log('remarks:', remarks);
63  -
64              const payload = {
65                  TransactionId: transactionId,
66                  Status: status,
```

```
56          try {
57              const payload = {
58                  TransactionId: transactionId,
59                  Status: status,
```

.../pages/Modification/atoms/componentCosts.atom.ts

```
@@ -0,0 +1,27 @@
1   + import { atom } from 'jotai';
2   + import type {
3   +   ComponentCost,
4   +   ComponentCostYear
5   + } from '../../Project/Model';
6   +
7   + /**
8   +  * Source atoms (pure state)
9   +  */
10  + export const componentCostsAtom = atom<ComponentCost[]>([]);
11  + export const componentCostsYearAtom = atom<ComponentCostYear[]>([]);
12  +
13  + /**
14  +  * Derived atom (read-only, safe)
15  +  * Combines costs with their yearly breakdown
```

```
16  +  */
17  + export const componentCostsWithYearsAtom
      = atom(get => {
18  +   const costs = get(componentCostsAtom);
19  +   const years =
      get(componentCostsYearAtom);
20  +
21  +   return costs.map(cost => ({
22  +     ...cost,
23  +     CostPerYear: years.filter(
24  +       y => String(y.ParentId) ===
      String(cost.ReferenceId)
25  +     )
26  +   }));
27  + });
```

…ages/Modification/dialogs/RejectModifyDialog.tsx

```
@@ -50,7 +50,7 @@ const RejectModifyDialog: React.FC<RejectModifyDialogProps> = ({
50          setIsSubmitting(true);
51
52          try {
53  -           await
      updateRevisionRequestStatus(transactionI
      d, 2); // 2 = Rejected
54              await
      onReject(rejectionReason);
55
56              showToast({
```

```
50          setIsSubmitting(true);
51
52          try {
53  +           await
      updateRevisionRequestStatus(transactionI
      d, 2, undefined, undefined,
      rejectionReason); // 2 = Rejected
54              await
      onReject(rejectionReason);
55
56              showToast({
```

…rc/pages/Modification/hooks/useComponentCosts.ts

```
@@ -0,0 +1,121 @@
```

```
1  + import { useCallback, useState } from
     'react';
2  + import { useAtom } from 'jotai';
3  + import type {
4  +   ComponentCost,
5  +   ComponentCostYear,
```

```
6   +   ComponentCostWithYears
7   + } from '../../Project/Model';
8   + import {
9   +   componentCostsAtom,
10  +   componentCostsYearAtom,
11  +   componentCostsWithYearsAtom
12  + } from '../atoms/componentCosts.atom';
13  +
14  + export function useComponentCosts() {
15  +   const [costs, setCosts] =
      useAtom(componentCostsAtom);
16  +   const [years, setYears] =
      useAtom(componentCostsYearAtom);
17  +   const [costsWithYears] =
      useAtom(componentCostsWithYearsAtom);
18  +
19  +   // Delete-dialog state (local to the
      component using this hook)
20  +   const [isDeleteOpen, setIsDeleteOpen]
      = useState(false);
21  +   const [selectedForDelete,
      setSelectedForDelete] =
      useState<ComponentCostWithYears | null>
      (null);
22  +   const [deleteIndex, setDeleteIndex] =
      useState<number | null>(null);
23  +   const [isDeleting, setIsDeleting] =
      useState(false);
24  +
25  +   const seedFromInitial =
      useCallback((initial?: {
      ComponentCosts?: ComponentCost[];
      ComponentCostPerYear?:
      ComponentCostYear[] }) => {
26  +     setCosts(initial?.ComponentCosts ?
      [...initial.ComponentCosts] : []);
27  +
      setYears(initial?.ComponentCostPerYear
      ? [...initial.ComponentCostPerYear] :
      []);
```

```
28  +   }, [setCosts, setYears]);
29  +
30  +   const add = useCallback((cost: ComponentCost, costYear?: ComponentCostYear) => {
31  +     const referenceId = cost.ReferenceId || Date.now().toString();
32  +     const newCost: ComponentCost = { ...cost, ReferenceId: referenceId };
33  +     setCosts(prev => [...prev, newCost]);
34  +
35  +     if (costYear) {
36  +       const newYear: ComponentCostYear = {
37  +         ...costYear,
38  +         ParentId: referenceId,
39  +         Id: costYear.Id || Date.now() + Math.floor(Math.random() * 1000)
40  +       };
41  +       setYears(prev => [...prev, newYear]);
42  +     }
43  +   }, [setCosts, setYears]);
44  +
45  +   const update = useCallback((referenceId: string, updated: ComponentCost) => {
46  +     setCosts(prev => prev.map(c => String(c.ReferenceId) === String(referenceId) ? { ...updated, ReferenceId: referenceId } : c));
47  +   }, [setCosts]);
48  +
49  +   const remove = useCallback((referenceId: string) => {
50  +     setCosts(prev => prev.filter(c => String(c.ReferenceId) !== String(referenceId)));
```

```
51  +     setYears(prev => prev.filter(y => String(y.ParentId) !== String(referenceId)));
52  +   }, [setCosts, setYears]);
53  +
54  +   const addYear = useCallback((parentId: string, year: ComponentCostYear) => {
55  +     const newYear = { ...year, ParentId: parentId, Id: year.Id || Date.now() + Math.floor(Math.random() * 1000) };
56  +     setYears(prev => [...prev, newYear]);
57  +   }, [setYears]);
58  +
59  +   const editYear = useCallback((id: number, updatedYear: ComponentCostYear) => {
60  +     setYears(prev => prev.map(y => (y.Id === id ? { ...updatedYear, Id: id } : y)));
61  +   }, [setYears]);
62  +
63  +   const removeYear = useCallback((id: number) => {
64  +     setYears(prev => prev.filter(y => y.Id !== id));
65  +   }, [setYears]);
66  +
67  +   const total = useCallback(() => (costs || []).reduce((s, c) => s + (c.Total || 0), 0), [costs]);
68  +
69  +   // Delete-dialog helpers
70  +   const openDelete = useCallback((component: ComponentCostWithYears, index: number) => {
71  +     setSelectedForDelete(component);
```

```
72  +      setDeleteIndex(index);
73  +      setIsDeleteOpen(true);
74  +    }, []);
75  +
76  +    const closeDelete = useCallback(() =>
      {
77  +      setIsDeleteOpen(false);
78  +      setSelectedForDelete(null);
79  +      setDeleteIndex(null);
80  +      setIsDeleting(false);
81  +    }, []);
82  +
83  +    const confirmDelete =
      useCallback(async () => {
84  +      if (!selectedForDelete ||
      deleteIndex === null || isDeleting)
      return;
85  +      try {
86  +        setIsDeleting(true);
87  +        const ref =
      selectedForDelete.ReferenceId;
88  +        if (ref) remove(String(ref));
89  +      } finally {
90  +        setIsDeleting(false);
91  +        closeDelete();
92  +      }
93  +    }, [selectedForDelete, deleteIndex,
      isDeleting, remove, closeDelete]);
94  +
95  +    return {
96  +      // read
97  +      costs,
98  +      years,
99  +      costsWithYears,
100 +      // actions
101 +      add,
102 +      update,
103 +      remove,
104 +      addYear,
105 +      editYear,
```

```
106 +      removeYear,
107 +      // helpers
108 +      seedFromInitial,
109 +      total,
110 +      // delete-dialog state & actions
111 +      isDeleteOpen,
112 +      selectedForDelete,
113 +      deleteIndex,
114 +      isDeleting,
115 +      openDelete,
116 +      closeDelete,
117 +      confirmDelete
118 +    } as const;
119 + }
120 +
121 + export default useComponentCosts;
```

...ectmodification/components/ComponentCostForm.tsx

Load Diff

Large diffs are not rendered by default.

...n/projectmodification/components/ProjectForm.tsx

Load Diff

Large diffs are not rendered by default.

.../projectmodification/components/RevisionForm.tsx

```
@@ -215,58 +215,26 @@ const RevisionForm: React.FC<RevisionFormProps> = ({
215                                                 215
        </div>                                              </div>
216                                                 216
```

```
217                                                 <div className="grid grid-cols-1 md:grid-cols-2 gap-4">
218 -                                               {/* Regional Office Comments */}
219                                                 <div className="bg-blue-50 border border-blue-200 rounded-lg p-3">
220                                                 <div className="flex items-center gap-2 mb-2">
221                                                 <svg className="w-4 h-4 text-blue-600" fill="none" stroke="currentColor" viewBox="0 0 24 24">
222                                                 <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M19 21V5a2 2 0 00-2-2H7a2 2 0 00-2 2v16m14 0h2m-2 0h-5m-9 0H3m2 0h5M9 7h1m-1 4h1m4-4h1m-1 4h1m-5 10v-5a1 1 0 011-1h2a1 1 0 011 1v5m-4 0h4" />
223                                                 </svg>
224 -                                               <h6 className="text-xs font-bold text-blue-800 uppercase tracking-wide">Regional Office</h6>
225                                                 </div>
226                                                 <div className="space-y-2">
227                                                 <div>
228                                                 <p className="text-xs text-blue-700 font-medium mb-1">Comment:</p>
```

```
217                                                 <div className="grid grid-cols-1 md:grid-cols-2 gap-4">
218 +                                               {/* Centralized Comments for correction*/}
219                                                 <div className="bg-blue-50 border border-blue-200 rounded-lg p-3">
220                                                 <div className="flex items-center gap-2 mb-2">
221                                                 <svg className="w-4 h-4 text-blue-600" fill="none" stroke="currentColor" viewBox="0 0 24 24">
222                                                 <path strokeLinecap="round" strokeLinejoin="round" strokeWidth={2} d="M19 21V5a2 2 0 00-2-2H7a2 2 0 00-2 2v16m14 0h2m-2 0h-5m-9 0H3m2 0h5M9 7h1m-1 4h1m4-4h1m-1 4h1m-5 10v-5a1 1 0 011-1h2a1 1 0 011 1v5m-4 0h4" />
223                                                 </svg>
224 +                                               <h6 className="text-xs font-bold text-blue-800 uppercase tracking-wide">{correction.IsCentralOffice ? 'Central Office' : 'Regional Office'}</h6>
225                                                 </div>
226                                                 <div className="space-y-2">
227                                                 <div>
228                                                 <p className="text-xs text-blue-700 font-medium mb-1">Comment:</p>
```

```
229                                                                 <p className="text-sm text-gray-800 bg-white p-2 rounded border border-blue-100">
230 -                                                               {correction.ROComment || 'No comment provided'}
231                                                                 </p>
232                                                                 </div>
233                                                                 <div>
234                                                                 <p className="text-xs text-blue-700 font-medium mb-1">Date:</p>
235                                                                 <p className="text-sm text-gray-800 font-mono">
236 -                                                               {correction.ROForCorrectionDate ?
237 -                                                               new Date(correction.ROForCorrectionDate).toLocaleDateString('en-US', {
238 -                                                               year: 'numeric',
239 -                                                               month: 'short',
240 -                                                               day: 'numeric',
241 -                                                               hour: '2-digit',
242 -                                                               minute: '2-digit'
243 -                                                               }) : 'Not specified'
244 -                                                               }
```

```
229                                                                 <p className="text-sm text-gray-800 bg-white p-2 rounded border border-blue-100">
230 +                                                               {correction.CorrectionReason || 'No comment provided'}
231                                                                 </p>
232                                                                 </div>
233                                                                 <div>
234                                                                 <p className="text-xs text-blue-700 font-medium mb-1">Date:</p>
235                                                                 <p className="text-sm text-gray-800 font-mono">
236 +                                                               {correction.ForCorrectionDate ?
237 +                                                               new Date(correction.ForCorrectionDate).toLocaleDateString('en-US', {
```

```
245 -
      </p>
246 -
      </div>
247 -
      </div>
248 -
      </div>
249 -
250 -
      {/* Central Office Comments */}
251 -
      <div className="bg-orange-50 border
      border-orange-200 rounded-lg p-3">
252 -
      <div className="flex items-center gap-2
      mb-2">
253 -
      <svg className="w-4 h-4 text-orange-
      600" fill="none" stroke="currentColor"
      viewBox="0 0 24 24">
254 -
      <path strokeLinecap="round"
      strokeLinejoin="round" strokeWidth={2}
      d="M8 14v3m4-3v3m4-3v3M3 21h18M3
      10h18M3 7l9-4 9 4M4 10h16v11H4V10z" />
255 -
      </svg>
256 -
      <h6 className="text-xs font-bold text-
      gray-800 uppercase tracking-
      wide">Central Office</h6>
257 -
      </div>
258 -
      <div className="space-y-2">
259 -
      <div>
260 -
      <p className="text-xs text-orange-700
```

```
font-medium mb-1">Comment:</p>
-
<p className="text-sm text-gray-800 bg-white p-2 rounded border border-orange-100">
-
{correction.COComment || 'No comment provided'}
-
</p>
-
</div>
-
<div>
-
<p className="text-xs text-orange-700 font-medium mb-1">Date:</p>
-
<p className="text-sm text-gray-800 font-mono">
-
{correction.COForCorrectionDate ?
-
new Date(correction.COForCorrectionDate).toLocaleDateString('en-US', {
                                                                                    year: 'numeric',
                                                                                    month: 'short',
                                                                                    day: 'numeric',
```

…src/pages/Modification/views/ModifcationList.tsx

```
@@ -5,8 +5,7 @@ import MagnifyingGlassIcon from '@heroicons/react/24/outline/MagnifyingGlassIcon
import { Table, TableBody, TableCell, TableHead, TableHeader, TableRow } from '../../../components/tailwindui/table';
                                                                                import { Table, TableBody, TableCell, TableHead, TableHeader, TableRow } from '../../../components/tailwindui/table';
```

```
6       import { Button } from '../../../components/tailwindui/button';
7       import { Pagination, PaginationPrevious, PaginationNext, PaginationPage, PaginationList } from '../../../components/tailwindui/pagination';
8     - import { PlusIcon, XMarkIcon } from '@heroicons/react/20/solid';
9     - import AddProjectDialog from '../dialogs/AddProjectDialog';
10      import AdjustProjectDialog from '../dialogs/ModifiyProjectDialog';
11      import { fetchModificationList } from '../Service';
12      import type { RevisionPagination, RevisionLists } from '../Model.d';
```

```
6       import { Button } from '../../../components/tailwindui/button';
7       import { Pagination, PaginationPrevious, PaginationNext, PaginationPage, PaginationList } from '../../../components/tailwindui/pagination';
8     + import { XMarkIcon } from '@heroicons/react/20/solid';
9       import AdjustProjectDialog from '../dialogs/ModifiyProjectDialog';
10      import { fetchModificationList } from '../Service';
11      import type { RevisionPagination, RevisionLists } from '../Model.d';
```

```
@@ -34,7 +33,6 @@ const ModificationList: React.FC = () => {
34          }, [projectId, stageName, revisionTypeId, revisionTypeDescription]);
35
36          const [ isLoading, setIsLoading ] = useState<boolean>(false);
37    -     const [ isAddNewDialogOpen, setIsAddNewDialogOpen ] = useState<boolean>(false);
38          const [ isAdjustDialogOpen, setIsAdjustDialogOpen ] = useState<boolean>(false);
39          const [ searchInput, setSearchInput ] = useState<string>('');
40
```

```
@@ -140,11 +138,6 @@ const ModificationList: React.FC = () => {
140             }
141         }
142
```

```
33          }, [projectId, stageName, revisionTypeId, revisionTypeDescription]);
34
35          const [ isLoading, setIsLoading ] = useState<boolean>(false);
36          const [ isAdjustDialogOpen, setIsAdjustDialogOpen ] = useState<boolean>(false);
37          const [ searchInput, setSearchInput ] = useState<string>('');
38
```

```
138             }
139         }
140
```

```
143 -       const handleAddProject = () => {
144 -           setIsAddNewDialogOpen(true);
145 -           console.log("Add Project Clicked");
146 -       }
147 -
148         const handleViewDetails = (revision: RevisionLists) => {
149             console.log("View Details Clicked for:", revision);
150
```

```
141         const handleViewDetails = (revision: RevisionLists) => {
142             console.log("View Details Clicked for:", revision);
143
```

Comments 0

Lock conversation

Comment

Subscribe You're not receiving notifications from this thread.