Improving Growth Corridor in Mindanao Road Sector Project (Loan No. 3631-PHI)

Acceptance Test Plan For Web-Based MYPS And Operational Acceptance Environment (UAT, Functional Testing with PS/IMS) Deliverable #46

(Draft – Version 4.0)

15 May 2026

DOCUMENT CONTROL SHEET

Contracting Authority: DEPARTMENT OF PUBLIC WORKS AND HIGHWAYS – DPWH

The Promoter: ASIAN DEVELOPMENT BANK

Contract Name: Improving Growth Corridors in Mindanao Road Sector Project (Loan No. 3631-PHI), Consulting Services for ICD-1: Multi-Year Planning

Contract Number: 22CSZ101

Report title: ACCEPTANCE TEST PLAN FOR WEB-BASED MYPS - DELIVERABLE #46 (Version 3)

REV.	DATE	AUTHOR	PARTICIPANTS	COMMENTS
1	27 Nov. 2025	GE	RP, ED, CL, KS	V1
2	27 February 2026	GE	RP, ED, CL, JAA	V2
3	05 May 2026	GE	RP, ED, CL, KS, JA	V3
4	13 May 2026	GE	RP, ED, CL, KS, JA	V4

Consultant **EPTISA** **Madrid Head Office**: C. de Emilio Muñoz, 35, San Blas-Canillejas, 28037 Madrid, Spain
Philippines Office: Unit 604, Taipan Place, Ortigas Center, Pasig City, 1605 Metro Manila, Philippines

Project Director
Name **ANTONIO ALFEREZ BURILLO**
Telephone +632-881-74200
Email aalferez@eptisa.com

Team Leader
Name **ROGER PFEIFFER (RP)**
Telephone +63 975-491-6860
Email rp@pfeiffer-online.org

Verification and Approval:

	APPROVED: From the Team Leader	**APPROVED: From the Consulting Firm**
	Roger Roland Pfieffer, Project Team Leader ICD-1 Project	**Antonio Alferez Burillo**, Project Director Eptisa Servicios de Ingenieria S.L. in the Philippines
Signature		
Date		

TABLE OF CONTENTS

TABLE OF CONTENTS 3
GLOSSARY OF TERMS 14
Test Charter & Scope 17
1 Test Management 17
2 Environments 18
3 Test Suites 18
3.1 (S01) Login, Global Search & Programs 19
3.1.1 Test Case - 1 (S01-TC001) 19
Login Page 19
Test Script Procedures 20
3.1.2 Test Case - 2 (S01-TC002) 20
Dashboard 20
Test Script Procedures 21
3.1.3 Test Case - 3 (S01-TC003) 22
Global Search 22
Test Script Procedures 22
3.1.4 Test Case - 4 (S01-TC004) 23
Programs 23
Test Script Procedures 24
3.1.5 Test Case - 5 (S01-TC005) 25
Add Program 25
Test Script Procedures 26
3.1.6 Test Case - 6 (S01-TC006) 26
View Program Details 26
Test Script Procedures 27
3.1.7 Test Case - 7 (S01-TC007) 28
Programs (Program Stages) 28
Test Script Procedures 28
3.1.8 Test Case - 8 (S01-TC008) 29
Programs (Add Existing Project) 29
Test Script Procedures 30
3.1.9 Test Case - 9 (S01-TC009) 31

Programs - Batch Action (Delete) 31
Test Script Procedures 33
3.1.10 Test Case - 10 (S01-TC010) 33
Programs - Batch Action (Restrict Publishing) 33
Test Script Procedures 34
3.1.11 Test Case - 11 (S01-TC011) 34
Programs - Batch Action (Allow Publishing) 34
Test Script Procedures 35
3.1.12 Test Case - 12 (S01-TC012) 35
Program - Actions (Download Template) 35
Test Script Procedures 36
3.1.13 Test Case - 13 (S01-TC013) 36
Program - Actions (Import Projects) 36
Test Script Procedures 37
3.1.14 Test Case - 14 (S01-TC014) 37
Program - Actions (Export Projects) 37
Test Script Procedures 38
3.1.15 Test Case - 15 (S01-TC015) 38
Program - Actions (View AIP Report) 38
Test Script Procedures 39
3.2 (S02) Projects 40
3.2.1 Test Case - 1 (S02-TC001) 41
Add Projects 41
Test Script Procedures 44
3.2.2 Test Case - 2 (S02-TC002) 44
Edit Project Details (Funding Profile) 44
Test Script Procedures 46
3.2.3 Test Case - 3 (S02-TC003) 46
Edit Project Details (Component Cost) 46
Test Script Procedures 49
3.2.4 Test Case - 4 (S02-TC004) 50
Edit Project Details (Major Items of Work) 50
Test Script Procedures 50
3.2.5 Test Case – 5 (S02-TC005) 50
Edit Project Details (Work Locations) for Accessibility Facility 50
Test Script Procedures 52

3.2.6 Test Case - 6 (S02-TC006) 52
Edit Project Details (Work Locations) for Consultancy 52
Test Script Procedures 53
3.2.7 Test Case - 7 (S02-TC007) 54
Edit Project Details (Work Locations) for Flood Control Structures 54
Test Script Procedures 55
3.2.8 Test Case - 8 (S02-TC008) 56
Edit Project Details (Work Locations) for Hospitals 56
Test Script Procedures 57
3.2.9 Test Case - 9 (S02-TC009) 58
Edit Project Details (Work Locations) for Local Bridges 58
Test Script Procedures 59
3.2.10 Test Case - 10 (S02-TC010) 60
Edit Project Details (Work Locations) for Local Flood Control Structures 60
Test Script Procedures 61
3.2.11 Test Case - 11 (S02-TC011) 62
Edit Project Details (Work Locations) for Local Roads 62
Test Script Procedures 63
3.2.12 Test Case - 12 (S02-TC012) 64
Edit Project Details (Work Locations) for Multi-Purpose Buildings 64
Test Script Procedures 65
3.2.13 Test Case - 13 (S02-TC013) 66
Edit Project Details (Work Locations) for Non Infra 66
Test Script Procedures 67
3.2.14 Test Case - 14 (S02-TC014) 67
Edit Project Details (Work Locations) for Other Buildings 67
Test Script Procedures 68
3.2.15 Test Case - 15 (S02-TC015) 69
Edit Project Details (Work Locations) for Rain Water Collector 69
Test Script Procedures 70
3.2.16 Test Case – 16 (S02-TC016) 71
Edit Project Details (Work Locations) for School Buildings 71
Test Script Procedures 72
3.2.17 Test Case – 17 (S02-TC017) 73
Edit Project Details (Work Locations) for Septage and Sewerage Plants 73
Test Script Procedures 74

3.2.18 Test Case – 18 (S02-TC018) 75
Edit Project Details (Work Locations) for Water Supply Systems 75
Test Script Procedures 76
3.2.19 Test Case - 19 (S02-TC0019) 77
Edit Project Details (Work Locations) for National Bridges 77
Test Script Procedures 78
3.2.20 Test Case – 20 (S02-TC020) 78
Project Details (Work Locations) for Roads 78
Test Script Procedures 80
3.2.21 Test Case - 21 (S02-TC021) 81
Project Details (Supporting Documents) 81
Test Script Procedures 81
3.3 (S03) Revision and Revision Approval 82
3.3.1 Test Case - 1 (S03-TC001) 82
Project Detail Revision 82
Test Script Procedures 83
3.3.2 Test Case - 2 (S03-TC002) 84
Project Detail Revision (Additional Funding) 84
Test Script Procedures 87
3.3.3 Test Case - 3 (S03-TC003) 88
Project Detail Revision (Adjustment) 88
Test Script Procedures 92
3.3.4 Test Case - 4 (S03-TC004) 93
Project Detail Revision (Change in Authority to implement) 93
Test Script Procedures 93
3.3.5 Test Case - 5 (S03-TC005) 94
Project Detail Revision (Change in funding) 94
Test Script Procedures 94
3.3.6 Test Case - 6 (S03-TC006) 95
Project Detail Revision (Change of Creditor) 95
Test Script Procedures 95
3.3.7 Test Case - 7 (S03-TC007) 96
Project Detail Revision (Expired Funding) 96
Test Script Procedures 96
3.3.8 Test Case - 8 (S03-TC008) 97
Project Detail Revision (For Savings - Partial Unutilized Balance) 97

Test Script Procedures 97
3.3.9 Test Case - 9 (S03-TC009) 98
Project Detail Revision (Mode of Implementation) 98
Test Script Procedures 98
3.3.10 Test Case - 10 (S03-TC010) 99
Project Detail Revision (Modification) 99
Test Script Procedures 102
3.3.11 Test Case - 1 (S03-TC011) 103
Project Detail Revision (Multi-Year Costing Changes) 103
Test Script Procedures 103
3.3.12 Test Case - 12 (S03-TC012) 104
Project Detail Revision (Non-Implementable) 104
Test Script Procedures 105
3.3.13 Test Case - 13 (S03-TC013) 105
Project Detail Revision (Termination) 105
Test Script Procedures 106
3.3.14 Test Case - 14 (S03-TC014) 106
RO Approval Request Validation (Approved) 106
Test Script Procedures 106
3.3.15 Test Case - 15 (S03-TC015) 106
RO Approval Request Validation (Rejected) 106
Test Script Procedures 106
3.3.16 Test Case - 16 (S03-TC016) 106
RO Approval Request Validation (For Correction) 106
Test Script Procedures 106
3.3.17 Test Case - 17 (S03-TC017) 107
PS Admin Approval Request Validation (Approved) 107
Test Script Procedures 107
3.3.18 Test Case - 18 (S03-TC018) 107
PS Admin Approval Request Validation (Disapproved) 107
Test Script Procedures 107
3.3.19 Test Case - 19 (S03-TC019) 107
PS Admin Approval Request Validation (For Correction) 107
Test Script Procedures 107
3.4 (S04) Code Table and Settings 107
3.4.1 Test Case - 1 (S04-TC001) 108

Settings Code tables Project Details (Category) 108
Test Script Procedures 109
3.4.2 Test Case - 2 (S04-TC002) 110
Settings Code tables Project Details (Thrust) 110
Test Script Procedures 111
3.4.3 Test Case - 3 (S04-TC003) 112
Settings Code tables Project Details (Agency) 112
Test Script Procedures 113
3.4.4 Test Case - 4 (S04-TC004) 113
Settings Code tables Project Details (Origin) 113
Test Script Procedures 114
3.4.5 Test Case - 5 (S04-TC005) 115
Settings Code tables (Component Cost) 115
Test Script Procedures 116
3.4.5 Test Case - 6 (S04-TC006) 117
Settings Code tables Major Item (Work Category) 117
Test Script Procedures 118
3.4.7 Test Case - 7 (S04-TC007) 118
Settings Code tables Major Item (Type of Work) 118
Test Script Procedures 120
3.4.8 Test Case - 8 (S04-TC008) 121
Settings Code tables Major Item (Infrastructure Type) 121
Test Script Procedures 122
3.4.9 Test Case - 9 (S04-TC009) 123
Settings Code tables Funding Profile (Funding Agreement) 123
Test Script Procedures 124
3.4.10 Test Case - 10 (S04-TC010) 124
Settings Code tables Funding Profile (Funding Source) 124
Test Script Procedures 125
3.4.11 Test Case - 11 (S04-TC011) 126
Settings Code tables Revision (Categories) 126
Test Script Procedures 127
3.4.12 Test Case - 12 (S04-TC012) 128
Settings Code tables Revision (Headers) 128
Test Script Procedures 129
3.4.13 Test Case - 13 (S04-TC013) 129

Settings Code tables Revision (Documents) 129
Test Script Procedures 131
3.4.14 Test Case - 14 (S04-TC014) 131
Settings Code tables Revision (Reasons) 131
Test Script Procedures 133
3.4.15 Test Case - 15 (S04-TC015) 133
Settings Code tables Revision (Statuses) 133
Test Script Procedures 134
3.4.16 Test Case - 16 (S04-TC016) 135
Settings Code tables Revision (Rules) 135
Test Script Procedures 136
3.4.17 Test Case - 17 (S04-TC017) 137
Settings Code tables Revision (Validation Dates) 137
Test Script Procedures 138
3.4.18 Test Case - 18 (S04-TC018) 139
Settings Code tables Program (Program Stage) 139
Test Script Procedures 140
3.4.19 Test Case - 19 (S04-TC019) 141
Settings Code tables Program (Program Type) 141
Test Script Procedures 142
3.4.20 Test Case - 20 (S04-TC020) 142
Settings Code tables (Admin Areas) 142
Test Script Procedures 144
3.4.21 Test Case - 21 (S04-TC021) 144
Settings User Management 144
Test Script Procedures 145
3.4.22 Test Case - 22 (S04-TC022) 146
Settings User Management (App Module) 146
Test Script Procedures 147
3.4.23 Test Case - 23 (S04-TC023) 147
Settings User Management (Users Filter) 147
Test Script Procedures 148
3.4.24 Test Case - 24 (S04-TC024) 148
Settings User Management (Add User) 148
Test Script Procedures 150
3.4.25 Test Case - 25 (S04-TC025) 150

User Management (User Groups – Filter) 150
Test Script Procedures 151
3.4.26 Test Case - 26 (S04-TC026) 151
User Management (User Groups – Add Group) 151
Test Script Procedures 151
3.4.27 Test Case - 27 (S04-TC027) 152
Settings Infra Management 152
Test Script Procedures 152
3.4.28 Test Case - 28 (S04-TC028) 153
Settings Infra Management (add Future Road) 153
Test Script Procedures 153
3.4.29 Test Case - 29 (S04-TC029) 154
Settings Infra Management (add Future Road Section) 154
Test Script Procedures 154
3.4.30 Test Case - 30 (S04-TC030) 155
Settings Infra Management (Roads) 155
Test Script Procedures 156
3.4.31 Test Case – 31 (S04-TC031) 156
Settings Infra Management (Roads - Add Road Section) 156
Test Script Procedures 157
3.4.32 Test Case – 32 (S04-TC032) 157
Settings Infra Management (Road Sections) 157
Test Script Procedures 158
3.4.33 Test Case – 33 (S04-TC033) 158
Settings Infra Management (Road Sections - Add Bridge) 158
Test Script Procedures 159
3.4.34 Test Case – 34 (S04-TC034) 159
Settings Infra Management (Bridges) 159
Test Script Procedures 160
3.4.35 Test Case – 35 (S04-TC035) 161
Settings Infra Management (Input future Bridges) 161
Test Script Procedures 161
3.5 (S05) Project Groups 162
3.5.1 Test Case – 1 (S05-TC001) 162
Project Groups 162
Test Script Procedures 163

3.5.2 Test Case – 2 (S05-TC002) 164
Project Group - Details 164
Test Script Procedures 166
3.5.3 Test Case – 3 (S05-TC003) 167
Project Group - Create Project Group 167
Test Script Procedures 168
3.6 (S06) Infra Management & Imports 168
Roads Tab 168
3.6.1 Test Case – 1 (S06-TC001) 168
View Roads Tab 168
Test Script Procedures 168
3.6.2 Test Case – 2 (S06-TC002) 169
Search & Filter List of Roads 169
Test Script Procedures 170
3.6.3 Test Case – 3 (S06-TC003) 170
Add New / Edit Future Road Entry 170
Test Script Procedures 171
3.6.4 Test Case – 4 (S06-TC004) 171
Delete Future Road Entry 171
Test Script Procedures 172
3.6.5 Test Case – 5 (S06-TC005) 172
Add Future Road Section Dialog (launched from Road row): 172
Test Script Procedures 173
Road Sections Tab 174
3.6.6 Test Case – 6 (S06-TC006) 174
View List of Roads Sections 174
Test Script Procedures 174
3.6.7 Test Case – 7 (S06-TC007) 175
Search & Filter List of Road Sections 175
Test Script Procedures 175
3.6.8 Test Case – 8 (S06-TC008) 176
Edit Future Road Section Entry 176
Test Script Procedures 176
3.6.9 Test Case – 9 (S06-TC009) 177
Delete Future Road Section Entry 177
Test Script Procedures 177

3.6.10 Test Case – 10 (S06-TC010) 178
Add Future Bridge Dialog (launched from Road Section row) 178
Test Script Procedures 179
Bridges Tab 179
3.6.11 Test Case – 11 (S06-TC011) 179
View List of Bridges 179
Test Script Procedures 180
3.6.12 Test Case – 12 (S06-TC012) 180
Search & Filter List of Bridges 180
Test Script Procedures 181
3.6.13 Test Case – 13 (S06-TC013) 181
Edit Future Bridge Entry 181
Test Script Procedures 182
3.6.14 Test Case – 14 (S06-TC014) 183
Delete Future Bridge Entry 183
Test Script Procedures 183
Import Dialog 184
3.6.15 Test Case – 15 (S06-TC015) 184
Import Road Network Data from RBIA 184
Test Script Procedures 185
3.6.16 Test Case – 16 (S06-TC016) 185
Import Lookup tables from Admin Areas 185
Test Script Procedures 186
3.6.17 Test Case – 17 (S06-TC017) 186
Import Lookup tables from Admin Areas 186
Test Script Procedures 187

ABBREVIATIONS

Abbreviations	Full Description
AIP	Annual Investment Plan
API	Application Programming Interface

AWS	Amazon Web Services
CI/CD	Continuous Integration / Continuous Deployment
CTA	Component Technology Architecture
DMA	Design Management Application
DDL	Data Definition Language
DSS	Decision Support System
EAS	Enterprise Application Server
ERD	Entity–Relationship Diagram
GAA	General Appropriations Act
GKE	Google Kubernetes Engine
GIS	Geographic Information System
HGAB	House-Approved General Appropriations Bill
IROWMA	Infrastructure Right-of-Way Management Application
MYPS	Multi-Year Planning and Scheduling
NEP	National Expenditure Program
OAuth 2.0	Open Authorization 2.0 (industry-standard authorization framework)
PCMA	Project and Contract Management Application
PDM	Physical Data Model
PIP	Public Investment Program
PDSA	Plan-Do-Study-Act cycle (not directly used but relevant to iterative design)
PIP	Public Investment Program
PPMPA	Project Procurement Management Plan Application

PREXC	Program Expenditure Classification
PXS	Placeholder for proprietary XML schema
RBAC	Role-Based Access Control
RBIA	Road and Bridge Inventory Application
REST	Representational State Transfer (style for Web APIs)
SAML	Security Assertion Markup Language
SPA	Single-Page Application
SQL	Structured Query Language
SSO	Single Sign-On
TLS	Transport Layer Security
TOR	Terms of Reference
UAT	User Acceptance Testing
UBP	Unified Budget Proposal
UDIP	UPMO Development Investment Program
UEFI	Unified Extensible Firmware Interface

GLOSSARY OF TERMS

The terms used in this document are defined in this glossary. This list will be updated and expanded as required to ensure a common understanding.

- AIP Annual Investment Plan: DPWH's yearly program of prioritized projects for budget allocation and printing.

- **API – Application Programming Interface:** A defined set of methods and data formats that allows software components or systems to communicate. In MYPS Web, APIs expose Programs, Projects, Funding, Options, and GIS features as HTTP/HTTPS endpoints.
- **Clarification Notes:** End-user Q&A document capturing unresolved questions about existing MYPS behavior and requirements.
- **ESRI Shapefile**: A popular geospatial vector data format for GIS features (points, lines, polygons).
- **GAA General Appropriations Act**: Philippine annual law authorizing government spending.
- **GIS Geographic Information System**: Software for capturing, analyzing, and visualizing spatial data.
- **HGAB House-Approved General Appropriations Bill:** Philippine budget prior to bicameral conference.
- **MYPS**: Multi-Year Planning and Scheduling: DPWH's core application for programming infrastructure projects.
- **NEP**: National Expenditure Program: Executive branch's proposed annual budget in the Philippines.
- **PCMA Project and Contract Management Application:** DPWH system for managing project contracts and awards.
- **PDM Physical Data Model:** The database schema diagram for the current MYPS implementation.
- **PIP Public Investment Program**: National-level multi-year infrastructure program; also, a MYPS module in Version 7.0 Lite.
- **PREXC Program Expenditure Classification**: DPWH reporting requirement for obligations before project implementation.
- **RBIA Road and Bridge Inventory Application**: DPWH system for managing asset inventories.
- **RESTful API**: API design style using HTTP verbs and stateless, resource-oriented endpoints.
- **SQL Server**: Microsoft relational database engine used by the current MYPS deployment.
- **SPA – Single-Page Application**: A Web application pattern where a single HTML page is loaded once and content is updated dynamically via JavaScript and APIs. MYPS Web's front end is implemented as an SPA.
- **TOR – Terms of Reference**: The formal project document defining the scope, objectives, deliverables, timelines, and constraints for the Web-based MYPS modernization effort.
- **UAT – User Acceptance Testing**: Formal testing performed by business users (e.g., PS/IMS) to confirm that the system meets agreed requirements before go-live.

- **UBP Unified Budget Proposal**: MYPS module for UPMO cluster annual budget workflows (Version 7.0 Lite reference).
- **UDIP UPMO Development Investment Program**: A MYPS program stage in Version 7.0 Lite for UPMO clusters.
- **UEFI**: Unified Extensible Firmware Interface (included here as an analogy for structured initialization, though not directly used).

Test Charter & Scope

This Test Charter and Scope define the coverage, boundaries, objectives, success criteria, and principal risks for acceptance testing of Web-based MYPS. It is aligned to the user-facing processes, roles, screen flows, and module groupings described in Deliverable #48 – Web-Based MYPS User Manual, and it is intended to confirm that the browser-based MYPS supports the required planning, budgeting, review, GIS, reporting, and publishing activities of DPWH end users.

In scope are the user-facing functions that can be validated through MYPS Web screens, workflows, reports, GIS operations, and publish actions, together with the supporting roles, permissions, and environment settings needed to execute those functions. Out of scope are detailed internal design verification, source-code review, and day-to-day infrastructure operations except where these directly affect UAT readiness. Success shall be measured through completion of the planned priority scenarios, acceptable results for critical workflows and integrations, resolution or agreed disposition of blocking defects, and formal sign-off by the authorized business and technical representatives. Key risks include incomplete master data, unavailable interfaces, role misconfiguration, unstable GIS services, and unresolved defects that block stage progression, publishing, or reporting.

1 Test Management

This section defines the governance and control mechanism for the full MYPS Web acceptance cycle. All test cases, walkthroughs, and evidence items shall be traceable to the relevant functions, screens, workflows, and user tasks documented in Web-Based MYPS User Manual so that there is a clear line from business requirement to executed test and recorded result. Traceability shall be maintained through test IDs, referenced UI/UX screen names, prerequisite data conditions, tester assignments, execution status, defects raised, retest dates, and final disposition.

Test Management also establishes the conditions for opening and closing a test cycle. Entry criteria normally include deployment of the intended build, availability of required environments and accounts, loading of agreed reference and transactional datasets, completion of basic smoke checks, and confirmation that dependent services such as GIS layers and publish interfaces are available. Exit criteria include execution of the approved scope, completion of retest and regression activities, documentation of all deviations, and sign-off of any accepted residual issues. Defects shall be logged with severity, reproducibility, affected role or module, expected versus actual result, supporting screenshots or data evidence, and the status of correction, retest, and closure.

2 Environments

This section describes the environments used to execute and validate MYPS Web throughout the test cycle, including DEV, TEST, UAT. For each environment, the plan considers the application topology, browser-based access, user roles and accounts, representative reference and transactional datasets, GIS layers and services, enabled interfaces, and the configuration required to support realistic business and technical validation.

The environment strategy ensures that testing is performed in configurations suitable for progressive validation, controlled issue resolution, and realistic user acceptance. DEV and TEST may be used for early functional verification and issue isolation, while UAT shall be reserved for business validation and operational readiness checks using approved user accounts, representative Programs, Projects, Funding Profiles, revisions, GIS-linked records, and production-like browser and network settings. Particular attention shall be given to the UAT environment specifications because these are the basis for acceptance decisions and must allow testers to validate authentication behavior, role-based access, workflow sequencing, interface responses, report generation, and system stability under realistic operating conditions.

3 Test Suites

This section groups the acceptance coverage into major suites that reflect the principal MYPS Web capabilities described in the user manual. The suite structure follows the way the system is actually used by PS/IMS, ROs/DEOs, RPO/UPMO, IMS/IT, and view-only users, and it supports both focused module verification and end-to-end business validation across the planning lifecycle.


Each suite may contain multiple detailed test cases and procedures, but all suites shall be read together because many MYPS Web activities cross module boundaries. A single business transaction may depend on correct code tables, role-based access, GIS validation, publish readiness, and reporting accuracy before it can be accepted. The suite model therefore provides a structured basis for scheduling test execution, assigning testers, evaluating coverage, and reporting outcomes in a manner that is clear to both business and technical stakeholders.

3.1 (S01) Login, Global Search & Programs

This suite covers User Login, Global Search, and Program modules.

3.1.1 Test Case - 1 (S01-TC001)

Login Page



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	USERNAME	DPWH network/MYPS account name used to sign in.	Required; 3–50 characters; alphanumeric with optional period (.), underscore (_),

			or hyphen (-); no spaces; case-insensitive. Example: Vivencio B. Dizon, Admin.
2	PASSWORD	Secret credential for the above account.	Required; 8–64 characters; case-sensitive; masked input; expires per policy. Must not be shared; lockouts apply after repeated failed attempts.
3	SIGN IN BUTTON	Button to submit login credentials for authentication.	Button labeled "Sign In". If credentials are valid, the application will redirect the user to the dashboard.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S01-TC001-P001
- S01-TC001-P002

3.1.2 Test Case - 2 (S01-TC002)

Dashboard



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	USER INFO	Displays signed-in user's basic information such as	Displays Username, Role, and Phone Number (optional). Read-only field.

		username, role, and phone number.	
2	ACCOUNT STATUS	Shows the current account status and other related information, including active status and credits.	Displays Status (Active/Locked/Expired), Credits; Read-only.
3	QUICK ACTIONS	Provides shortcuts for the most frequently used tasks.	Displays links/buttons for New Program, New Project, Import Data, etc. (role-based).
4	SIDE NAVIGATION / DASHBOARD	Persistent left-side navigation panel for accessing the Dashboard.	Clickable to navigate to Dashboard section.
5	SIDE NAVIGATION / PROGRAM	Navigational item for accessing the Program section.	Clickable to navigate to Program section where users can manage, edit, and review programs.
6	SIDE NAVIGATION / PROJECT	Navigational item for accessing the Project section.	Clickable to navigate to Project section where users can manage and review projects.
7	SIDE NAVIGATION / REVISION	Navigational item for accessing the Revision section.	Clickable to navigate to Revision section where users can view or modify project revisions.
8	SIDE NAVIGATION / PROJECT GROUPS	Navigational item for accessing Project Groups section.	Clickable to navigate to Project Groups section for organizing projects.
9	SIDE NAVIGATION / SETTINGS CODE TABLE	Navigational item for accessing the Settings - Code Tables section.	Clickable to navigate to Code Tables settings section.
10	SIDE NAVIGATION / SETTINGS USER MANAGEMENT	Navigational item for accessing Settings - User Management section.	Clickable to navigate to User Management settings section.
11	SIDE NAVIGATION / SETTINGS INFRA MANAGEMENT	Navigational item for accessing Settings - Infra Management section.	Clickable to navigate to Infra Management settings section.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S01-TC002-P001

3.1.3 Test Case - 3 (S01-TC003)

Global Search



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	SELECT CATEGORY	Dropdown field used to choose the category or module to search within (e.g., Program Name, Project ID, Roads and Bridges).	Dropdown; select a category from available options. Required before search.
2	INPUT VALUE	Open text field where the user enters the keyword or identifier to search based on the selected category.	Text input; placeholder "Enter search value…". User types the value to search (e.g., program name, project ID, road name).
3	CLICK SEARCH		Button "Search"; click to execute the search. The system returns results based on category and value.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S01-TC003-P001
- S01-TC003-P002

3.1.4 Test Case - 4 (S01-TC004)

Programs



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PROJECT NAME	The official title of the project or initiative under the program.	Alphabetical text; Official title of the project or initiative under the program.
2	STATUS	Current status of the program.	Working, Approved, etc.
3	PROGRAM TYPE	Specifies the classification of the program (e.g., Infrastructure, Social, Environmental).	Drop-down list for selecting program type (e.g., Infrastructure, Social, Environmental).
4	NO. OF PROJECTS	The number of projects under the current program.	Numeric value (e.g., 5 projects).
5	START YEAR	The year in which the program starts.	Numeric value in YYYY format.
6	SEARCH PROGRAM	Search field to filter the programs based on their name or program code.	Text input; placeholder: "Search Programs..."; alphanumeric characters, max 100 chars.
7	FILTERS	Provides options to filter the displayed programs based on different parameters.	Filter criteria for program selection; options such as status, region, or program type.
8	ADD PROGRAMS	Button to allow users to add new programs to the system.	Primary action; opens the form to add new programs.

9	ACTION/VIEW	Button to view more details about the program.	Button labeled "View"; when clicked, it opens detailed information about the program.
10	ACTION/DELETE	Button to delete or remove a program from the list.	Button labeled "Delete"; action is triggered after confirming the deletion of the program.
11	SEARCH PROGRAM FIELD	a keyword box that filters the list by Program Name (and, in some cases, code). It supports:	Verify the control is visible and functions according to the user manual.
12	SEARCH BUTTON	executes the search and resets the grid to the first page.	Verify the control is visible and functions according to the user manual.
13	CLEAR BUTTON	After using the search bar, it removes the searched results in the Program section.	Verify the control is visible and functions according to the user manual.
14	ADD PROGRAM BUTTON (IF YOU HAVE CREATED RIGHTS)	opens the Add Program form (UI-UX-004).	Verify the control is visible and functions according to the user manual.
15	STATUS	category/label (e.g., Regular Infrastructure, Flood Control), rendered as a pill.	Verify the control is visible and functions according to the user manual.
16	START YEAR	initial implementation year; sortable.	Verify the control is visible and functions according to the user manual.
17	ACTIONS	View (open details) and, where allowed, Delete (soft delete/archive).	Verify the control is visible and functions according to the user manual.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S01-TC004-P001
- S01-TC004-P002
- S01-TC004-P003
- S01-TC004-P004
- S01-TC004-P005
- S01-TC004-P006
- S01-TC004-P007

3.1.5 Test Case - 5 (S01-TC005)

Add Program



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PROGRAM NAME	Auto-generated name for the new program. Users cannot edit this field.	Users cannot edit this field as the name is auto-generated.
2	SUB NAME	Optional sub-program name or label for categorization.	Text Input; placeholder "Add Sub Name not required"; Alphanumeric + punctuation; 5–200 chars; Must be unique; Optional text input/label.
3	START YEAR	Year when the program initiates.	4-digit numeric (YYYY); range 1990–2100; required.
4	PROGRAM TYPE	Defines the nature of the program.	Selection of Current Program Type via Drop Down: Regular Infrastructure, External Infrastructure, Trust Fund, Automatic Appropriation.
5	USER GROUP	Indicates the user group for the program.	Selection of User Group via Drop Down: DPD, PD, Admin, AGS, RPC, DPC, etc.
6	PROGRAM STAGE	States the stage which a program is at.	Selection of Current Program Type via Drop Down: RDIP, PIP, BP, NEP, HGAB, GAA, TF.
7	DATA SECURITY ACCESS	Allows specifying which organizations or offices can access the data.	Selection of Organizations/Offices via Check Box: Central Offices, Regional Offices, Project Management Offices, Bureaus.

8	SEARCH ORGANIZATIONS	Search bar to find specific offices or organizations for Data Security Access.	Text input; placeholder "Search organizations…"; Allowed: letters, numbers, spaces, "-", "_", "/"; max 100 chars.
9	SELECT ALL / CLEAR ALL	Buttons to select or deselect all organizations in the list.	Buttons to "select" or "deselect all" items. Adds/removes checks on the check boxes.
10	CANCEL BUTTON	Cancels the creation of the new program and closes the form.	Button "Cancel"; Action leads to closing the form.
11	SUBMIT BUTTON	Saves and submits the new program.	Button "Submit"; Action leads to saving the program.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S01-TC005-P001
- S01-TC005-P002
- S01-TC005-P003

3.1.6 Test Case - 6 (S01-TC006)

View Program Details



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	NAME	Unique identifier automatically assigned to each project.	Alphanumeric + punctuation; unique

			identifier for the project (e.g., P01155611LZ).
2	STATUS	Indicates the current status or activity of the project.	(e.g., Working, Approved, Pending).
3	PROGRAM TYPE	Classifies the project as either regular or external infrastructure or other classifications.	Dropdown options: Regular Infrastructure, External Infrastructure, etc.
4	NO OF PROJECTS	Displays the total number of projects within the program.	Numeric value (e.g., 3 projects).
5	START YEAR	The year in which the program or project will begin.	Numeric value (YYYY format, e.g., 2025).
6	STAGE NAME	Displays the stage name of the program.	Dropdown options: BP, NEP, HGAB, GAA, etc.
7	TYPE	Specifies the classification or category of the program.	Text input for project classification (e.g., Infrastructure, Environmental).
8	START YEAR (STAGE)	The start year of a specific stage within the program.	Numeric value (YYYY format, e.g., 2025).
9	PROJECTS	Number of projects associated with each stage of the program.	Numeric value (e.g., 3 projects).
10	AMOUNT	Displays the cost or budget allocated for each stage or project.	Currency value (e.g., ₱15,000,000,000).
11	ACTIONS/VIEW DETAILS	Button to view the details of the specific project or program.	Button labeled "View Details"; when clicked, the user can view detailed information for the program or project.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S01-TC006-P001

3.1.7 Test Case - 7 (S01-TC007)

Programs (Program Stages)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	CURRENT STAGE	Displays the current stage of the program.	Text; read-only; shows the current program stage (e.g., BP, NEP).
2	NEXT STAGE	Displays the next stage the program will transition to.	Text; read-only; shows the automatic next stage (e.g., NEP).
3	BASE PROGRAM NAME	Editable field to change the name of the base program.	Text input; 4-digit numeric (e.g., "NEP 2026").
4	SUB NAME	Optional field for adding additional names for clarification (e.g., revision, version).	Text input; alphanumeric + punctuation.
5	PROGRAM NAME PREVIEW	Displays a preview of the full program name before finalizing the transition.	Text; shows the preview name (e.g., "NEP 2025 - CONCRETING OF TUGAS-MALIGAY ROAD PATIKUL SULU").
6	CANCEL	Closes the modal without proceeding to the next stage.	Button labeled "Cancel"; action leads to closing the form.
7	PROCEED TO <NEXT PROGRAM STAGE NAME>	Confirms the action and proceeds the program to the next Program Stage.	Button labeled "Proceed to <Program Stage>"; action confirms the transition to the next stage.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S01-TC007-P001

3.1.8 Test Case - 8 (S01-TC008)

Programs (Add Existing Project)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PROJECT ID TEXTBOX	Textbox that can input the past Project ID to restore inside the program	Type a delete Project ID
2	CANCEL	Cancel button to exit the Batch restore project	Click the Cancel button
3	RESTORE PROJECTS	Restore button to execute the given project id inside the Project ID Text Box	Encode the Project ID first, then click the Restore Projects button


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:


- S01-TC008-P001
- S01-TC008-P002

3.1.9 Test Case - 9 (S01-TC009)

Programs - Batch Action (Delete)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PROGRAM NAME	Displays the name of the program that the project belongs to.	Text message; Displays the program name (e.g., "GAA-R 2027 - Flood prevention program for NCR").
2	PROJECTS IDS	Input for Project IDs be deleted.	Text field; Comma-separated list of Project IDs for the Projects to be deleted.
3	CANCEL BUTTON	Cancels the delete operation and closes the modal.	Button labeled "Cancel"; Action: Closes the modal without deleting.
4	DELETE BUTTON	Confirms the deletion of the selected project(s).	Button labeled "Delete Projects"; Action: Proceeds to Confirmation Dialog.



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
5	PROGRAM NAME	Displays the name of the program that the project belongs to.	Text message; Displays the program name (e.g., "GAA-R 2027 - Flood prevention program for NCR").
6	PROJECTS TO BE DELETED	Displays the project(s) that will be affected by the deletion.	Text message; Displays the project IDs and descriptions to be deleted.
7	CONFIRMATION INSTRUCTION TEXT	Instructs the user to type a specific word ("DELETE") to confirm the deletion.	Instruction text; Displays "Type DELETE to confirm."

8	CONFIRMATION INPUT FIELD	A text field for the user to type the confirmation keyword ("DELETE").	Text input; User must type "DELETE" to proceed.
9	CANCEL BUTTON	Cancels the delete operation and closes the modal.	Button labeled "Cancel"; Action: Closes the modal without deleting.
10	DELETE BUTTON	Confirms the deletion of the selected project(s).	Button labeled "Yes, Delete Projects"; Action: Confirms and deletes the project(s).


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S01-TC009-P001

3.1.10 Test Case - 10 (S01-TC010)

Programs - Batch Action (Restrict Publishing)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PROGRAM NAME	Displays the name of the program that the project belongs to.	Text message; Displays the program name (e.g., "GAA-R 2027 - Flood prevention program for NCR").

2	PROJECTS IDS	Input for Project IDs be restricted from publishing.	Text field input; Accepts comma-separated list of Project IDs for the Projects to be restricted from publishing to PCMA.
3	CANCEL BUTTON	Cancels the operation and closes the modal.	Button labeled "Cancel"; Action: Closes the modal without applying the restrictions.
4	RESTRICT PUBLISHING BUTTON	Confirms the restriction of publishing of the selected project(s).	Button labeled "Restrict Publishing"; Action: Marks the projects with the listed project IDs as restricted from publishing to PCMA.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S01-TC010-P001

3.1.11 Test Case - 11 (S01-TC011)

Programs - Batch Action (Allow Publishing)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PROGRAM NAME	Displays the name of the program that the project belongs to.	Text message; Displays the program name (e.g., "GAA-R 2027 - Flood prevention program for NCR").

2	PROJECTS IDS	Input for Project IDs be allowed for publishing.	Text field; Comma-separated list of Project IDs for the Projects to be allowed for publishing to PCMA.
3	CANCEL BUTTON	Cancels the delete operation and closes the modal.	Button labeled "Cancel"; Action: Closes the modal without applying the changes to allow publishing of listed project IDs.
4	RESTRICT PUBLISHING BUTTON	Confirms the changes to allow publishing of the selected project(s).	Button labeled "Restrict Publishing"; Action: Marks the projects with the listed project IDs as allowed for publishing to PCMA.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S01-TC011-P001

3.1.12 Test Case - 12 (S01-TC012)

Program - Actions (Download Template)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	DOWNLOAD TEMPLATE	Dropdown selection for import template.	Dropdown selection for downloading Excel spreadsheet template to be used for Import Projects
2	IMPORT PROJECTS	Dropdown selection to import projects.	Text field; Comma-separated list of Project IDs for the Projects to be allowed for publishing to PCMA.

3	CANCEL BUTTON	Cancels the delete operation and closes the modal.	Button labeled "Cancel"; Action: Closes the modal without applying the changes to allow publishing of listed project IDs.
4	RESTRICT PUBLISHING BUTTON	Confirms the changes to allow publishing of the selected project(s).	Button labeled "Restrict Publishing"; Action: Marks the projects with the listed project IDs as allowed for publishing to PCMA.

Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S01-TC012-P001

3.1.13 Test Case - 13 (S01-TC013)

Program - Actions (Import Projects)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	DRAG & DROP YOUR IMPORTATION FILE HERE	Clickable / Drag & drop area for uploading import spreadsheet	Clickable / Drag & drop area; Accepts .xlsx or .xlsm files.
2	CANCEL BUTTON	Cancels the importing operation and closes the modal.	Button labeled "Cancel"; Action: Closes the modal without importing.

3	IMPORT BUTTON	Confirms the importing of the input spreadsheet.	Button labeled "Import"; Action: Marks the projects with the listed project IDs as allowed for publishing to PCMA.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S01-TC013-P001

3.1.14 Test Case - 14 (S01-TC014)

Program - Actions (Export Projects)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PROGRAM NAME	Displays the name of the program that the project belongs to.	Text message; Displays the program name (e.g., "GAA-R 2027 - Flood prevention program for NCR").
2	CANCEL BUTTON	Cancels the importing operation and closes the modal.	Button labeled "Cancel"; Action: Closes the modal without exporting.
3	EXPORT PROJECTS BUTTON	Confirms the exporting into a spreadsheet.	Button labeled "Restrict Publishing"; Action: Marks the projects with the listed project IDs as allowed for publishing to PCMA.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S01-TC014-P001

3.1.15 Test Case - 15 (S01-TC015)

Program - Actions (Generate Reports)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PROGRAM	Displays the selected program for which the report will be generated.	Read-only text/display field; shows the program context at the top of the modal. Example: GAA - R 2020 - DO_OO1 TARLAC-PANGASINAN - LA UNION EXPRESSWAY PROJECT (TPLEX).
2	REPORT TYPE	Dropdown field for selecting the type of report to generate.	Dropdown; example shown: AIP (Annual Investment Plan). User selects the report format/type.
3	STAGE NAME	Field for selecting or displaying the program stage to be used for the report.	Dropdown / selectable field; optional. Example shown: GAA-R.

4	CATEGORY	Dropdown field for filtering the report by project category.	Dropdown; optional. Example shown: All categories.
5	REGION	Dropdown field for filtering the report by region.	Dropdown; optional. Example shown: All regions.
6	DISTRICT ENGINEERING OFFICE	Dropdown field for filtering the report by District Engineering Office.	Dropdown; optional. Dependent on selected region. Example shown: Select a region first.
7	IMPLEMENTING OFFICE	Dropdown field for filtering the report by implementing office.	Dropdown; optional. Dependent on selected region. Example shown: Select a region first.
8	OPERATING UNIT	Dropdown field for filtering the report by operating unit.	Dropdown; optional. Dependent on selected implementing office. Example shown: Select an implementing office first.
9	LEGISLATIVE DISTRICT	Dropdown field for filtering the report by legislative district.	Dropdown; optional. Dependent on selected region. Example shown: Select a region first.
10	CANCEL	Action button to close the modal without generating the report.	Button labeled "Cancel"; closes the modal and discards the report generation action.
11	GENERATE REPORT	Action button to generate the report based on the selected parameters and filters.	Button labeled "Generate Report"; generates the selected report using the chosen filters and criteria.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S01-TC015-P001


3.2 (S02) Projects

This suite covers Projects and related data and details, such as Funding Profile, Component Cost, Work Items, Work Locations, Supporting Documents.



3.2.1 Test Case - 1 (S02-TC001-P001 - SO2-TC001-P007)

Add Projects



No.	Fields/Blocks/Objects	Descriptions	Values/Actions

1	PROGRAM NAME	Dropdown to select the program under which the project falls.	Dropdown field for selecting a program (e.g., "NEP 2025").
2	PROGRAM TYPE	Defines the type of program the project is part of (e.g., Infrastructure, Social).	Dropdown field for selecting the program type (e.g., "Regular Infrastructure").
3	START YEAR	The starting year for the project.	Numeric input (e.g., 2025).
4	PROJECT ID	The unique identifier assigned to the project.	Auto-generated alphanumeric code (e.g., "P01234567").
5	MULTI YEAR ID	Identifies multi-year projects.	Alphanumeric; for tracking multi-year projects.
6	ALTERNATE ID	Alternative project identifier, if any.	Text input; alphanumeric.
7	EXTERNAL ID	External identification for the project from other systems.	Text input; alphanumeric identifier from external systems.
8	OA PROJECT CODE (UACS)	The UACS (Unified Accounting Code Structure) code for the project.	Dropdown or text input for the project code.
9	TIER	Specifies the tier level for the project (e.g., Tier I).	Dropdown field for selecting the project tier (e.g., "Tier I").
10	CATEGORY	The main category for the project (e.g., "Road," "Bridge").	Dropdown field for selecting the category (e.g., "Road").
11	SUB CATEGORY	The sub-category under the main project category.	Dropdown field for selecting a sub-category (e.g., "Road Expansion").
12	MYCA APPROVAL DATE	The approval date for the project by the MYCA (Multi-Year Capital Assistance).	Date input field (MM/DD/YYYY).

13	DESCRIPTION	A brief description of the project.	Text input for entering a short description of the project (e.g., "Road expansion project in Cebu").
14	PROVINCE	The province where the project is located.	Dropdown field for selecting the province.
15	CITY/MUNICIPALITY	The city or municipality where the project is located.	Dropdown field for selecting the city or municipality.
16	LEGISLATIVE DISTRICT	The legislative district for the project.	Dropdown field for selecting the legislative district.
17	DISTRICT ENGINEERING OFFICE	The responsible district engineering office overseeing the project.	Dropdown field for selecting the District Engineering Office.
18	IMPLEMENTING OFFICE	The office implementing the project.	Dropdown field for selecting the Implementing Office.
19	REGION	The region where the project is located.	Dropdown field for selecting the region (e.g., "Region I").
20	OPERATING UNIT	The operating unit responsible for the project.	Dropdown field for selecting the Operating Unit.
21	ORIGIN	The source of the project funding (e.g., National, Local).	Dropdown field for selecting the project origin (e.g., "National," "Local").
22	ORIGINATING AGENCY	The agency originating the project.	Dropdown field for selecting the originating agency.
23	IMPLEMENTATION MODE	Specifies the mode of implementation (e.g., Design-Bid-Build).	Dropdown field for selecting the implementation mode (e.g., "Design-Bid-Build").

24	EMERGENCY MODE	Indicates whether the project is under emergency mode.	Dropdown field for selecting Yes/No for emergency mode status.
25	ROW AVAILABLE	Indicates if Right of Way (ROW) is available for the project.	Dropdown field for selecting Yes/No for ROW availability.
26	FEASIBILITY STUDY	Indicates whether a feasibility study was conducted for the project.	Yes/No dropdown field for feasibility study status.
27	FEASIBILITY DATE	The date when the feasibility study for the project was completed.	Date input field (MM/DD/YYYY) for the feasibility study completion date.
28	DETAILED DESIGN	Indicates if the detailed design for the project has been completed.	Yes/No dropdown for detailed design status.
29	DETAILED DESIGN DATE	The date when the detailed design was completed.	Date input field for the completion date of detailed design (MM/DD/YYYY).
30	NON-PROJECT	Indicates if the entry is not a standard project, but a non-project entry.	Yes/No dropdown for non-project status.
31	SAVE PROJECT	Button to save all entered project information.	Button labeled "Save Project"; action saves the project details.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S02-TC001-P001
- S02-TC001-P002
- S02-TC001-P003
- S02-TC001-P005
- S02-TC001-P006
- S02-TC001-P007

3.2.2 Test Case - 2 (S02-TC002)

Edit Project Details (Funding Profile)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	SOURCE	Identifies the main funding origin or entity providing financial support for the project.	Identifies each stage of the Source type of DPWH, ADB, Government of the Philippines.
2	AGREEMENT	Specifies the particular funding arrangement, grant, or budget line item associated with the source.	Identifies each stage of the Agreement type of DPWH GENERAL APPROPRIATIONS ACT 2026, Civil Service Commission, PAMANA 2018, etc.
3	AMOUNT	Represents the allocated or proposed monetary value provided by the funding source.	Numeric; 5–200 chars; Monetary value of Road Construction (Year 1) ₱ 460,277,010.
4	PERCENTAGE	Indicates the share or proportion of the total funding that the source contributes.	Numeric + punctuation; 5–200 chars; Percentage value. Crucially, the funding percentage must equal 100% for the project to be considered Fully Compliant for publishing to the Project and Contract Management Application (PCMA).

5	TOTAL AMOUNT	Displays the sum of all funding contributions across sources.	Numeric + punctuation; 5–200 chars; Calculated Monetary value of Road Construction (Year 1) ₱ 460,277,010.
6	TOTAL PERCENTAGE	Shows the cumulative percentage of all funding entries.	Numeric + punctuation; 5–200 chars; Calculated percentage value. The total must not exceed 100%.
7	ACTION/DELETE	Removes the Funding Profile from the list (soft delete/archive). Shown only when deletable and user is authorized.	Buttons "Delete"; This action is restricted during certain revisions; for instance, original funding agreements cannot be deleted during a Change in Funding revision (e.g., Expiry of Loan Funding).
8	ADD FUNDING BUTTON	Adds a new funding entry row to the list.	Buttons "Add Funding"; This action is used during the "Additional Funding" revision type (to add buffer funds or funds for Right-of-Way) and the "Change in Funding" revision type (to add a new funding agreement, such as switching from Loan Fund to Local Funding).


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S02-TC002-P001
- S02-TC002-P002


3.2.3 Test Case - 3 (S02-TC003)

Edit Project Details (Component Cost)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	TOTAL COST	Displays the sum of all component costs currently added. It updates automatically as new items are added.	Numeric + punctuation; 5–200 chars; This is a calculated monetary value. The total of all Project Component Costs must equal the Total Project Cost.
2	MAX COST	Shows the maximum allowable budget for component costs.	Numeric; 5–200 chars; Monetary ceiling value.
3	COMPONENT ID	Unique identifier or code for the project component.	Alphanumeric + punctuation; 5–200 chars; Component IDs include abbreviations such as CW1A (running subscript for terminated balance of work components).
4	COMPONENT TYPE	Describes the type of project component being funded or tracked.	Alphanumeric + punctuation; 5–200 chars; Component Type; Consultancy, Construction Supervision, Civil Works, Design Component of a design and build project, etc.
5	DESCRIPTION	Additional details or notes about the component.	Alphanumeric + punctuation; 5–200 chars; Text/notes. For new components created after a termination (to cover the balance of works), the description will have " - balance of works" appended to it.
6	TOTAL COST (per component)	Amount assigned to a particular component.	Alphanumeric + punctuation; 5–200 chars; Monetary value. This amount must be greater than zero for the EAO Component Cost. If a component is deemed non-implementable, its cost is set to zero (0).
7	CREATED BY	User or account that added the component.	Alphanumeric + punctuation; 5–200 chars; Username or account ID.
8	CREATED DATE	The date when the component cost entry was created.	4-digit numeric (YYYY); range 1990–2100; required.

9	UPDATED BY	The username of the person who last updated the record (if applicable).	Alphanumeric + punctuation; 5–200 chars; Username or account ID
10	UPDATED DATE	The most recent update date.	4-digit numeric (YYYY); range 1990–2100; required.
11	ACTIONS/VIEW	Opens the Component Costs in view/edit mode depending on user permissions.	Button "View"; keyboard shortcut Enter when row focused; logs access; edit controls enabled only for authorized roles.
12	ACTIONS/DELETE	Removes the Component Costs from the list (soft delete/archive). Shown only when deletable and user is authorized.	Button "Delete"; This action is restricted during certain revisions; for instance, Component Cost.
13	ADD COST BUTTON	Used to add a new component cost record.	Button "Add Cost"; This is located in the Component Cost tab within the details pane of a selected Project.



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
14	COMPONENT TYPE	Dropdown menu for selecting the specific	Identifies each stage of the component type of Consultancy, Construction Supervision, Civil

		project component or work category.	Works, Design Component of a design and build project, etc.
15	COMPONENT ID	Auto-generated or prefilled short code identifier for the selected component type.	Text Input; FS, CW, DR. If a new component is created after a termination to cover the balance of works, the Component ID will typically use a running subscript starting from "A" (e.g., CW1A).
16	DESCRIPTION	Text input area to provide additional details or remarks about the component.	Text Input; For balance of works components created after termination, the description will have "- balance of works" appended to it.
17	YEAR	Input field for specifying the applicable budget or implementation year of the component cost breakdown.	Text Input; 4-digit numeric year (e.g., 2020). Used to identify the year to which the entered amount and schedule apply.
18	AMOUNT	Input field for entering the allocated monetary value for the selected year.	Text Input; monetary value in peso format (e.g., ₱0.00). Must be a valid positive numeric amount.
19	START DATE	Date field for entering the intended start date of the component cost item for the specified year.	Date Picker / Text Input; MM/DD/YYYY format. User selects or enters the planned start date.
20	END DATE	Date field for entering the intended completion date of the component cost item for the specified year.	Date Picker / Text Input; MM/DD/YYYY format. User selects or enters the planned end date.
21	ADD	Button to submit and add a new component cost record.	Button" Add"; Action to submit the form and add a new component cost record.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S02-TC003-P001
- S02-TC003-P002

3.2.4 Test Case - 4 (S02-TC004)

Edit Project Details (Major Items of Work)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
14	Add Major Item	Dropdown menu for selecting the specific project component or work category.	Identifies each stage of the component type of Consultancy, Construction Supervision, Civil Works, Design Component of a design and build project, etc.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S02-TC004-P001

3.2.5 Test Case – 5 (S02-TC005)

Edit Project Details (Work Locations) for Accessibility Facility



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	INFRASTRUCTURE ID	Unique ID for the infrastructure.	Alphanumeric (e.g., "AF23965"). Auto-generated or inputted manually.
2	GENERATE ID	Button to generate a unique infrastructure ID.	Action button to auto-generate an ID.
3	DETAILED SCOPE	Detailed description of the work to be done.	Text field to enter the detailed work description.
4	TARGET UNIT	Unit of measurement for the work.	Numeric value (e.g., 100 units).

5	PHYSICAL TARGET (Number of Units)	The physical target for the work.	Numeric value (e.g., 100 units).
6	START COORDINATES X	X-coordinate for the starting point of the work.	Numeric value (e.g., 12.34567).
7	START COORDINATES Y	Y-coordinate for the starting point of the work.	Numeric value (e.g., 98.76543).
8	END X COORDINATES	X-coordinate for the ending point of the work.	Numeric value (e.g., 12.67890).
9	END Y COORDINATES	Y-coordinate for the ending point of the work.	Numeric value (e.g., 98.87654).
10	LENGTH (Linear meters)	The length of the work in linear meters.	Numeric value (e.g., 500 meters).
11	ADD LOCATION	Button to add the geographical location for the work.	Action button to open location input form.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S02-TC005-P001

3.2.6 Test Case - 6 (S02-TC006)

Edit Project Details (Work Locations) for Consultancy



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	INFRASTRUCTURE ID	A unique identifier for the infrastructure entry.	A text field to input or auto-generate the ID.
2	GENERATE ID	Button to auto-generate the Infrastructure ID.	Action: Click to generate a unique ID in the format "CS" followed by random numbers.
3	DETAILED SCOPE	A field to input a description of the work involved.	Text input field to provide a detailed scope of the project.
4	TARGET UNIT	Defines the unit type for the work.	Drop-down or text field to select the unit, e.g., "Number of Units."
5	PHYSICAL TARGET (Number of Units)	Specifies the number of units for the physical target.	A numerical input field to define the target amount (range 1-1).

6	START COORDINATES X	X-coordinate of the starting point.	Text input for the start X coordinate (numeric values).
7	START COORDINATES Y	Y-coordinate of the starting point.	Text input for the start Y coordinate (numeric values).
8	END X COORDINATES	X-coordinate of the endpoint.	Optional text input for the end X coordinate (numeric values).
9	END Y COORDINATES	Y-coordinate of the endpoint.	Optional text input for the end Y coordinate (numeric values).
10	LENGTH (LINEAR METERS)	The length of the work in linear meters.	Text input to enter the length in meters.
11	ADD LOCATION	Button to add a new location.	Action: Click to add a location for the infrastructure.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S02-TC006-P001

3.2.7 Test Case - 7 (S02-TC007)

Edit Project Details (Work Locations) for Flood Control Structures



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	INFRASTRUCTURE ID	Unique identifier for the infrastructure entry.	A text field for entering or generating the Infrastructure ID (e.g., "FCS66278").
2	GENERATE ID	Button to generate a unique Infrastructure ID.	Action: Click to auto-generate the ID following the "FCS-####" format.
3	DETAILED SCOPE	A field to describe the work involved.	Text input for entering the detailed scope of the work.
4	TARGET UNIT	Defines the unit type for the work.	Drop-down or text input to specify unit type (e.g., "Lineal meters").
5	PHYSICAL TARGET (Lineal meters)	Specifies the target number of units (lineal meters).	Numeric input for defining the target value (range: 0 - 10,000).

6	START COORDINATES X	X-coordinate of the start location.	Text input for the start X coordinate (numeric values).
7	START COORDINATES Y	Y-coordinate of the start location.	Text input for the start Y coordinate (numeric values).
8	END X COORDINATES	X-coordinate of the end location.	Optional input for the end X coordinate (numeric values).
9	END Y COORDINATES	Y-coordinate of the end location.	Optional input for the end Y coordinate (numeric values).
10	LENGTH (LINEAL METERS)	Specifies the length of the work in linear meters.	Text input for entering the length of the work (linear meters).
11	ADD LOCATION	Button to add a new location to the infrastructure.	Action: Click to add the location data for the infrastructure.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S02-TC007-P001

3.2.8 Test Case - 8 (S02-TC008)

Edit Project Details (Work Locations) for Hospitals



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	INFRASTRUCTURE ID	Unique identifier for the infrastructure entry.	A text field to input or auto-generate the Infrastructure ID (e.g., "HSP05050").
2	GENERATE ID	Button to auto-generate the Infrastructure ID.	Action: Click to generate a unique ID following the "HSP-####" format.
3	DETAILED SCOPE	A field to describe the work involved.	Text input for entering the detailed scope of the project (e.g., construction details).
4	TARGET UNIT	Defines the unit type for the work.	Drop-down or text input to specify unit type (e.g., "Number of Units").
5	PHYSICAL TARGET (Number of Units)	Specifies the target number of units (for hospitals).	Numeric input for defining the target number of units (range: 1-1).

6	START COORDINATES X	X-coordinate of the start location.	Text input for the start X coordinate (numeric values).
7	START COORDINATES Y	Y-coordinate of the start location.	Text input for the start Y coordinate (numeric values).
8	END X COORDINATES	X-coordinate of the end location.	Optional input for the end X coordinate (numeric values).
9	END Y COORDINATES	Y-coordinate of the end location.	Optional input for the end Y coordinate (numeric values).
10	LENGTH (LINEAL METERS)	Specifies the length of the work in linear meters.	Text input for entering the length of the work (in linear meters).
11	ADD LOCATION	Button to add a new location to the infrastructure.	Action: Click to add location data for the hospital infrastructure.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S02-TC008-P001

3.2.9 Test Case - 9 (S02-TC009)

Edit Project Details (Work Locations) for Local Bridges



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	INFRASTRUCTURE ID	Unique identifier for the infrastructure entry.	A text field to input or auto-generate the Infrastructure ID (e.g., "LBR09549").
2	GENERATE ID	Button to auto-generate the Infrastructure ID.	Action: Click to generate a unique ID following the "LBR-####" format.
3	DETAILED SCOPE	A field to describe the work involved.	Text input for entering the detailed scope of the project (e.g., construction details for a bridge).
4	TARGET UNIT	Defines the unit type for the work.	Drop-down or text input to specify unit type (e.g., "Square meters").

5	PHYSICAL TARGET (Square meters)	Specifies the target number of units in square meters.	Numeric input for defining the target number of units (range: 1 - 500,000).
6	START COORDINATES X	X-coordinate of the start location.	Text input for the start X coordinate (numeric values).
7	START COORDINATES Y	Y-coordinate of the start location.	Text input for the start Y coordinate (numeric values).
8	END X COORDINATES	X-coordinate of the end location.	Optional input for the end X coordinate (numeric values).
9	END Y COORDINATES	Y-coordinate of the end location.	Optional input for the end Y coordinate (numeric values).
10	LENGTH (LINEAL METERS)	Specifies the length of the work in linear meters.	Text input for entering the length of the work (in linear meters).
11	ADD LOCATION	Button to add a new location to the infrastructure.	Action: Click to add the location data for the local bridge infrastructure.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S02-TC009-P001

3.2.10 Test Case - 10 (S02-TC010)

Edit Project Details (Work Locations) for Local Flood Control Structures



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	INFRASTRUCTURE ID	Unique identifier for the infrastructure entry.	Text field to input or auto-generate the Infrastructure ID (e.g., "LBR09549").
2	GENERATE ID	Button to auto-generate the Infrastructure ID.	Action: Click to generate a unique ID following the "LBR-####" format.
3	DETAILED SCOPE	A field to describe the work involved.	Text input for entering the detailed scope of the project (e.g., construction details for a bridge).
4	TARGET UNIT	Defines the unit type for the work.	Drop-down or text input to specify unit type (e.g., "Square meters").

5	PHYSICAL TARGET (SQUARE METERS)	Specifies the target number of units in square meters.	Numeric input for defining the target number of units (range: 1 - 500,000).
6	START COORDINATES X	X-coordinate of the start location.	Text input for the start X coordinate (numeric values).
7	START COORDINATES Y	Y-coordinate of the start location.	Text input for the start Y coordinate (numeric values).
8	END X COORDINATES	X-coordinate of the end location.	Optional input for the end X coordinate (numeric values).
9	END Y COORDINATES	Y-coordinate of the end location.	Optional input for the end Y coordinate (numeric values).
10	LENGTH (LINEAL METERS)	Specifies the length of the work in linear meters.	Text input for entering the length of the work (in linear meters).
11	ADD LOCATION	Button to add a new location to the infrastructure.	Action: Click to add the location data for the local bridge infrastructure.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S02-TC010-P001

3.2.11 Test Case - 11 (S02-TC011)

Edit Project Details (Work Locations) for Local Roads



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	INFRASTRUCTURE ID	Unique identifier for the infrastructure entry.	Text field to input or auto-generate the Infrastructure ID (e.g., "LCR11234").
2	GENERATE ID	Button to auto-generate the Infrastructure ID.	Action: Click to generate a unique ID following the "LCR-####" format.
3	DETAILED SCOPE	A field to describe the work involved.	Text input for entering the detailed scope of the project (e.g., construction details for local roads).
4	TARGET UNIT	Defines the unit type for the work.	Drop-down or text input to specify unit type (e.g., "Lane Km").

5	PHYSICAL TARGET (SQUARE METERS)	Specifies the target number of units in lane kilometers.	Numeric input for defining the target number of units (range: 1 - 500,000).
6	START COORDINATES X	X-coordinate of the start location.	Text input for the start X coordinate (numeric values).
7	START COORDINATES Y	Y-coordinate of the start location.	Text input for the start Y coordinate (numeric values).
8	END X COORDINATES	X-coordinate of the end location.	Optional input for the end X coordinate (numeric values).
9	END Y COORDINATES	Y-coordinate of the end location.	Optional input for the end Y coordinate (numeric values).
10	LENGTH (LINEAL METERS)	Specifies the length of the work in linear meters.	Text input for entering the length of the work (in linear meters).
11	ADD LOCATION	Button to add a new location to the infrastructure.	Action: Click to add the location data for the local road's infrastructure.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S02-TC011-P001

3.2.12 Test Case - 12 (S02-TC012)

Edit Project Details (Work Locations) for Multi-Purpose Buildings



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	INFRASTRUCTURE ID	Unique identifier for the infrastructure entry.	Text field to input or auto-generate the Infrastructure ID (e.g., "LCR11234").
2	GENERATE ID	Button to auto-generate the Infrastructure ID.	Action: Click to generate a unique ID following the "LCR-####" format.
3	DETAILED SCOPE	A field to describe the work involved.	Text input for entering the detailed scope of the project (e.g., construction details for local roads).
4	TARGET UNIT	Defines the unit type for the work.	Drop-down or text input to specify unit type (e.g., "Lane Km").

5	PHYSICAL TARGET (SQUARE METERS)	Specifies the target number of units in lane kilometers.	Numeric input for defining the target number of units (range: 1 - 500,000).
6	START COORDINATES X	X-coordinate of the start location.	Text input for the start X coordinate (numeric values).
7	START COORDINATES Y	Y-coordinate of the start location.	Text input for the start Y coordinate (numeric values).
8	END X COORDINATES	X-coordinate of the end location.	Optional input for the end X coordinate (numeric values).
9	END Y COORDINATES	Y-coordinate of the end location.	Optional input for the end Y coordinate (numeric values).
10	LENGTH (LINEAL METERS)	Specifies the length of the work in linear meters.	Text input for entering the length of the work (in linear meters).
11	ADD LOCATION	Button to add a new location to the infrastructure.	Action: Click to add the location data for the local roads infrastructure.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S02-TC012-P001

3.2.13 Test Case - 13 (S02-TC013)

Edit Project Details (Work Locations) for Non Infra



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	INFRASTRUCTURE ID	Unique identifier for the infrastructure entry.	A text field to input or auto-generate the Infrastructure ID (e.g., "NINF00123").
2	GENERATE ID	Button to auto-generate the Infrastructure ID.	Action: Click to generate a unique ID following the "NINF-####" format.
3	DETAILED SCOPE	A field to describe the work involved.	Text input for entering the detailed scope of the project (e.g., development of a new infrastructure or service).
4	TARGET UNIT	Defines the unit type for the work.	Drop-down or text input to specify unit type (e.g., "Number of Units").
5	PHYSICAL TARGET (NUMBER OF UNITS)	Specifies the target number of units.	Numeric input for defining the target number of units (range: 1 - 100).

6	LENGTH (LINEAL METERS)	Specifies the length of the work in linear meters.	Text input for entering the length of the work (in linear meters).
7	ADD LOCATION	Button to add a new location to the infrastructure.	Action: Click to add the location data for the non-infrastructure work.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S02-TC013-P001

3.2.14 Test Case - 14 (S02-TC014)

Edit Project Details (Work Locations) for Other Buildings



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	INFRASTRUCTURE ID	Unique identifier for the infrastructure entry.	A text field to input or auto-generate the Infrastructure ID (e.g., "OBUILD001").
2	GENERATE ID	Button to auto-generate the Infrastructure ID.	Action: Click to generate a unique ID following the "OBUILD-####" format.
3	DETAILED SCOPE	A field to describe the work involved.	Text input for entering the detailed scope of the project (e.g., construction details for other buildings).
4	TARGET UNIT	Defines the unit type for the work.	Drop-down or text input to specify unit type (e.g., "Number of Buildings").
5	PHYSICAL TARGET (NUMBER OF UNITS)	Specifies the target number of buildings.	Numeric input for defining the target number of buildings (range: 1 - 100).
6	START COORDINATES X	X-coordinate of the start location.	Text input for the start X coordinate (numeric values).
7	START COORDINATES Y	Y-coordinate of the start location.	Text input for the start Y coordinate (numeric values).
8	END X COORDINATES	X-coordinate of the end location.	Optional input for the end X coordinate (numeric values).
9	END Y COORDINATES	Y-coordinate of the end location.	Optional input for the end Y coordinate (numeric values).
10	LENGTH (LINEAL METERS)	Specifies the length of the work in linear meters.	Text input for entering the length of the work (in linear meters).
11	ADD LOCATION	Button to add a new location to the infrastructure.	Action: Click to add the location data for the non-infrastructure work.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S02-TC014-P001

3.2.15 Test Case - 15 (S02-TC015)

Edit Project Details (Work Locations) for Rain Water Collector



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	INFRASTRUCTURE ID	Unique identifier for the infrastructure entry.	A text field to input or auto-generate the Infrastructure ID (e.g., "RWC00123").
2	GENERATE ID	Button to auto-generate the Infrastructure ID.	Action: Click to generate a unique ID following the "RWC-####" format.
3	DETAILED SCOPE	A field to describe the work involved.	Text input for entering the detailed scope of the project (e.g., installation of rainwater collectors for a specific area).
4	TARGET UNIT	Defines the unit type for the work.	Drop-down or text input to specify unit type (e.g., "Number of Units").

5	PHYSICAL TARGET (NUMBER OF UNITS)	Specifies the target number of units.	Numeric input for defining the target number of units (range: 1 - 100).
6	START COORDINATES X	X-coordinate of the start location.	Text input for the start X coordinate (numeric values).
7	START COORDINATES Y	Y-coordinate of the start location.	Text input for the start Y coordinate (numeric values).
8	END X COORDINATES	X-coordinate of the end location.	Optional input for the end X coordinate (numeric values).
9	END Y COORDINATES	Y-coordinate of the end location.	Optional input for the end Y coordinate (numeric values).
10	LENGTH (LINEAL METERS)	Specifies the length of the work in linear meters.	Text input for entering the length of the work (in linear meters).
11	ADD LOCATION	Button to add a new location to the infrastructure.	Action: Click to add the location data for the rainwater collector infrastructure.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S02-TC015-P001

3.2.16 Test Case – 16 (S02-TC016)

Edit Project Details (Work Locations) for School Buildings



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	INFRASTRUCTURE ID	A unique identifier for each infrastructure entry.	A text field to input or auto-generate the Infrastructure ID (e.g., "RWC00123").
2	GENERATE ID	Button to auto-generate the Infrastructure ID.	Click to generate a unique ID following the "RWC-####" format.
3	DETAILED SCOPE	A field to describe the specific work involved.	Text input for entering a detailed description of the project scope (e.g., installation of school buildings).
4	TARGET UNIT	Defines the unit type for the work.	Drop-down or text input to specify unit type (e.g., "Number of School Buildings").

5	PHYSICAL TARGET (NUMBER OF SCHOOL BUILDINGS)	Specifies the target number of school buildings to be completed.	Numeric input for defining the target number of units (e.g., "5 School Buildings").
6	START COORDINATES X	X-coordinate of the starting location.	Text input for the X-coordinate (numeric values).
7	START COORDINATES Y	Y-coordinate of the starting location.	Text input for the Y-coordinate (numeric values).
8	END X COORDINATES	X-coordinate of the end location.	Optional input for the end X-coordinate (numeric values).
9	END Y COORDINATES	Y-coordinate of the end location.	Optional input for the end Y-coordinate (numeric values).
10	LENGTH (LINEAL METERS)	Specifies the length of the work in linear meters.	Text input for entering the length of the work (in linear meters).
11	ADD LOCATION	Button to add a new location to the infrastructure project.	Click to add the location data for the infrastructure (e.g., rainwater collectors or school buildings).


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S02-TC016-P001

3.2.17 Test Case – 17 (S02-TC017)

Edit Project Details (Work Locations) for Septage and Sewerage Plants



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	INFRASTRUCTURE ID	Unique identifier for the infrastructure project.	A text field to input or auto-generate the Infrastructure ID (e.g., "RWC00123").
2	GENERATE ID	Button to auto-generate the Infrastructure ID.	Action: Click to generate a unique ID in the format "RWC-####".
3	DETAILED SCOPE	A field to describe the work involved in the project.	Text input for entering the detailed scope of the project (e.g., construction of septage/sewage plants).
4	TARGET UNIT	Defines the unit type for the project work.	Dropdown or text input to specify unit type (e.g., "Number of Septage/Sewage Plants").

5	PHYSICAL TARGET	Specifies the target number of units (plants) to be completed.	Numeric input for defining the target number of plants (e.g., "5 Septage/Sewage Plants").
6	START COORDINATES X	X-coordinate of the starting location for the project.	Text input for the start X coordinate (numeric values).
7	START COORDINATES Y	Y-coordinate of the starting location for the project.	Text input for the start Y coordinate (numeric values).
8	END X COORDINATES	X-coordinate of the end location for the project (optional).	Optional input for the end X coordinate (numeric values).
9	END Y COORDINATES	Y-coordinate of the end location for the project (optional).	Optional input for the end Y coordinate (numeric values).
10	LENGTH (LINEAL METERS)	Specifies the length of the work in linear meters.	Text input for entering the length of the project (in linear meters).
11	ADD LOCATION	Button to add a new location to the infrastructure project.	Action: Click to add location data for the Septage/Sewage Plant infrastructure.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S02-TC017-P001

3.2.18 Test Case – 18 (S02-TC018)

Edit Project Details (Work Locations) for Water Supply Systems



No.	Field	Description	Allowed values / Actions
1	INFRASTRUCTURE ID	Unique identifier for the water supply system infrastructure entry.	Text input; auto-generated or manually confirmed. Example format: WS123456.
2	GENERATE ID	Generates the infrastructure ID for the selected location entry.	Button: Generate ID.
3	DETAILED SCOPE	Describes the specific scope of work for the water supply system item.	Free-text input. Example: construction of water pipes, rehabilitation of existing supply systems.
4	TARGET UNIT (LOCATION LEVEL)	Displays the applicable unit of measure for the selected work type.	Read-only/display text. Example: Number of Water Supply Systems.
5	PHYSICAL TARGET	Encodes the actual target quantity for the location.	Numeric input. Example: 50 systems.

6	START X COORDINATE	Records the starting X coordinate of the location.	Numeric text input; required for point or line definition as applicable.
7	START Y COORDINATE	Records the starting Y coordinate of the location.	Numeric text input; required for point or line definition as applicable.
8	END X COORDINATE	Records the ending X coordinate of the location, if applicable.	Optional numeric text input.
9	END Y COORDINATE	Records the ending Y coordinate of the location, if applicable.	Optional numeric text input.
10	LENGTH (LINEAL METERS)	Records the length of the work item in meters, when applicable.	Numeric text input. Example: 100 meters.
11	COPY	Duplicates the selected location block for faster entry of similar records.	Button: Copy.
12	REMOVE	Deletes the selected location block from the work item.	Button: Remove.
13	ADD LOCATION	Adds another location entry under the same major item of work.	Button: Add Location.
14	LOCATION GUIDANCE MESSAGE	Provides instruction on how coordinates should be used for point or line/area features.	Informational text. Example: Use Start X/Y for point features, End X/Y for line/area features.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S02-TC018-P001

3.2.19 Test Case - 19 (S02-TC0019)

Edit Project Details (Work Locations) for Bridges



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	INFRASTRUCTURE ID	Unique ID for the infrastructure.	Alphanumeric (e.g., "AF23965"). Auto-generated or inputted manually.
2	DETAILED SCOPE	Detailed description of the work to be done.	Text field to enter the detailed work description.
3	TARGET UNIT	Unit of measurement for the work.	Numeric value (e.g., 100 units).
4	PHYSICAL TARGET (Square meters)	The physical target for the work in square meters.	Numeric value (e.g., 1000 square meters).
5	LENGTH (Linear meters)	The length of the work in linear meters.	Numeric value (e.g., 500 meters).

6	ADD LOCATION	Button to add the geographical location for the work.	Action button to open location input form.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S02-TC019-P001

3.2.20 Test Case – 20 (S02-TC020)

Project Details (Work Locations) for Roads



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	INFRASTRUCTURE ID	Unique identifier for the infrastructure type (e.g., Road, Bridge).	Auto-generated or manually assigned.
2	DETAILED SCOPE	Describes the specific work scope for the selected infrastructure.	Text input to describe detailed work scope.

3	TARGET UNIT	Unit of measurement for the target (e.g., lane kilometers, bridge segments).	Dropdown selection; units like "Lane Km," "Meter," etc.
4	PHYSICAL TARGET (Lane Km)	Defines the target physical measurement for the infrastructure work.	Numeric input for lane kilometers, e.g., "10 Km" for road construction.
5	START STATION	Starting point for the infrastructure project work section.	Numeric entry; station ID or description.
6	END STATION	End point for the infrastructure project work section.	Numeric entry; station ID or description.
7	START CHAINAGE (m)	Starting chainage (distance along the road) for the project section.	Numeric input in meters, e.g., "1500 m".
8	END CHAINAGE (m)	End chainage for the project section.	Numeric input in meters, e.g., "2000 m."
9	LENGTH (Km)	Total length of the infrastructure work in kilometers.	Numeric input for length in kilometers.
10	ADD LOCATION	Button to add a new location to the project section.	Action: Opens a location selection form.
11	SELECT INFRASTRUCTURE ROAD SECTIONS	Select specific road sections for the infrastructure project.	Dropdown selection or multi-select option for road sections.
12	SECTION ID	Unique identifier for a road section.	Alphanumeric ID for the section.
13	ROAD ID	Unique identifier for the road.	Alphanumeric ID for the road.
14	DEO	District Engineering Office assigned to the project.	Dropdown selection of DEO offices.
15	LENGTH (m)	Length of the road section in meters.	Numeric input in meters.

16	NETWORK STATUS	Current status of the road network (e.g., active, under construction).	Dropdown selection: Active, Under Construction, Completed, etc.
17	SELECT INFRASTRUCTURE BRIDGES	Select bridges as part of the infrastructure project.	Dropdown or multi-select for selecting bridges associated with the road project.
18	BRIDGES ID	Unique identifier for the bridge(s) included in the project.	Alphanumeric ID for each bridge.
19	BRIDGES NAME	Name or description of the bridge(s) associated with the project.	Text input for the bridge's name or description.
20	ROAD SECTION ID	Identifier for the road section involved in the infrastructure project.	Alphanumeric ID for the road section.
21	LENGTH (m)	Length of the bridge in meters.	Numeric input for length in meters.
22	OVERALL WIDTH (m)	Total width of the bridge or road section in meters.	Numeric input for width in meters.
23	PAGINATION	Displays the current page and total pages for navigation in the list.	Pagination controls: next, previous, page numbers, etc.
24	CANCEL	Button to cancel and close the current form or action.	Action: Cancels any changes made and closes the form.
25	ADD INFRASTRUCTURE	Button to add new infrastructure data to the project.	Action: Opens the add infrastructure modal/form to input data.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S02-TC020-P001

3.2.21 Test Case - 21 (S02-TC021)

Project Details (Supporting Documents)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	FILE	This column lists the name of the uploaded document.	Configurable via Supporting Documents. The name of the uploaded document (e.g., file name/title).
2	DOCUMENT TYPE	This column categorizes the document.	Configurable via Document type. Example Annexes 1 - 5, Approved Contract, BP 202 if (SD-17 is different).
3	DESCRIPTION	This column provides a brief explanation or context for the document.	A brief explanation or context for the document.
4	DATE	This column records the date when the document was added or created.	A date stamp indicating when the document was added or created.
5	ACTIONS/DELETE	Removes the Supporting Document from the list (soft delete/archive). Shown only when deletable and user is authorized.	Action to remove or delete the document record.
6	ADD DOCUMENTS	Allow users to upload or add new supporting documents to the system.	Action to upload or add new supporting documents.

Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:


- S02-TC021-P001

3.3 (S03) Revision and Revision Approval

This suite covers Project Modifications and Revisions, and the Revision Approval process flow.

3.3.1 Test Case - 1 (S03-TC001)

Project Detail Revision



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PROJECT LOCATION MAP	Displays the map view of the selected project location.	Interactive map panel; may display project location and geometry. If no mapped data exists, system shows "No map data available."

2	MAP CONTROLS	Controls for navigating the map display.	Buttons for zoom in, zoom out, and map navigation/view controls.
3	REVISE PROJECT BUTTON	Main action button used to open the list of available revision types for the selected project.	Button labeled "Revise Project"; click to open revision options.
4	REVISION TYPE DROPDOWN MENU	Displays the list of revision actions that may be applied to the project.	Dropdown list of revision options such as Additional Funding, Adjustment, Change in Authority to Implement, Change in Funding, Change of Creditor, Expired Funding, For Savings – Partial Unutilized Balance, Mode of Implementation, Modification, Multi-Year Costing Changes, Non-Implementable, and Termination.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:


- S03-TC001-P001

3.3.2 Test Case - 2 (S03-TC002)

Project Detail Revision (Additional Funding)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PROJECT ID	Displays the unique identifier for the project.	Value: P00801157MN-A (Example project ID).
2	REVISION TYPE	Specifies the type of revision being applied.	Value: Additional Funding (indicating a funding revision).
3	REASON	Allows the user to select the reason for requesting additional funding.	Options: 1. "Additional (buffer) funds from other agencies" 2. "Additional funds for ROW (STO)"



No.	Fields / Blocks / Objects	Description	Values / Actions
4	PROJECT LOCATION MAP	Displays the mapped location of the selected project.	View-only or interactive map panel; may display No map data available if no spatial data exists.
5	CATEGORY	Displays the revision category being applied to the project.	Read-only or preselected value: Additional Funding.
6	REASON	Displays the selected reason for the additional funding request.	Selected reason: Additional (buffer) funds from other agencies.

7	PROJECT ID	Displays the unique identifier of the selected project.	Auto-populated project ID; must match the intended project before submission.
8	REVISION DOCUMENTS	Area for attaching supporting documents for the additional funding request.	Upload supporting files such as approval documents, funding certifications, memoranda, or agency endorsements.
9	FOR CORRECTION HISTORY	Displays previous correction comments or returned revision notes.	View-only history/log section.
10	FULL REVISION PERMISSIONS	Displays status and rule-based sections available for review.	View-only or partially editable depending on user role and permissions.
11	PCMA STATUS	Displays the current PCMA-related status of the selected project.	Status display field; review before submitting.
12	PACKAGE STATUS	Displays the current packaging status of the project.	Status display field, such as packaged, not packaged, or system-configured equivalent.
13	STATUS	Displays the current workflow status of the revision record.	Status display field, such as draft, under review, approved, returned, rejected, or N/A.
14	CATEGORY STATUS	Displays the category classification/status for the revision.	Status display; shown under the Additional Funding context.
15	PROGRAM DETAILS	Displays the program information linked to the selected project.	View-only section showing details such as Program Name, Program Type, Start Year, and Program Stage.
16	PROJECT DETAILS	Displays administrative and descriptive project information.	View-only or controlled fields depending on revision permissions.
17	FUNDING PROFILE	Displays funding-related details for the project.	May include funding source, funding year, amount, fund source, or related financial data.
18	ADD FUNDING	Allows the user to add or update a funding profile entry, if enabled.	Button action; opens or activates funding entry controls depending on permissions.

19	COMPONENT COST	Displays project component cost information.	Table/list showing component name, component type, cost, and related values.
20	ADD COMPONENT	Allows the user to add a component cost entry, if enabled.	Button action; opens the component cost entry form or row.
21	MAJOR ITEM OF WORK	Displays major item of work records linked to the project/component.	Table/list showing type of work, target values, unit, location, and related work details.
22	ADD ITEM OF WORK	Allows the user to add a major item of work, if enabled.	Button action; opens the major item of work form or row.
23	SUPPORTING DOCUMENTS	Displays documents attached to the project or revision.	View, upload, or manage documents depending on permissions.
24	PROJECT ACTIVITIES	Displays activity or transaction-related information for the project.	View-only log or activity section.
25	SUBMIT REVISION REQUEST TO CO	Submits the completed additional funding request to Central Office for review.	Button action; submits the revision into the next workflow step.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S03-TC002-P001


3.3.3 Test Case - 3 (S03-TC003)

Project Detail Revision (Adjustment)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PROJECT ID	Displays the unique identifier for the project requiring adjustment.	Example: P00801157MN-A. Auto-populated based on the selected project.
2	REVISION TYPE	Specifies the type of revision being applied to the project.	Value: Adjustment.
3	REASON	Allows the user to select the reason for the adjustment.	Drop-down options: 1. "Component incorrectly set up - to be deleted" 2. "Correction of MYPS for null or zero targets" 3. "Correction of MYPS typographical error for consistency with GAA" 4. "Excess Amount due to Revised Estimate" 5. "Input of missing Location, Work Location data (if null or zero)"

			6. "Input of missing Planned Start/End Date (only if null or zero)" 7. "Move funds between existing Project Components" 8. "New Component needed - movement of funds also required"



No.	Fields/Blocks/Objects	Description	Values / Actions
4	PROJECT LOCATION MAP	Displays the mapped location of the selected project.	View-only or interactive map panel; may display No map data available if no spatial data exists.

5	MODIFICATION CATEGORY	Displays the selected revision type summary.	View-only summary; value is Adjustment.
6	MODIFICATION REASON	Displays the selected reason summary for the current adjustment.	View-only summary; value is Component incorrectly set up - to be deleted.
7	CATEGORY	Type of revision being applied.	Read-only or preselected field; value is Adjustment.
8	REASON	Specific reason for the adjustment request.	Selected reason: Component incorrectly set up - to be deleted.
9	PROJECT ID	Unique identifier for the selected project.	Auto-populated project ID; must match the intended project before submission.
10	REVISION DOCUMENTS	Area for attaching supporting files related to the adjustment request.	File upload area for memoranda, endorsements, or supporting attachments.
11	FOR CORRECTION HISTORY	Displays previous correction comments or returned revision notes.	View-only history/log section.
12	FULL REVISION PERMISSIONS	Displays revision-related status and rule sections available for review.	View-only or partially interactive depending on permissions.
13	PCMA STATUS	Current project status in PCMA.	Status display field.
14	PACKAGE STATUS	Current package lifecycle status.	Status display field.
15	STATUS	Current workflow status of the revision record.	Status display such as draft, under review, approved, rejected, or N/A.
16	CATEGORY STATUS	Displays the category classification within the revision summary block.	Status display; shown as Adjustment in this screen context.
17	PROJECT DETAILS RULE	Rule/reference section for project-level editable or reviewable data.	Review labels, permitted fields, and add/delete actions if enabled.

18	COMPONENT COST RULE	Rule/reference section for component cost-related checks.	Review-only or controlled action area depending on permissions.
19	COMPONENT COST YEAR RULE	Rule/reference section for yearly component cost checks.	Review-only or controlled action area depending on permissions.
20	MAJOR ITEM OF WORK RULE	Rule/reference section for major work item checks.	Review-only or controlled action area depending on permissions.
21	MAJOR ITEM LOCATION RULE	Rule/reference section for work location checks.	Review-only or controlled action area depending on permissions.
22	FUNDING PROFILE RULE	Rule/reference section for funding profile checks.	Review-only or controlled action area depending on permissions.
23	PROGRAM DETAILS	Displays the related program information for the selected project.	View-only section showing values such as Program Name, Program Type, Start Year, and Program Stage.
24	PROJECT DETAILS	Displays project-level administrative, category, and location information.	View-only or controlled fields depending on revision permissions.
25	SUBMIT REVISION REQUEST TO CO	Submits the completed adjustment request to Central Office for review.	Button action; submits the revision request into the next workflow step.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S03-TC003-P001

3.3.4 Test Case - 4 (S03-TC004)

Project Detail Revision (Change in Authority to implement)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PROJECT ID	Displays the unique identifier for the project undergoing revision.	Example: P00801157MN-A. Auto-populated based on the selected project.
2	REVISION TYPE	Specifies the type of revision being applied to the project.	Value: Change in Authority to Implement.
3	REASON	Allows the user to select the reason for the change in authority to implement.	Options: 1. "Change of Implementing Office (based on approved authority)"


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S03-TC004-P001

3.3.5 Test Case - 5 (S03-TC005)

Project Detail Revision (Change in funding)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PROJECT ID	Displays the unique identifier for the project.	Example: P00801157MN-A. Auto-populated based on the selected project.
2	REVISION TYPE	Specifies the type of revision being applied.	Value: Change in Funding
3	REASON	Allows the user to select the reason for the change in funding.	Options: 1. Expiry of Loan Funding (Additional options may be available, but only one is visible in this image).


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S03-TC005-P001

3.3.6 Test Case - 6 (S03-TC006)

Project Detail Revision (Change of Creditor)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PROJECT ID	Displays the unique identifier for the project requiring a funding change.	Value: P00801157MN-A. Auto-populated based on the selected project.
2	REVISION TYPE	Specifies the type of revision being applied to the project.	Value: Change in Funding.
3	REASON	Allows the user to select the reason for the change in funding.	Dropdown options: 1. "Terminated project but balance of work to be continued as another contract."


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S03-TC006-P001

3.3.7 Test Case - 7 (S03-TC007)

Project Detail Revision (Expired Funding)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PROJECT ID	Displays the unique identifier for the project undergoing revision.	Value: P00801157MN-A. Auto-populated based on the selected project.
2	REVISION TYPE	Specifies the type of revision being applied to the project.	Value: Expired Funding.
3	REASON	Allows the user to select the reason for the expired funding.	Options: 1. "Project does not commence and funding has expired"


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S03-TC007-P001

3.3.8 Test Case - 8 (S03-TC008)

Project Detail Revision (For Savings - Partial Unutilized Balance)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PROJECT ID	Displays the unique identifier for the project requiring savings revision.	Example: P00801157MN-A. This is auto-populated based on the selected project.
2	REVISION TYPE	Specifies the type of revision being applied to the project.	Value: For Savings - Partial Unutilized Balance.
3	REASON	Allows the user to select the reason for requesting the savings revision.	Options: 1. "Unutilized Balance"


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S03-TC008-P001

3.3.9 Test Case - 9 (S03-TC009)

Project Detail Revision (Mode of Implementation)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PROJECT ID	Displays the unique identifier for the project.	Value: P00801157MN-A (Example project ID).
2	REVISION TYPE	Specifies the type of revision being applied to the project.	Value: Mode of Implementation.
3	REASON	Allows the user to select the reason for requesting the mode of implementation revision.	Dropdown options: 1. "Failure of Bidding" 2. "Terminated project but balance of work to be continued as another project."


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S03-TC009-P001

3.3.10 Test Case - 10 (S03-TC010)

Project Detail Revision (Modification)



No.	Fields/Blocks/Objects	Description	Allowed values / Actions
1	PROJECT LOCATION MAP	Displays the mapped location of the selected project.	View-only or interactive map panel; may display No map data available if no spatial data exists.
2	REVISION TYPE / MODIFICATION TYPE	Displays the selected revision type summary.	View-only summary; value is Modification.
3	CATEGORY	Displays the modification category applied to the request.	Selected value: Category A - Typographical Error.
4	REASON	Displays the specific reason for the current modification.	Selected reason: Project Description needs items removed due to typo error.
5	PROJECT ID	Unique identifier for the selected project.	Auto-populated project ID; must match the intended project before submission.
6	REVISION DOCUMENTS	Area for attaching supporting files related to the modification request.	File upload area for memoranda, approved references, or related attachments.
7	FOR CORRECTION HISTORY	Displays previous correction comments or returned revision notes.	View-only history/log section.
8	FULL REVISION PERMISSIONS	Displays revision-related status and rule sections available for review.	View-only or partially interactive depending on permissions.
9	PCMA STATUS	Current project status in PCMA.	Status display field.
10	PACKAGE STATUS	Current package lifecycle status.	Status display field.
11	STATUS	Current workflow status of the modification record.	Status display such as draft, under review, approved, rejected, or N/A.
12	CATEGORY STATUS	Displays the active category within the revision summary block.	Status display; shown as Category A - Typographical Error in this context.

13	PROJECT DETAILS RULE	Rule/reference section for project-level editable or reviewable data.	Review labels and permitted fields if enabled.
14	COMPONENT COST RULE	Rule/reference section for component cost-related checks.	Review-only or controlled action area depending on permissions.
15	COMPONENT COST YEAR RULE	Rule/reference section for yearly component cost checks.	Review-only or controlled action area depending on permissions.
16	MAJOR ITEM OF WORK RULE	Rule/reference section for major work item checks.	Review-only or controlled action area depending on permissions.
17	MAJOR ITEM LOCATION RULE	Rule/reference section for work location checks.	Review-only or controlled action area depending on permissions.
18	FUNDING PROFILE RULE	Rule/reference section for funding profile checks.	Review-only or controlled action area depending on permissions.
19	PROGRAM DETAILS	Displays the related program information for the selected project.	View-only section showing values such as Program Name, Program Type, Start Year, and Program Stage.
20	PROJECT DETAILS	Displays project-level administrative, category, location, and description information.	View-only or controlled fields depending on revision permissions.
21	SUBMIT REVISION REQUEST TO CO	Submits the completed modification request to Central Office for review.	Button action; submits the request into the next workflow step.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S03-TC010-P001

3.3.11 Test Case - 1 (S03-TC011)

Project Detail Revision (Multi-Year Costing Changes)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PROJECT ID	Displays the unique identifier for the project undergoing revision.	Value: P00807916LZ (Example project ID).
2	REVISION TYPE	Specifies the type of revision being applied to the project.	Value: Multi-Year Costing Changes.
3	REASON	Allows the user to select the reason for the multi-year costing changes.	Options: 1. "Updates in Multi-Year Costing/Dates"


Test Script Procedures


Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S03-TC011-P001

3.3.12 Test Case - 12 (S03-TC012)

Project Detail Revision (Non-Implementable)





No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PROJECT ID	Displays the unique identifier for the project.	Example: P00807916LZ (Auto-populated based on the selected project).
2	REVISION TYPE	Specifies the type of revision being applied to the project.	Value: Non-Implementable.

3	CATEGORY	Allows the user to select the category for the non-implementable project.	Options: - "Abandonment for Savings" - "Delisted" - "For Reversion"
4	REASON	Allows the user to select the reason for the project being marked non-implementable .	Options: - "Failure of Bidding" - "Inadequate Resources" - "Insufficient Funds" - "Insufficient Time to Implement" - "Issues with other Agencies Concerned" - "Late release of SARO/SAA" - "Modification disapproved" - "No Site" - "Presidential approval for projects above PHP 50M not received/disapproved" - "Site Inaccessible" - "Third Party Intervention" - "Unresolved ROW" - "Unresolved Utilities"


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S03-TC012-P001

3.3.13 Test Case - 13 (S03-TC013)

Project Detail Revision (Termination)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PROJECT ID	Displays the unique identifier for the project.	Example: P00807916LZ (Auto-populated based on the selected project).
2	REVISION TYPE	Specifies the type of revision being applied to the project.	Value: Termination.
3	REASON	Allows the user to select the reason for the termination.	Options: 1. "Termination of Contract - with Disbursements" 2. "Termination of Contract - with No Disbursements"

Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S03-TC013-P001

3.3.14 Test Case - 14 (S03-TC014)

RO Approval Request Validation (Approved)

Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S03-TC014-P001

3.3.15 Test Case - 15 (S03-TC015)

RO Approval Request Validation (Rejected)

Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S03-TC015-P001

3.3.16 Test Case - 16 (S03-TC016)

RO Approval Request Validation (For Correction)

Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S03-TC016-P001

3.3.17 Test Case - 17 (S03-TC017)

PS Admin Approval Request Validation (Approved)

Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S03-TC017-P001

3.3.18 Test Case - 18 (S03-TC018)

PS Admin Approval Request Validation (Disapproved)

Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S03-TC018-P001

3.3.19 Test Case - 19 (S03-TC019)

PS Admin Approval Request Validation (For Correction)

Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:


- S03-TC019-P001

3.4 (S04) Code Table and Settings

This suite covers the Code Tables and Settings editable by PS Admin users.

3.4.1 Test Case - 1 (S04-TC001)

Settings Code tables Project Details (Category)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	ID	System-generated reference number for each category record displayed in the list.	Numeric, unique, read-only; used for internal record identification.
2	CATEGORY ID	Secondary identifier or code assigned to the category for reference within the code table.	Numeric/alphanumeric reference value; displayed as a unique category code; read-only or system-defined.
3	NAME	Official name of the project category.	Text value showing the category title, such as project classification names used throughout the system.
4	MIN AMOUNT	Minimum allowable amount associated with the category.	Numeric currency value; defines the lower amount threshold for the category.
5	MAX AMOUNT	Maximum allowable amount associated with the category.	Numeric currency value; defines the upper amount threshold for the category.
6	VALID UNTIL	Indicates the validity period or expiration	Numeric/date-based value showing until when the category remains

		setting of the category record.	valid; may display 0 if no expiration is currently set.
7	ACTIONS/EDIT	Allows modification of an existing category record.	Edit icon/button; opens the selected category in edit mode, subject to user access rights.
8	ACTIONS/DELETE	Allows removal or deactivation of an existing category record.	Delete icon/button; triggers delete/archive action, usually with confirmation and subject to authorization.
9	ADD NEW CATEGORY	Button used to create a new project category record.	Action button "+ Add"; opens a form or modal for entering a new category.
10	SEARCH	Search field used to locate a specific category from the list.	Search input with placeholder "Search..."; filters the displayed records based on the entered keyword.
11	PAGE RECORDS	Displays the total number of category records currently shown or available in the list.	Read-only text such as "25 record(s)"; updates depending on the current data set or applied search/filter.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC001-P001

3.4.2 Test Case - 2 (S04-TC002)

Settings Code tables Project Details (Thrust)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PAP KEY	Unique reference code assigned to each PAP or thrust record.	Numeric/alphanumeric value displayed in the first column; used as the primary visible reference for the record.
2	PROGRAM NAME	Official name of the program associated with the PAP entry.	Text value showing the main program title or classification.
3	SUB-PROGRAM	Specific sub-program under the identified program name.	Text value describing the related sub-program or detailed program grouping.
4	ACTIVITY	Specific activity classification under the selected program or sub-program.	Text value showing the activity type associated with the PAP/thrust record.
5	SEQUENCE NO	Sequence number assigned to the PAP or thrust entry for ordering and reference.	Numeric value used to arrange or identify the sequence of entries.
6	DESCRIPTION	Brief explanation or descriptive label of the PAP or thrust entry.	Text/alphanumeric description summarizing the PAP/thrust record.

7	INFRA TYPE	Indicates the type of infrastructure associated with the PAP record.	Text value such as infrastructure classification or category used for project grouping.
8	VALID FROM	Indicates the starting year or effectivity date of the PAP/thrust record.	Numeric/date-based value showing when the record becomes valid.
9	VALID TO	Indicates the ending year or expiration date of the PAP/thrust record.	Numeric/date-based value showing until when the record remains valid; may display terms such as Present.
10	ACTIONS/EDIT	Allows modification of an existing PAP or thrust record.	Edit icon/button; opens the selected record in edit mode, subject to user access rights.
11	ACTIONS/DELETE	Allows removal or deactivation of an existing PAP or thrust record.	Delete icon/button; triggers delete/archive action, usually with confirmation and subject to authorization.
12	ADD NEW THRUST	Button used to create a new PAP or thrust record.	Action button "+ Add"; opens a form or modal for entering a new thrust/PAP record.
13	SEARCH	Search field used to locate a specific PAP or thrust record from the list.	Search input with placeholder "Search..."; filters the displayed records based on the entered keyword.
14	PAGE RECORDS	Displays the total number of PAP or thrust records currently shown or available in the list.	Read-only text such as "164 record(s)"; updates depending on the current data set or applied search/filter.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC002-P001

3.4.3 Test Case - 3 (S04-TC003)

Settings Code tables Project Details (Agency)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	ID	System-generated reference number for each agency record displayed in the list.	Numeric, unique, read-only; used for internal record identification.
2	NAME ID	Secondary identifier or code assigned to the agency for reference within the code table.	Numeric/alphanumeric reference value; displayed as a unique agency code; read-only or system-defined.
3	AGENCY NAME	Official name of the government agency involved in project implementation.	Text value showing the full agency name, such as Autonomous Region in Muslim Mindanao (ARMM), Budgetary Support to Government Corporations, Civil Service Commission (CSC), etc.
4	DESCRIPTION	Brief explanation or additional details about the agency record.	Text/alphanumeric description; may be blank if no description is currently provided.
5	ACTIONS/EDIT	Allows modification of an existing agency record.	Edit icon/button; opens the selected agency in edit mode, subject to user access rights.

6	ACTIONS/DELETE	Allows removal or deactivation of an existing agency record.	Delete icon/button; triggers delete/archive action, usually with confirmation and subject to authorization.
7	ADD NEW AGENCY	Button used to create a new agency record.	Action button "+ Add"; opens a form or modal for entering a new agency.
8	SEARCH	Search field used to locate a specific agency from the list.	Search input with placeholder "Search…"; filters displayed records based on the entered keyword.
9	PAGE RECORDS	Displays the total number of agency records currently shown or available in the list.	Read-only text such as "36 record(s)"; updates depending on the current dataset or applied search/filter.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC003-P001

3.4.4 Test Case - 4 (S04-TC004)

Settings Code tables Project Details (Origin)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	ID	Unique identifier for the project origin, auto-generated or manually entered based on system settings.	Text field to input or auto-generate the Origin ID (e.g., "OBUILD001").
2	NAME	Required field; name of the project origin (e.g., "Medium Term Public Investment Program", "Master Plans").	Text input field to define the name of the origin.
3	DESCRIPTION	Brief description of the project origin's purpose or context (e.g., "Project Medium Term Public Investment Program").	Text input field for entering the description.
4	ADD PROJECT ORIGIN	Button to create a new entry for a project origin.	Button labeled "Add"; opens the form or modal for creating a new project origin entry.
5	ACTIONS / EDIT	Button used to modify an existing project origin record.	Button/icon for Edit; when clicked, opens the selected project origin record for updating.
6	ACTIONS / DELETE	Button used to remove or deactivate an existing project origin record.	Button/icon for Delete; when clicked, removes the selected project origin record or prompts the user for confirmation before deletion.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC004-P001

3.4.5 Test Case - 5 (S04-TC005)

Settings Code tables (Component Cost)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	ID	System-generated reference number for each component cost type record displayed in the list.	Numeric, unique, read-only; used for internal record identification.
2	COMPONENT ID	Short code assigned to the component cost type for reference and classification.	Alphanumeric code; displayed as a unique component identifier such as CONST, ROW, DD, GE, PM, ENV, MISC, SA.
3	NAME	Official name of the component cost type.	Text value showing the component type name, such as Construction Cost, Right of Way, Detailed Design, Geohazard, Project Management, Environmental Compliance, Miscellaneous, Social Advocacy.
4	EXPORT TO PCMA	Indicates whether the component cost type is included in publishing to PCMA.	Boolean/flag value; typically displayed as Yes or No.

5	ACTIONS/EDIT	Allows modification of an existing component cost type record.	Edit icon/button; opens the selected component cost type in view/edit mode depending on user permissions.
6	ACTIONS/DELETE	Allows removal or deactivation of an existing component cost type record.	Delete icon/button; removes the cost type from the list through soft delete/archive, subject to authorization.
7	ADD NEW COST TYPE	Button used to create a new component cost type record.	Action button "+ Add"; opens a form or modal where the user can input and save a new cost type record.
8	SEARCH	Search field used to locate a specific component cost type from the list.	Search input with placeholder "Search..."; filters displayed records based on the entered keyword or ID.
9	PAGE RECORDS	Displays the total number of component cost type records currently shown or available in the list.	Read-only text such as "8 record(s) found"; updates depending on the current dataset or applied search/filter.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC005-P001

3.4.5 Test Case - 6 (S04-TC006)

Settings Code tables Major Item (Work Category)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	ID	System-generated reference number for each major work category record displayed in the list.	Numeric, unique, read-only; used for internal record identification.
2	INFRASTRUCTURE TYPE	Identifies the infrastructure classification to which the work category belongs.	Text value/tag showing the infrastructure type, such as Accessibility Facility, Bridges, Drainage Protection Works, Drainage Structures along Roads, or Flood Control Structures.
3	WORK CATEGORY	Specifies the valid major work category for the selected infrastructure type.	Text value showing the work category, such as Construction, Rehabilitation/Major Repair, Replacement, Retrofitting/Strengthening, Widening, or Upgrading.
4	ACTIONS/EDIT	Allows modification of an existing major work category record.	Edit icon/button; opens the selected record in edit mode, subject to user access rights.

5	ACTIONS/DELETE	Allows removal or deactivation of an existing major work category record.	Delete icon/button; triggers delete/archive action, usually with confirmation and subject to authorization.
6	ADD NEW MAJOR WORK CATEGORY	Button used to create a new major work category record.	Action button "+ Add"; opens a form or modal for entering a new major work category.
7	SEARCH	Search field used to locate a specific major work category record from the list.	Search input with placeholder "Search..."; filters displayed records based on the entered keyword.
8	PAGE RECORDS	Displays the total number of major work category records currently shown in the list.	Read-only text such as "46 record(s) found"; updates depending on the current dataset or applied search/filter.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC006-P001

3.4.7 Test Case - 7 (S04-TC007)

Settings Code tables Major Item (Type of Work)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	INFRASTRUCTURE TYPE	Identifies the infrastructure classification to which the type of work belongs.	Text value/tag showing the infrastructure type, such as Accessibility Facility or Bridges.
2	WORK CATEGORY	Specifies the major work category associated with the selected infrastructure type.	Text value such as Construction or Rehabilitation/Major Repair.
3	TYPE OF WORK	Defines the specific type of work under the selected infrastructure type and work category.	Text value showing the work definition, such as Construction of Accessibility Facility, Rehabilitation/Major Repair of Accessibility Facility, Construction of Bridge, or Construction of Concrete Bridge.
4	UNIT OF MEASURE	Indicates the measurement basis used for the selected type of work.	Text value such as Number of Units, Square meters, or Lane Km.
5	DATA TYPE	Specifies the data format allowed for quantity input of the selected type of work.	Value shown as Integer or Real.
6	MIN	Defines the minimum allowable quantity for the selected type of work.	Numeric lower limit; may display a number such as 1 or may be blank/dash if no minimum is set.
7	MAX	Defines the maximum allowable quantity for the selected type of work.	Numeric upper limit; may display values such as 40, 100, 1,000, 10,000, 13,000, 50,000, or 60,000, depending on configuration.
8	ACTIONS/EDIT	Allows modification of an existing type of work record.	Edit icon/button; opens the selected type of work in edit mode, subject to user access rights.
9	ACTIONS/DELETE	Allows removal or deactivation of an	Delete icon/button; triggers delete/archive action, usually with

		existing type of work record.	confirmation and subject to authorization.
10	ADD NEW TYPE OF WORK	Button used to create a new type of work record.	Action button "+ Add"; opens a form or modal for entering a new type of work definition.
11	SEARCH	Search field used to locate a specific type of work record from the list.	Search input with placeholder "Search..."; filters displayed records based on the entered keyword.
12	PAGE RECORDS	Displays the current visible range and total number of type of work records in the dataset.	Read-only text such as "20 record(s) found" in your screenshot, or configured record summary text in the system.
13	PAGINATION	Allows navigation between pages of the Type of Work list.	Navigation controls such as Previous, Page 1 of n, and Next.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC007-P001

3.4.8 Test Case - 8 (S04-TC008)

Settings Code tables Major Item (Infrastructure Type)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	ID	System-generated reference number for each infrastructure type record displayed in the list.	Numeric, unique, read-only; used for internal record identification.
2	INFRA ID	Numeric identifier assigned to the infrastructure type.	Numeric reference value such as 1, 2, 3, 4; read-only or system-defined.
3	CODE	Short code representing the infrastructure type.	Alphanumeric code such as AF, CS, DPW, DSR, FCS, H, LB, LFCS, LR, MPB, NI, OB.
4	NAME	Official name of the infrastructure type used for major item locations.	Text value showing the infrastructure type name, such as Accessibility Facility, Consultancy, Drainage Protection Works, Hospitals, Local Roads, or Other Buildings.
5	ACTIONS/EDIT	Allows modification of an existing infrastructure type record.	Edit icon/button; opens the selected infrastructure type in edit mode, subject to user access rights.

6	ACTIONS/DELETE	Allows removal or deactivation of an existing infrastructure type record.	Delete icon/button; triggers delete/archive action, usually with confirmation and subject to authorization.
7	ADD NEW INFRASTRUCTURE TYPE	Button used to create a new infrastructure type record.	Action button "+ Add"; opens a form or modal for entering a new infrastructure type.
8	SEARCH	Search field used to locate a specific infrastructure type from the list.	Search input with placeholder "Search..."; filters displayed records based on the entered keyword.
9	PAGE RECORDS	Displays the total number of infrastructure type records currently shown in the list.	Read-only text such as "20 record(s) found"; updates depending on the current dataset or applied search/filter.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC008-P001

3.4.9 Test Case - 9 (S04-TC009)

Settings Code tables Funding Profile (Funding Agreement)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	ID	Unique identifier for each funding agreement record.	Numeric value; system-generated record ID.
2	SOURCE ORG	Displays the source organization associated with the funding agreement.	Text value; e.g., GOP, JICA, IBRD.
3	CODE	Displays the code assigned to the funding agreement.	Text/alphanumeric value; e.g., agreement or funding code.
4	NAME	Displays the full name or title of the funding agreement.	Text value; e.g., DPWH GENERAL APPROPRIATIONS ACT 2015.
5	FIN. SEP CODE	Displays the financial separation code or related financial reference code.	Text/alphanumeric value; may be blank or populated depending on record setup.
6	SEARCH	Search field used to filter funding agreement records.	Text input; enter keyword/code/name to filter the list.

7	ADD FUNDING AGREEMENT	Button used to create a new funding agreement entry.	Button labeled "Add"; opens the form or modal for adding a new funding agreement.
8	ACTIONS / EDIT	Button used to modify an existing funding agreement record.	Edit icon/button; opens the selected record for updating.
9	ACTIONS / DELETE	Button used to remove an existing funding agreement record.	Delete icon/button; removes the selected record or prompts for confirmation before deletion.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC009-P001

3.4.10 Test Case - 10 (S04-TC010)

Settings Code tables Funding Profile (Funding Source)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	ID	Unique identifier for each funding source record.	Numeric value; system-generated ID.
2	ORGANIZATION	Displays the short code or name of the funding organization.	Text value; e.g., IBRD, JBIC, ADB, GOP, JICA.

3	DESCRIPTION	Displays the full name or description of the funding organization.	Text value; e.g., International Bank for Reconstruction and Development.
4	SEARCH	Search field used to filter funding source records.	Text input; enter keyword or organization name/code to filter the list.
5	ALL FILTER	Filter button to display all funding source records.	Button labeled "All"; shows both local and foreign sources.
6	LOCAL FILTER	Filter button to display only local funding sources.	Button labeled "Local"; filters records tagged as local.
7	FOREIGN FILTER	Filter button to display only foreign funding sources.	Button labeled "Foreign"; filters records tagged as foreign.
8	ADD SOURCE	Button used to create a new funding source entry.	Button labeled "Add Source"; opens the form or modal for adding a new funding source.
9	NATURE	Indicates whether the funding source is local or foreign.	Tag/value such as Local or Foreign.
10	ACTIONS / EDIT	Button used to modify an existing funding source record.	Edit icon/button; opens the selected funding source for updating.
11	ACTIONS / DELETE	Button used to remove an existing funding source record.	Delete icon/button; removes the selected record or prompts for confirmation before deletion.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC010-P001

3.4.11 Test Case - 11 (S04-TC011)

Settings Code tables Revision (Categories)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	ID	Unique identifier for each revision category record.	Numeric value; system-generated ID.
2	CATEGORY NAME	Displays the name of the revision category.	Text value; e.g., Category A - Typographical Error.
3	CATEGORY ID	Displays the assigned category code or reference number.	Numeric value linked to the revision category.
4	REVISION GROUP ID	Displays the group identifier associated with the revision category.	Numeric value representing the related revision group.
5	SEARCH	Search field used to filter revision category records.	Text input; enter keyword or category name to filter the list.
6	ACTIONS / EDIT	Button used to modify an existing revision category record.	Edit icon/button; opens the selected revision category for updating.
7	ACTIONS / DELETE	Button used to remove an existing revision category record.	Delete icon/button; removes the selected record or prompts for confirmation before deletion.

8	CATEGORIES TAB	Active tab used to display and manage revision category records.	Selected tab; shows the list of revision categories.
9	HEADERS TAB	Tab used to switch to revision headers management.	Click to open Headers records.
10	DOCUMENTS TAB	Tab used to switch to revision documents management.	Click to open Documents records.
11	REASONS TAB	Tab used to switch to revision reasons management.	Click to open Reasons records.
12	STATUSES TAB	Tab used to switch to revision statuses management.	Click to open Statuses records.
13	RULES TAB	Tab used to switch to revision rules management.	Click to open Rules records.
14	VALIDATION DATES TAB	Tab used to switch to revision validation dates management.	Click to open Validation Dates records.
15	REVISIONS TAB	Main code table category for managing revision-related reference data.	Active parent tab for revision code tables.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC011-P001

3.4.12 Test Case - 12 (S04-TC012)

Settings Code tables Revision (Headers)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	ID	Unique identifier for each revision header record.	Numeric value; system-generated ID.
2	REVISION NAME	Displays the name of the revision header.	Text value; e.g., Additional Funding, Adjustment, Change in Authority to Implement.
3	REVISION GROUP ID	Displays the group identifier associated with the revision header.	Numeric value representing the related revision group.
4	SEARCH	Search field used to filter revision header records.	Text input; enter keyword or revision name to filter the list.
5	ACTIONS / EDIT	Button used to modify an existing revision header record.	Edit icon/button; opens the selected revision header for updating.
6	ACTIONS / DELETE	Button used to remove an existing revision header record.	Delete icon/button; removes the selected record or prompts for confirmation before deletion.
7	CATEGORIES TAB	Tab used to switch to revision categories management.	Click to open Categories records.

8	HEADERS TAB	Active tab used to display and manage revision header records.	Selected tab; shows the list of revision headers.
9	DOCUMENTS TAB	Tab used to switch to revision documents management.	Click to open Documents records.
10	REASONS TAB	Tab used to switch to revision reasons management.	Click to open


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC012-P001

3.4.13 Test Case - 13 (S04-TC013)

Settings Code tables Revision (Documents)



No.	Fields/Blocks/Objects	Description	Values/Actions
1	ID	Unique identifier for each revision document record.	Numeric value; system-generated ID.

2	REVISION GROUP ID	Displays the revision group associated with the document requirement.	Numeric value representing the related revision group.
3	CATEGORY ID	Displays the related category identifier, if applicable.	Numeric value or blank/dash when no category-specific assignment is set.
4	SECOND SEGMENT NAME	Displays the short document code or segment name used in revision processing.	Text/alphanumeric value such as M, A, CAI, NIAS, NID, NIR, I, AF, or PS.
5	SEARCH	Search field used to filter revision document records.	Text input; enter keyword, document code, or related value to filter the list.
6	ACTIONS / EDIT	Button used to modify an existing revision document record.	Edit icon/button; opens the selected revision document record for updating.
7	ACTIONS / DELETE	Button used to remove an existing revision document record.	Delete icon/button; removes the selected record or prompts for confirmation before deletion.
8	CATEGORIES TAB	Tab used to switch to revision categories management.	Click to open Categories records.
9	HEADERS TAB	Tab used to switch to revision headers management.	Click to open Headers records.
10	DOCUMENTS TAB	Active tab used to display and manage revision document records.	Selected tab; shows the list of revision documents.
11	REASONS TAB	Tab used to switch to revision reasons management.	Click to open Reasons records.
12	STATUSES TAB	Tab used to switch to revision statuses management.	Click to open Statuses records.
13	RULES TAB	Tab used to switch to revision rules management.	Click to open Rules records.

14	VALIDATION DATES TAB	Tab used to switch to revision validation dates management.	Click to open Validation Dates records.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC013-P001

3.4.14 Test Case - 14 (S04-TC014)

Settings Code tables Revision (Reasons)



No.	Fields/Blocks/Objects	Description	Values/Actions
1	ID	Unique identifier for each revision reason record.	Numeric value; system-generated ID.
2	GROUP ID	Displays the group identifier associated with the revision reason.	Numeric value representing the related revision group.
3	REASON ID	Displays the assigned identifier or code for the revision reason.	Numeric value linked to the revision reason record.
4	REASON	Displays the specific justification or	Text value; e.g., Additional (buffer) funds from other agencies, Altered

		explanation for the revision.	Site Conditions, Change in implementing office, etc.
5	STATUS	Indicates whether the revision reason is active or inactive in the system.	Status tag/value such as Active or system-configured equivalent.
6	SEARCH	Search field used to filter revision reason records.	Text input; enter keyword or reason text to filter the list.
7	ADD REASON	Button used to create a new revision reason entry.	Button labeled Add Reason; opens the form or modal for adding a new reason.
8	ACTIONS / EDIT	Button used to modify an existing revision reason record.	Edit icon/button; opens the selected revision reason for updating.
9	ACTIONS / DELETE	Button used to remove an existing revision reason record.	Delete icon/button; removes the selected record or prompts for confirmation before deletion.
10	CATEGORIES TAB	Tab used to switch to revision categories management.	Click to open Categories records.
11	HEADERS TAB	Tab used to switch to revision headers management.	Click to open Headers records.
12	DOCUMENTS TAB	Tab used to switch to revision documents management.	Click to open Documents records.
13	REASONS TAB	Active tab used to display and manage revision reason records.	Selected tab; shows the list of revision reasons.
14	STATUSES TAB	Tab used to switch to revision statuses management.	Click to open Statuses records.
15	RULES TAB	Tab used to switch to revision rules management.	Click to open Rules records.

16	VALIDATION DATES TAB	Tab used to switch to revision validation dates management.	Click to open Validation Dates records.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC014-P001

3.4.15 Test Case - 15 (S04-TC015)

Settings Code tables Revision (Statuses)



No.	Fields/Blocks/Objects	Description	Values/Actions
1	ID	Unique identifier for each revision status record.	Numeric value; system-generated ID.
2	ENUM	Displays the numeric or coded value associated with the revision status.	Numeric/system value such as 0, 1, 2, or 3.
3	NAME	Displays the status name used in revision processing.	Text value such as Pending, Approved, Disapproved, or For Correction.

4	DESCRIPTION	Displays a brief description of the revision status.	Text field; may be blank or system-defined depending on setup.
5	SEARCH	Search field used to filter revision status records.	Text input; enter keyword or status name to filter the list.
6	ACTIONS / EDIT	Button used to modify an existing revision status record.	Edit icon/button; opens the selected revision status for updating.
7	ACTIONS / DELETE	Button used to remove an existing revision status record.	Delete icon/button; removes the selected record or prompts for confirmation before deletion.
8	CATEGORIES TAB	Tab used to switch to revision categories management.	Click to open Categories records.
9	HEADERS TAB	Tab used to switch to revision headers management.	Click to open Headers records.
10	DOCUMENTS TAB	Tab used to switch to revision documents management.	Click to open Documents records.
11	REASONS TAB	Tab used to switch to revision reasons management.	Click to open Reasons records.
12	STATUSES TAB	Active tab used to display and manage revision status records.	Selected tab; shows the list of revision statuses.
13	RULES TAB	Tab used to switch to revision rules management.	Click to open Rules records.
14	VALIDATION DATES TAB	Tab used to switch to revision validation dates management.	Click to open Validation Dates records.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC015-P001

3.4.16 Test Case - 16 (S04-TC016)

Settings Code tables Revision (Rules)



No.	Fields/Blocks/Objects	Description	Values/Actions
1	ID	Unique identifier for each revision rule record.	Numeric value; system-generated ID.
2	REASON	Displays the revision reason associated with the rule.	Text value; e.g., Typographical Error on Project Description, Project Description needs items removed due to typo error.
3	PCMA STATUS	Displays the PCMA project status condition tied to the rule.	Status tag/value such as Not yet started, Completed, Terminated, or On-going.
4	PACKAGE STATUS	Displays the package status condition tied to the rule.	Status tag/value such as Packaged or Not Packaged.

5	FIELD RULES	Displays the configured field rule set for the selected record.	Link/action such as View Rules; opens the field-level permissions or allowed edit settings.
6	SEARCH REASON OR STATUS	Search field used to filter revision rule records.	Text input; enter keyword, reason, or status to filter the list.
7	ACTIONS / EDIT	Button used to modify an existing revision rule record.	Edit icon/button; opens the selected revision rule for updating.
8	ACTIONS / DELETE	Button used to remove an existing revision rule record.	Delete icon/button; removes the selected record or prompts for confirmation before deletion.
9	CATEGORIES TAB	Tab used to switch to revision categories management.	Click to open Categories records.
10	HEADERS TAB	Tab used to switch to revision headers management.	Click to open Headers records.
11	DOCUMENTS TAB	Tab used to switch to revision documents management.	Click to open Documents records.
12	REASONS TAB	Tab used to switch to revision reasons management.	Click to open Reasons records.
13	STATUSES TAB	Tab used to switch to revision statuses management.	Click to open Statuses records.
14	RULES TAB	Active tab used to display and manage revision rules.	Selected tab; shows the list of revision field permission rules.
15	VALIDATION DATES TAB	Tab used to switch to revision validation dates management.	Click to open Validation Dates records.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC016-P001

3.4.17 Test Case - 17 (S04-TC017)

Settings Code tables Revision (Validation Dates)



No.	Fields/Blocks/Objects	Description	Values/Actions
1	ID	Unique identifier for each validation date record.	Numeric value; system-generated ID.
2	FUNDING YEAR	Displays the funding year covered by the validation period.	Numeric year value such as 2016, 2017, 2024.
3	START DATE	Displays the beginning date of the valid revision submission period.	Date value in system format, e.g., 1/1/2024.
4	END DATE	Displays the ending date of the valid revision submission period.	Date value in system format, e.g., 12/31/2025.
5	STATUS	Indicates whether the validation date range is currently open or closed for revision submission.	Status tag/value such as Closed or other system-defined status.

6	ACTIONS / EDIT	Button used to modify an existing validation date record.	Edit icon/button; opens the selected record for updating.
7	ACTIONS / DELETE	Button used to remove an existing validation date record.	Delete icon/button; removes the selected record or prompts for confirmation before deletion.
7	ADD DATE RANGE	Button used to create a new validation date range entry.	Button labeled Add Date Range; opens the form or modal for adding a new record.
9	CATEGORIES TAB	Tab used to switch to revision categories management.	Click to open Categories records.
10	HEADERS TAB	Tab used to switch to revision headers management.	Click to open Headers records.
11	DOCUMENTS TAB	Tab used to switch to revision documents management.	Click to open Documents records.
12	REASONS TAB	Tab used to switch to revision reasons management.	Click to open Reasons records.
13	STATUSES TAB	Tab used to switch to revision statuses management.	Click to open Statuses records.
14	RULES TAB	Tab used to switch to revision rules management.	Click to open Rules records.
15	VALIDATION DATES TAB	Active tab used to display and manage revision validation date records.	Selected tab; shows the list of validation date ranges.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC017-P001

3.4.18 Test Case - 18 (S04-TC018)

Settings Code tables Program (Program Stage)



No.	Fields/Blocks/Objects	Description	Values/Actions
1	ID	Unique identifier for each program stage record.	Numeric value; system-generated ID.
2	NAMEID	Displays the short code or stage code assigned to the program stage.	Text/alphanumeric value such as RDIP, PIP, RBP, BP, NEP, NEP-E, HGAB, HGAB-I, GAA.
3	NAME	Displays the official name of the program stage.	Text value such as Regional Development Investment Program, Public Investment Program, Regional Budget Proposal, or General Appropriations Act.
4	DESCRIPTION	Displays the description or meaning of the program stage.	Text value describing the stage used in budget/program processing.
5	SEARCH	Search field used to filter program stage records.	Text input; enter keyword or stage code/name to filter the list.
6	ADD	Button used to create a new program stage entry.	Button labeled Add; opens the form or modal for adding a new program stage.

7	ACTIONS / EDIT	Button used to modify an existing program stage record.	Edit icon/button; opens the selected program stage for updating.
8	ACTIONS / DELETE	Button used to remove an existing program stage record.	Delete icon/button; removes the selected record or prompts for confirmation before deletion.
9	PROGRAM STAGE TAB	Active tab used to display and manage program stage records.	Selected tab; shows the list of program stages.
10	PROGRAM TYPE TAB	Tab used to switch to program type management.	Click to open Program Type records.
11	PROGRAM STATUS TAB	Tab used to switch to program status management.	Click to open Program Status records.
12	PROGRAMS TAB	Main code table category for managing program-related reference data.	Active parent tab for program code tables.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC018-P001

3.4.19 Test Case - 19 (S04-TC019)

Settings Code tables Program (Program Type)



No.	Fields/Blocks/Objects	Description	Values/Actions
1	ID	Unique identifier for each program type record.	Numeric value; system-generated ID.
2	NAMEID	Displays the code or reference number assigned to the program type.	Numeric or system-defined value such as 1, 2, 3, 4.
3	NAME	Displays the official name of the program type.	Text value such as Regular Infrastructure, External Infrastructure, Trust Fund, or Automatic Appropriation.
4	DESCRIPTION	Displays the description of the program type.	Text value or blank field depending on configuration.
5	SEARCH	Search field used to filter program type records.	Text input; enter keyword or program type name to filter the list.
6	ADD	Button used to create a new program type entry.	Button labeled Add; opens the form or modal for adding a new program type.
7	ACTIONS / EDIT	Button used to modify an existing program type record.	Edit icon/button; opens the selected program type for updating.

8	ACTIONS / DELETE	Button used to remove an existing program type record.	Delete icon/button; removes the selected record or prompts for confirmation before deletion.
9	PROGRAM STAGE TAB	Tab used to switch to program stage management.	Click to open Program Stage records.
10	PROGRAM TYPE TAB	Active tab used to display and manage program type records.	Selected tab; shows the list of program types.
11	PROGRAM STATUS TAB	Tab used to switch to program status management.	Click to open Program Status records.
12	PROGRAMS TAB	Main code table category for managing program-related reference data.	Active parent tab for program code tables.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC019-P001

3.4.20 Test Case - 20 (S04-TC020)

Settings Code tables (Admin Areas)



No.	Fields/Blocks/Objects	Description	Values/Actions
1	ID	Unique identifier for each region record.	Numeric value; system-generated ID.
2	GDS ID	Displays the GDS reference code assigned to the region.	Numeric or alphanumeric code used for regional reference.
3	NAME	Displays the official name of the region.	Text value showing the region name.
4	PARTICIPANT ID	Displays the participant ID associated with the region.	Numeric or alphanumeric value used for related mapping/reference.
5	ISLAND CODE	Displays the island group code associated with the region.	Text or numeric code representing the island grouping.
6	SEARCH	Search field used to filter region records.	Text input; enter keyword or region name/code to filter the list.
7	ADD	Button used to create a new region entry.	Button labeled Add; opens the form or modal for adding a new region.
8	ACTIONS / EDIT	Button used to modify an existing region record.	Edit icon/button; opens the selected region for updating.
9	ACTIONS / DELETE	Button used to remove an existing region record.	Delete icon/button; removes the selected record or prompts for confirmation before deletion.
10	REGIONS TAB	Active tab used to display and manage region records.	Selected tab; shows the list of regions.
11	PROVINCES TAB	Tab used to switch to provinces management.	Click to open Provinces records.
12	CITIES/MUNICIPALITIES TAB	Tab used to switch to cities and municipalities management.	Click to open Cities/Municipalities records.

13	LEGISLATIVE DISTRICTS TAB	Tab used to switch to legislative districts management.	Click to open Legislative Districts records.
14	DEOS TAB	Tab used to switch to DEOs management.	Click to open DEOs records.
15	ADMIN AREAS TAB	Main code table category for managing administrative area reference data.	Active parent tab for admin area code tables.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC020-P001

3.4.21 Test Case - 21 (S04-TC021)

Settings User Management



No.	Fields/Blocks/Objects	Description	Values/Actions
1	APP MODULES TAB	Active tab used to display the list of MYPS application modules.	Selected tab; shows the App Modules inventory list.

2	USERS TAB	Tab used to switch to user management records.	Click to open the Users list.
3	USER GROUPS TAB	Tab used to switch to user group management records.	Click to open the User Groups list.
4	MODULE NAME	Displays the name of the registered MYPS module.	Text value such as Authentication, User Management, InfraManagement, Code Table, Revision, Project, Program, Dashboard.
5	DESCRIPTION	Displays the functional description of the module.	Text value describing the module, e.g., User authentication or other configured descriptions.
6	CONTROLLERS	Displays the linked controller count or controller mapping for the module.	Read-only linked value such as 1 / 1 linked or similar system count.
7	VIEWS	Displays the linked view count or screen mapping for the module.	Read-only linked value such as 2 / 2 linked, 1 / 2 linked, or similar system count.
8	ACTIONS	Provides row-level maintenance actions for the selected module.	Action icons/buttons such as Edit and Delete, subject to authorization.
9	SYNC ROUTES	Synchronizes route definitions used by the application.	Button labeled Sync Routes; triggers route synchronization.
10	SYNC API	Synchronizes API definitions used by the application.	Button labeled Sync API; triggers API synchronization.
11	ADD MODULE	Opens a form to create a new module record.	Button labeled Add Module; opens the add-module form.
12	MODULE COUNT	Displays the total number of modules currently shown in the list.	Read-only text such as Showing 1 to 8 of 8 modules.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC021-P001

3.4.22 Test Case - 22 (S04-TC022)

Settings User Management (App Module)



No.	Fields/Blocks/Objects	Description	Values/Actions
1	CONTROLLERS DROPDOWN	Expand/collapse control used to display the module's linked controller list.	Click to expand or collapse the Controllers section.
2	CONTROLLERS – READ ONLY PANEL	Read-only panel showing controller records associated with the selected module.	Displays controller list for viewing only; editing is disabled in this panel.
3	CONTROLLER ITEM	Individual controller entry linked to the module.	Displays controller name such as AUTH Controller, Project Controller, etc.
4	READ-ONLY TOGGLE / INDICATOR	Visual indicator showing controller linkage state.	Toggle or status marker is displayed for review only and cannot be changed from this dropdown.
5	VIEWS DROPDOWN	Expand/collapse control used to display the module's linked view list.	Click to expand or collapse the Views section.

6	VIEWS – READ ONLY PANEL	Read-only panel showing view records associated with the selected module.	Displays view list for viewing only; editing is disabled in this panel.
7	VIEW ITEM	Individual view entry linked to the module.	Displays view name such as Dashboard, Program List, Project Details, etc.
8	READ-ONLY TOGGLE / INDICATOR	Visual indicator showing view linkage state.	Toggle or status marker is displayed for review only and cannot be changed from this dropdown.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC022-P001

3.4.23 Test Case - 23 (S04-TC023)

Settings User Management (Users Filter)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	NAME	Allows the user to search for users by their name.	Text input field for searching users by name. Users can leave the field empty to show all results.

2	USER GROUP	Allows the user to search for users based on their user group.	Text input field for searching users by their group (e.g., Admin, User, etc.).
3	STATUS	Allows the user to filter users by their status.	Dropdown selection for status, with options such as All, Active, Inactive, etc.
4	CLEAR FILTER	Clears the current filter settings and resets the search.	Button labeled "Clear Filter"; Action to reset all filter fields.
5	CANCEL	Closes the filter modal without applying any changes.	Button labeled "Cancel"; Action to close the modal and discard the filter settings.
6	APPLY FILTER	Executes the filter search.	Button labeled "Apply Filter". Updates the Users list according to selected criteria.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC023-P001

3.4.24 Test Case - 24 (S04-TC024)

Settings User Management (Add User)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	EMPLOYEE ID	A unique identifier for the employee within the HR or personnel system. The search icon may be used to auto-fill user details if integrated with the database.	The search icon associated with this field may be used to auto-fill user details if integrated with the database.
2	USER ID	The unique username or system login identifier. This is often used for authentication and access control.	This ID is used for login. The password required for login must be at least six alphanumeric digits and/or characters (case-sensitive).
3	NAME	The full name of the user. This field identifies the user within the system.	This field identifies the user within the system.
4	REGION CODE	The code representing the regional office or administrative area the user belongs to.	Regional office or administrative area code.
5	EMAIL	The user's official or registered email address for communication and verification.	This field identifies the user within the system.
6	PLANTILLA OFFICE	Indicates the assigned department or office where the employee belongs in the organizational structure.	The office, department, or division where the employee is officially assigned.
7	USER GROUP	Defines the access level or role group of the user in the system. User groups determine permission levels.	User groups determine permission levels. These permissions control which commands in the menu and toolbar are available.
8	STATUS	Specifies whether the user account is Active or Inactive. Inactive users cannot log in to the system.	Inactive users cannot log in to the system. The system supports a feature to disable a MYPS user account.
9	CANCEL	Discards any entered information and closes the form.	Discards any entered information and closes the form.

11	ADD USER	Saves the new user record and adds it to the user management list.	Saves the new user record and adds it to the user management list.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC024-P001

3.4.25 Test Case - 25 (S04-TC025)

User Management (User Groups – Filter)



No.	Fields/Blocks/Objects	Description	Values / Actions
1	GROUP NAME	Enter the name of the user group to filter	Text input; optional; partial or full name supported
2	PERMISSION NAME	Enter a permission name to filter groups that include it	Text input; optional; partial or full permission name supported
3	CLEAR FILTERS	Clears all input fields	Button; resets fields to default empty state
4	CANCEL	Closes the modal without applying filters	Button; discards input
5	FILTER GROUP	Executes the search based on entered criteria	Button; updates the User Groups list accordingly


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC025-P001

3.4.26 Test Case - 26 (S04-TC026)

User Management (User Groups – Add Group)



No.	Fields/Blocks/Objects	Description	Values / Actions
1	GROUP NAME	Name for the new group	Text input; mandatory; must be unique
2	DESCRIPTION	Optional description of the group	Text input; optional; up to 255 characters
3	CANCEL	Close the dialog	Button; discards input and closes modal
4	CREATE GROUP	Save the new group	Button; validates fields and adds the group to the User Groups list


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC026-P001

3.4.27 Test Case - 27 (S04-TC027)

Settings Infra Management



No.	Fields/Blocks/Objects	Description	Allowed values / Actions
1	ROADS TAB	Displays the list of road records.	Select to stay in or return to the Roads view.
2	ROAD SECTIONS TAB	Opens the Road Sections view.	Select to manage road sections.
3	BRIDGES TAB	Opens the Bridges view.	Select to manage bridge records.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC027-P001

3.4.28 Test Case - 28 (S04-TC028)

Settings Infra Management (add Future Road)



No.	Fields/Blocks/Objects	Description	Allowed values / Actions
1	ROAD ID	A unique identifier for the road record. It must follow the required future road format.	Must start with FR, followed by 5 digits, and end with the island code. Examples: FR00001LZ, FR00002VS.
2	ROAD NAME	The official name or title of the future road project.	Text input field for entering the road name. Example: Catanduanes Diversion Road.
3	ROAD CLASSIFICATION	Defines the category or hierarchy of the road within the system.	Dropdown selection from available classifications such as Primary or Secondary.
4	CANCEL	Closes the form without saving the entered data.	Button action to discard changes and close the modal.
5	CREATE ROAD	Saves the new road record to the system.	Button action to create and save the road record using the entered details.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC028-P001

3.4.29 Test Case - 29 (S04-TC029)

Settings Infra Management (add Future Road Section)



No.	Field/Block/Object	Description	Values / Actions
1	PARENT ROAD ID	Displays the parent road where this section will belong	Auto-filled from selected road; read-only
2	SECTION ROAD ID	Unique identifier for the road section	Required; must start with "FS"; e.g., FS001-001, FS001-002
3	LENGTH	Length of the road section	Numeric; kilometers; must be >0
4	ENGINEERING DISTRICT	District responsible for the section	Dropdown; select one from available options
5	CANCEL	Cancels creation and closes modal	Button: closes dialog without saving
6	CREATE ROAD SECTION	Adds the new road section	Button: validates inputs and submits form


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC029-P001

3.4.30 Test Case - 30 (S04-TC030)

Settings Infra Management (Roads)



No.	Fields/Blocks/Objects	Description	Allowed values / Actions
1	ROAD ID	System-generated or manually entered unique identifier for the road record.	Expected format for a Future Road ID starts with F (e.g., FR00205CB).
2	ROAD NAME	The full descriptive name of the road project.	Expected text value.
3	CLASSIFICATION	Indicates the type of road.	Selection from predefined categories such as Primary or Secondary.
4	SEARCH ROAD	Enables quick lookup of roads by name or ID.	Text input used for filtering the list.
5	SEARCH BUTTON	Executes the search query based on the entered keyword.	Click to run the search.
6	FILTER	Opens or applies filtering options to refine the road list.	Action to apply filters such as classification or other configured criteria.
7	IMPORT ROAD NETWORK	Allows importing road network data into the module.	Button action to initiate import of road data. The visible button label appears as Import.

8	ADD ROAD	Opens the form for creating a new road entry.	Action opens the Add Road form.
9	ACTIONS / EDIT	Opens the selected road record for editing.	Action opens the Update/Edit Road form.
10	ACTIONS / DELETE	Removes the selected road record after confirmation.	Action opens a delete confirmation dialog.
11	ACTIONS / ADD SECTION	Creates a new road section linked to the selected road.	Action opens the Add Road Section dialog or form.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC030-P001

3.4.31 Test Case – 31 (S04-TC031)

Settings Infra Management (Roads - Add Road Section)



No.	Field/Block/Object	Description	Values / Actions
1	PARENT ROAD ID	Displays the parent road where this section will belong	Auto-filled from selected road; read-only
2	SECTION ROAD ID	Unique identifier for the road section	Required; must start with "FS"; e.g., FS001-001, FS001-002
3	LENGTH	Length of the road section	Numeric; kilometers; must be >0

4	ENGINEERING DISTRICT	District responsible for the section	Dropdown; select one from available options
5	CANCEL	Cancels creation and closes modal	Button: closes dialog without saving
6	CREATE ROAD SECTION	Adds the new road section	Button: validates inputs and submits form


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC031-P001

3.4.32 Test Case – 32 (S04-TC032)

Settings Infra Management (Road Sections)



No.	Field/Block/Object	Description	Values / Actions
1	SECTION ROAD ID	Unique identifier for each road section	Must start with "FS" for future road sections
2	ROAD ID	Parent road of the section	Displays the associated main road
3	LENGTH	Length of the road section and identifies managing district	Numeric, kilometers; required

4	ENGINEERING DISTRICT	District responsible for maintenance, inspection, and reporting	Dropdown or display-only, depending on role
5	SEARCH ROAD SECTIONS	Allows search by ID, name, or district	Text input; case-insensitive
6	SEARCH BUTTON	Executes search query	Click to refresh list according to search criteria
7	FILTER	Opens filter options by district, classification, or road ID	Multi-select dropdowns or checkboxes
8	ACTIONS/EDIT	Modify road section details	Opens Edit Section modal
9	ACTIONS/DELETE	Remove the road section	Opens Delete confirmation modal
10	ACTIONS/ADD BRIDGE	Link a new bridge to this section	Opens Add Bridge modal


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC032-P001

3.4.33 Test Case – 33 (S04-TC033)

Settings Infra Management (Road Sections - Add Bridge)



No.	Fields/Blocks/Objects	Description	Values / Actions
1	ROAD SECTION ID	Road section where the bridge is located	Read-only; pre-filled from parent section
2	BRIDGE ID	Unique identifier	Editable if necessary; follows system convention
3	BRIDGE NAME	Name of the bridge	Text; required; user-defined
4	FROM CHAINAGE (m)	Starting point along the road section	Numeric; required; meters
5	BRIDGE LENGTH (m)	Physical length of the bridge	Numeric; required; meters
6	CARRIAGE WAY WIDTH (m)	Weight capacity for vehicles	Numeric; required; meters
7	CANCEL	Aborts adding new bridge	Closes modal without saving
8	CREATE BRIDGE	Adds the new Bridge	Button: validates inputs and submits form


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC033-P001

3.4.34 Test Case – 34 (S04-TC034)

Settings Infra Management (Bridges)



No.	Fields/Blocks/Objects	Description	Values/Actions
1	SECTION ROAD ID	Parent road section of the bridge	Display-only; auto-filled
2	BRIDGE NAME	Official or project name	Display-only; read-only
3	BRIDGE ID	Unique identifier	Display-only; starts with FB
4	FROM (m)	Starting chainage along section	Display-only; meters
5	LENGTH (m)	Physical length of the bridge	Display-only; meters
6	CARRIAGE WAY	Width of Bridge Carriageway	Display-only; meters
7	ACTIONS / EDIT	Modify bridge details	Opens Edit Bridge modal (UI-UX-00130)
8	ACTIONS / DELETE	Delete bridge record	Opens Delete Bridge confirmation modal (UI-UX-00132)


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S04-TC034-P001

3.4.35 Test Case – 35 (S04-TC035)

Settings Infra Management (Input future Bridges)



No.	Fields/Blocks/Objects	Description	Values/Actions
1	SECTION ROAD ID	Road section where bridge is located	Dropdown selection (e.g., S0635ELZ)
2	BRIDGE ID	Unique bridge identifier	Editable text (e.g., FB00001), must follow "FB" + 5 digits
3	BRIDGE NAME	Official name of the bridge	Editable text input (e.g., "Patapat Viaduct")
4	FROM CHAINAGE	Starting kilometer point	Numeric input in km (e.g., 168)
5	BRIDGE LENGTH	Physical length of the bridge	Numeric input in meters (e.g., 12.4)
6	CARRIAGE WAY WIDTH	Width of Bridge Carriageway	Numeric input in meters (e.g., 100)
7	CANCEL BUTTON	Discards changes	Closes modal without saving
8	UPDATE BRIDGE BUTTON	Saves changes	Applies updates to the selected bridge

Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:


- S04-TC035-P001

3.5 (S05) Project Groups

This suite covers the Project Groups.

3.5.1 Test Case – 1 (S05-TC001)

Project Groups



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	NAME	The title or official name of the project group.	Alphanumeric + punctuation; 5–200 chars; The title of the group. Project Group names must be unique. (for example, GAA 2025 SSP.)
2	DESCRIPTION	Summary or scope of the project group.	Alphanumeric + punctuation; 5–200 chars; A description explaining the scope or objective.
3	NUMBER OF PROJECTS	Total count of projects under each group.	Numeric; 5–200 chars; The quantitative measure of associated projects.
4	USER GROUP	Indicates which user group manages the project group.	Alphanumeric + punctuation; 5–200 chars; The associated

			administrative or access group (for example DPD Admin.)
5	CREATED DATE	Date when the project group record was created.	Numeric in MM/DD/YYYY format; Range: Month: 01-12, Day: 01-31, Year: 1990–2100; required.
6	CREATED BY	Name of the user (and department) who created the record.	User identification.
7	ADD PROJECT	Opens a form/modal for creating a new project group record.	Button "Add Project"; Action to initiate the creation of a new group.
8	FILTER	Used to filter or search for project groups.	Button "Filter"; Action/input to search or filter the list.
9	ACTIONS/VIEW	Opens the Project Group in view/edit mode depending on user permissions.	Button "View"; Action to view or edit the group.
10	ACTIONS/DELETE	Removes the Project Group from the list (soft delete/archive). Shown only when deletable and user is authorized.	Button "Delete"; Action to remove or delete the group.
11	PAGINATION	Navigation for browsing through multiple project group pages.	Button "Page"; Navigation control.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S05-TC001-P001

3.5.2 Test Case – 2 (S05-TC002)

Project Group - Details



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	NAME	Allows editing the official name or code of the project group.	Editable text input; Project Group names must be unique.
2	DESCRIPTION	Allows editing a brief description or title of the project group, explaining its scope or main objective.	Editable text input. Text description detailing the project group.
3	USER GROUP	The user role or administrative group assigned to manage this project group.	Identifies each stage of the User Group Type of Programming Division (PD), Development Planning Division (DPD), Road Program Office (RPO), etc.
4	MAP SECTION	Displays a map showing the project's general geographic location.	Visual display of project location.
5	UPDATE BUTTON	Saves any modifications made to the project group information.	Button "Update"; Action to save changes.
6	PROJECT ID	Unique system-generated identifier for the project.	Text message; Listed as clickable links. (A Project ID is a unique

			identifier assigned by the user upon entry into MYPS, for example, P01155611LZ)
7	CATEGORY	General classification or type of the project.	Text message; Identifies each stage of the Category type of OO-1, OO-2, Regular Infrastructure, Foreign Assisted Projects, Local Program (LP), Trust Fund etc.
8	DESCRIPTION	Short summary or details of the project.	Text message; Short description of the project scope or purpose. (This is also known as the Name of the Project, e.g., 'Cebu South Road Project')"
9	ORIGIN	The source or proposing department.	Text message: Identifies each stage of the Origin type of Airport Road Analysis (ARA), BIP, Bridge Management Systems (BMS), Bridges Management Cluster etc.
10	CITY	The specific city or municipality.	Text message; The location where the project is done.
11	LEGISLATIVE DISTRICT	The political or legislative district of the project site.	Text message; Legislative District type of Legislative district of Bulacan, Legislative district of Pampanga, Legislative district of Tarlac, Legislative district of Pangasinan, etc.
12	OPERATING UNIT	The administrative unit operating the project.	Text message; Operating Unit type of Agusan del Norte District Engineering Office, Aklan District Engineering Office etc.
13	IMPLEMENTING OFFICE	The actual unit implementing or executing the project.	Text message; Agusan del Norte District Engineering Office.
14	DEO	Select the District Engineering Office responsible for the project	Text message; Butuan City DEO, Agusan del Norte DEO, Negros Occidental 4th, Negros Occidental 2nd, Negros Oriental 1st.

		revision. Usually, pre-filled based on user account.	
15	REGION	Identifies the regional office under which the District Engineering Office (DEO) operates.	Text message; Autonomous region in Muslim Mindanao (ARMM), Region IV-A, Metro Manila, Central Office (CO), Region (General Designation).
16	AGENCY	Identifies the main implementing government agency responsible for the project. This ensures the project modification is properly attributed to the correct department.	Text message; Department of Budget and Management (DBM), National Economic and Development Authority (NEDA), National Disaster Risk Reduction and Management Council (NDRRMC), etc.
17	CREATED BY	Identifies the user or personnel who initially created or encoded the project or revision record in the system. This field provides accountability and traceability for system entries.	Creator's identification.
18	CREATED DATE	Indicates the exact date and time when the project record or revision entry was first created in the system. This is automatically generated by the system upon record creation.	4-digit numeric (YYYY); range 1990–2100; required.
19	ADD PROJECT BUTTON	Adds a new project entry under this project group.	Button "Add Project"; Action to add a new project to the group.


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S05-TC002-P001

3.5.3 Test Case – 3 (S05-TC003)

Project Group - Create Project Group



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PROJECT GROUP NAME	Allows users to create, define, and manage project group names used to categorize related projects under a common group or initiative.	Text Input; The name must be unique.
2	DESCRIPTION	Summary or scope of the project group.	Text Input; A description explaining the scope or objective.
3	USER GROUP	Allows administrators to assign or manage user groups associated with specific project groups. This functionality defines which user groups have access, editing rights, or viewing permissions for particular project groups.	Identifies each stage of the User Group/Role Sample Type of Admin or Administrators, IO (Implementing Office), CO (Central Office), Ops (Operations), Planner, Reviewer, Viewer, Engineer, Project Coordinators, Read Only User.
4	SUBMIT	Executes and saves the Project Group.	Button" Submit"; Action to save the new Project Group record.
5	CANCEL	Cancels the operation and closes the form.	Button" Cancel"; Action to discard the new Project Group.

Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S05-TC003-P001


3.6 (S06) Infra Management & Imports

This suite covers the Infra Management and Imports features.

Roads Tab

3.6.1 Test Case – 1 (S06-TC001)

View Roads Tab



Field Reference:

Column	Description
Road ID	Unique road identifier (blue badge)
Road Name	Name of the road
Classification	Road class (green badge): Primary, Secondary, Tertiary, or Quaternary
Actions	Yellow Edit (pencil) icon, red Delete (trash) icon, blue + Add Section button


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S06-TC001-P001

3.6.2 Test Case – 2 (S06-TC002)

Search & Filter List of Roads



Field Reference:

No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	Search input	Filter by road name	Text; press Enter or click Search
2	Search	Executes the name search	Button (blue)
3	Clear Filter	Removes active filter and reloads all roads	Button (red); visible only when a filter is active
4	Filter	Opens the Filter Roads dialog	Button (white/orange when active); shows count badge
5	Add Road	Opens the Add New Future Road dialog	Button (blue)


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S06-TC002-P001
- S06-TC002-P002
- S06-TC002-P003
- S06-TC002-P004
- S06-TC002-P005

3.6.3 Test Case – 3 (S06-TC003)

Add New / Edit Future Road Entry



Field Reference:

No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	ROAD ID	Unique identifier for the road	Text input; required; format: FR{5 numeric digits}{IslandCode} (e.g., FR00001LZ)
2	ROAD NAME	Name of the road	Text input; required
3	CLASSIFICATION	Road classification	Dropdown: Primary (1), Secondary (2), Tertiary (3), Quaternary (4); required

4	X (close)	Dismiss the dialog without saving	Button
5	Save	Validate and save the new road	Button (blue)


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S06-TC003-P001
- S06-TC003-P002

3.6.4 Test Case – 4 (S06-TC004)

Delete Future Road Entry



Field Reference:

No.	Fields/Blocks/Objects	Descriptions	Values/Actions

1	FUTURE ROAD INFO PANEL	Displays Road ID, Name, and Classification of the road to be deleted	Read-only
2	CONFIRMATION INPUT	Must type DELETE to enable the delete button	Text input; required; case-insensitive
3	CANCEL	Closes the dialog without deleting	Button
4	DELETE ROAD	Permanently removes the road	Button (red); disabled until confirmation text is typed


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S06-TC004-P001

3.6.5 Test Case – 5 (S06-TC005)

Add Future Road Section Dialog (launched from Road row):



Field Reference:

No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PARENT ROAD ID	The road this section belongs to	Read-only text field; pre-filled with {RoadId} - {RoadName}

2	FUTURE SECTION ROAD ID	Section identifier, assembled from three parts	Split input: prefix FS (fixed) + 5-digit number (user-entered, digits only, max 5 chars) + island code suffix (auto-derived from parent Road ID)
3	ENGINEERING DISTRICT	DEO responsible for this section	Dropdown (loaded from DEO list); required
4	ROAD LENGTH	Length of the road section in metres	Numeric input; required
5	X (close)	Dismiss the dialog without saving	Button
	Save	Validate and save the road section	Button (blue)

Test Script Procedures


Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S06-TC005-P001

Road Sections Tab

3.6.6 Test Case – 6 (S06-TC006)

View List of Roads Sections



Field Reference:

Column	Description
Section Road ID	Unique section identifier (purple badge)
Road ID	Parent road identifier (blue badge)
Length (m)	Section length in metres
Engineering District	DEO responsible for this section (orange badge showing DEO name)
Actions	Yellow Edit (pencil) icon, red Delete (trash) icon, blue + Add Bridge button


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S05-TC006-P001

3.6.7 Test Case – 7 (S06-TC007)

Search & Filter List of Road Sections



Field Reference:

No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	Search input	Filter by section road ID	Text; press Enter or click Search
2	Search	Executes the section ID search	Button (blue)
3	Clear Filter	Removes active filter and reloads all sections	Button (red); visible only when a filter is active
4	Filter	Opens the Filter Road Sections dialog	Button (white/orange when active); shows count badge

Test Script Procedures


Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S05-TC007-P001
- S05-TC007-P002
- S05-TC007-P003

- S05-TC007-P004
- S05-TC007-P005

3.6.8 Test Case – 8 (S06-TC008)

Edit Future Road Section Entry



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	PARENT ROAD ID	The parent road	Dropdown of all roads; required
2	FUTURE SECTION ROAD ID	Road Section identifier	Split input: FS prefix + 5-digit number + island code suffix
3	ENGINEERING DISTRICT	DEO responsible	Dropdown; required
4	ROAD LENGTH	Length in meters	Numeric; required
5	X (close)	Dismiss without saving	Button
6	Save	Validate and save	Button (blue)


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S06-TC008-P001

3.6.9 Test Case – 9 (S06-TC009)

Delete Future Road Section Entry



Field Reference:

No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	FUTURE ROAD SECTION INFO PANEL	Displays Section Road ID, Parent Road ID, Length, and Engineering District of the section to be deleted	Read-only
2	CONFIRMATION INPUT	Must type DELETE to enable the delete button	Text input; required; case-insensitive
3	CANCEL	Closes the dialog without deleting	Button
4	DELETE ROAD SECTION	Permanently removes the section	Button (red); disabled until confirmation text is typed


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S06-TC009-P001

3.6.10 Test Case – 10 (S06-TC010)

Add Future Bridge Dialog (launched from Road Section row)



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	SECTION ROAD ID	The road section this bridge belongs to	Read-only; pre-filled with the parent section's ID
2	FUTURE BRIDGE ID	Bridge identifier, assembled from three parts	Split input: prefix FB (fixed) + 5-digit number (user-entered, digits only, max 5 chars) + island code suffix (auto-derived from parent section ID)
3	FUTURE BRIDGE NAME	Name of the bridge	Text input; required
4	FROM CHAINAGE (km)	Starting position of the bridge along the road section, in kilometers	Numeric input (step 0.01, min 0); required
5	BRIDGE LENGTH (m)	Total length of the bridge structure, in meters	Numeric input (step 0.01, min 0.01); required

6	WIDTH OF CARRIAGE WAYS (m)	Width of Bridge Carriageway in meters	Numeric input (step 1, min 0); required
7	X (close)	Dismiss the dialog without saving	Button

Test Script Procedures


Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S06-TC010-P001

Bridges Tab

3.6.11 Test Case – 11 (S06-TC011)

View List of Bridges



Column	Description
Section Road ID	Parent road section identifier (blue badge)
Bridge Name	Name of the bridge
Bridge ID	Unique bridge identifier (purple badge)
From (m)	Starting chainage of the bridge from the section start, displayed in metres

Column	Description
Length (m)	Bridge length in metres
Carriage Way	Width of Bridge Carriage Way in meters
Actions	Yellow Edit (pencil) icon, red Delete (trash) icon


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S06-TC011-P001

3.6.12 Test Case – 12 (S06-TC012)

Search & Filter List of Bridges



Field Reference:

No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	Search input	Filter by bridge name	Text; press Enter or click Search
2	Search	Executes the bridge name search	Button (blue)

3	Clear Filter	Removes active filter and reloads all bridges	Button (red); visible only when a filter is active
4	Filter	Opens the Filter Bridges dialog	Button (white/orange when active); shows count badge


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S06-TC0012-P001
- S06-TC0012-P002
- S06-TC0012-P003
- S06-TC0012-P004
- S06-TC0012-P005

3.6.13 Test Case – 13 (S06-TC013)

Edit Future Bridge Entry



Field Reference:

No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	SECTION ROAD ID	The road section this bridge belongs to	Read-only; pre-filled with the parent section's ID
2	FUTURE BRIDGE ID	Bridge identifier, assembled from three parts	Split input: prefix FB (fixed) + 5-digit number (user-entered, digits only, max 5 chars) + island code suffix (auto-derived from parent section ID)
3	FUTURE BRIDGE NAME	Name of the bridge	Text input; required
4	FROM CHAINAGE (km)	Starting position of the bridge along the road section, in kilometres	Numeric input (step 0.01, min 0); required
	BRIDGE LENGTH (m)	Total length of the bridge structure, in metres	Numeric input (step 0.01, min 0.01); required
	WIDTH OF CARRIAGE WAY (m)	Width of the bridge's carriageway(s) in meters	Numeric input (step 1, min 0); required
	X (close)	Dismiss the dialog without saving	Button
	Save	Validate and save the bridge	Button (blue)


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S06-TC0013-P001

3.6.14 Test Case – 14 (S06-TC014)

Delete Future Bridge Entry



Field Reference:

No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	FUTURE BRIDGE INFO PANEL	Displays Bridge Name, Section Road ID, From Chainage, Length, and Carriage Ways	Read-only
2	CONFIRMATION INPUT	Must type DELETE to enable the delete button	Text input; required; case-insensitive
3	CANCEL	Closes the dialog without deleting	Button
4	DELETE BRIDGE	Permanently removes the bridge	Button (red); disabled until confirmation text is typed

Test Script Procedures


Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S06-TC0014-P001

Import Dialog

3.6.15 Test Case – 15 (S06-TC015)

Import Road Network Data from RBIA



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	X (close)	Close the dialog and discard all selections	Button
2	Import Road Network Data from RBIA (group)	Group header checkbox - selects or deselects all items in this group at once; shows a dash (-) when only some items are checked	Tri-state checkbox
3	Roads	Import national road records from the GIS	Item checkbox; active - connected to GIS
4	Road Section	Import road section records from the GIS	Item checkbox; active - connected to GIS
5	Bridges	Import bridge records from the GIS	Item checkbox; active - connected to GIS

6	Region	Import region reference data	Item checkbox; pending - present in UI but not yet connected to GIS
7	Start Import	Execute the import for all checked items	Button (blue); disabled when no items are selected; shows "Importing..." while running


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S06-TC015-P001

3.6.16 Test Case – 16 (S06-TC016)

Import Lookup tables from Admin Areas



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	Import Lookup tables from Admin Areas (group)	Group header checkbox	Tri-state checkbox
2	City/Municipality, Legislative District	Import administrative division lookup data	Item checkbox; pending - not yet connected

3	Start Import	Execute the import for all checked items	Button (blue); disabled when no items are selected; shows "Importing..." while running


Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S06-TC016-P001

3.6.17 Test Case – 17 (S06-TC017)

Import Lookup tables from Admin Areas



No.	Fields/Blocks/Objects	Descriptions	Values/Actions
1	Import Lookup tables from Internal Org (group)	Group header checkbox	Tri-state checkbox
2	DEO, Implementing Office	Import internal organizational unit lookup data	Item checkbox; pending - not yet connected
3	Start Import	Execute the import for all checked items	Button (blue); disabled when no items are selected; shows "Importing..." while running

Test Script Procedures

Please refer to the Test Script and follow the steps indicated in the following Test Case IDs:

- S06-TC017-P001