

Malware Incident Analysis Report

Generated on 2026-06-17 15:33:00 | Automated Sandbox Simulation

File Name:	test_upload_file.exe	82/100 CRITICAL RISK
SHA-256 Hash:	6bd7bf68fd40d67871abeb431d1be71ed2006cdf7e56c6ed3dff3be79cd2efcd	
File Size:	102 B	
Category:	Trojan / Credential Stealer	

Explain Like I Am a Beginner

This file has a risk score of 30/100, which is Low. The analysis shows that this file did not try to perform any harmful actions, modify system files, or connect to suspicious external servers. It behaves like a normal, clean file.

Static Analysis Findings

- Suspicious executable file extension (.exe)
- Unusually small file size - potential stager
- Matches known threat signatures

Simulated Dynamic Execution Timeline

Time	Activity / Event Log	Category	Severity
0.1s	Process executed with administrative privileges	Execution	Info
0.6s	Accessing Google Chrome User Data folder: Chrome\User Data\Default>Login Data	Credential Access	Critical
1.2s	Accessing Mozilla Firefox profile database logins.json	Credential Access	Critical
1.9s	Injecting code into standard svchost.exe system process	Defense Evasion	High
2.6s	Establishing connection to exfiltration server: fast-downloads.ru	C2 Connection	High
3.3s	Sending harvested credentials and cookies via HTTP POST to exfil URL	C2 Connection	Critical

MITRE ATT&CK; Technique Mapping

Technique ID	Technique Name	Technical Description	Simple Explanation
T1003	OS Credential Dumping	Adversaries may attempt to dump credentials, passwords, and hashes from system storage databases (e.g. LSASS process memory or SAM registry) to obtain administrator credentials.	This file attempts to extract and steal your saved usernames and passwords directly from your computer's memory storage.
T1041	Exfiltration Over C2 Channel	Adversaries may steal sensitive user data and exfiltrate it by sending it over an established command and control (C2) network tunnel.	This file gathers confidential information from your computer and uploads it secretly to an external server run by threat actors.
T1562	Impair Defenses (Disable Security Tools)	Adversaries may disable local security monitoring tools, firewalls, or Windows Defender to execute payloads without logging detections.	This file tries to turn off Windows Defender or disable your firewalls to make it easier to run malicious activities undetected.

Extracted Indicators of Compromise (IOCs)

Indicator Type	Value
IP	91.219.29.44
Domain	fast-downloads.ru
URL	https://fast-downloads.ru/upload.php
Email	exfil@blackhat-hacker.com

Mitigation & Response Recommendations

Priority	Category	Title	Action Steps
Critical	Identity Access Management	Reset Local and Domain Credentials	Perform immediate password resets for all active user accounts and local administrator accounts on the system, as credentials may have been dumped from LSASS memory.
High	Endpoint Hardening	Enable Windows Defender Credential Guard	Enable LSA protection and activate Windows Defender Credential Guard via Group Policy to prevent unauthorized processes from reading security memory.
High	Network Security	Block Malicious IPs and Domains	Configure the perimeter firewall and web proxy servers to block outbound traffic to the identified IP addresses and domains.
Medium	Incident Investigation	Analyze Egress Traffic logs	Inspect netflow logs and firewall histories for anomalous outbound traffic from the infected host to evaluate how much data may have been exfiltrated.
High	Endpoint Hardening	Re-enable Local Security Defenses	Force-restart the Windows Defender Antivirus service. Audit security settings via active directory group policy objects to override local malicious registry tweaks.