



Student's Name		Grade	11
Subject	Computer	worksheet	

Q1: choose the correct answer:

1- What does PHP stand for?

- a) Personal Home Page
- b) PHP: Hypertext Preprocessor
- c) Private Home Portal
- d) Preprocessed Hypertext Page

Answer: b) PHP: Hypertext Preprocessor

2- Which of the following is the correct way to start a PHP block of code?

- a) `<php>`
- b) `<?php`
- c) `<?>`
- d) `<script language="php">`

Answer: b) `<?php`

3- What will be the output of `echo "5" + 2;`?

- a) 52
- b) 7
- c) Error
- d) "5"2

Answer: b) 7

4- Which function is used to redirect to another page in PHP?

- a) `redirect()`
- b) `header()`
- c) `location()`
- d) `navigate()`

Answer: b) `header()`



Student's Name		Grade	11
Subject	Computer	worksheet	

Q1: fix the error in this code:

```
$name = "John";  
echo 'Hello, $name';
```

Answer

```
$name = "John";  
echo "Hello, $name";
```

```
$colors = array("red", "green", blue);
```

Answer

```
$colors = array("red", "green", "blue");
```

Why won't this header() function work?

```
echo "Some content";  
header("Location: newpage.php");
```

Answer

You can't send headers after output has been sent to the browser. Headers must come before any output.



kingdom of Saudi Arabia
Ministry of Education
Hafr Al Baten Directorate for boys
Al –Ajial International Schools



Student's Name		Grade	11
Subject	Computer	worksheet	

Q1 : Read and put True(✓) or false (✗) :

1- PHP is a case-sensitive language for variable names.

Answer: True

2- The `include` and `require` statements perform exactly the same function.

Answer: False (they differ in error handling)

3- PHP can only be embedded in HTML files with .html extension.

Answer: False (typically uses .php extension but can be configured for others)

4- Arrays in PHP can hold values of different data types.

Answer: True

5- PHP sessions use cookies by default to track user sessions.

Answer: True