



|                |          |           |    |
|----------------|----------|-----------|----|
| Student's Name | .....    | Grade     | 11 |
| Subject        | Computer | worksheet |    |

### Q1: choose the correct answer:

1- What does PHP stand for?

- a) Personal Home Page
- b) PHP: Hypertext Preprocessor
- c) Private Home Portal
- d) Preprocessed Hypertext Page

**Answer: b) PHP: Hypertext Preprocessor**

2- Which of the following is the correct way to start a PHP block of code?

- a) `<php>`
- b) `<?php`
- c) `<?>`
- d) `<script language="php">`

**Answer: b) `<?php`**

3- What will be the output of `echo "5" + 2;`?

- a) 52
- b) 7
- c) Error
- d) "5"2

**Answer: b) 7**

4- Which function is used to redirect to another page in PHP?

- a) `redirect()`
- b) `header()`
- c) `location()`
- d) `navigate()`

**Answer: b) `header()`**



|                |          |           |    |
|----------------|----------|-----------|----|
| Student's Name | .....    | Grade     | 11 |
| Subject        | Computer | worksheet |    |

### Q1: fix the error in this code:

```
$name = "John";  
echo 'Hello, $name';
```

#### Answer

```
$name = "John";  
echo "Hello, $name";
```

```
$colors = array("red", "green", blue);
```

#### Answer

```
$colors = array("red", "green", "blue");
```

### Why won't this header() function work?

```
echo "Some content";  
header("Location: newpage.php");
```

#### Answer

You can't send headers after output has been sent to the browser. Headers must come before any output.



|                |          |           |    |
|----------------|----------|-----------|----|
| Student's Name | .....    | Grade     | 11 |
| Subject        | Computer | worksheet |    |

Q1: choose the correct answer:

1- In Microsoft Access, which object is used to store data?

|      |       |       |        |
|------|-------|-------|--------|
| Form | Query | Table | Report |
|------|-------|-------|--------|

2- Which PHP function is used to connect to a MySQL database?

|                  |                 |              |              |
|------------------|-----------------|--------------|--------------|
| mysqli_connect() | mysql_connect() | connect_db() | db_connect() |
|------------------|-----------------|--------------|--------------|

3- What is the file extension for an Access database?

|      |        |      |      |
|------|--------|------|------|
| .sql | .accdb | .php | .mdb |
|------|--------|------|------|

4- Which SQL statement is used to retrieve data from a database in PHP?

|        |        |        |        |
|--------|--------|--------|--------|
| UPDATE | DELETE | INSERT | SELECT |
|--------|--------|--------|--------|

Q2: Read the following and put (✓) for the correct answer and (x) for the wrong answer

|                                                                      |   |
|----------------------------------------------------------------------|---|
| 1) A primary key uniquely identifies each record in a table.         | ✓ |
| 2) PHP can only be used for server-side scripting.                   | x |
| 3) Microsoft Access is a NoSQL database.                             | x |
| 4) In PHP, \$_GET is used to collect form data sent via POST method. | x |



|                |       |       |    |
|----------------|-------|-------|----|
| Student's Name | ..... | Grade | 11 |
|----------------|-------|-------|----|

**Q1 : Read and put True( ✓) or false (✗) :**

1- PHP is a case-sensitive language for variable names.

**Answer: True**

2- The `include` and `require` statements perform exactly the same function.

**Answer: False (they differ in error handling)**

3- PHP can only be embedded in HTML files with .html extension.

**Answer: False (typically uses .php extension but can be configured for others)**

4- Arrays in PHP can hold values of different data types.

**Answer: True**

5- PHP sessions use cookies by default to track user sessions.

**Answer: True**



**Student's Name**

.....

**Grade**

**11**

Q1(A) Match the word in column (A) with the correct option

in column (B):

4

| Attribute | # | value                                   |
|-----------|---|-----------------------------------------|
| 1- Query  | 2 | Used to input or display data in Access |
| 2- Form   | 1 | Extracts data based on conditions       |
| 3- Report | 4 | A structured way to store data          |
| 4- Table  | 3 | Displays formatted database output      |

(B) Re-arrange the next stages to connect to a MySQL database in

PHP:

- ( 3 ) Execute a query using mysqli\_query()
- ( 4 ) Close the connection with mysqli\_close()
- ( 1 ) Define database credentials (server, username, password, db name)
- ( 2 ) Connect using mysqli\_connect()



|                |       |       |    |
|----------------|-------|-------|----|
| Student's Name | ..... | Grade | 11 |
|----------------|-------|-------|----|

Q1: complete the following from between brackets:

( Prepared - WHERE - mysqli\_query() - Form )

1- In Access, a Form is used to create a user-friendly data entry interface.

2- The PHP function mysqli\_query() is used to execute a MySQL query.

3- In SQL, the WHERE clause filters records.

4- To prevent SQL injection in PHP, use Prepared statements.