

Answer Key

Lesson: 1

- | | |
|---------------------|------------------------|
| 1 False | 7 True |
| 2 True | 8 False |
| 3 Express | 9 Node Package Manager |
| 4 Express Framework | 10 npm init |
| 5 Node index | 11 b |
| 6 a | |

Lesson: 2

- | | |
|------------|------------------------------|
| 1 Text | 7 JavaScript Object Notation |
| 2 required | 8 Integer, Boolean |
| 3 b | 9 a |
| 4 a | 10 b |
| 5 True | 11 fs |
| 6 False | 12 require |

Lesson: 3

- | | |
|-------------------------------------|------------------------------|
| 1 Application Programming Interface | |
| 2 GET | 5 c |
| 3 a | 6 JavaScript Object Notation |
| 4 a | 7 Objects |

Lesson: 4

- | | |
|--|---------|
| 1 Frequency | 4 True |
| 2 Amplitude | 5 True |
| 3 False | 6 False |
| 7 The fade effect allows the amplitude to dissolve out by ramping down from 100 percent to 0 percent and vice versa. | |
| 8 <code>map(inp,0, width,360,0)</code> | |

Lesson: 5

- | | |
|---|-----------------------------------|
| 1 Object-Oriented Programming is a programming paradigm that organizes code based on the concept of objects, which are entities that encapsulate data as well as methods. | |
| 2 c | 8 Object Literal |
| 3 c | 9 Object |
| 4 b | 10 ball.diameter |
| 5 True | 11 7 |
| 6 True | 12 <code>(planets[1].name)</code> |
| 7 False | |

Lesson: 6

- 1 Flight simulator, Games, VR apps, Medical, car simulation
- 2 A technique used to create the illusion that an object is moving through a changing environment by moving the background elements in opposite directions and the object placed at the same location.
- 3 a
- 4 b
- 5 c
- 6 True
- 7 True
- 8 False
- 9 `var ship = new Mover(0,0);`

Lesson: 7

- 1 a
- 2 a
- 3 b
- 4 b
- 5 c
- 6 c
- 7 Algorithm
- 8 Product recommender engine
- 9 Predictive
- 10 Machine Learning

Lesson: 8

- 1 Training the chatbot to understand and respond to user queries
- 2 AI (Artificial Intelligence)
- 3 Human
- 4 Sentiment
- 5 False
- 6 False
- 7 Normalization
- 8 Removing common words with no relevant meaning

Lesson: 9

- 1 False. The 3D cursor's position is not fixed and can be changed.
- 2 False. The 'Quad View' gives 4 different views at the same time.
- 3 True
- 4 Orbit
- 5 Bevel
- 6 Extrude
- 7 Edge
- 8 Point
- 9 Bevel tool helps to create rounded corners on geometry.
- 10 Unlike extrude, inset creates a new face on the surface of the selection and does not change the surface's shape.
- 11 c
- 12 c
- 13 a
- 14 The wireframe mode is helpful in selecting parts of the geometry that are not visible in the current view.
- 15 The Solidify modifier can be used to give thickness to a model.
- 16 b
- 17 b
- 18 b
- 19 c
- 20 d

Lesson: 10

- 1 False. 'Proportional Edit' has an impact on adjacent elements.
- 2 False. In 'Local Orientation', the 'Object' gizmo is always aligned with the local rotation of the object.
- 3 True
- 4 Mouse Wheel
- 5 Object
- 6 Global
- 7 Shade Smooth/Smooth Shading
- 8 Global Orientation is aligned with the world axes while Local orientation is aligned with the object's local rotation.
- 9 Proportional Edit is a technique that enables the manipulation of chosen elements, while having an impact on adjacent elements.
- 10 b
- 11 c
- 12 False. The 'Material Preview' mode helps to preview applied materials.
- 13 False. Curve objects can be modified in 'Edit' as well as in the 'Object' mode.
- 14 True
- 15 True
- 16 Emission
- 17 Bloom
- 18 Control points/handles
- 19 Length

Lesson: 11

- 1 Android Build
- 2 Package Manager
- 3 AR Foundation
- 4 Google, Apple
- 5 AR Session Origin
- 6 Seven
- 7 False
- 8 False
- 9 True
- 10 a
- 11 b
- 12 c
- 13 d