



---

### Abstract

In this study, we investigated patterns of genetic relatedness among individuals buried in collective tombs from Mycenaean Greece using ancient DNA data from the sites of Amfissa and Elateia. Pairwise kinship coefficients were used to classify relationships into first-, second-, and third-degree categories, while individual- and tomb-level metadata were incorporated to assess the influence of archaeological context and biological characteristics. Initial analyses revealed substantial imbalance in the data, missing category combinations, and a strong dependence of relationship assignment on data quality. A central challenge of the analysis is non-random archaeological sampling and missingness not at random (MNAR), as low SNP overlap directly reduces the probability of confidently assigning genetic relationships. To reduce bias arising from this dependence, we restricted the analysis to pairs exceeding a minimum SNP overlap threshold of 15,000, thereby excluding observations with highly uncertain relationship estimates. Given the small number of tombs and the complex dependency structure of pairwise observations, standard tomb-level models were not suitable. We therefore applied a multi-membership generalized linear mixed model that accounts for repeated observations and allows each pair of individuals to be associated with multiple individuals and tombs. Our results indicate that while stricter SNP filtering reduces sample size, it improves the reliability of inferred relatedness patterns. We conclude that conservative data filtering combined with multi-membership modeling provides a defensible framework for analyzing genetic relationships in collective burials under MNAR conditions.

*Keywords:* —!!!—at least one keyword is required—!!!—.

---

## 1. Introduction

Understanding patterns of biological relatedness within collective burial contexts provides unique insights into social organization in past societies. In Mycenaean Greece (ca. 1500–1000 BCE), collective tombs were used over extended periods and often contain mixed skeletal remains of hundreds of individuals. Archaeological interpretations have long debated whether such tombs represent biological family groups, broader kin networks, or socially constructed communities. However, direct empirical assessment of these hypotheses has only recently become possible through ancient DNA (aDNA) analysis.

The present study investigates genetic relatedness patterns among individuals buried in collective tombs from the Mycenaean sites of Amfissa and Elateia. Using pairwise kinship estimates derived from genome-wide SNP data, relationships are classified into first-, second-, and third-degree categories.

Inference in this setting is complicated and has several structural challenges. First, archae-

ological sampling is inherently selective: only a subset of individuals from each tomb is genetically analyzed. Second, DNA preservation quality varies substantially across skeletal elements and individuals, introducing systematic missingness that is plausibly missing not at random (MNAR). In particular, the probability of confidently assigning kinship depends directly on the number of overlapping SNPs between two individuals. Low data quality reduces the chance of detecting relatedness, even when biological relationships exist.

Furthermore, the data exhibit a complex dependency structure. Kinship is observed at the pairwise level, meaning that each individual contributes to multiple observations. Pairs are simultaneously nested within individuals and tombs, making standard regression approaches inappropriate. Additionally, tombs differ in their length of use, burial intensity, and sampling success rates, potentially confounding comparisons of relatedness patterns across sites.

The primary aim of this study is therefore to develop and validate statistical models that quantify the discrepancy between observed and potential relatedness within tombs while accounting for sampling bias, data quality, and hierarchical dependencies. Specifically, we investigate whether tomb-level parameters (length of use, estimated number of burials, and sample success rate) and individual-level characteristics (sex, age category, skeletal element sampled) systematically influence relatedness patterns.

To address the multi-layered dependency structure of the data, we employ a Multi-Membership Generalized Linear Mixed Model within a Bayesian framework. This approach allows each pairwise observation to be associated with multiple individuals and tomb-level effects simultaneously. By restricting analyses to pairs exceeding conservative SNP overlap thresholds, we reduce bias arising from MNAR mechanisms related to data quality.

Through this framework, we aim to provide a statistically justifiable assessment of kinship organization in Mycenaean collective burials and to demonstrate how modern hierarchical modeling techniques can address selection bias and structural missingness in archaeogenetic datasets.

## 2. Data and Methods

### 2.1. Data Description

This project is based on genetic and osteological data obtained from human remains recovered from Mycenaean collective burial contexts in Greece, dated to approximately 1500–1000 BCE. The material derives from two archaeological sites: Amfissa, which consists of a single tholos tomb, and Elateia, a large chamber tomb complex containing 85 chambers. From Elateia, eight chambers were selected for detailed genetic investigation. DNA preserved in skeletal material was extracted and analyzed to infer biological relationships among individuals buried within and between tombs.

The analysis draws on three interconnected datasets that capture information at different levels of resolution. One dataset summarizes characteristics at the tomb level. It includes variables such as the minimum number of individuals identified, the number of individuals successfully analyzed genetically, the estimated duration over which the tomb was used, the proportion of successful DNA samples, the total number of samples taken, and the distribution of sampled skeletal elements (including petrous bones, teeth, talus or phalanx, and other elements). These variables highlight differences between tombs in preservation, sampling, and burial practices.

A second dataset contains metadata describing the sampled individuals. Each entry represents a single individual and records the associated tomb, estimated biological sex, age category, and the skeletal element used for DNA extraction. This information provides the biological and contextual background necessary to evaluate how individual characteristics relate to genetic data quality and inferred relationships.

The third dataset reports pairwise genetic relationships between individuals based on ancient DNA analyses. For each pair, it includes estimates of genetic relatedness, the number of overlapping single nucleotide polymorphisms (SNPs), and a categorical classification of relationship degree following established criteria. Since individuals can be involved in multiple pairwise comparisons, observations in this dataset are not independent, resulting in a complex relational structure.

## 2.2. READv2 Software

### *Classification Procedure and Overlap Requirements*

Genetic relatedness between individuals was inferred using READv2 (Relationship Estimation from Ancient DNA), which estimates pairwise relatedness from genome-wide patterns of allele mismatches. The method computes the proportion of non-matching alleles (P0) across overlapping SNPs between two individuals and classifies relationships based on normalized P0 thresholds. These thresholds split pairs into four categories: unrelated, third-degree, second-degree, and first-degree relatives.




Figure 1: READv2 Classification Process

Because the precision of the P0 estimate depends directly on the number of overlapping SNPs, READv2 incorporates minimum overlap requirements to ensure sufficient data for each degree of relatedness. According to the documentation, the recommended thresholds are 500 overlapping SNPs for first-degree, 2,000 for second-degree, and 15,000 for third-degree relationships. Pairs falling below these thresholds are considered insufficiently informative and are labeled as uncertain. This two-step procedure, initial classification based on normalized P0 followed by validation through minimum overlap thresholds, reflects the fundamental dependence of kinship inference on data quantity. Relationship labels are therefore conditional not only on genetic similarity but also on genomic coverage.

To verify that the classification thresholds reflect meaningful separation in our empirical dataset, we examined the distribution of normalized P0 values by the assigned relationship degree (Figure 2). The resulting distributions show the expected monotonic ordering: first-degree pairs display the lowest normalized mismatch rates, followed by second- and third-degree relatives, while unrelated pairs cluster near one. The limited overlap between cate-

gories indicates that the threshold-based classification is consistent with the observed data structure. This empirical separation supports the validity of applying the READv2 classification scheme to our dataset and suggests that the normalized P0 estimator behaves as theoretically expected.




Figure 2: Distribution of Normalized P0 Values by the Assigned Relationship Degree

### *False Positive Rates and Classification Power*

The reliability of READv2 classifications has been evaluated in the original methodological validation studies. In particular, true positive rates (TPR) and false positive rates (FPR) were assessed across different coverage levels and degrees of relatedness.




Figure 3: The power (i.e., the proportion of correctly classified pairs) and false positive rates (proportion of unrelated pairs classified into the respective degree) of READv2 assignment using simulated first-degree ( $n=118$ ), second-degree ( $n=150$ ), and third-degree pairs ( $n=144$ ). The analyses were performed using varying window sizes (1 Mb, 5 Mb, 20 Mb, Whole genome), and also using varying coverages (0.01 $\times$ , 0.05 $\times$ , 0.1 $\times$ , 0.2 $\times$ , 0.3 $\times$ , 0.4 $\times$ , 0.5 $\times$ , 1 $\times$ , 5 $\times$ ) that correspond to the number of overlapping SNPs in the simulated dataset

As shown in Figure 3, classification accuracy is strongly dependent on genome coverage. At low coverage levels, false positive rates increase substantially, particularly for third-degree

relationships. On the contrary, the power to correctly identify true relatives rises sharply as the number of overlapping SNPs increases.

For all degrees of relatedness, performance stabilizes once overlap approaches approximately 15,000 SNPs. Beyond this level, both false positive rates decline toward zero and true positive rates approach one, indicating reliable differentiation between related and unrelated pairs. Below this range, however, classifications are noticeably less stable.

These documented performance metrics demonstrate that relationship labels produced by READv2 cannot be interpreted independently of data quantity. Low overlap reduces statistical power and increases misclassification risk, especially for more distant degrees of relatedness.

#### *Empirical Precision of the P0 Estimator*

To further investigate the dependence of classification stability on overlap size, we examined the empirical precision of the P0 estimator in our dataset. Specifically, we computed the coefficient of variation (CV) of the non-normalized P0 estimate, defined as

$$CV_{\hat{p}_0} = \frac{SE(\hat{p}_0^{\text{non-norm}})}{\hat{p}_0^{\text{non-norm}}}$$

The coefficient of variation provides a scale-independent measure of relative estimation error and thus serves as a direct indicator of classification stability.




Figure 4: Empirical Precision of P0 vs. Overlapping SNPs

Figure 4 shows a noticeable inverse relationship between overlap size and relative estimation error. For pairs with fewer than approximately 1,000 overlapping SNPs, the CV is high and highly variable, indicating substantial uncertainty in P0 estimation. As the number of overlapping SNPs increases, the CV declines rapidly and stabilizes at low levels. Around 15,000 overlapping SNPs, the relative error becomes minimal and exhibits little variability across pairs.

This empirical pattern closely mirrors the performance results reported in the methodological validation studies. Together, they indicate that overlap size is a primary determining factor of classification reliability. While READv2 defines degree-specific minimum thresholds, the convergence of both documented TPR/FPR behavior and empirical CV stabilization around 15,000 SNPs suggests that beyond this value, statistical precision improves markedly across

all degrees of relatedness. For this reason, the 15,000 SNP threshold plays a central role in our subsequent filtering strategy and interpretation of relatedness patterns.

## 2.3. Data Visualization

### DAG

To formalize the assumed data-generating mechanism underlying observed kinship classifications, we constructed a directed acyclic graph (DAG) representing the causal relationships among biological, archaeological, and technical variables (Figure 5). The DAG clarifies pathways of influence, identifies potential confounding structures, and differentiates between latent biological processes and measurement-related mechanisms.




Figure 5: Directed Acyclic Graph (DAG)

At the core of the structure lies true biological kinship, which is unobserved (latent). True kinship determines the ideal genetic mismatch rate (true P0), which would be observed in the absence of measurement error. The observed P0 value is then obtained through a measurement process that introduces variance depending on data quality and SNP overlap. A degree of relatedness is then assigned based on the observed P0 and the required overlap thresholds.

DNA preservation lies at the center of this structure. Preservation quality affects sample success and the number of overlapping SNPs available for comparison. Overlap size directly influences the variance of the P0 estimator and thus the reliability of kinship classification. Several factors influence DNA preservation. At the tomb level, the length of use may affect environmental exposure and long-term degradation processes. At the individual level, the sampled skeletal element affects DNA yield, as certain elements (e.g., petrous bone) are known to preserve DNA more effectively than others.

Age and sex are included as biological characteristics potentially associated with burial patterns and kinship structure. These variables are modeled as predictors of observed kinship patterns rather than determinants of DNA quality, although indirect pathways may exist. Importantly, the DAG distinguishes between:

- Biological structure (true kinship),
- Measurement processes (DNA preservation, overlap, P0 variance),
- And classification rules (overlap thresholds).

This separation clarifies that observed kinship status is not a direct observation of biological relatedness, but the result of a multi-stage process involving biological, archaeological, and technical components.

The DAG provides a conceptual foundation for the modeling strategy adopted in following sections by clearly separating biological structure from measurement processes. In particular, it highlights that tomb-level characteristics, such as length of use, and sampling-related factors influence observed kinship classifications primarily through their effect on DNA preservation and SNP overlap rather than directly on biological relatedness. This distinction is essential, as observed kinship status reflects both underlying biological relationships and the constraints imposed by data quality. The modelling approach presented later is based on this structure and accounts for the dependencies inherent in pairwise observations.

### Descriptive Plots

To obtain an initial overview of kinship patterns across burial sites, we analysed both the absolute number and the proportion of within-tomb pairs by relationship category (related, unrelated, uncertain) (Figures 1 and 2).

The following descriptive results are based on the degree-specific overlap thresholds recommended in the READv2 documentation (500 SNPs for first-degree, 2,000 for second-degree, and 15,000 for third-degree relationships).

**Absolute Number of Within-Tomb Pairs** Figure 6 shows the absolute number of within-tomb pairs classified as related, unrelated, or uncertain. As expected, the total number of pairs varies substantially across tombs, reflecting differences in sample size.




Figure 6: Absolute Number of Within-Tomb Pairs by Relationship Category

Amfissa shows the largest number of within-tomb pairs, reflecting the comparatively large number of sampled individuals. In contrast, T31 and T67 contain only a small number of individuals and therefore yield very few pairs overall; in both tombs, only a single related pair is identified.

At the request of the project partner, tombs T46, T56, and T62 were analyzed both separately and jointly. Archaeologically, these three tombs are spatially close and have been hypothesized to represent interconnected burial contexts. When examined individually, each tomb yields a moderate number of pairs. However, when the three tombs are considered together, the total number of pairs increases substantially and exceeds the simple sum of the three separate counts. This increase occurs because grouping the tombs introduces additional cross-tomb

pairs between individuals buried in different tombs among the three. The marked rise in total pairs therefore reflects potential connections across tomb boundaries rather than merely larger sample size.

Across all tombs, unrelated pairs constitute the majority of observations in absolute terms, while confidently classified related pairs remain comparatively rare.

**Proportion of Within-Tomb Pairs** To account for differences in tomb size, Figure 7 presents the proportion of within-tomb pairs by relationship category.




Figure 7: Proportion of Within-Tomb Pairs by Relationship Category

Across most tombs, the proportion of related pairs is low, typically below five percent. The majority of comparisons fall into the unrelated or uncertain categories.

Two tombs exhibit comparatively higher proportions of related pairs. However, in the case of Elateia T31, the high number of 10% must be interpreted cautiously, as the total number of pairs in this tomb is very small, with only one related pair. Proportions in small samples are inherently unstable and can appear inflated due to limited denominators. Overall, the descriptive patterns indicate that close biological relatedness represents a minority of pairwise relationships within tombs. At the same time, substantial variation exists across burial contexts, both in the total number of comparisons and in the proportion of related pairs.

### *Kinship Network*

To further explore the structure of biological relationships, kinship networks were constructed based on the READv2 classifications. Nodes represent individuals and edges represent first-, second-, or third-degree relationships.

### **All Tombs Combined**



All Tombs Together




Figure 8: Network Representing All Relationships (Cross-Tomb and Within-Tomb) in All Tombs

When all tombs are considered together, the network forms several larger connected components. Many of these clusters are centered around male individuals, who often occupy central positions and link multiple relatives. In several cases, a male individual connects otherwise separate subgroups, effectively holding clusters together.

Cross-tomb relationships are frequent in the combined network. In contrast, dense within-tomb clusters are less common. This suggests that biological relatedness is not strictly confined to single burial contexts but extends across tomb boundaries.

### Amfissa Tholos




Figure 9: Network Representing All Relationships (Cross-Tomb and Within-Tomb) in Amfissa Tholos

The Amfissa network shows one of the most cohesive structures. A large cluster is visible, again centered around a small number of male individuals. Several relatives connect to these central nodes across different degrees of relatedness, forming extended family structures rather than isolated pairs.

### Grouped Elateia Tombs (T46, T56, T62)




Figure 10: Network Representing All Relationships (Cross-Tomb and Within-Tomb) in Grouped Elateia Tombs (T46, T56, T62)

When T46, T56, and T62 are analyzed jointly, the network becomes notably interconnected. As observed in the descriptive statistics, grouping these tombs introduces many cross-tomb links. The network visualization clearly reflects this pattern: individuals from the three tombs are frequently connected, and several central nodes link members across burial contexts. This supports the earlier observation that these tombs are not independent units but appear to share biological connections.

**Other Tombs** In the remaining tombs, the networks are generally smaller and more fragmented. Most consist of small clusters of related individuals connected by one or two ties. Cross-tomb links are again visible in several cases, while strong within-tomb clustering is limited.

### Interpretation

Across all visualizations, related individuals tend to cluster around male nodes, while female individuals more often appear at the periphery of clusters. This pattern is consistent with archaeogenetic interpretations of patrilineal social organization, in which males remain within their natal community and females more frequently marry outside the group. While the present analysis does not formally test this hypothesis, the network structure aligns with such interpretations.

## 2.4. Limitations

### *Tomb-level model not possible*

A natural development of the analysis would be to model tomb-level effects explicitly, for example by including tomb-level covariates such as length of use, number of analyzed individuals, or characteristics of skeletal preservation. Such a model is not statistically viable with the available data.

The number of tombs in the dataset is small (Amfissa and seven tombs from Elateia). In inferential statistics, reliable estimation of group-level effects requires a sufficient number of independent groups relative to the number of parameters to be estimated. With only eight tomb-level units and several potential tomb-level predictors, any tomb-level regression model would be severely underpowered and prone to overfitting. Because we only have eight tombs, there is not enough information to estimate several tomb-level effects in a reliable way.

For this reason, we restrict the modeling framework to individual- and pair-level information.

### *Missing Data Mechanism (MNAR)*

A more fundamental limitation arises from the mechanism underlying kinship classification. In the READv2 procedure, kinship is only classified if the number of overlapping SNPs exceeds a degree-specific threshold (500, 2,000, or 15,000 SNPs, depending on the relationship degree). If this requirement is not met, the pair is labeled as “uncertain.”

Let  $R$  denote an indicator of whether kinship status is classified (1 = classified, 0 = uncertain). Under the original READv2 procedure, the required overlap threshold depends on the true degree of relatedness. Formally, the probability of observing a classification depends on the unobserved kinship status itself.

In the terminology of missing data theory, this constitutes a Missing Not At Random (MNAR) mechanism:

$$R = \mathbb{I}(\text{OSNP} \geq \text{threshold (depending on kinship status)})$$

$$R = \mathbb{I}(\text{OSNP} \geq t(X_M))$$

$$\Rightarrow P(R \mid X_O, X_M) \text{ depends on } X_M$$

$$\Rightarrow P(R | X_O, X_M) = f(X_M)$$

where  $X_O$  denotes the observed variables (e.g., Overlapping SNPs),

and  $X_M$  denotes the partially unobserved variable (true kinship status).

Because the overlap requirement varies by degree, missingness is directly linked to the unobserved outcome. Standard modeling approaches assuming Missing At Random (MAR) would therefore be invalid under the original classification rule.

### *Imposing a Uniform 15,000 SNP Threshold*

To address this issue, we adopt a uniform overlap threshold of 15,000 SNPs for all degrees of relatedness. As shown in the previous analysis of false positive and true positive rates, this threshold marks a range of substantially improved classification reliability across first-, second-, and third-degree relationships.

By applying a single threshold, classification no longer depends on the (unobserved) degree of relatedness. Instead, the classification indicator  $R$  becomes a deterministic function of the observed number of overlapping SNPs:

$$R = \begin{cases} 1, & \text{if OSNP} \geq 15000, \\ 0, & \text{otherwise} \end{cases}$$

$$R = \mathbb{I}(\text{OSNP} \geq 15,000)$$

Under this rule, the probability of observing kinship status depends only on observed data quality (Overlapping SNPs), not on the unobserved kinship category itself. The missingness mechanism therefore shifts from MNAR to Missing At Random (MAR), conditional on the observed overlap.

$$P(R | X_O, X_M) \text{ depends on } X_O = \text{Overlapping SNPs}$$

This adjustment allows the subsequent modeling to proceed under standard likelihood-based assumptions.

### *Statistical Considerations*

While adopting a uniform threshold mitigates the MNAR problem, the MAR assumption remains a modeling assumption rather than a verifiable property of the data. In particular, the validity of MAR relies on the assumption that overlapping SNP count adequately captures the relevant aspects of data quality influencing classification. Any residual dependence between missingness and unobserved kinship status would reintroduce bias.

Nevertheless, the 15,000 SNP threshold provides a principled compromise: it aligns with the documented performance characteristics of READv2, improves classification precision across all degrees, and yields a missingness structure compatible with standard inferential methods.

## **2.5. Data Preparation for Model**

Prior to statistical modeling, the raw datasets were processed and integrated to obtain consistent pairwise datasets suitable for analysis. Data preparation involved filtering relevant observations, harmonizing variable definitions, combining information across different levels, and constructing derived variables required for modeling.

At the individual level, metadata were first restricted to the burial sites and tombs included in the analysis. Individuals from Lapoutsis were excluded, and only samples from Amfissa tholos

and selected tombs at Elateia were retained. Age estimates were harmonized by collapsing ambiguous or overlapping categories into two broad groups, namely subadult and adult or undefined, to ensure sufficient sample sizes per category.

Tomb-level parameters were prepared separately and standardized to ensure consistency across datasets. These parameters include the minimum number of individuals, the number of genetically analyzed individuals, the estimated duration of tomb use, and the proportion of successful DNA samples. To allow analyses at different spatial resolutions, an additional set of tomb-level parameters was constructed in which Tombs 46, 56, and 62 at Elateia were treated as a single combined burial unit. Corresponding values for this grouped tomb were derived from the original data and added alongside the individual tomb records.

Pairwise genetic kinship data were then processed to generate the main analytical datasets. Relationship classifications were cleaned by distinguishing between confidently assigned relationships and uncertain cases. Pairs with insufficient genetic information were marked as uncertain, and a binary relatedness indicator was derived that distinguishes related and unrelated pairs while excluding uncertain observations. In addition, a global relationship classification based on a stricter minimum SNP overlap threshold of 15,000 was created to reduce bias associated with low-quality genetic data.

Individual-level metadata were merged into the kinship dataset for both members of each pair, adding information on tomb affiliation, sex, age category, and sampled skeletal element. Based on these merged data, two parallel analytical datasets were constructed. The first dataset retains the original tomb structure, in which Tombs 46, 56, and 62 are treated as separate burial contexts. The second dataset includes an additional set of observations in which pairs involving individuals from these tombs are duplicated and reassigned to a combined tomb category. This approach preserves information at the individual tomb level while enabling sensitivity analyses that assess the impact of treating closely related burial contexts as a single unit.

Finally, both datasets were augmented with tomb-level characteristics by linking each individual's tomb to the corresponding sampling success, number of analyzed individuals, and length of use. From these variables, pairwise summaries were derived, including the minimum sampling success, the minimum number of analyzed individuals, and the absolute difference in tomb use duration between the two burial contexts. Additional pair-level variables were constructed to describe sex composition, age composition, shared tomb membership, combined skeletal element types, and an indicator of bone quality based on the presence of petrous bone samples.

The resulting datasets consist of pairwise observations enriched with individual- and tomb-level information and derived covariates. Together, they allow the evaluation of genetic relatedness patterns under alternative representations of burial organization and provide the basis for the multi-membership modeling strategy applied in the subsequent analysis.

## 2.6. The Multi-Membership Generalized Linear Mixed Model

### *Model Definition and Motivation*

To analyze the kinship patterns within the dataset, we require a modeling framework that can account for the inherent dependencies within our observations. In this study, an observation is defined as a pair of individuals  $(i, j)$ , where the response variable  $Y_{ij}$  indicates whether the pair shares a biological relationship.

### **Motivation: The Complexity of Pairwise Data**

The data structure presents two primary challenges that traditional regression models cannot handle: Multiple Membership of Individuals: Each individual appears in multiple pairs. For example, if individual  $i$  is compared to  $j$ ,  $k$ , and  $l$ , the errors associated with those three observations will be correlated because they all share the unique genetic and environmental

traits of individual  $i$ . Tomb-Level Dependencies: Pairs can exist both within the same tomb or across different tombs. Because individuals within a tomb may share common environmental or social factors, we must account for the random “tomb effect.” A pair  $i, j$  effectively “belongs” to the tombs  $T(i)$  and  $T(j)$ .

To address this, we utilize a Multi-Membership Generalized Linear Mixed Model (MM-GLMM). This model is specifically designed for cases where an observation does not belong to a single cluster, but rather “members” multiple clusters (in our case, two individuals and two tombs) simultaneously ?.

### Model Definition

Let  $Y_{ij}$  be a binary indicator where  $Y_{ij} = 1$  if individuals  $i$  and  $j$  are related, and  $Y_{t,ij} = 0$  otherwise. We assume  $Y_{ij}$  follows a Bernoulli distribution:

$$Y_{t,ij} \sim \text{Bernoulli}(\pi_{ij})$$

where  $\pi_{ij} = P(\text{related}_{ij} = 1)$  is the probability of a relationship existing between the pair. We model this probability using a logit link function to accommodate the complex random effects structure:

$$\text{logit}(\pi_{ij}) = \alpha + \mathbf{X}_{ij}^\top \boldsymbol{\beta} + \underbrace{(w_i u_i + w_j u_j)}_{\text{Individual RE}} + \underbrace{(w_{T(i)} v_{T(i)} + w_{T(j)} v_{T(j)})}_{\text{Tomb RE}}$$

Components of the Model:

- $\alpha$ : The global intercept, representing the baseline log-odds of two individuals being related.
- $\mathbf{X}_{ij}\boldsymbol{\beta}$ : The fixed effects component, where  $\mathbf{X}_{ij}$  contains pair-level covariates.
- $u_i, u_j$ : Random effects for the two individuals, where  $u \sim \mathcal{N}(0, \sigma_{\text{ind}}^2)$
- $v_{T(i)}, v_{T(j)}$ : Random effects for the tombs associated with individuals  $i$  and  $j$ , where  $v \sim \mathcal{N}(0, \sigma_{\text{tomb}}^2)$
- $w$ : Weights assigned to the random effects. Following standard multi-membership notation ?, we set equal weights  $w_i = w_j = 0.5$  and  $w_{T(i)} = w_{T(j)} = 0.5$ . This ensures that the total variance contributed by the individual or tomb level remains consistent and equal.

### Fitting the Model with brms

Following the theoretical definition of the MM-GLMM, this section details the practical implementation, predictor selection, and the Bayesian framework used for estimation.

*Predictor Selection and the Causal Framework* The selection of covariates is guided by the Directed Acyclic Graph (DAG) presented in Section [2.3.1. DAG]. To estimate the probability of relatedness, we focus on variables situated along the social, biological branches of our causal model. Specifically, the following predictors are included in the model: Pairwise Sex Combination, Pairwise Age Category, and Same Tomb Indicator.

Notably, DNA preservation variables (Number of Overlapping SNPs, Analyzed skeletal element,...) are excluded from the model. While preservation significantly influences data quality and the initial ability to identify SNPs, it does not exert a causal influence on true biological relatedness itself. Because a rigorous quality filter, a 15,000 SNP threshold, was applied during data preprocessing, the influence of preservation bias is effectively mitigated. Once a pair meets this threshold, variation in kinship outcomes is no longer explained by preservation quality.

*Bayesian Implementation via brms* The model is fitted using the brms package in R. The brms package acts as an interface to Stan, utilizing Hamiltonian Monte Carlo (HMC) algorithms

to perform Bayesian inference. This approach is particularly robust for Multi-Membership models, as it allows for flexible specification of complex random effect structures that often struggle to estimate using frequentist Maximum Likelihood methods ?.

Two distinct versions of the model are implemented

Separated Tomb Model: Every tomb is treated as an individual level within the random effect  $v_t$ . Grouped Tomb Model: In this version, three specific tombs, Elateia T46, T56, and T62, are treated as a single pooled tomb.

### 3. Result

Following the model specification, this chapter presents the findings from the Bayesian Multi-Membership Generalized Linear Mixed Model.

#### 3.1. Model Diagnostics

Before interpreting the relationship between burial patterns and kinship, it is essential to assess the “sampling health” of the model. Because the MM-GLMM was fitted using Hamiltonian Monte Carlo (HMC) via Stan, we evaluate the reliability of the posterior distributions using two primary metrics: the potential scale reduction factor ( $\hat{R}$ ) and the Effective Sample Size (ESS).

**Convergence and Chain Stability:** A primary indicator of model health is the  $\hat{R}$  (R-hat) statistic, which compares the variance within individual MCMC chains to the variance between chains. For all parameters in our model, the  $\hat{R}$  values were consistently **1.00**. Following modern Bayesian standards, an  $\hat{R} < 1.01$  indicates that all four chains have successfully converged to the same posterior distribution, confirming that the model has reached stability and is not sensitive to the starting values of the chains ?.

**Sampling Efficiency:** The Effective Sample Size (ESS) provides an estimate of the number of independent draws contained in the posterior distribution, accounting for autocorrelation between consecutive MCMC steps. In accordance with the standards implemented in the brms framework, we report two measures:

- Bulk-ESS: Measures the sampling efficiency for the mean and median of the distribution.
- Tail-ESS: Measures the efficiency for the tails of the distribution, which is critical for the reliability of the 95% credible intervals.

As shown in the model output, both the Bulk-ESS and Tail-ESS for all key predictors are well above the recommended thresholds (typically  $>400$  per chain). Many parameters reached between 3,000 and 22,000 independent samples. For instance, the “Same Tomb” predictor achieved a Bulk-ESS of 22,386, indicating an exceptionally high degree of precision in the estimation of the interment effect. These metrics provide a high degree of confidence that the posterior estimates discussed in the following sections are robust and represent truly independent information from the data ?.

#### 3.2. Model Output

Following the diagnostic verification, we present the posterior estimates for the two versions of our model: the Separated Tomb Model (8 tombs) and the Grouped Tomb Model (6 tombs). Both versions show remarkable stability in their regression coefficients, confirming that the pooling of the Elateia tombs does not fundamentally alter the estimated relationships. For a visual representation of the full effect estimations and their associated 95% Credible Intervals (CI), please refer to the plot in ??Figure.

A primary observation is the dominance of Same Tomb Indicator, which yielded the highest estimate in both models (2.30 and 2.64, respectively). This signifies that shared burial space

is the strongest predictor of biological kinship in this dataset. Regarding biological predictors, the Male-Male (XY-XY) combination stands out with a consistent estimate of 1.94, significantly higher than the Female-Male (XX-XY) estimate of  $\approx 0.90$ . Furthermore, the Both Subadult category (1.51 and 1.46) suggests a strong horizontal kinship signal among children. The multilevel hyperparameters reveal substantial variation at the individual level ( $sd \approx 2.29$ ), which suggests that the density of kinship ties is not uniform across the population, but rather concentrated around specific individuals. At the tomb level, the estimated standard deviation increases from 1.16 in the Separated Model to 1.86 in the Grouped Model. This increase suggests that grouping the Elateia (T46, T56, and T62) tombs allows the model to better account for differences between burial sites. Crucially, the fixed effects remained consistent across both models, proving that the results are not dependent on how the tombs were categorized.

### 3.3. Model Interpretation

The model output is reported in log-odds, as is standard in logistic regression. However, coefficients expressed on the log-odds scale are not directly intuitive to interpret. To make the results more accessible, we therefore calculate marginal predicted probabilities. These convert the model estimates into probabilities of the outcome, which in this case, the probability that a pair of individuals is biologically related.

#### Marginal Effect (Predicted Probabilities):

Marginal predicted probabilities indicate how each explanatory variable affects the average probability of relatedness, while holding all other variables constant (*ceteris paribus*). This approach allows for a more accessible interpretation of the model results by expressing effects in terms of probabilities rather than log-odds.

??? me plots

The average predicted probabilities in the figure highlight several key patterns across sex pairings, age compositions, and burial contexts. Female–female pairs show relatively low average predicted probabilities of relatedness (0.21% in the separate tombs model and 0.31% in the grouped tombs model, *ceteris paribus*), while male–male pairs exhibit higher probabilities compared to other sex combinations. For age composition, pairs consisting of two subadults display higher predicted probabilities than mixed or adult–adult pairs. The most pronounced effect, however, is observed for burial context: pairs interred in the same tomb show substantially higher predicted probabilities of relatedness than any other category in both model specifications

### 3.4. Model Robustness Check

To ensure that the results obtained in the primary MM-GLMM are not artifacts of specific data distributions, prior specifications, or classification choices, we performed three sensitivity analyses. These tests evaluate whether our findings, particularly the dominant role of the tomb effect and sex-specific patterns, remain consistent under alternative model conditions.

#### *Sensitivity to Prior Specification*

In the primary model, we utilized flat (uninformative) priors, which allow the data to drive the estimates entirely. To ensure the model was not “noise chasing”, which means fitting patterns that do not truly exist, we re-fitted the model using Weakly Informative Priors  $N(0, 1)$ . This approach applies a form of regularization, pulling estimates toward zero unless the data provides strong evidence to the contrary.

As expected with Priors  $N(0, 1)$ , the coefficients experienced a slight shrinkage toward zero. No coefficients changed direction, and the variable Same Tomb Indicator remained the dominant predictor, largely unaffected by the prior. This confirms that the observed effects are



driven by strong signals in the data rather than being an artifact of the prior choice.

### *Sensitivity to the “Same Tomb” Predictor (Within-Tomb Analysis)*

Because the Same Tomb Indicator emerged as an exceptionally dominant predictor in our primary model, it was necessary to conduct a robustness check to ensure that other biological and demographic variables were not merely statistical artifacts of this effect.

To isolate the influence of sex and age from the overwhelming signal of shared burial space, we fitted a secondary model restricted exclusively to within-tomb pairs. This approach effectively removes the across-tomb variance, providing a focused look at the internal organization of the burial units. The model was restricted to the 2,990 observations involving individuals interred in the same tomb, compared to the 13,690 observations in the full dataset. Consequently, the estimated effects appear weaker, with coefficients shrinking toward zero.

Despite the reduced power, the qualitative results remained consistent. The direction of all effects was unchanged, and the Male-Male (XY-XY) pair combination remained the dominant predictor of relatedness within the tomb. This confirms that the sex-biased patterns identified in the primary analysis are a fundamental characteristic of the kinship structure within these tombs and are not driven by the broader “Same Tomb” effect.

### *Redefining the Relatedness Threshold (3rd Degree as Unrelated)*

In our primary analysis, we collapsed 1st, 2nd, and 3rd-degree relatives into a single “Related” category. However, 3rd-degree relationships represent more distant biological ties. We conducted a robustness check by redefining the response variable  $Y_{ij}$  to count only 1st and 2nd-degree relatives as “Related.”

Under this stricter definition, the “Same Tomb” effect showed a substantially larger estimated coefficient. This suggests that shared burial context is an even stronger predictor for immediate kinship than for distant relatives. From an archaeological perspective, 3rd-degree kin may not have resided in the same immediate household or been interred in the family crypt as strictly as parent-child pairs. By including 3rd-degree relatives in the primary “Related” category, we effectively “diluted” the interment effect.

## 4. Discussion

### 4.1. Model assumption

While the MM-GLMM provides a robust framework for analyzing pairwise kinship, the validity of its inferences depends on the underlying statistical assumptions. This section discusses the theoretical and empirical justifications for our model choices, as well as the potential impacts of deviations from these assumptions.

#### *Equal Weighting of Random Effects ( $w = 0.5$ )*

In the multi-membership structure, we assumed equal weights ( $w_i = w_j = 0.5$  and  $w_{T(i)} = w_{T(j)} = 0.5$ ) for the random effects of individuals and tombs, respectively. This assumption is theoretically plausible at the individual level, as there is no a priori reason to believe one individual in a pair contributes more to the shared probability of relatedness than the other. Furthermore, simulation studies by ? suggest that multi-membership models are generally robust to weight misspecification, meaning that even if the “true” weights were slightly unequal, the resulting fixed-effect estimates remain reliable.

#### *Normality of Random Effects*

A standard assumption of GLMMs is that the random effects ( $u$  and  $v$ ) are independently and identically distributed following a normal distribution:  $u, v \sim \mathcal{N}(0, \sigma^2)$ . We evaluated this through Q-Q plots for both the Individual and Tomb random effects across our model variants.

For individual random effect diagnostic plots, the distribution is somewhat skewed. Non-normality in random effects can potentially lead to a biased global intercept and an inaccurate estimation of the random effect distribution's shape. However, literature on mixed models ? demonstrates that fixed-effect estimates and variance components are stable even when the normality assumption for random effects is violated.

The diagnostic for the tomb-level effects is limited by the low number of levels. According to ?, the estimation of the random effect variance ( $\sigma_{tomb}^2$ ) can be biased or imprecise when the number of clusters is small (typically  $< 30$ ). However the fixed-effect regression coefficients remain unbiased. The model therefore remains a valid tool to interpret the influence of the fixed-effect variables.

??? Put QQ Plots

## 4.2. Selection Bias

A threshold of 15,000 overlapping SNPs was applied across all kinship degrees to address the issue of missing not at random (MNAR) data. By restricting the analysis to observations that meet this quality criterion, the focus is placed exclusively on a high-quality subset of the available genetic data. Although this procedure increases the reliability of kinship estimates, it may introduce selection bias, as individuals with lower data quality are systematically excluded from the analysis. As a result, the findings may not be fully generalizable to the broader population under study.

## 4.3. Outlook for Future Studies

Future research should aim to expand the empirical basis of the analysis by incorporating a substantially larger number of tombs across multiple archaeological contexts. A broader sample would allow for the estimation of robust tomb-level or multilevel models with a sufficient number of higher-level units. This would enable a more reliable assessment of tomb-specific characteristics—such as length of use, number of interred individuals, and skeletal preservation patterns—and their influence on genetic relatedness structures. With increased statistical power, contextual variation between burial units could be modeled more systematically.

In addition, future research should further address the issue of missing data. In the present study, applying a single SNP threshold helped reduce bias in the classification of kinship degrees. However, this decision also meant that only individuals with sufficiently high genetic data quality were included in the analysis. As a result, part of the available information had to be excluded. Future studies could benefit from improved sequencing quality and broader genomic coverage, which would reduce the need for strict thresholds and allow more individuals to be retained in the analysis. Moreover, applying alternative statistical approaches to evaluate how different missing data assumptions affect the results could help assess the stability and robustness of the findings.

From a methodological perspective, future research could explore extensions of the multi-membership generalized linear mixed model. Relaxing assumptions such as equal random-effect weights or normally distributed random effects may allow for a more flexible representation of individual- and tomb-level heterogeneity. Furthermore, larger datasets would permit more stable estimation of variance components, particularly at the tomb level, thereby improving inference regarding contextual effects.

Finally, future work should evaluate the potential impact of selection processes introduced by quality thresholds. Comparing results obtained from high-quality subsamples with those from broader inclusion criteria or alternative imputation strategies may help assess the gen-

eralizability of the findings to the wider population under study.

## 5. A Acknowledgment

We would like to express our sincere gratitude to Irene Högner and Alissa Mittnik for their valuable collaboration and support as our project partners. Their expertise, insightful feedback, and continuous engagement significantly contributed to the development and successful completion of this project.

We are especially grateful to our supervisor, Yichen Han, for the dedicated guidance, constructive comments, and academic support throughout the entire project. His supervision greatly helped us refine our methodology, strengthen our analysis, and improve the overall quality of this work.

## 6. B Use of AI tools

###Report ChatGPT (GPT-5.2) were used to support the drafting and revision of the written report. The tools assisted in improving clarity, structure, and linguistic precision, particularly in reformulating paragraphs, refining academic wording, and ensuring coherence between sections. All conceptual content, interpretations, statistical reasoning, and conclusions were developed independently by the authors. The AI tool did not generate original scientific arguments but served as a language and structure support tool. All outputs were critically reviewed, edited, and verified by the authors. ??Latex??

###Code ChatGPT (GPT-5.2) and Gemini? were used to assist in troubleshooting, refining, and optimizing statistical code (e.g., for logistic regression models and data visualization). This included suggestions for improving code structure, debugging errors, and clarifying model implementation. However, all analytical decisions, model specifications, variable selections, and interpretations of results were made independently. The correctness and functionality of all code were manually tested and validated before inclusion in the analysis.

###Literature Research ChatGPT (GPT-5.2) was used to support the development of literature search strategies and to clarify theoretical concepts. All academic sources cited in the report were independently identified, accessed through scholarly databases, and critically evaluated. No references were included without independent verification. The interpretation and integration of the literature were conducted manually.

### Affiliation: