

The texvc package*

Moritz Schubotz
moritz.schubotz@fiz-karlsruhe.de

2020/02/09

Abstract

This package provides all¹ LaTeX command available in MediaWiki. This includes several packages like amsmath, and adds some specific commands such as `\Reals`.

1 Provided Macros

1.1 Arrows

The first group of MediaWiki custom command (`other_delimiters2`) defines short hand notations for some arrows.

<code>\darr</code>	Short hand notation for arrow $\downarrow$.
<code>\dArr</code>	Short hand notation for arrow $\Downarrow$.
<code>\Darr</code>	Short hand notation for arrow $\Downarrow$.
<code>\lang</code>	Short hand notation for arrow $\langle$.
<code>\rang</code>	Short hand notation for arrow $\rangle$.
<code>\uarr</code>	Short hand notation for arrow $\uparrow$.
<code>\uArr</code>	Short hand notation for arrow $\Uparrow$.
<code>\Uarr</code>	Short hand notation for arrow $\Uparrow$.

1.2 Literals

The second group of MediaWiki custom commands (`other_litereals3`) defines short hand notations for some literals.

<code>\C</code>	Short hand notation for literal $\mathbb{C}$. <i>This command is deprecated.</i>
<code>\H</code>	Short hand notation for literal $\mathbb{H}$. <i>This command is deprecated.</i>
<code>\N</code>	Short hand notation for literal $\mathbb{N}$.
<code>\Q</code>	Short hand notation for literal $\mathbb{Q}$.
<code>\R</code>	Short hand notation for literal $\mathbb{R}$.
<code>\Z</code>	Short hand notation for literal $\mathbb{Z}$.
<code>\alef</code>	Short hand notation for literal $\aleph$.
<code>\alefsym</code>	Short hand notation for literal $\aleph$.
<code>\Alpha</code>	Short hand notation for literal A .
<code>\and</code>	Short hand notation for literal $\wedge$. <i>This command is deprecated.</i>
<code>\ang</code>	Short hand notation for literal $\angle$. <i>This command is deprecated.</i>

*This document corresponds to texvc v1.2, dated 2020/02/09.

¹The command `\or` is only available if custom code is copied into your $\LaTeX$ -file. See page 7 for details.

<code>\Beta</code>	Short hand notation for literal B .
<code>\bull</code>	Short hand notation for literal $\bullet$.
<code>\Chi</code>	Short hand notation for literal X .
<code>\clubs</code>	Short hand notation for literal $\clubsuit$.
<code>\cnms</code>	Short hand notation for literal $\mathbb{C}$.
<code>\Complex</code>	Short hand notation for literal $\mathbb{C}$.
<code>\Dagger</code>	Short hand notation for literal $\ddagger$.
<code>\diamonds</code>	Short hand notation for literal $\diamond$.
<code>\Doteq</code>	Short hand notation for literal $\doteq$.
<code>\doublecap</code>	Short hand notation for literal $\mho$.
<code>\doublecup</code>	Short hand notation for literal $\wp$.
<code>\empty</code>	Short hand notation for literal $\emptyset$.
<code>\Epsilon</code>	Short hand notation for literal E .
<code>\Eta</code>	Short hand notation for literal H .
<code>\exist</code>	Short hand notation for literal $\exists$.
<code>\ge</code>	Short hand notation for literal $\geq$.
<code>\gggtr</code>	Short hand notation for literal $\gggtr$.
<code>\hAar</code>	Short hand notation for literal $\Leftrightarrow$.
<code>\harr</code>	Short hand notation for literal $\leftrightarrow$.
<code>\Harr</code>	Short hand notation for literal $\Leftrightarrow$.
<code>\hearts</code>	Short hand notation for literal $\heartsuit$.
<code>\image</code>	Short hand notation for literal $\Im$.
<code>\infin</code>	Short hand notation for literal ∞ .
<code>\Iota</code>	Short hand notation for literal I .
<code>\isin</code>	Short hand notation for literal $\in$.
<code>\Kappa</code>	Short hand notation for literal K .
<code>\larr</code>	Short hand notation for literal $\leftarrow$.
<code>\Larr</code>	Short hand notation for literal $\Leftarrow$.
<code>\lArr</code>	Short hand notation for literal $\Leftarrow$.
<code>\le</code>	Short hand notation for literal $\leq$.
<code>\lrarr</code>	Short hand notation for literal $\leftrightarrow$.
<code>\Lrarr</code>	Short hand notation for literal $\Leftrightarrow$.
<code>\lrArr</code>	Short hand notation for literal $\Leftrightarrow$.
<code>\Mu</code>	Short hand notation for literal M .
<code>\natnums</code>	Short hand notation for literal $\mathbb{N}$.
<code>\ne</code>	Short hand notation for literal $\neq$.
<code>\Nu</code>	Short hand notation for literal N .
<code>\O</code>	Short hand notation for literal $\emptyset$.
<code>\omicron</code>	Short hand notation for literal o .
<code>\Omicron</code>	Short hand notation for literal O .
<code>\or</code>	Short hand notation for literal $\vee$. <i>This command is deprecated.</i>
<code>\part</code>	Short hand notation for literal ∂ . <i>This command is deprecated.</i>
<code>\plusmn</code>	Short hand notation for literal $\pm$.
<code>\rarr</code>	Short hand notation for literal $\rightarrow$.
<code>\Rarr</code>	Short hand notation for literal $\Rightarrow$.
<code>\rArr</code>	Short hand notation for literal $\Rightarrow$.
<code>\real</code>	Short hand notation for literal $\Re$.
<code>\reals</code>	Short hand notation for literal $\mathbb{R}$.
<code>\Reals</code>	Short hand notation for literal $\mathbb{R}$.
<code>\restriction</code>	Short hand notation for literal $\upharpoonright$.

<code>\Rho</code>	Short hand notation for literal P.
<code>\sdot</code>	Short hand notation for literal $\cdot$.
<code>\sect</code>	Short hand notation for literal §.
<code>\spades</code>	Short hand notation for literal ♠.
<code>\sub</code>	Short hand notation for literal $\subset$.
<code>\sube</code>	Short hand notation for literal $\subseteq$.
<code>\supe</code>	Short hand notation for literal $\supseteq$.
<code>\Tau</code>	Short hand notation for literal T.
<code>\thetasym</code>	Short hand notation for literal ϑ .
<code>\varcoppa</code>	Short hand notation for literal $\wp$.
<code>\weierp</code>	Short hand notation for literal $\wp$.
<code>\Zeta</code>	Short hand notation for literal Z.

2 Deprecations

According to the decision of *Wikimedia Community User Group Math*² the following macros have been deprecated³:

1. `$`
2. `%`
3. `\and`
4. `\or`
5. `\part`
6. `\ang`
7. `\C`
8. `\H`
9. `\bold`
10. `\Bbb`

The commands 1,2,4,9,10 have never been part of this package, but were available from within Wikipedia.

3 Implementation

`\darr` This macro does the following replacement.

```
1 \newcommand{\darr}{\downarrow}
```

`\dArr` This macro does the following replacement.

```
2 \newcommand{\dArr}{\Downarrow}
```

²<https://meta.wikimedia.org/w/index.php?oldid=19705444>

³See <https://phabricator.wikimedia.org/T197842> for the discussion.

`\Darr` This macro does the following replacement.
`3 \newcommand{\Darr}{\Downarrow}`

`\lang` This macro does the following replacement.
`4 \newcommand{\lang}{\langle}`

`\rang` This macro does the following replacement.
`5 \newcommand{\rang}{\rangle}`

`\uarr` This macro does the following replacement.
`6 \newcommand{\uarr}{\uparrow}`

`\uArr` This macro does the following replacement.
`7 \newcommand{\uArr}{\Uparrow}`

`\Uarr` This macro does the following replacement.
`8 \newcommand{\Uarr}{\Uparrow}`

`\C` This macro does the following replacement.
`9 %\newcommand{\C}{\mathbb{C}}`

`\H` This macro does the following replacement.
`10 \renewcommand{\H}{\mathbb{H}}`

`\N` This macro does the following replacement.
`11 \newcommand{\N}{\mathbb{N}}`

`\Q` This macro does the following replacement.
`12 \newcommand{\Q}{\mathbb{Q}}`

`\R` This macro does the following replacement.
`13 \newcommand{\R}{\mathbb{R}}`

`\Z` This macro does the following replacement.
`14 \newcommand{\Z}{\mathbb{Z}}`

`\alef` This macro does the following replacement.
`15 \newcommand{\alef}{\aleph}`

`\alefsym` This macro does the following replacement.
`16 \newcommand{\alefsym}{\aleph}`

`\Alpha` This macro does the following replacement.
`17 \newcommand{\Alpha}{\mathrm{A}}`

`\and` This macro does the following replacement.
`18 \renewcommand{\and}{\land}`

`\ang` This macro does the following replacement.
`19 \newcommand{\ang}{\angle}`

`\Beta` This macro does the following replacement.
20 `\newcommand{\Beta}{\mathrm{B}}`

`\bull` This macro does the following replacement.
21 `\newcommand{\bull}{\bullet}`

`\Chi` This macro does the following replacement.
22 `\newcommand{\Chi}{\mathrm{X}}`

`\clubs` This macro does the following replacement.
23 `\newcommand{\clubs}{\clubsuit}`

`\cnms` This macro does the following replacement.
24 `\newcommand{\cnms}{\mathbb{C}}`

`\Complex` This macro does the following replacement.
25 `\newcommand{\Complex}{\mathbb{C}}`

`\Dagger` This macro does the following replacement.
26 `\newcommand{\Dagger}{\ddagger}`

`\diamonds` This macro does the following replacement.
27 `\newcommand{\diamonds}{\diamondsuit}`

`\Doteq` This macro does the following replacement.
28 `\renewcommand{\Doteq}{\doteqdot}`

`\doublecap` This macro does the following replacement.
29 `\renewcommand{\doublecap}{\Cap}`

`\doublecup` This macro does the following replacement.
30 `\renewcommand{\doublecup}{\Cup}`

`\empty` This macro does the following replacement.
31 `\renewcommand{\empty}{\emptyset}`

`\Epsilon` This macro does the following replacement.
32 `\newcommand{\Epsilon}{\mathrm{E}}`

`\Eta` This macro does the following replacement.
33 `\newcommand{\Eta}{\mathrm{H}}`

`\exist` This macro does the following replacement.
34 `\newcommand{\exist}{\exists}`

`\ge` This macro does the following replacement.
35 `\renewcommand{\ge}{\geq}`

`\gggtr` This macro does the following replacement.
36 `\renewcommand{\gggtr}{\ggg}`

`\hAar` This macro does the following replacement.
37 `\newcommand{\hAar}{\Leftrightarrow}`

`\harr` This macro does the following replacement.
38 `\newcommand{\harr}{\leftrightharpoonup}`

`\Harr` This macro does the following replacement.
39 `\newcommand{\Harr}{\Leftrightarrow}`

`\hearts` This macro does the following replacement.
40 `\newcommand{\hearts}{\heartsuit}`

`\image` This macro does the following replacement.
41 `\newcommand{\image}{\Im}`

`\infin` This macro does the following replacement.
42 `\newcommand{\infin}{\infty}`

`\Iota` This macro does the following replacement.
43 `\newcommand{\Iota}{\mathrm{I}}`

`\isin` This macro does the following replacement.
44 `\newcommand{\isin}{\in}`

`\Kappa` This macro does the following replacement.
45 `\newcommand{\Kappa}{\mathrm{K}}`

`\larr` This macro does the following replacement.
46 `\newcommand{\larr}{\leftarrow}`

`\Larr` This macro does the following replacement.
47 `\newcommand{\Larr}{\Leftarrow}`

`\lArr` This macro does the following replacement.
48 `\newcommand{\lArr}{\Leftarrow}`

`\le` This macro does the following replacement.
49 `\renewcommand{\le}{\leq}`

`\lrrarr` This macro does the following replacement.
50 `\newcommand{\lrrarr}{\leftrightharpoonup}`

`\Lrarr` This macro does the following replacement.
51 `\newcommand{\Lrarr}{\Leftrightarrow}`

`\lrArr` This macro does the following replacement.
52 `\newcommand{\lrArr}{\Leftrightarrow}`

`\Mu` This macro does the following replacement.
53 `\newcommand{\Mu}{\mathrm{M}}`

`\natnums` This macro does the following replacement.
54 `\newcommand{\natnums}{\mathbb{N}}`

`\ne` This macro does the following replacement.
55 `\renewcommand{\ne}{\neq}`

`\Nu` This macro does the following replacement.
56 `\newcommand{\Nu}{\mathrm{N}}`

`\O` This macro does the following replacement.
57 `\renewcommand{\O}{\emptyset}`

`\omicron` This macro does the following replacement.
58 `\newcommand{\omicron}{\mathrm{o}}`

`\Omicron` This macro does the following replacement.
59 `\newcommand{\Omicron}{\mathrm{O}}`

`\or` This is a problematic macro, since it redefines the plain $\TeX$ macro `\or`. For instance, the `\thanks` command uses a custom function to determine the footnotesymbol, which relies on the availability of the `\or` command in math mode. Thus, the macro has to be defined after `\maketitle` was executed. However, there might be more commands that use `\or` used in mathmode. Thus we don't overwrite `\or` in this package. To enable the overwriting copy the code below to an appropriate position in your $\LaTeX$ -file. However, it might be easier to manually replace `\or` with `\lor` which is all what the macro above does.

60 `%\let\oldor\or`
61 `%\def\or{\ifmmode\lor\else\expandafter\oldor\fi}`

`\part` This macro does the following replacement.
62 `\renewcommand{\part}{\partial}`

`\plusmn` This macro does the following replacement.
63 `\newcommand{\plusmn}{\pm}`

`\rarr` This macro does the following replacement.
64 `\newcommand{\rarr}{\rightarrow}`

`\Rarr` This macro does the following replacement.
65 `\newcommand{\Rarr}{\Rrightarrow}`

`\rArr` This macro does the following replacement.
66 `\newcommand{\rArr}{\Rrightarrow}`

`\real` This macro does the following replacement.
67 `\newcommand{\real}{\Re}`

`\reals` This macro does the following replacement.
68 `\newcommand{\reals}{\mathbb{R}}`

`\Reals` This macro does the following replacement.
69 `\newcommand{\Reals}{\mathbb{R}}`

`\restriction` This macro does the following replacement.
70 `\renewcommand{\restriction}{\upharpoonright}`

`\Rho` This macro does the following replacement.
71 `\newcommand{\Rho}{\mathrm{P}}`

`\sdot` This macro does the following replacement.
72 `\newcommand{\sdot}{\cdot}`

`\sect` This macro does the following replacement.
73 `\newcommand{\sect}{\S}`

`\spades` This macro does the following replacement.
74 `\newcommand{\spades}{\spadesuit}`

`\sub` This macro does the following replacement.
75 `\newcommand{\sub}{\subset}`

`\sube` This macro does the following replacement.
76 `\newcommand{\sube}{\subteq}`

`\supe` This macro does the following replacement.
77 `\newcommand{\supe}{\supseteq}`

`\Tau` This macro does the following replacement.
78 `\newcommand{\Tau}{\mathrm{T}}`

`\thetasy` This macro does the following replacement.
79 `\newcommand{\thetasy}{\vartheta}`

`\varcoppa` This macro does the following replacement.
80 `\newcommand{\varcoppa}{\mbox{\coppa}}`

`\weierp` This macro does the following replacement.
81 `\newcommand{\weierp}{\wp}`

`\Zeta` This macro does the following replacement.
82 `\newcommand{\Zeta}{\mathrm{Z}}`

Change History

v1.0		v1.2	
General: Initial version	1	General: Document deprecations	1
v1.1		v1.3	
General: Fix bug with varcoppa, document usage of or	1	General: Expand documentation and require all packages needed to render the commands correctly.	1

Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in *roman* refer to the code lines where the entry is used.

Symbols	<code>\emptyset</code> 31, 57	<code>\leftrightharrow</code> . . 38, 50
<code>\oldor</code> 60, 61	<code>\Epsilon</code> 2, <u>32</u>	<code>\leq</code> 49
	<code>\Eta</code> 2, <u>33</u>	<code>\let</code> 60
A	<code>\exist</code> 2, <u>34</u>	<code>\lor</code> 61
<code>\alef</code> <i>1</i> , <u>15</u>	<code>\exists</code> 34	<code>\Lrarr</code> 2, <u>51</u>
<code>\alefsym</code> <i>1</i> , <u>16</u>	<code>\expandafter</code> 61	<code>\lrArr</code> 2, <u>52</u>
<code>\aleph</code> 15, 16		<code>\lrarr</code> 2, <u>50</u>
<code>\Alpha</code> <i>1</i> , <u>17</u>	F	
<code>\and</code> <i>1</i> , <u>18</u>	<code>\fi</code> 61	M
<code>\ang</code> <i>1</i> , <u>19</u>		<code>\mathbb</code> 9, 10, 11, 12, 13, 14, 24, 25, 54, 68, 69
<code>\angle</code> 19	G	<code>\mathrm</code> . . . 17, 20, 22, 32, 33, 43, 45, 53, 56, 58, 59, 71, 78, 82
B	<code>\ge</code> 2, <u>35</u>	<code>\mbox</code> 80
<code>\Beta</code> 2, <u>20</u>	<code>\geq</code> 35	<code>\Mu</code> 2, <u>53</u>
<code>\bull</code> 2, <u>21</u>	<code>\ggg</code> 36	
<code>\bullet</code> 21	<code>\gggtr</code> 2, <u>36</u>	
	H	
C	<code>\H</code> <i>1</i> , <u>10</u>	N
<code>\C</code> <i>1</i> , 9	<code>\hAar</code> 2, <u>37</u>	<code>\N</code> <i>1</i> , <u>11</u>
<code>\Cap</code> 29	<code>\Harr</code> 2, <u>39</u>	<code>\natnums</code> 2, <u>54</u>
<code>\cdot</code> 72	<code>\harr</code> 2, <u>38</u>	<code>\ne</code> 2, <u>55</u>
<code>\Chi</code> 2, <u>22</u>	<code>\hearts</code> 2, <u>40</u>	<code>\neq</code> 55
<code>\clubs</code> 2, <u>23</u>	<code>\heartsuit</code> 40	<code>\Nu</code> 2, <u>56</u>
<code>\clubsuit</code> 23		
<code>\cnums</code> 2, <u>24</u>	I	O
<code>\Complex</code> 2, <u>25</u>	<code>\ifmmode</code> 61	<code>\O</code> 2, <u>57</u>
<code>\coppa</code> 80	<code>\Im</code> 41	<code>\Omicron</code> 2, <u>59</u>
<code>\Cup</code> 30	<code>\image</code> 2, <u>41</u>	<code>\omicron</code> 2, <u>58</u>
	<code>\in</code> 44	<code>\or</code> 2, <u>60</u>
D	<code>\infin</code> 2, <u>42</u>	
<code>\Dagger</code> 2, <u>26</u>	<code>\infty</code> 42	P
<code>\Darr</code> <i>1</i> , <u>3</u>	<code>\Iota</code> 2, <u>43</u>	<code>\part</code> 2, <u>62</u>
<code>\dArr</code> <i>1</i> , <u>2</u>	<code>\isin</code> 2, <u>44</u>	<code>\partial</code> 62
<code>\darr</code> <i>1</i> , <u>1</u>		<code>\plusmn</code> 2, <u>63</u>
<code>\ddagger</code> 26	K	<code>\pm</code> 63
<code>\def</code> 61	<code>\Kappa</code> 2, <u>45</u>	
<code>\diamonds</code> 2, <u>27</u>		Q
<code>\diamondsuit</code> 27	L	<code>\Q</code> <i>1</i> , <u>12</u>
<code>\Doteq</code> 2, <u>28</u>	<code>\land</code> 18	
<code>\doteqdot</code> 28	<code>\lang</code> <i>1</i> , <u>4</u>	R
<code>\doublecap</code> 2, <u>29</u>	<code>\langle</code> 4	<code>\R</code> <i>1</i> , <u>13</u>
<code>\doublecup</code> 2, <u>30</u>	<code>\Larr</code> 2, <u>47</u>	<code>\rang</code> <i>1</i> , <u>5</u>
<code>\Downarrow</code> 2, 3	<code>\lArr</code> 2, <u>48</u>	<code>\rangle</code> 5
<code>\downarrow</code> 1	<code>\larr</code> 2, <u>46</u>	<code>\Rarr</code> 2, <u>65</u>
	<code>\le</code> 2, <u>49</u>	<code>\rArr</code> 2, <u>66</u>
E	<code>\Leftarrow</code> 47, 48	<code>\rarr</code> 2, <u>64</u>
<code>\else</code> 61	<code>\leftarrow</code> 46	<code>\Re</code> 67
<code>\empty</code> 2, 31	<code>\Leftrightarrow</code> 46	<code>\real</code> 2, <u>67</u>
	<code>\Leftrightarrow</code> 37, 39, 51, 52	<code>\Reals</code> 2, <u>69</u>
		<code>\reals</code> 2, <u>68</u>

<code>\renewcommand</code>	10, 18,	<code>\sub</code>	3, <u>75</u>	<code>\Uparrow</code>	7, 8
	28, 29, 30, 31, 35,	<code>\sube</code>	3, <u>76</u>	<code>\uparrow</code>	6
	36, 49, 55, 57, 62, 70	<code>\subset</code>	75	<code>\upharpoonright</code>	70
<code>\restriction</code>	2, <u>70</u>	<code>\subseteq</code>	76		
<code>\Rho</code>	3, <u>71</u>	<code>\sup</code>	3, <u>77</u>	V	
<code>\rightarrow</code>	65, 66	<code>\supseteq</code>	77	<code>\varcoppa</code>	3, <u>80</u>
<code>\rightarrowtail</code>	64			<code>\vartheta</code>	79
		T			
S		<code>\Tau</code>	3, <u>78</u>	W	
<code>\S</code>	73	<code>\thetasym</code>	3, <u>79</u>	<code>\weierp</code>	3, <u>81</u>
<code>\sdot</code>	3, <u>72</u>			<code>\wp</code>	81
<code>\sect</code>	3, <u>73</u>	U			
<code>\spades</code>	3, <u>74</u>	<code>\Uarr</code>	1, <u>8</u>	Z	
<code>\spadesuit</code>	74	<code>\uArr</code>	1, <u>7</u>	<code>\Z</code>	1, <u>14</u>
		<code>\uarr</code>	1, <u>6</u>	<code>\Zeta</code>	3, <u>82</u>