Status	Finished
Started	Sunday, 11 October 2026, 4:00 PM
Completed	Sunday, 11 October 2026, 4:04 PM
Duration	4 mins 5 secs
Grade	**14.00** out of 15.00 (**93.33**%)

Question **1**

Correct

Mark 1.00 out of 1.00

What is the best-case time complexity of linear search?

a. O(log n)
b. O(1) ✓
c. O(n log n)
d. O👎

Question **2**

Correct

Mark 1.00 out of 1.00

The average case occurs in the linear search algorithm

a. When the item is not the array at all
b. Item is the last element in the array or item is not there at all
c. When the item is somewhere in the middle of the array ✓
d. When the item is the last element in the array

Question **3**

Correct

Mark 1.00 out of 1.00

What is searching in the context of computer science?

a. Sorting elements in a list
b. Inserting elements into a list
c. Determining whether an element is present in a list ✓
d. Deleting elements from a list

Question **4**

Correct

Mark 1.00 out of 1.00

_____sort is the simplest sorting algorithm that works by repeatedly swapping the adjacent elements in case they are unordered in n-1 passes.

a. Selection

b. Complexity

c. Bubble ✓

d. Insertion

Question **5**

Correct

Mark 1.00 out of 1.00

Which of the following statements about linear search is true?

a. Linear search requires the list to be sorted.

b. Linear search can be applied to both sorted and unsorted lists. ✓

c. Linear search is more efficient than binary search on large lists.

d. Linear search divides the list into halves.

Question **6**

Correct

Mark 1.00 out of 1.00

If the target element is greater than the middle element in binary search, where does the search continue?

a. In the middle of the list

b. In the right sublist ✓

c. At the beginning of the list

d. In the left sublist

Question **7**

Correct

Mark 1.00 out of 1.00

Which method of searching involves sequentially comparing each element until a match is found?

a. Binary search
b. Hashing
c. Jump search
d. Linear search ✓

Question **8**

Incorrect

Mark 0.00 out of 1.00

What happens in a binary search if the list has an even number of elements?

a. The higher middle element is chosen as the middle element
b. The search stops
c. The lower middle element is chosen as the middle element ✗
d. The middle element is chosen randomly

Question **9**

Correct

Mark 1.00 out of 1.00

Which of the following best describes the process of a linear search?

a. Sorting the list before searching
b. Skipping every second element
c. Checking each element sequentially ✓
d. Dividing the list in half repeatedly

Question **10**

Correct

Mark 1.00 out of 1.00

Which of the following is a conventional searching technique?

a. Dynamic search
b. Hashing
c. Linear search ✓
d. Binary search

Question **11**

Correct

Mark 1.00 out of 1.00

If a list contains 1000 elements, how many comparisons would a binary search typically make in the worst case?

a. 10 ✓
b. 1000
c. 100
d. 500

Question **12**

Correct

Mark 1.00 out of 1.00

What is the time complexity of binary search in the worst case?

a. O(n log n)
b. O(1)
c. O(log n) ✓
d. O👎

Question **13**

Correct

Mark 1.00 out of 1.00

In linear search, how is the element searched?

a. By sorting the list first
b. By using a hash function
c. By dividing the list into halves
d. By comparing each element in the list sequentially ✓

Question **14**

Correct

Mark 1.00 out of 1.00

_____ search takes a sorted/ordered list and divides it in the middle.

a. Both (1) & (3)
b. Hash
c. Linear
d. Binary ✓

Question **15**

Correct

Mark 1.00 out of 1.00

Given an array arr = {45,77,89,90,94,99,100} and key = 100; What are the mid values(corresponding array elements) generated in the first and second iterations?

a. 90 and 99 ✓

b. 90 and 100

c. 94 and 99

d. 89 and 94