

827648152690-ppsqj4o6.us-east-1.console.aws.amazon.com/organizations/v2/home/accounts

AWS Organizations

AWS accounts

- Invitations
- Multi-party approval
- Services
- Policies
- Settings
- Get started

Organization ID
o-a6bg1f1jcm

Organization

Organizational units (OUs) enable you to group several accounts together and administer them as a single unit instead of one at a time.

Search by name, email, account ID or OU ID.

Organizational structure

	Account created/joined date
Root r-rmrg	
Development ou-rmrg-8eic95w8	
Production ou-rmrg-z4q83139	
Security ou-rmrg-489hju5e	
Dennis Maina (management account) 827648152690 marshalsdennis6@gmail.com	Joined 2026/07/08

827648152690-ppsqj4o6.us-east-1.console.aws.amazon.com/organizations/v2/home/organizational-units/ou-rmrg...

AWS Organizations

AWS accounts

- Invitations
- Multi-party approval
- Services
- Policies
- Settings
- Get started

Organization ID
o-a6bg1f1jcm

Organizational unit details

Name
Production

ID
ou-rmrg-z4q83139

ARN
arn:aws:organizations:827648152690:ou/o-a6bg1f1jcm/ou-rmrg-z4q83139

Organization path
o-a6bg1f1jcm/r-rmrg/ou-rmrg-z4q83139/

Children

These are the child OUs and AWS accounts contained by this OU.

Organizational structure

	Account created/joined date
Training 524873269022 marshalsdennis@icloud.com	Created 2026/07/08

827648152690-ppsqj4o6.us-east-1.console.aws.amazon.com/organizations/v2/home/policies/service-control-policy...

AWS Organizations > Policies > Service control policies > DenyProductionCriticalActions

AWS Organizations

- AWS accounts
- Multi-party approval
- Services
- Policies**
- Settings
- Get started

Organization ID
o-a6bg1f1jcm

Content

```
{
  "Version": "2012-10-17",
  "Statement": [
    {
      "Sid": "DenyEC2Termination",
      "Effect": "Deny",
      "Action": "ec2:TerminateInstances",
      "Resource": "*"
    },
    {
      "Sid": "DenyCloudTrailStop",
      "Effect": "Deny",
      "Action": "cloudtrail:StopLogging",
      "Resource": "*"
    }
  ]
}
```

524873269022-2ue24pfg.us-east-1.console.aws.amazon.com/ec2/home?region=us-east-1#Instances:

EC2 > Instances

EC2

- Dashboard
- AWS Global View
- Events
- Instances**
- Instance Types
- Launch Templates
- Spot Requests
- Savings Plans
- Reserved Instances
- Dedicated Hosts
- Capacity Reservations
- Capacity Manager

Failed to terminate (delete) an instance: You are not authorized to perform this operation. User: arn:aws:iam::524873269022:root is not authorized to perform: ec2:TerminateInstances on resource: arn:aws:ec2:us-east-1:524873269022:instance/i-07e04bbadb72857f9 with an explicit deny in a service control policy: arn:aws:organizations:827648152690:policy/o-a6bg1f1jcm/service_control_policy/p-yt8fehha. Encoded authorization failure message: ZAkY1kcFFUIGig2728hGrTZD8zakSDMoTDoyt3IWbQ9GN7Lld1gKzvTHqCpRMkXl9hRNlcpTxTcWpHDng9wstKlInN2nFM9MpK1MZ5qv6qj8Hrq9GX2vS_C6DFveCNqykqOts39v4s2PGg7Py8J_W7ZGuljoojV VndXgSqoh8-21XU5CvdaiH30m2fxQukhracksafLO-tRksYGJrHH-89lp0lETnQJhrPYENMB4hkJPQd7X3n5BMS12zc3r6O2aqrC0xs5Ma1vejSUQ_eGEZ6h6rIV7I921t36Cpkk-JTqvus7EytHrRzUntGyVVKoXSWC9ii9-lseHAsldPc80ZOedgWSpuUGDnz9Nly2FzxxmlE9Oryl1PXcg7a0v1SP5H-Lld1gKzvTHqCpRMkXl9hRNlcpTxTcWpHDng9wstKlInN2nFM9MpK1MZ5qv6qj8Hrq9GX2vS_C6DFveCNqykqOts39v4s2PGg7Py8J_W7ZGuljoojV VndXgSqoh8-21XU5CvdaiH30m2fxQukhracksafLO-tRksYGJrHH-89lp0lETnQJhrPYENMB4hkJPQd7X3n5BMS12zc3r6O2aqrC0xs5Ma1vejSUQ_eGEZ6h6rIV7I921t36Cp

i-07e04bbadb72857f9 (scp-test-instance)

Details | Status and alarms | Monitoring | Security | Networking | Storage | Tags

Instance summary Info

Instance ID i-07e04bbadb72857f9	Public IPv4 address 18.232.250.70 open address	Private IPv4 addresses 172.31.86.27
------------------------------------	---	--

827648152690-ppsqj4o6.us-east-1.console.aws.amazon.com/cloudtrailv2/home?region=us-east-1#/trails/arm:aws:cl...

CloudTrail Trails > arm:aws:cloudtrail:us-east-1:827648152690:trail/org-central-trail

org-central-trail

[Delete](#) [Stop logging](#)

General details

Trail logging Logging	Trail log location cwb-org-cloudtrail-logs-827648152690/AWSLogs/o-a6bg1f1jcm/827648152690	Log file validation Enabled	SNS notification delivery Disabled
Trail name org-central-trail	Last log file delivered -	Last file validation delivered -	Last SNS notification -
Multi-region trail Yes	Log file SSE-KMS encryption Not enabled		
Apply trail to my organization Enabled for all accounts			

CloudWatch Logs

[Edit](#)

No CloudWatch Logs log groups

CloudWatch Logs is not configured for this trail

Tags

[Manage tags](#)

827648152690-ppsqj4o6.us-east-1.console.aws.amazon.com/s3/buckets/cwb-org-cloudtrail-logs-827648152690/re...

Amazon S3 Buckets > cwb-org-cloudtrail-logs-827648152690 > AWSLogs/

AWSLogs/

[Copy S3 URI](#)

[Objects](#) [Properties](#)

Objects (2) [Copy S3 URI](#) [Copy URL](#) [Download](#) [Open](#) [Delete](#) [Actions](#) [Create folder](#) [Upload](#)

Objects are the fundamental entities stored in Amazon S3. You can use [Amazon S3 inventory](#) to get a list of all objects in your bucket. For others to access your objects, you'll need to explicitly grant them permissions. [Learn more](#)

Find objects by prefix

☐	Name	Type	Last modified	Size	Storage class
☐	827648152690/	Folder	-	-	-
☐	o-a6bg1f1jcm/	Folder	-	-	-

524873269022-2ue24pfg.us-east-1.console.aws.amazon.com/iam/home?region=us-east-1#/policies/details/arn%3Aaws...

aws ec2 Ask Amazon Q Global Training (524873269022) root

IAM > Policies > S3NoDestructiveActionsBoundary

Identity and Access Management (IAM)

Search IAM

Dashboard

Access Management

- Roles
- Policies
- IAM users
- IAM user groups
- Identity providers
- Account settings
- Root access management
- Temporary delegation requests

Access reports

Policy S3NoDestructiveActionsBoundary created.

View policy

Edit

Delete

S3NoDestructiveActionsBoundary

Info

Permission boundary preventing destructive S3 actions

Policy details

Type	Creation time	Edited time	ARN
Customer managed	August 17, 2026, 23:48 (UTC+03:00)	August 17, 2026, 23:48 (UTC+03:00)	arn:aws:iam::524873269022:policy/S3NoDestructiveActionsBoundary

Permissions

Entities attached

Tags

Policy versions (1)

Last Accessed

Permissions defined in this policy

Info

Permissions defined in this policy document specify which actions are allowed or denied. To define permissions for an IAM identity (user, user group, or role), attach a policy to it

Edit

Summary

JSON

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

524873269022-2ue24pfg.us-east-1.console.aws.amazon.com/iam/home?region=us-east-1#/roles/details/DevOpsEngineer

aws ec2 Ask Amazon Q Global Training (524873269022) root

IAM > Roles > DevOpsEngineer

Identity and Access Management (IAM)

Search IAM

Dashboard

Access Management

- Roles
- Policies
- IAM users
- IAM user groups
- Identity providers
- Account settings
- Root access management
- Temporary delegation requests

Access reports

Role DevOpsEngineer created.

View role

X

Policy name	Type	Attached entities
☐ PowerUserAccess	AWS managed - job function	1

Permissions boundary (set)

Set a permissions boundary to control the maximum permissions this role can have. This is not a common setting but can be used to delegate permission management to others. [Learn more about permission boundaries](#)

Permissions boundary

☐ S3NoDestructiveActionsBoundary Customer managed

Change boundary

Remove boundary

Generate policy based on CloudTrail events

CloudShell

Agent Toolkit for AWS

Feedback

Console Mobile App

© 2026, Amazon Web Services, Inc. or its affiliates.

Privacy

Terms

Cookie preferences

524873269022-2ue24pfg.us-east-1.console.aws.amazon.com/s3/buckets/devops-boundary-test-827648152690?region=us-east-1

devops-boundary-test-827648152690

Objects | Metadata | Properties | Permissions | Metrics | Management | File systems - new

Objects (1)

Find objects by prefix

Name	Type	Last modified
Daemon Targaryen.jpg	jpg	August 17, 2026, 23:59:07 (UTC-07:00)

```
PS C:\Users\user> aws sts get-caller-identity
{
  "UserId": "AROAXUNHCP4PFI3P6EOGH:DevOpsTest",
  "Account": "524873269022",
  "Arn": "arn:aws:sts::524873269022:assumed-role/DevOpsEngineer/DevOpsTest"
}

PS C:\Users\user> aws s3 rm s3://devops-boundary-test-827648152690/DaemonTargaryen.jpg
delete failed: s3://devops-boundary-test-827648152690/DaemonTargaryen.jpg An error occurred (AccessDenied) when calling the DeleteObject operation: User: arn:aws:sts::524873269022:assumed-role/DevOpsEngineer/DevOpsTest is not authorized to perform: s3:DeleteObject on resource: "arn:aws:s3::devops-boundary-test-827648152690/DaemonTargaryen.jpg" with an explicit deny in a permissions boundary: arn:aws:iam::524873269022:policy/S3NoDestructiveActionsBoundary
PS C:\Users\user>
```

524873269022-2ue24pfg.us-east-1.console.aws.amazon.com/iam/home?region=us-east-1#/identity_providers

Identity providers (2)

Use an identity provider (Idp) to manage your user identities outside of AWS, but grant the user identities permissions to use AWS resources in your account.

Filter by Type: All Types

Group name	Type	Creation time
token.actions.githubusercontent.com	OpenID Connect	Now
AWSSSO_42775df795c241e3_DO_NOT_DELETE	SAML	1 month ago

827648152690-ppsqj4o6.us-east-1.console.aws.amazon.com/guardduty/home?region=us-east-1#/settings

GuardDuty Settings

Summary
Findings
Malware scans
Investigations **Preview**

Extended Threat Detection
Protection Plans
Malware Protection

▼ Coverage
Runtime coverage

Accounts
Usage
Suppression rules
Settings
Lists

What's New

Sample findings help you visualize and analyze the findings types that GuardDuty generates. When you generate sample findings, GuardDuty populates your current findings list with one sample finding for each finding type.

Suspend GuardDuty [Info](#) [Suspend](#)

When you suspend GuardDuty, it will no longer monitor your AWS environment and won't generate new findings. The existing findings and GuardDuty configuration aren't affected by this action.

If you are using Malware Protection for S3, suspending GuardDuty doesn't suspend Malware Protection for protected S3 buckets. You must disable Malware Protection for S3 for each protected bucket individually, otherwise you will continue to incur usage costs associated with this feature. You won't be billed for other GuardDuty features when the GuardDuty service remains suspended. You can re-enable GuardDuty at any time.

Disable GuardDuty [Info](#) [Disable](#)

When you disable GuardDuty, it will no longer monitor your AWS environment and won't generate new findings. You will also lose your existing findings and GuardDuty configuration. You won't be able to recover this data after you disable GuardDuty.

To save a copy of your existing findings, you must first export them before you disable GuardDuty. [Learn more](#)

If you are using Malware Protection for S3, then disabling GuardDuty doesn't disable Malware Protection for protected S3 buckets. You must disable Malware Protection for S3 for each protected bucket individually, otherwise you will continue to incur usage costs associated with this feature.

AI powered investigations - Preview [Disabled](#) [Enable](#)

Each investigation provides a disposition assessment with confidence scoring, MITRE ATT&CK® technique classification, supporting evidence, and actionable recommendations for suppression, containment, or remediation.

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

827648152690-ppsqj4o6.us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/functions/ValidateAndLogFinding

Successfully updated the function "ValidateAndLogFinding".

Code Test Monitor Configuration Aliases Versions

Code source [info](#) [Open in Visual Studio Code](#) [Update](#)

EXPLORER

VALIDATEANDLOGFINDING

lambda_function.py

lambda_function.py

```
1 import json
2 import boto3
3 import os
4 from datetime import datetime
5
6 s3 = boto3.client('s3')
7 BUCKET_NAME = os.environ['FINDINGS_BUCKET']
8
9 def handler(event, context):
10     print("Received event:", json.dumps(event))
11
12     detail = event.get('detail', {})
13     finding_id = detail.get('id', 'unknown-finding')
14     severity = detail.get('severity', 0)
15     finding_type = detail.get('type', 'unknown-type')
16
17     response = detail.get('response', {})
```

DEPLOY [Deploy \(Ctrl+Shift+U\)](#)

© 2026, Amazon Web Services, Inc. or its affiliates. Privacy Terms Cookie preferences

827648152690-ppsqj4o6-us-east-1.console.aws.amazon.com/lambda/home?region=us-east-1#/functions/IsolateEC2Insta...

Successfully updated the function "IsolateEC2Instance".

Code source

lambda_function.py

```
1 import json
2 import boto3
3 import os
4
5 ec2 = boto3.client('ec2')
6 ISOLATION_SG = os.environ['ISOLATION_SG_ID']
7
8 def handler(event, context):
9     print("Received event:", json.dumps(event))
10
11     instance_id = event.get('instanceId')
12
13     if not instance_id:
14         return {
15             'isolated': False,
16             'reason': 'No instance ID provided - nothing to isolate'
17         }
18
19     try:
20         ec2.modify_instance_attribute(
21             InstanceId=instance_id,
```

Deploy (Ctrl+Shift+U)
Test (Ctrl+Shift+I)

827648152690-ppsqj4o6-us-east-1.console.aws.amazon.com/states/home?region=us-east-1#/v2/statemachines/edit/arn...

Step Functions

IncidentResponseWorkflow

Design | Code | Config

Undo | Redo | Zoom in | Zoom out | Center | Duplicate | Delete

Search

ACTIONS | Flow | Patterns | Info

MOST POPULAR

- AWS Lambda Invoke
- Amazon SNS Publish
- Amazon ECS RunTask
- AWS Step Functions StartExecution
- AWS Glue StartJobRun
- Bedrock AgentCore InvokeHarness

Workflow

The top level state machine properties for this workflow. [Learn more](#)

State machine query language | Info

JSONPath

Start at

The state that is the starting point of the workflow.

ValidateAndLog

Comment - optional

A human-readable description of the state machine.

Automated GuardDuty incident response workflow

TimeoutSeconds - optional

The maximum number of seconds an execution of the state machine can run. If it runs longer than the specified time, the execution fails with a States.Timeout.

Workflow diagram showing a sequence of actions: Start -> Lambda: Invoke ValidateAndLog -> SNS: Publish NotifySecurityTeam -> Choice state CheckInstancePresent -> Parallel split -> Parallel join -> End.

827648152690-ppsqj4o6.us-east-1.console.aws.amazon.com/events/home?region=us-east-1#/eventbus/default/rules/Gu...

Amazon EventBridge > Rules > GuardDutyHighSeverityRule

GuardDutyHighSeverityRule

Rule details info

Rule name: GuardDutyHighSeverityRule

Description: -

Status: Enabled

Rule ARN: arn:aws:events:us-east-1:827648152690:rule/GuardDutyHighSeverityRule

Event bus name: default

Event bus ARN: arn:aws:events:us-east-1:827648152690:event-bus/default

Type: Standard

Event pattern info

```
1 {
2   "source": ["aws.guardduty"],
3   "detail-type": ["GuardDuty Finding"],
4   "detail": {
5     "severity": [
6       {
7         "numeric": [">=", 7]
8       }
9     ]
10  }
```

Targets

Monitoring

Tags

Step Functions > State machines > IncidentResponseWorkflow > Execution: 5f8eb878-e657-41d2-99d9-0c8968fd831d

IncidentResponseWorkflow

Execution: 5f8eb878-e657-41d2-99d9-0c8968fd831d

Event view

State view

Events (8)

ID	Type	Step	Resource	Started After	Timestamp
1	ExecutionStarted			0	Aug 19, 2026, 11:58:48.930 (UTC+03:00)
2	TaskStateEntered	ValidateAndLog		00:00:00.022	Aug 19, 2026, 11:58:48.952 (UTC+03:00)
3	LambdaFunctionScheduled	ValidateAndLog	Lambda	00:00:00.022	Aug 19, 2026, 11:58:48.952 (UTC+03:00)
4	LambdaFunctionStarted	ValidateAndLog		00:00:00.097	Aug 19, 2026, 11:58:49.027 (UTC+03:00)
5	LambdaFunctionSucceeded	ValidateAndLog		00:00:00.528	Aug 19, 2026, 11:58:49.458 (UTC+03:00)
6	TaskStateExited	ValidateAndLog		00:00:00.542	Aug 19, 2026, 11:58:49.472 (UTC+03:00)
7	TaskStateEntered	NotifySecurityTeam		00:00:00.542	Aug 19, 2026, 11:58:49.472 (UTC+03:00)