

Week1

Maartje

2028-02-04

Problem 1

```
library(PeacoQC)
```

Answer 1

#PeacoQC will determine peaks on the channels in the flowframe. Then it will remove anomalies caused by e.g. clogs, changes in speed etc. by using an IsolationTree and/or the MAD method.

Problem 2

Take a closer look at the list of Bioconductor cytometry packages. Report back on how many there are currently in Bioconductor, the author/maintainer with the most contributed cytometry R packages, and a couple packages that you would be interested in exploring more in-depth later in the course.

answer 2

69 Mike Jiang flowAI flowMerge flowCyBar

problem 3

```
1384
1385
1386   {r}
1387   install.packages("pak")
1388   }
```

CONSOLE

TERMINAL

PROBLEMS

OUTPUT

PORTS

DEBUG CONSOLE

~/MaartjeCyto

+ ...)

Error:
! Syntax error: attempt to use zero-length variable name
> Library(PeacoQC)
+ {r}
+ install.packages("pak", repos = install.packages("pak", repos = sprintf("https://r-lib.github.io/p/pak/stable/%s/%s/%s", .Platform\$pkgType, R.Version\$arch, R.Version\$os), lib = file.path(tempdir(), "pak"), quiet = TRUE)
Error:
! Syntax error: attempt to use zero-length variable name
> install.packages("pak")
trying URL 'https://cran.rstudio.com/bin/windows/contrib/4.5/pak_0.9.2.zip'
Content type 'application/zip' length 10193608 bytes (9.7 MB)
downloaded 9.7 MB

package 'pak' successfully unpacked and MD5 sums checked

The downloaded binary packages are in
C:\Users\maart\AppData\Local\Temp\Rtmpiws8tq\downloaded_packages
>

'help.start()' for an HTML browser interface to help.
Type 'q()' to quit R.

> #install.packages("pak")
+ pak::pkg_install("broom")
✓ Updated metadata database: 6.05 MB in 15 files.
i Updating metadata database

For installing with pak you don't need to know where the package is stored (CRAN/Bioconductor or github). Also the summary of how the installation process was done in the console is much more concise compared to `install()` `install.packages()` or `install_github`

```
CONSOLE  TERMINAL  PROBLEMS  OUTPUT  PORTS  DEBUG CONSOLE

~/MaartjeCyto
+ bitops      1.0-9 [dl] (32.90 kB)
+ caTools     1.18.3 [dl] (251.56 kB)
+ cytoMEM     1.14.0 [dl]
+ gplots      3.3.0 [dl] (4.90 MB)
+ gtools      3.9.5 [dl] (367.32 kB)
i Getting 4 pkgs (5.56 MB) and 1 pkg with unknown size
✓ Got bitops 1.0-9 (x86_64-w64-mingw32) (33.14 kB)
✓ Got caTools 1.18.3 (x86_64-w64-mingw32) (254.41 kB)
✓ Got gtools 3.9.5 (x86_64-w64-mingw32) (368.79 kB)
✓ Got gplots 3.3.0 (i386+x86_64-w64-mingw32) (4.90 MB)
✓ Got cytoMEM 1.14.0 (i386+x86_64-w64-mingw32) (3.04 MB)
✓ Downloaded 5 packages (8.60 MB) in 2.7s
✓ Installed bitops 1.0-9 (680ms)
✓ Installed caTools 1.18.3 (675ms)
✓ Installed gtools 3.9.5 (835ms)
✓ Installed cytoMEM 1.14.0 (1s)
✓ Installed gplots 3.3.0 (1.3s)
✓ 1 pkg + 14 deps: kept 10, added 5, dld 5 (8.60 MB) [6.6s]
>
```

I have an error for installing CytoExploreR and I don't know how to fix that

```
Error:
!! error in pak subprocess
Caused by error:
! Could not solve package dependencies:
* DillonHammill/CytoExploreR: Can't install dependency superheat (>= 1.0.0)
▼ Hide Traceback
1. └pak::pkg_install("DillonHammill/CytoExploreR")
2.   └pak::remote(...)
3.     └err$throw(res$error)
>
```

~ 1827