

☐	No CORS headers	3
☐	No VoID partitions	9
☐	No Service description	9
☐	No Example queries	9
☐	No GeoSPARQL functions	6

All	11
Reachable	10
Unreachable	1

A word cloud containing the following terms: osmkey, geo, rdfs, skos, inspire, foodie, ceo, hydro, gts, up, rh, chebi, dcterms, and dbo.

Anything Geospatial queries Editor autocomplete Documented for newcomers

Most gaps	Name	Fastest
-----------	------	---------

ENDPOINT	CONFORMANCE	TRIPLES	RESPONSE
DBpedia https://dbpedia.org/sparql	C V S E G	1.1 G	—
bittich.be https://bittich.be/sparql	C V S E G	1	240 ms
publications.europa.eu http://publications.europa.eu/webapi/rdf/sparql	C V S E G	1.4 G	2400 ms
QLever OSM Planet https://qlever.dev/api/osm-planet	C V S E G	not measured	210 ms
Kadaster Knowledge Graph https://data.kkg.kadaster.nl/query	C V S E G	1.73 G	5714 ms
FOODIE / SPOI https://www.foodie-cloud.org/sparql	C V S E G	126 M	1900 ms
Cultural Heritage NL https://api.linkeddata.cultureelerfgoed.nl/datasets/rce/cho/services/cho/...	C V S E G	243 K	640 ms
Aragon Open Data http://opendata.aragon.es/sparql	C V S E G	137 K	1100 ms
CSIRO Chronostratigraphy http://vocabs.ardc.edu.au/repository/api/sparql/csiro_geologic-time-scale	C V S E G	75	380 ms
UniProt https://sparql.uniprot.org/sparql	C V S E G	95 G	320 ms
Rhea https://sparql.rhea-db.org/sparql	C V S E G	12 M	190 ms

Kadaster Knowledge Graph

reachable

TRIPLES

1.73 G

RESPONSE

5.7 s

VERDICTS

2 ok · 3 gap · 1 ?

https://data.kkg.kadaster.nl/query

- Findings
- Content
- Query
- History

CONFORMANCE, ATTRIBUTE BY ATTRIBUTE

CORS headers

verified

Sends Access-Control-Allow-Origin and answers preflight, so the editor can run queries straight from the browser.

GeoSPARQL functions

works, not declared

geof:sfWithin evaluates correctly, but nothing in the service description advertises it. That is the norm rather than the exception: across the LOD Cloud, 18 endpoints evaluate this filter and none declares it.

Advertise it so clients can discover it without probing:
sd:extensionFunction geof:sfWithin

Service description

declared only

Served, and it names a default dataset, but carries no VoID partitions and no entailment regime. Graded rather than pass/fail, because a stub description tells a client almost nothing.

level 2 of 4: names a dataset or graphs

VoID class partitions

absent

No VoID description, so tools cannot learn the shape of the data. sparqlwatch samples it instead and serves the result, marked as sampled.

Serve a VoID description at:
https://data.kkg.kadaster.nl/.well-known/void

Example queries

absent

No examples published, so newcomers have nothing to start from. sparqlwatch hosts three curated examples for this endpoint in the meantime.

Publish examples in the named graph:
https://data.kkg.kadaster.nl/.well-known/sparql-examples

geo:wktLiteral typing

indeterminate

Cannot be determined through this engine. Virtuoso rewrites DATATYPE(?g) to virtrdf#Geometry for every literal, so the declared datatype is unobservable from outside. Reported as indeterminate rather than non-conformant.

Kadaster Knowledge Graph

reachable

TRIPLES

1.73 G

RESPONSE

5.7 s

VERDICTS

2 ok · 3 gap · 1 ?

https://data.kkg.kadaster.nl/query

Findings

Content

Query

History

CLASSES AND PROPERTIES

sampled by sparqlwatch

This endpoint publishes no VoID description, so these partitions were derived by bounded sampling. Counts are lower bounds, not totals.

CLASS	INSTANCES	COMMON PROPERTIES		
geo:Feature	412 M	geo:hasGeometry	skos:prefLabel	rdf:type
imxgeo:Gebouw	10.4 M	imxgeo:bouwjaar	geo:hasGeometry	
imxgeo:Perceel	9.8 M	imxgeo:oppervlakte	skos:prefLabel	
imxgeo:Woonplaats	2.5 K	skos:prefLabel	geo:sfWithin	
skos:Concept	1.2 K	skos:prefLabel	skos:broader	

Kadaster Knowledge Graph

reachable

TRIPLES

1.73 G

RESPONSE

5.7 s

VERDICTS

2 ok · 3 gap · 1 ?

https://data.kkg.kadaster.nl/query

Findings

Content

Query

History

QUERY

autocomplete from sparqlwatch metadata

▶ Run

shift + enter

```
PREFIX geo: <http://www.opengis.net/ont/geosparql#>
PREFIX skos: <http://www.w3.org/2004/02/skos/core#>

SELECT ?feature ?label WHERE {
  ?feature a geo:Feature ;
  skos:pref
```

properties used with geo:Feature		3
skos:prefLabel	preferred label	412 M
skos:altLabel	alternative label	38 M
skos:prefSymbol	preferred symbol	1.1 K

START FROM AN EXAMPLE

☰ Buildings within a municipality, with construction year

sparqlwatch

☰ Parcels larger than one hectare

sparqlwatch

☰ Place names by preferred label

sparqlwatch

● **Kadaster Knowledge Graph** reachable

TRIPLES

1.73 G

RESPONSE

5.7 s


VERDICTS

2 ok · 3 gap · 1 ?

https://data.kkg.kadaster.nl/query

FindingsContentQueryHistory

RESPONSE TIME, 14 DAYS



Each point links to the stored measurement and its raw HTTP evidence, so a provider can see exactly which request was slow.

Example queries 7 across 7 endpoints

Ingested from the SIB Swiss sparql-examples corpus, discovered from endpoints that publish their own, and contributed here. Every example is RDF, so this page is a view over a SPARQL query.

Search by description, keyword, class or property...

Federated only

- enzyme
- reaction
- protein
- gene
- geospatial
- building
- lipid
- amenity
- expression
- metabolite

7 matching

Enzymes catalysing a reaction with a given ChEBI compound

rhea

enzyme

reaction

uniprot

Show query

Human proteins reviewed in the last release, with gene names

uniprot

protein

gene

Show query

Buildings within a municipality, with construction year

kadaster

geospatial

building

Show query

Lipids sharing a fatty-acid backbone, mapped to reactions

swisslipids

lipid

reaction

rhea

Show query

Restaurants within 500 m of a railway station

osm-planet

geospatial

amenity

Show query

Genes expressed in a given anatomical structure

bgee

gene

expression

uniprot

Show query

Metabolites shared between two model organisms

metanetx

metabolite

reaction

Show query

Fleet 11 endpoints · swept daily · last 2026-08-19 14:23 UTC

ENDPOINTS

11 monitored

10 reachable in the last sweep

UNDECLARED CAPABILITY

5 endpoints

work but advertise nothing

METADATA WE SERVE



11 documents

VoID and examples filling provider gaps

INDETERMINATE

9 verdicts

engine or budget blocked the answer



NOT USABLE FOR

- | | |
|---|---|
| ☐ No CORS headers | 3 |
| ☐ No VoID partitions | 9 |
| ☐ No Service description | 9 |
| ☐ No Example queries | 9 |
| ☐ No GeoSPARQL functions | 6 |

REACHABILITY

- | | |
|-------------|----|
| All | 11 |
| Reachable | 10 |
| Unreachable | 1 |

VOCABULARY

- osmkey geo rdfs skos
inspire foodie ceo hydro
gts up rh chebi dterms
dbo

WHAT DO YOU NEED IT TO DO?

- Documented for newcomers

11 of 11 endpoints

ENDPOINT	CONFORMANCE	TRIPLES	RESPONSE
DBpedia https://dbpedia.org/sparql	C V S E G	1.1 G	—
bittich.be https://bittich.be/sparql	C V S E G	1	240 ms
publications.europa.eu http://publications.europa.eu/webapi/rdf/sparql	C V S E G	1.4 G	2400 ms
QLever OSM Planet https://qlever.dev/api/osm-planet	C V S E G	not measured	210 ms
Kadaster Knowledge Graph https://data.kkg.kadaster.nl/query	C V S E G	1.73 G	5714 ms
FOODIE / SPOI https://www.foodie-cloud.org/sparql	C V S E G	126 M	1900 ms
Cultural Heritage NL https://api.linkeddata.cultureelerfgoed.nl/datasets/rce/cho/services/cho/...	C V S E G	243 K	640 ms
Aragon Open Data http://opendata.aragon.es/sparql	C V S E G	137 K	1100 ms
CSIRO Chronostratigraphy http://vocabs.ardc.edu.au/repository/api/sparql/csiro_geologic-time-scale	C V S E G	75	380 ms
UniProt https://sparql.uniprot.org/sparql	C V S E G	95 G	320 ms
Rhea https://sparql.rhea-db.org/sparql	C V S E G	12 M	190 ms

VERDICTS

☐	No CORS headers	3
☐	No VoID partitions	9
☐	No Service description	9
☐	No Example queries	9
☐	No GeoSPARQL functions	6

All	11
Reachable	10
Unreachable	1

osmkey geo rdfs skos
inspire foodie ceo hydro
gts up rh chebi dcterms
dbo

Anything Geospatial queries Editor autocomplete Documented for newcomers

Most gaps	Name	Fastest
-----------	------	---------

ENDPOINT	CONFORMANCE	TRIPLES	RESPONSE
● DBpedia https://dbpedia.org/sparql	C V S E G	1.1 G	—
● bittich.be https://bittich.be/sparql	C V S E G	1	240 ms
● publications.europa.eu http://publications.europa.eu/webapi/rdf/sparql	C V S E G	1.4 G	2400 ms
● QLever OSM Planet https://qllever.dev/api/osm-planet	C V S E G	not measured	210 ms
● Kadaster Knowledge Graph https://data.kkg.kadaster.nl/query	C V S E G	1.73 G	5714 ms
● FOODIE / SPOI https://www.foodie-cloud.org/sparql	C V S E G	126 M	1900 ms
● Cultural Heritage NL https://api.linkeddata.cultureelerfgoed.nl/datasets/rce/cho/services/cho/...	C V S E G	243 K	640 ms
● Aragon Open Data http://opendata.aragon.es/sparql	C V S E G	137 K	1100 ms
● CSIRO Chronostratigraphy http://vocabs.ardc.edu.au/repository/api/sparql/csiro_geologic-time-scale	C V S E G	75	380 ms
● UniProt https://sparql.uniprot.org/sparql	C V S E G	95 G	320 ms
● Rhea https://sparql.rhea-db.org/sparql	C V S E G	12 M	190 ms

☐ verified
 ☐ works, not declared
 ☐ declared only
 ☐ absent
 ☐ declared but wrong
 ☐ indeterminate

Declared but wrong is worse than absent: a false claim misleads a client that trusts it. Indeterminate means the engine or a time budget stopped us answering, never that the attribute is missing.