

☐ No CORS headers	1
☐ No VoID description	5
☐ No service description	3
☐ No example queries	4

All	10
Reachable	9
Unreachable	1

osmkey geo rdfs skos
owl up rh chebi wdt
dbo mnx sl genex

Most gaps	Name	Fastest
-----------	------	---------

ENDPOINT	READY FOR TOOLS	TRIPLES	RESPONSE
QLever OSM Planet sampled https://qlever.dev/api/osm-planet	C V S E	not measured	210 ms
Ontop CERTAIN https://ontop.certain.ai.ustp.at/sparql	C V S E	7.8 K	173 ms
DBpedia https://dbpedia.org/sparql	C V S E	1.1 G	—
Kadaster Knowledge Graph https://data.kkg.kadaster.nl/query	C V S E	1.73 G	5714 ms
Wikidata sampled https://query.wikidata.org/sparql	C V S E	15 G	1450 ms
Bgee sampled https://bgee.org/sparql	C V S E	2.4 G	890 ms
UniProt https://sparql.uniprot.org/sparql	C V S E	95 G	320 ms
Rhea https://sparql.rhea-db.org/sparql	C V S E	12 M	190 ms
MetaNetX https://rdf.metanetx.org/sparql	C V S E	48 M	240 ms
SwissLipids https://sparql.swisslipids.org/sparql	C V S E	31 M	275 ms

 A letter chip means the endpoint publishes what tools need. Where it is missing, sparqlwatch serves the metadata itself, so the query editor still autocompletes.

Kadaster Knowledge Graph

reachable

TRIPLES

1.73 G

RESPONSE

5.7 s

READY

2 / 4

https://data.kkg.kadaster.nl/query

- Findings
- Content
- Query
- History

WHAT TOOLS NEED FROM THIS ENDPOINT

✓

CORS headers

published

Sends Access-Control-Allow-Origin and answers preflight, so the query editor can run queries from the browser.

✓

SPARQL service description

published

A service description is available, naming supported languages and result formats.

!

VoID description

missing

No VoID description with class-property partitions, so tools cannot learn the shape of the data. sparqlwatch samples it instead and serves the result, marked as sampled.

Serve a VoID description at:
https://data.kkg.kadaster.nl/.well-known/void

!

Example queries

missing

No examples published, so newcomers have nothing to start from. sparqlwatch hosts three curated examples for this endpoint in the meantime.

Publish examples in the named graph:
https://data.kkg.kadaster.nl/.well-known/sparql-examples

Kadaster Knowledge Graph

reachable

TRIPLES

1.73 G

RESPONSE

5.7 s

READY

2 / 4

https://data.kkg.kadaster.nl/query

Findings

Content

Query

History

CLASSES AND PROPERTIES

sampled by sparqlwatch

This endpoint publishes no VoID description, so these partitions were derived by bounded sampling. Counts are lower bounds, not totals.

CLASS	INSTANCES	COMMON PROPERTIES		
geo:Feature	412 M	geo:hasGeometry	skos:prefLabel	rdf:type
imxgeo:Gebouw	10.4 M	imxgeo:bouwjaar	geo:hasGeometry	
imxgeo:Perceel	9.8 M	imxgeo:oppervlakte	skos:prefLabel	
imxgeo:Woonplaats	2.5 K	skos:prefLabel	geo:sfWithin	
skos:Concept	1.2 K	skos:prefLabel	skos:broader	

Kadaster Knowledge Graph

reachable

TRIPLES

1.73 G

RESPONSE

5.7 s

READY

2 / 4

https://data.kkg.kadaster.nl/query

Findings

Content

Query

History

QUERY

autocomplete from sparqlwatch metadata

▶ Run

shift + enter

PREFIX **geo:** <http://www.opengis.net/ont/geosparql#>
PREFIX **skos:** <http://www.w3.org/2004/02/skos/core#>

SELECT ?feature ?label WHERE {
 ?feature a geo:Feature ;
 skos:pref

properties used with geo:Feature		3
skos:prefLabel	preferred label	412 M
skos:altLabel	alternative label	38 M
skos:prefSymbol	preferred symbol	1.1 K

START FROM AN EXAMPLE

⋮ Buildings within a municipality, with construction year

sparqlwatch

⋮ Parcels larger than one hectare

sparqlwatch

⋮ Place names by preferred label

sparqlwatch

Kadaster Knowledge Graph

reachable

TRIPLES

1.73 G

RESPONSE

5.7 s

READY

2 / 4

https://data.kkg.kadaster.nl/query


Findings

Content

Query

History

RESPONSE TIME, 14 DAYS



Each point links to the stored measurement and its raw HTTP evidence, so a provider can see exactly which request was slow.

Example queries 7 across 7 endpoints

Ingested from the SIB Swiss sparql-examples corpus, discovered from endpoints that publish their own, and contributed here. Every example is RDF, so this page is a view over a SPARQL query.

 Federated only

- enzyme
- reaction
- protein
- gene
- geospatial
- building
- lipid
- amenity
- expression
- metabolite

7 matching

Enzymes catalysing a reaction with a given ChEBI compound

rhea

enzyme

reaction

 uniprot

Show query

Human proteins reviewed in the last release, with gene names

uniprot

protein

gene

Show query

Buildings within a municipality, with construction year

kadaster

geospatial

building

Show query

Lipids sharing a fatty-acid backbone, mapped to reactions

swisslipids

lipid

reaction

 rhea

Show query

Restaurants within 500 m of a railway station

osm-planet

geospatial

amenity

Show query

Genes expressed in a given anatomical structure

bgee

gene

expression

 uniprot

Show query

Metabolites shared between two model organisms

metanetx

metabolite

reaction

Show query

Fleet 10 endpoints · swept daily · last 2026-08-19 14:23 UTC

ENDPOINTS

10 monitored

9 reachable in the last sweep

FULLY TOOL-READY

4 of 10

publish all four requirements

METADATA WE SERVE

11 documents

VoID and examples filling provider gaps

NOT MEASURABLE

2 endpoints

too large to sample within budget

