

1. Database along with tables created

The screenshot shows the SQL Server Enterprise Manager interface. The left pane displays the 'SCHEMAS' tree with 'collegedb' expanded, showing 'employee' and 'hospital_db' schemas. The 'employee' schema is selected, showing 'Tables', 'Views', 'Stored Procedures', and 'Functions'. The 'Tables' folder is expanded, showing 'departments', 'employees', and 'location'. The 'employees' table is selected, showing its columns: 'employee_id', 'employee_name', 'Gender', 'Age', 'Hire_date', 'Designation', 'Salary', 'department_id', and 'location_id'. The 'Output' pane at the bottom shows the execution of the following SQL script:

```
-- Create a table
Create table Employees(
  employee_id INT,
  employee_name VARCHAR(50),
  Gender VARCHAR(10),
  Age INT,
  Hire_date DATE,
  Designation VARCHAR(50),
  Salary DECIMAL(10,2),
  department_id INT,
  location_id INT
);
```

The 'Output' pane shows the following results:

#	Time	Action	Message	Duration / Fetch
1	09:48:12	CREATE DATABASE Employee	1 row(s) affected	0.016 sec
2	09:50:43	Create table Departments(department_id INT, department_name VARCHAR(50))	0 row(s) affected	0.047 sec
3	09:51:56	Create table Location(location_id INT, location_name VARCHAR(50))	0 row(s) affected	0.031 sec
4	09:53:24	Create table Employees(employee_id INT, employee_name VARCHAR(50), Gender V...	0 row(s) affected	0.031 sec

2. Tables with their columns

The screenshot shows the SQL Server Enterprise Manager interface. The left pane displays the 'SCHEMAS' tree with 'collegedb' expanded, showing 'employee' and 'hospital_db' schemas. The 'employee' schema is selected, showing 'Tables', 'Views', 'Stored Procedures', and 'Functions'. The 'Tables' folder is expanded, showing 'departments', 'employees', and 'location'. The 'location' table is selected, showing its columns: 'location_id' and 'location_name'. The 'Columns' tab is selected, showing the following columns:

Column	Type	Default Value
location_id	int	
location_name	varchar(50)	

Navigator

SCHEMAS

Filter objects

collegedb

employee

Tables

departments

Columns

Indexes

Foreign Keys

Triggers

employees

Columns

Indexes

Foreign Keys

Triggers

Administration

Schemas

Information

Table: departments

Columns:

department_id

int

department_name

varchar(50)

employee.departments

employee.employees

employee.local

Info

Columns

Indexes

Triggers

Foreign keys

Partitions

Grants

Column	Type	Default Value
department_id	int	
department_name	varchar(50)	

Count: 2

Refresh

Navigator: employee.departments employee.employees x employee.locat

SCHEMAS

Filter objects

- collegedb
 - employee**
 - Tables
 - departments
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers
 - employees
 - Columns
 - Indexes
 - Foreign Keys
 - Triggers

Administration Schemas

Information:

Table: departments

Columns:

department_id	int
department_name	varchar(50)

Column	Type	Default Value
Age	int	
department_id	int	
Designation	varchar(50)	
employee_id	int	
employee_name	varchar(50)	
Gender	varchar(10)	
Hire_date	date	
location_id	int	
Salary	decimal(10,2)	

Count: 9 Refresh