


1. Missing value handling

Missing values were identified in the dataset and replaced with the average value of the "Price" column within each corresponding "Category" to ensure data completeness and maintain category-specific consistency.

E	F
Price (\$)	Final Price (\$)
1000	1000
80	80
130	130
900	900
70	70
	768
30	30
90	90
500	500
130	130
950	950
90	90
120	120
150	150
250	250
50	50
160	160
980	980
150	150
	130
700	700
80	80
150	150


2. Find and Replace corrections

In Power Query Editor, the Replace Values function was used to correct inconsistent entries in the "Category" and "Brand Name" columns. For example, the misspelled value "Electroni" was replaced with "Electronics" in the "Category" column to maintain data accuracy and consistency. Similarly, unwanted special characters in the "Brand Name" column were identified and replaced with the appropriate values, ensuring uniform formatting and improving overall data quality.



3. Duplicate removal process


In Power Query Editor, duplicate records were identified and removed using the Remove Rows → Remove Duplicates option. This process eliminated redundant entries from the dataset, ensuring that each record was unique and improving the accuracy and reliability of the data for further analysis.



4. Column splitting and merging


a) Splitting Columns

In Power Query Editor, the "Product ID" column was split into two separate columns using the Split Column feature to extract the "Manufacturing Date" and "Country Code" information. Any unnecessary characters were removed during the transformation process to ensure the data was clean and properly formatted.



b) Merging Columns

Additionally, the "Brand Name" and "Product Name" columns were merged into a single column named "Product Brand" using the Custom Column feature in Power Query Editor. A custom formula was applied to combine the values from both columns, as shown in the screenshot. These transformations improved the structure, readability, and usability of the dataset for further analysis.



5. Conditional formatting results

Conditional formatting was applied to the "Price" column using Data Bars to provide a visual representation of product prices. The length of each data bar corresponds to the value in the cell, allowing higher-priced products to be easily distinguished from lower-priced ones. Additionally, a custom conditional formatting rule was created for the "Category" column to highlight cells containing the value "Electronics." This helped improve data visualization and made it easier to identify products belonging to the Electronics category.

