



What is EJS Template ?

Embedded JavaScript Templating

EJS Template



Template Engine Based on JavaScript

EJS provides a clean and convenient way to create views in ExpressJS

Benefits : Create Dynamic and Reusable Templates



EJS Template Tag Syntax

Tag	Description
<code><% %></code>	Control flow, no output
<code><%= %></code>	Outputs escaped value (safe)
<code><%- %></code>	Outputs unescaped value (unsafe)
<code><%# %></code>	Comment (not shown in output)
<code><% -%></code>	Removes the following newline
<code><%_ %></code>	Removes whitespace before it
<code><% _%></code>	Removes all whitespace after it



EJS Template Tag Syntax

Tag	Description
<code><% %></code>	Control flow, no output
<code><%= %></code>	Outputs escaped value (safe)
<code><%- %></code>	Outputs unescaped value (unsafe)
<code><%# %></code>	Comment (not shown in output)
<code><% -%></code>	Removes the following newline
<code><%_ %></code>	Removes whitespace before it
<code><% _%></code>	Removes all whitespace after it

// This is comment

Prevents XSS attacks

```
<ul>
  <% for(let i = 1; i <= 3; i++) { %>
    <li>Item <%= i %></li>
  <% } %>
</ul>
```

```
<ul>
  <li>Item 1</li>
  <li>Item 2</li>
  <li>Item 3</li>
</ul>
```



Node.js logo consisting of the word 'node' in a stylized font with a green hexagon for the 'o' and a green hexagon with 'JS' inside for the 's'.

EJS Template

YahuBaba
www.Yahubaba.com



EXPLORER



package.json

index.js



EJS-PROJECT

> node_modules

> views

index.js

package-lock.json

package.json



index.js > ...

```
1 import express from 'express'
2 const app= express()
3
4 app.set('view engine', 'ejs')
5 app.se
6
7
8 app.listen
9   const settings
10 })
```

search

set

setMaxListeners

settings

m-search

use

subscribe

express

resource

response

eventNames

request

routes

(property) IRouter
rch: IRouterMatche
press, any>
")

PROBLEMS

OUTPUT

DE

```
[nodemon] starting `node index.js`
[nodemon] restarting due to changes...
```



EXPLORER



package.json

index.js



EJS-PROJECT

> node_modules

> views

index.js

package-lock.json

package.json



index.js > ...

```
1 import express from 'express'
2 const app= express()
3
4 app.set('view engine', 'ejs')
5 app.set('views', './my-templates')
6
7
8 app.listen(3000,()=>{
9   console.log("Server started successfully on port : 3000")
10 })
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
[nodemon] restarting due to changes...
```

```
[nodemon] starting `node index.js`
```



EXPLORER



package.json

index.js



EJS-PROJ... index.js > app.get('/about') callback



> node_modules

views

<% about.ejs

index.js

package-lock.json

package.json



```
7 | res.send("Home Page")
8 | })
9 |
10 | app.get('/about', (req, res) => {
11 |   res.render("about")
12 | })
13 |
14 |
15 | app.listen(3000, ()=>{
16 |   console.log("Server started successfully on port : 3000")
17 | })
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
[nodemon] restarting due to changes...
```

```
[nodemon] starting `node index.js`
```

EXPLORER package.json index.js about.ejs

EJS-PROJECT views > about.ejs > html > body > p

- node_modules
- views
 - about.ejs
 - index.js
 - package-lock.json
 - package.json

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7 </head>
8 <body>
9   <h1>About Page</h1>
10  <p>lorem2</p>
11 </body>
12 </html>
```

lorem2

Emmet Abbrevi

Lorem, ipsum.

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
[nodemon] restarting due to changes...
[nodemon] starting `node index.js`
```




EXPLORER



package.json

index.js



<% about.ejs

EJS-PROJECT

index.js > app.get('/about') callback > title



> node_modules

views

<% about.ejs

<% profile.ejs

index.js

package-lock.json

package.json



```
6 app.get('/', (req, res) => {
7   res.send("Home Page")
8 })
9
10 app.get('/about', (req, res) => {
11   res.render("about", {title: 'About page'})
12 })
13
14
15 app.listen(3000, ()=>{
16   console.log("Server started successfully on port : 3000")
17 })
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
[nodemon] restarting due to changes...
[nodemon] starting `node index.js`
```

EXPLORER package.json index.js x aboutEjs

EJS-PROJECT index.js > app.get('/about') callback > message

> node_modules

views

about.ejs

profile.ejs

index.js

package-lock.json

package.json

```
6 app.get('/', (req, res) => {
7   res.send("Home Page")
8 })
9
10 app.get('/about', (req, res) => {
11   res.render("about", {title: 'About page', message: "Welcome to EJS!"})
12 })
13
14
15 app.listen(3000, () => {
16   console.log("Server started successfully on port : 3000")
17 })
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
Server started successfully on port : 3000
[nodemon] restarting due to changes...
```

EXPLORER package.json index.js about.ejs x

EJS-PROJECT views > about.ejs > html > body > p > ?

> node_modules

views

- about.ejs
- profile.ejs
- index.js
- package-lock.json
- package.json

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title><%= title %></title>
7 </head>
8 <body>
9   <h1><%= title %></h1>
10  <p><%= message %></p>
11 </body>
12 </html>
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
[nodemon] restarting due to changes...
[nodemon] starting `node index.js`
```

EXPLORER package.json index.js about.ejs

EJS-PROJECT views > about.ejs > html > body > ? > p

node_modules

views

- about.ejs
- profile.ejs
- index.js
- package-lock.json
- package.json

```
1 </head>
2
3 <body>
4   <h1><%= title %></h1>
5
6   <% if(message){ %>
7     <p><%= message %></p>
8   <% } %>
9
10 </body>
11 </html>
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
[nodemon] starting `node index.js`
Server started successfully on port : 3000
```

EXPLORER

... package.json index.js about.ejs

views > about.ejs > html > body > ? > ? > span


EJS-PROJECT

- > node_modules
- views
 - about.ejs
 - profile.ejs
 - index.js
 - package-lock.json
 - package.json

```
1 </head>
2
3 <body>
4   <h1><%= title %></h1>
5
6   <% if(message){ %>
7     <p><%= message %></p>
8   <% } else { %>
9     <span>There is no message.</span>
10   <% } %>
11
12 </body>
13
14 </html>
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
[nodemon] restarting due to changes...
[nodemon] starting `node index.js`
```



```
1 </head>
2
3 <body>
4   <h1><%= title %></h1>
5
6   <% let items= ['Apple', 'Banana', 'Cherry'] %>
7
8   <ul>
9     <% items.forEach( item => { %>
10       <li></li>
11     <% }) %>
12   </ul>
13 </body>
14 </html>
```



Free AI course
Sponsored

Visit site

PROBLEMS

CONSOLE

TERMINAL

PORTS

```
Server started successfully on port : 3000
[nodemon] restarting due to changes...
```



EXPLORER



package.json

index.js

about.ejs



EJS-PROJECT

> node_modules

views

about.ejs

profile.ejs

index.js

package-lock.json

package.json



views > about.ejs > html > body > ? > ul > ?

</head>

<body>

<h1><%= title %></h1>

<% let items= ['Apple', 'Banana', 'Cherry'] %>

<% items.forEach(item => { %>

<%= item %>

<% }) %>

</body>

</html>

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

Server started successfully on port : 3000

[nodemon] restarting due to changes...

Line wrap ☐

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Home page</title>
7 </head>
8 <body>
9   <h1>Home page</h1>
10
11
12
13   <ul>
14
15     <li>Apple </li>
16
17     <li>Banana </li>
18
19     <li>Cherry </li>
20
21   </ul>
22 </body>
23 </html>
```




EXPLORER



package.json

index.js

about.ejs



EJS-PROJECT

> node_modules

views

about.ejs

profile.ejs

index.js

package-lock.json

package.json



views > about.ejs > html > body > ? > ul > ? > li > ?

</head>

8 <body>

9 <h1><%= title %></h1>

10

11 <% let items= ['Apple', 'Banana', 'Cherry'] %>

12

13

14 <% items.forEach(item => { %>

15 <%= item _%>

16

17 <% }) %>

18

19 </body>

</html>



PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

Server started successfully on port : 3000

[nodemon] restarting due to changes...

Line wrap ☐

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Home page</title>
7 </head>
8 <body>
9   <h1>Home page</h1>
10
11
12
13   <ul>
14
15     <li>Apple</li>
16
17     <li>Banana</li>
18
19     <li>Cherry</li>
20
21   </ul>
22 </body>
23 </html>
```

EXPLORER package.json index.js x about.ejs

EJS-PROJECT index.js > app.get('/about') callback > items

> node_modules

views

about.ejs

profile.ejs

index.js

package-lock.json

package.json

```
6 app.get('/', (req, res) => {
7   res.send("Home Page")
8 })
9
10 app.get('/about', (req, res) => {
11   let items = ['Apple', 'Banana', 'Cherry']
12
13   res.render("about", {title: 'Home page', message: "Welcome"})
14 })
15
16
17 app.listen(3000, () => {
18   console.log("Server started successfully on port : 3000")
19 })
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
[nodemon] restarting due to changes...
[nodemon] starting `node index.js`
```



EXPLORER



package.json

index.js



about.ejs



EJS-PROJECT

index.js > app.get('/about') callback > items



> node_modules

views

about.ejs

profile.ejs

index.js

package-lock.json

package.json



```
6 app.get('/', (req, res) => {
7   res.send("Home Page")
8 })
9
10 app.get('/about', (req, res) => {
11   let items= ['Apple', 'Banana', 'Cherry']
12
13   res.render("about", {
14     title:'Home page',
15     message: "Welcome",
16     items
17   })
18 })
19
20
21 app.listen(3000,()=>{
22   console.log("Server started successfully on port : 3000")
23 })
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
[nodemon] restarting due to changes...
```

```
[nodemon] starting `node index.js`
```



EXPLORER

package.json

index.js

about.ejs



EJS-PROJECT

> node_modules

views

about.ejs

profile.ejs

index.js

package-lock.json

package.json



```
6 app.get('/', (req, res) => {
7   res.send("Home Page")
8 })
9
10 app.get('/about', (req, res) => {
11   let items= ['Apple', 'Banana', 'Cherry', 'Orange']
12
13   res.render("about", {
14     title:'Home page',
15     message: "Welcome",
16     items
17   })
18 })
19
20
21 app.listen(3000,()=>{
22   console.log("Server started successfully on port : 3000")
23 })
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

```
[nodemon] starting `node index.js`
Server started successfully on port : 3000
```

EXPLORER ... package.json index.js X aboutLejs

EJS-PROJECT index.js > app.get('/about') callback

> node_modules

views

about.ejs

profile.ejs

index.js

package-lock.json

package.json

```
9
10 app.get('/about', (req, res) => {
11   var user = [
12     {name:'Akshay Kumar',age: 25,city:'Delhi'},
13     {name:'Salman Khan',age: 24,city:'Mumbai' },
14     {name:'Shahid Kapoor',age: 23 ,city:'Goa'},
15     {name:'John Abraham',age: 22 ,city:'Delhi'},
16     {name:'Kartrina Kaif',age: 23 ,city:'Agra'}
17   ];
18
19   res.render("about", {
20     title:'Home page',
21     message: "Welcome",
22     items
23   })
24 })
25
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

```
Server started successfully on port : 3000
[nodemon] restarting due to changes...
```



EXPLORER



package.json



index.js



<% about.ejs



EJS-PROJECT

> node_modules

views

<% about.ejs

<% profile.ejs

index.js

package-lock.json

package.json



index.js

app.get('/about') callback > items

```
10 app.get( /about , (req, res) => {
11   var users = [
12     {name:'Akshay Kumar',age: 25,city:'Delhi'},
13     {name:'Salman Khan',age: 24,city:'Mumbai' },
14     {name:'Shahid Kapoor',age: 23 ,city:'Goa'},
15     {name:'John Abraham',age: 22 ,city:'Delhi'},
16     {name:'Kartrina Kaif',age: 23 ,city:'Agra'}
17   ];
18
19   res.render("about", {
20     title:'Home page',
21     message: "Welcome",
22     items: users
23   });
24 })
25
26
27 app.listen(3000,()=>{
28   console.log("Server started successfully on port : 3000")
29 })
```



EXPLORER



package.json

index.js

about.ejs



EJS-PROJECT

views > about.ejs > html > body > table > ? > tr > td > ?



> node_modules

views

about.ejs

profile.ejs

index.js

package-lock.json

package.json



10

11

12

13

14

15

16

17

18

19

20

21

22

<table>

<% items.forEach(item => { %>

<tr>

<td><%= item.name _%> </td>

<td><%= item.age _%></td>

<td><%= item.city _%></td>

</tr>

<% }) %>

</table>

</body>

</html>

I



EXPLORER



package.json

index.js

about.ejs



EJS-PROJECT

views > about.ejs > html > body > table

> node_modules

views

<% about.ejs

<% profile.ejs

index.js

package-lock.json

package.json

10

11

12

13

14

15

16

17

18

19

20

21

22

<table border="1" width="500px">

<% items.forEach(item => { %>

<tr>

<td><%= item.name _%> </td>

<td><%= item.age _%></td>

<td><%= item.city _%></td>

</tr>

<% }) %>

</table>

</body>

</html>

Home page

Akshay Kumar	25	Delhi
Salman Khan	24	Mumbai
Shahid Kapoor	23	Goa
John Abraham	22	Delhi
Kartrina Kaif	23	Agra





EJS Template - II

YahuBaba

www.Yahubaba.com



- Form Submission
- Partials
- Serving Static Files



- Form Submission
- Partials
- Serving Static Files ([CSS](#), [JS](#), [Images](#))

EXPLORER about.ejs index.js

EJS-PROJ... index.js > app.get('/form') callback

> node_modules

views

F:\YahooBaba\Learn-NodeJS\ejjs-project\views

profile.ejs

index.js

package-lock.json

package.json

```
18
19
20
21
22
23
24
25
26 app.get('/form', (req, res) => {
27   res.render('form')
28 })
29
30
31 app.listen(3000, () => {
32   console.log("Server started successfully on port : 3000")
33 })
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS F:\YahooBaba\Learn-NodeJS\ejjs-project> |



EXPLORER



about.ejs

index.js

form.ejs



EJS-PROJECT

node_modules

views

about.ejs

form.ejs

profile.ejs

index.js

package-lock.json

package.json



views > form.ejs > html > body > div.container > div.row > div.col

```
1 <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
2 </head>
3 <body>
4   <div class="container">
5     <div class="row">
6       <div class="col">EJS Template</div>
7     </div>
8     <div class="row"></div>
9     <div class="row"></div>
10  </div>
11 </body>
12 </html>
```

PROBLEMS


OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

PS F:\YahooBaba\Learn-NodeJS\ejjs-project> |



EXPLORER

... about.ejs index.js form.ejs

views > form.ejs > html > body > div.container > div.row > div.col > form > input

node_modules

views

- about.ejs
- form.ejs
- profile.ejs
- index.js
- package-lock.json
- package.json

```
10 <div class="container">
11   <div class="row">
12     <div class="col">EJS Template</div>
13   </div>
14   <div class="row">
15     <div class="col">
16       <form action="">
17         Enter Name : <input type="text">
18       </form>
19     </div>
20   </div>
21   <div class="row"></div>
22 </div>
23 </body>
24 </html>
```

PROBLEMS OUTPUT DEBUG CONSOLE TERMINAL PORTS

PS F:\YahooBaba\Learn-NodeJS\ejjs-project> |



EXPLORER



about.ejs

index.js

form.ejs



EJS-PROJECT

node_modules

views

about.ejs

form.ejs

profile.ejs

index.js

package-lock.json

package.json



views > form.ejs > html > body > div.container > div.row > div.col > form

```
14 <div class="row">
15   <div class="col">
16     <form action="/submit" method="POST">
17       Enter Name : <input type="text" name="myname">
18       <br><br>
19       <input type="submit" value="">
20     </form>
21   </div>
22 </div>
23 <div class="row"></div>
24 </div>
25 </body>
26 </html>
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

PS F:\YahooBaba\Learn-NodeJS\ejjs-project> |



EXPLORER



about.ejs

index.js

form.ejs



EJS-PROJECT

node_modules

views

about.ejs

form.ejs

profile.ejs

index.js

package-lock.json

package.json



views > form.ejs > html > body > div.container > div.row > div.col

```
14 <div class="row">
15   <div class="col">
16     <form action="/submit" method="POST">
17       Enter Name : <input type="text" name="myname">
18       <br><br>
19       <input type="submit" value="">
20     </form>
21   </div>
22 </div>
23 <div class="row">
24   <div class="col">
25     Made By YahuBaba.
26   </div>
27 </div>
28 </div>
29 </body>
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS

PS F:\YahooBaba\Learn-NodeJS\ejjs-project> |



EXPLORER



about.ejs

index.js

form.ejs



EJS-PROJECT

> node_modules

views

<% about.ejs

<% form.ejs

<% profile.ejs

index.js

package-lock.json

package.json



index.js > app.post('/submit') callback > message

24

25

26 app.get('/form',(req, res) => {

27 | res.render('form')

28 | })

29

30 app.post('/submit',(req, res) => {

31 | const name= req.body.myname

32

33 | const message = `Hello, \${name} You submitted the form.`

34

35 | })

36

37

38 app.listen(3000,()=>{

39 | console.log("Server started successfully on port : 3000")

40 | })

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS



EXPLORER

... about.ejs

index.js

form.ejs



EJS-PROJECT

> node_modules

views

about.ejs

form.ejs

profile.ejs

index.js

package-lock.json

package.json



index.js > ...

```
1 import express from 'express'
2 const app= express()
3
4 app.set('view engine', 'ejs')
5 app.use(express.urlencoded())
6
7 app.get('/', (req, res) =>
8   res.send("Home Page")
9 })
10
11 app.get('/about', (req, res) =>
12   var users = [
13     {name: 'Akshay Kumar', age: 24, city: 'Mumbai'},
14     {name: 'Salman Khan', age: 23, city: 'Goa'},
15     {name: 'Shahid Kapoor', age: 22, city: 'Delhi'},
16     {name: 'John Abraham', age: 23, city: 'Agra'},
17   ]
18 );
19
20 res.render("about", {
```

urlencoded(options?:
bodyParser.OptionsUrlencoded):
createServer.NextHandleFunction

Returns middleware that only parses
urlencoded bodies and only looks at
requests where the Content-Type
header matches the type option


PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS



index.js > extended

```
1 import express from 'express'
2 const app= express()
3
4 app.set('view engine', 'ejs')
5 app.use(express.urlencoded({ extended: false}))
6
7 app.get('/', (req, res) => {
8   res.send("Home Page")
9 })
10
11 app.get('/about', (req, res) => {
12   var users = [
13     {name: 'Akshay Kumar', age: 25, city: 'Delhi'},
14     {name: 'Salman Khan', age: 24, city: 'Mumbai'},
15     {name: 'Shahid Kapoor', age: 23, city: 'Goa'},
16     {name: 'John Abraham', age: 22, city: 'Delhi'},
17     {name: 'Kartrina Kaif', age: 23, city: 'Agra'}
18   ];
19
20   res.render("about", {
```

urlencoded(options?:
bodyParser.OptionsUrlencoded):
createServer.NextHandleFunction

Returns middleware that only parses
urlencoded bodies and only looks at
requests where the Content-Type
header matches the type option



EXPLORER



<% about.ejs

index.js



<% form.ejs

EJS-PROJECT

index.js > ...



> node_modules

views

<% about.ejs

<% form.ejs

<% profile.ejs

index.js

package-lock.json

package.json

```
23 | items: users
24 | })
25 | })
26 |
27 | app.get('/form',(req, res) => {
28 |   res.render('form')
29 | })
30 |
31 | app.post('/submit',(req, res) => {
32 |   const name= req.body.myname
33 |
34 |   const message = `Hello, ${name} You submitted the form.`
35 |   res.render('form', {message: message})
36 | })
37 |
38 |
39 | app.listen(3000,()=>{
40 |   console.log("Server started successfully on port : 3000")
41 | })
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS



EXPLORER



about.ejs

index.js

form.ejs



EJS-PROJECT

index.js > app.get('/form') callback > message

> node_modules

views

about.ejs

form.ejs

profile.ejs

index.js

package-lock.json

package.json



```
23 |         items: users
24 |     })
25 | })
26 |
27 | app.get('/form', (req, res) => {
28 |     res.render('form', {message: null})
29 | })
30 |
31 | app.post('/submit', (req, res) => {
32 |     const name= req.body.myname
33 |
34 |     const message = `Hello, ${name} You submitted the form.`
35 |     res.render('form', {message: message})
36 | })
37 |
38 |
39 | app.listen(3000, ()=>{
40 |     console.log("Server started successfully on port : 3000")
41 | })
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS



EXPLORER



about.ejs

index.js

form.ejs



EJS-PROJECT

views > form.ejs > html > body > div.container > div.row > div.col > ?



node_modules



views



about.ejs



form.ejs



profile.ejs



index.js



package-lock.json



package.json



```
17 <div class="col">
18   <form action="/submit" method="POST">
19     Enter Name : <input type="text" name="myname">
20     <br><br>
21     <input type="submit">
22   </form>
23 </div>
24 </div>
25 <div class="row">
26   <div class="col">
27     <%= message %>
28   </div>
29 </div>
30 <div class="row">
31   <div class="col bg-info-subtle">
32     Made By YahuBaba.
33   </div>
34 </div>
35 </div>
```

PROBLEMS

OUTPUT


DEBUG CONSOLE

TERMINAL

PORTS




EJS Template : Partial





EJS Template : Partial





EXPLORER



index.js

form.ejs

about.ejs



EJS-PROJECT

views > about.ejs > html > body > div.container > div.row.mb-5 > div.col-6



> node_modules

views

about.ejs

form.ejs

profile.ejs

index.js

package-lock.json

package.json

```
11 <div class="row mb-5">
12   <div class="col bg-warning-subtle">
13     <h1>EJS Template</h1>
14   </div>
15 </div>
16 <div class="row mb-5">
17   <div class="col-6">
18     <h4><%= title %></h4>
19
20     <table class="table">
21       <% items.forEach( item => { %>
22         <tr>
23           <td><%= item.name _%> </td>
24           <td><%= item.age _%></td>
25           <td><%= item.city _%></td>
26         </tr>
27       <% }) %>
28     </table>
29   </div>
30 </div>
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS



EXPLORER



index.js

form.ejs



about.ejs

header.ejs

footer.ejs



EJS-PROJECT

views > form.ejs > ...



node_modules



views



about.ejs

footer.ejs

form.ejs

header.ejs

profile.ejs



index.js



package-lock.json



package.json



```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
8 </head>
9 <body>
10  <div class="container">
11    <div class="row mb-5">
12      <div class="col bg-warning-subtle">
13        <h1>EJS Template</h1>
14      </div>
15    </div>
16    <div class="row mb-5">
17      <div class="col">
18        <form action="/submit" method="POST">
19          Enter Name : <input type="text" name="myname">
20          <br><br>
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS



EXPLORER



index.js

form.ejs

about.ejs

header.ejs

footer.ejs



EJS-PROJECT

node_modules

views

about.ejs

footer.ejs

form.ejs

header.ejs

profile.ejs

index.js

package-lock.json

package.json



views > header.ejs > html > body > div.container > div.row.mb-5

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
8 </head>
9 <body>
10   <div class="container">
11     <div class="row mb-5">
12       <div class="col bg-warning-subtle">
13         <h1>EJS Template</h1>
14       </div>
15     </div>
```



EXPLORER



index.js

form.ejs



about.ejs

header.ejs

footer.ejs



EJS-PROJECT

views > form.ejs > ...



node_modules



views



about.ejs

footer.ejs

form.ejs

header.ejs

profile.ejs



index.js



package-lock.json



package.json

```
10 </div>
11 <div class="row my-3">
12   <div class="col bg-success-subtle">
13     <%= message %>
14   </div>
15 </div>
16 <div class="row">
17   <div class="col bg-info-subtle">
18     Made By YahuBaba.
19   </div>
20 </div>
21 </div>
22 </body>
23 </html>
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS



EXPLORER



index.js

form.ejs

about.ejs

header.ejs

footer.ejs



EJS-PROJECT



node_modules



views

about.ejs

footer.ejs

form.ejs

header.ejs

profile.ejs

index.js

package-lock.json

package.json



views > footer.ejs > ...

```
1 <div class="row">
2   <div class="col bg-info-subtle">
3     Made By YahuBaba.
4   </div>
5 </div>
6 </div>
7 </body>
8 </html>
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS



EXPLORER



index.js

form.ejs



about.ejs

header.ejs

footer.ejs



EJS-PROJECT

views > form.ejs > ?

> node_modules

views

about.ejs

footer.ejs

form.ejs

header.ejs

profile.ejs

index.js

package-lock.json

package.json

```
1 <%- include('header') %>
2 <div class="row mb-5">
3   <div class="col">
4     <form action="/submit" method="POST">
5       Enter Name : <input type="text" name="myname">
6       <br><br>
7       <input type="submit">
8     </form>
9   </div>
10 </div>
11 <div class="row my-3">
12   <div class="col bg-success-subtle">
13     <%= message %>
14   </div>
15 </div>
16
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS



EXPLORER



index.js

form.ejs



about.ejs



header.ejs

footer.ejs



EJS-PROJECT

> node_modules

views

about.ejs

footer.ejs

form.ejs

header.ejs

profile.ejs

index.js

package-lock.json

package.json

views > form.ejs > ? > ?

```
1 <%- include('header') %>
2 <div class="row mb-5">
3   <div class="col">
4     <form action="/submit" method="POST">
5       Enter Name : <input type="text" name="myname">
6       <br><br>
7       <input type="submit">
8     </form>
9   </div>
10 </div>
11 <div class="row my-3">
12   <div class="col bg-success-subtle">
13     <%= message %>
14   </div>
15 </div>
16 <%- include('footer') %>
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS



EXPLORER



index.js x

<% form.ejs

<% about.ejs

<% header.ejs

style.css

<% footer.ejs



EJS-PROJECT

> node_modules

public

style.css

views

<% about.ejs

<% footer.ejs

<% form.ejs

<% header.ejs

<% profile.ejs

index.js

package-lock.json

package.json



index.js > ...

```
1 import express from 'express'
2 const app= express()
3
4 app.set('view engine', 'ejs')
5 app.use(express.urlencoded({ extended: false}))
6
7 app.use(express.static('public'))
8
9 app.get('/', (req, res) => {
10   res.send("Home Page")
11 })
12
13 app.get('/about', (req, res) => {
14   var users = [
15     {name:'Akshay Kumar',age: 25,city:'Delhi'},
16     {name:'Salman Khan',age: 24,city:'Mumbai' },
17     {name:'Shahid Kapoor',age: 23 ,city:'Goa'},
18     {name:'John Abraham',age: 22 ,city:'Delhi'},
19     {name:'Kartrina Kaif',age: 23 ,city:'Agra'}
20   ]:
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS



EXPLORER



index.js

form.ejs

about.ejs

header.ejs X

style.css

footer.ejs



EJS-PROJECT

> node_modules

public

style.css

views

about.ejs

footer.ejs

form.ejs

header.ejs

profile.ejs

index.js

package-lock.json

package.json



views > header.ejs > html > body

```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta name="viewport" content="width=device-width, initial-scale=1.0">
6   <title>Document</title>
7   <link href="https://cdn.jsdelivr.net/npm/bootstrap@5.3.3/dist/css/bootstrap.min.css" rel="stylesheet">
8   <link rel="stylesheet" href="/style.css">
9 </head>
10 <body>
11   <div class="container">
12     <div class="row mb-5">
13       <div class="col bg-warning-subtle">
14         <h1>EJS Templattsss</h1>
15       </div>
16     </div>
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS



EXPLORER



index.js

form.ejs

about.ejs

header.ejs

style.css

footer.ejs



EJS-PROJECT

> node_modules

public

flower.jpg

style.css

views

about.ejs

footer.ejs

form.ejs

header.ejs

profile.ejs

index.js

package-lock.json

package.json

views > about.ejs > ? > div.row.mb-5 > div.col-6 > img

```
10      <td><%= item.age _%></td>
11      <td><%= item.city _%></td>
12    </tr>
13    <% }) %>
14  </table>
15 </div>
16 <div class="col-6">
17   
18 </div>
19 </div>
20 <%- include('footer') %>
```



PROBLEMS

OUTPUT

DEBUG CONSOLE


TERMINAL

PORTS

EJS Templatesss

Home page

Akshay Kumar	25	Delhi
Salman Khan	24	Mumbai
Shahid Kapoor	23	Goa
John Abraham	22	Delhi
Kartrina Kaif	23	Agra





EXPLORER



index.js

form.ejs

about.ejs

header.ejs

style.css

footer.ejs



EJS-PROJECT

node_modules

public

images

style.css

views

about.ejs

footer.ejs

form.ejs

header.ejs

profile.ejs

index.js

package-lock.json

package.json

views > about.ejs > ? > div.row.mb-5 > div.col-6 > img

```
10 <td><%= item.age _%></td>
11 <td><%= item.city _%></td>
12 </tr>
13 <% }) %>
14 </table>
15 </div>
16 <div class="col-6">
17 
18 </div>
19 </div>
20 <%- include('footer') %>
```

PROBLEMS

OUTPUT

DEBUG CONSOLE

TERMINAL

PORTS