Review: Skipping the staging area

This reading contains the code used in the instructional videos from **Skipping the Staging Area**.

Introduction

This follow-along reading is organized to match the content in the video that follows. It contains the same code shown in the next video. These code blocks will provide you with the opportunity to see how the code is written and can be used as a reference as you work through the course.

You can follow along in the reading as the instructor discusses the code or review the code after watching the video.

```
cd scripts
atom all_checks.py
```

File with code

```
#!/usr/bin/env python3

import os
import sys

def check_reboot():
    """Returns True if the computer has a pending reboot."""
    return os.path.exists("/run/reboot-required")

def main():
    if check_reboot():
        print("Pending Reboot.")
        sys.exit(1)

main()


git commit -a -m "Call check_reboot from main, exit with 1 on error"
```

Code output:

```
[master 033f27a] Call check_reboot from main, exit with 1 on error
 1 file changed, 4 insertions(+), 1 deletion(-)
```

```
git log
```

Code output:

```
commit 033f27a8196987d61c4fd42930f2148b23434a03 (HEAD -> master)
Author: My name <me@example.com>
Date:   Mon Jul 15 14:39:18 2019 +0200

    Call check_reboot from main, exit with 1 on error

commit cc1acbf10fdea6cc07ebf827697666b6a35b0f36
Author: My name <me@example.com>
Date:   Thu Jul 11 17:19:32 2019 +0200

    Add a check_reboot function

commit 6cfc29966acda8213fcd8ac2735b31f3fdbc6c53
Author: My name <me@example.com>
Date:   Thu Jul 11 12:08:46 2019 +0200

    Create and empty all_checks.py
```