Depth versus width under forced budgets: passk_cont_v1

openrouter_passk_cont_v1

September 25, 2026

1 Audit of the legacy banks (E0)

The legacy L96 banks hold 2,976 candidates. The served model was pinned on every call (True). deep/16 scores 79.2% over 96 items and 78.5% over the 94 bank-known items; the 25-sample vote scores 42.7% and 43.3%. The legacy plurality replay matches 100.0% of 2,817 checkpoints without unknown equivalences.

audit item	value
legacy candidates (L96 root/deep + D32 root)	2,976
cohort items 96 / 94 / 93	96 / 94 / 93
served model	`qwen/qwen3.8-27b`
THINK-text duplicates	0
legacy replay match (clean pools)	100.0%

Table 1: T1. Cohorts.




Figure 1: F3. Generation versus selection failure on the legacy banks.

2 Mixed depth and width (E1)

The allocation locked on L96 before any T200 label was released is `4x4` .

3 Primary tests




Figure 2: F1. Coverage and delivered accuracy for the B = 16A and B = 8A menus.

contrast	effect	95% CI	p	Holm p
4x4 vs 1x16 (T200, mixture)	−0.125	[−0.184, −0.070]	0.0004	0.0008
P2 vs P1 Brier (T200, mixture)	+0.009	[+0.001, +0.018]	0.0345	0.0345

Table 2: T3. Primary family (Holm, two tests).

source/partition	requests	USD
legacy/legacy_main	2,880	23.09
legacy/legacy_pilot	96	0.34
passk/c48_extra	816	23.02
passk/e1_fill	1,056	9.63
passk/smoke	12	0.04
passk/t200_bank	6,200	47.69
passk/t200_diag	1,000	3.57
passk/v48_bank	1,488	11.55

Table 3: T2. Physical cost by partition (13,548 requests, $118.93).