


- For program to retain data between the times it is, you must save the data
 - Data is saved to a file, typically on a computer disk
 - Saved data can be retrieved and used at a later time
- Programmers usually refer to the process of saving data in a file "Writing data to a file". When a peice of data is written to a file, it is copied from a variable in RAM to the file.
- The term output file is used to describe a file that data is written to. It is called an Output file because the program stores output in it.

Figure 6-1 Writing data to a file



- Reading data from:
 - The process of retrieving data from a file known as reading data from files. When a piece of data is read from a file, it is copied from the file into RAM and reference by a variable.
- Input File:
 - The term input file is used to describe a file from which data is stored.
- There are always three steps that must be taken when a file is used by a program:
 - Open the file
 - opening a a file creates a connection between the file and the program.
 - Process the file
 - data is either written to the file or read from the file
 - Close the file
 - when the program is finished using the file, the file must be closed. Closing a file disconnects it from the program.
- Two Types of File:
 - Text File:
 - contains data that has been encoded as text using a scheme such as a ASCII or Unicode
 - Binary File
 - contains data that has not been converted to text. The data that is stored in a binary file is intended only for a program to read.
- Ways To Access Data Stores In File
 - Sequential Access
 - file read sequentially from beginning to end, can't skip ahead
 - Direct Access (Random Access

- Can jump directly to any piece of data in a file
- File Name Extensions:
 - Short sequences of characters that appear at the end of a filename preceded by a period
- File Object
 - Object associated with a specific file and provides a way for the program to work with that file
- Opening a file:
 - `my_file = open ("test.txt", "w")`
- Mode
 - String specifying how the file will be opened
 - `r` is for reading only
 - `w` is for writing only
 - this option will delete all prior data
 - `a` is for editing
- If open function receives a filename that does not contain a path, assumes the file name is in the same directory of the path
- If program is running and file is created, it is created in the same directory as the program
- Writing Data To A File
 - Method:
 - a function that belongs to an object
 - Performs operation using object.
 - `my_file = open ("test.txt", "w")`
 - `my_file.write ('Hello')`
 - Files should be closed using file object close to method:
 - `my_file.close ()`
- Read Method
 - File object method that reads entire file contents into memory
 - Only work if the file has been opened for reading
- Readline Method
 - file object method that reads a line from a file
- Read position:
 - marks the location of the next item to be read from a file.
- Concatenating
 - `"Hello" + "World" = Hello World`
 - `rstrip`
 - removes characters at the end
- Numbers must be converted to strings before they are written to a file
- str function:
 - converts value to string
- Numbers are read from a text file as strings
 - Must be converted to numeric type in order to perform mathematical operations
 - Use `int` and `float` functions to convert string to numeric value
- Files typically used to hold large amounts of data and programs typically use a loop to process the data in a file
 - Loop typically involved in reading from and writing a files
- Often the number of items stored in file is unknown
 - The readline method used an empty string as a sentinel when end of file is reached.
 - Can write a while loop with the condition
 - `while line != ''`