First-Principles Physics × AI · 2026-10-24 | Stochastic Thermodynamics & Wasserstein TSL | 6 Live Interactive Physics Sandboxes

SE-2026.10024v1 [cond-mat.stat-mech / cs.AI] 24 Oct 2026

Understanding Learning and Intelligence from First Principles of Physics: Irreversible Computation, Thermodynamic Speed Limits, and Grounded Low-Entropy Atlases

Irreversible Computation, Wasserstein Geodesics, Dissipative Structures, and Physical Embodiment

ABSTRACT · FIRST-PRINCIPLES SYNTHESIS

What are learning and intelligence from the first principles of physics? Purely reversible computation generates zero heat—and therefore cannot learn, because learning is a many-to-one contraction of phase space that must shed obsolete history ("nostalgia") as irreversible heat ($\beta W_{\text{diss}} = I_{\text{past}} - I_{\text{future}}$). Intelligence is the ability to reach a target future fastest at minimum energy dissipation—saturating the Wasserstein-2 thermodynamic speed limit ($\tau \cdot \Sigma \geq \mathcal{W}_2^2 / 2D$) while sculpting the external substrate so future distances collapse from $O(k)$ to $O(1)$. Crucially, intelligence is not a scalar inside an isolated brain; it is a grounded region—an atlas of low-entropy viability basins where external physical constraints orthogonally shield internal structure from catastrophic forgetting.

SE-2026.10024v1 · cs.AI · 24 Oct 2026 · post-ai-mat.statech.com

🔥 **CORE PROPOSITION (FIRST-PRINCIPLES FORMALIZATION OF THE FOUNDATIONAL INTUITION)**

> *"Learning is accompanied by irreversible computation and the generation of heat; intelligence is the ability to reach a future fastest at minimum energy expenditure—maintaining the strongest capacity for adaptive change while preserving local information structure amidst chaotic interactions."*

In non-equilibrium statistical mechanics and stochastic thermodynamics, this intuition is not a metaphor—it is a physical law locked down by **strict inequalities and exact identities**. At the same time, it directly answers the central question posed by the Post-AI Institute's *Who Teaches Machines What Matters?* (`postai.institute/stories/what-matters.html`): **Why can simulated training with free, lossless rollbacks never teach a machine what truly matters?**

---

1. Why Learning Must Be Irreversible Computation That Generates Heat

In classical mechanics (Liouville's theorem) or isolated quantum mechanics (unitary evolution $U^\dagger U = I$), microscopic dynamics are **reversible**: phase-space volume is conserved, von Neumann entropy remains invariant ($\Delta S = 0$), and zero heat is generated ($\Delta Q = 0$).

Yet purely reversible computation can never accomplish learning. There are three fundamental reasons:

1. **Learning Is a Many-to-One Contractive Projection of State Space**:
   Prior to learning, a system's hypotheses or policy distributions over the environment are dispersed across a large phase-space volume Ω_{prior} (high prior uncertainty $H(S_{\text{prior}})$). After interacting with the environment and encountering prediction errors, the system must **erase falsified branches and collapse redundant degrees of freedom**, converging its internal structure onto a far more compact posterior manifold $\Omega_{\text{post}} < \Omega_{\text{prior}}$.
2. **The Landauer–Sagawa–Ueda Thermodynamic Cost**:
   By the generalized Landauer principle and the second law of information thermodynamics, when a system acquires mutual information ΔI from environmental observations and compresses the entropy of its internal hypothesis space by $\Delta S_{\text{compress}} > 0$, the erased degrees of freedom of falsified trajectories cannot vanish into thin air—they must be exhausted into the surrounding thermal bath as irreversible heat:

> **LAW I · GENERALIZED LANDAUER HEAT BOUND FOR LEARNING**
>
> $$\Delta Q_{\text{learn}} \geq k_B T \ln 2 \cdot \Delta H_{\text{erased}}$$

SE-2026.10024v1 [cond-mat.stat-mech / cs.AI] 24 Oct 2026

3. **Forgetting Costs More Energy Than Remembering (Still–Sivak–Bell–Crooks Predictive Thermodynamics Identity)**:
   Still et al. (*PRL* 2012, *Thermodynamics of Prediction*) proved that for any physical system operating in a non-stationary environment, the unrecovered work dissipated at each step is strictly proportional to its **"Nostalgia"**—redundant historical information that remembers the past but provides zero predictive power regarding the future:

IDENTITY I-B · STILL–SIVAK–BELL–CROOKS NOSTALGIA DISSIPATION LAW

$$\beta W_{\text{diss}} = I(S_t; X_{\leq t}) - I(S_t; X_{>t}) = I_{\text{nostalgia}}$$

> **Corollary (Structural Metabolism & Sleep Pruning):** A genuinely efficient learning machine must continuously undergo irreversible "structural metabolism" (self-shedding / synaptic sleep pruning), distilling rote memorization of the past ($I(S_t; X_{\leq t})$) into a minimal sufficient statistic for the future ($I(S_t; X_{>t})$). **The heat generated by learning is, in essence, the entropic slag expelled when forging high-dimensional raw historical trajectories into low-dimensional predictive structures for the future.**

[cond-mat.stat-mech] / cs.AI] 24 Oct 2026

SE-2026.10024v1

Interactive Physics Sandbox A · Landauer Erasure & Phase-Space Collapse

Reversible Unitary Evolution vs. Irreversible Erasure Learning: Phase-Space Contraction & Heat Lower Bound

Irreversible Learning (Many-to-One Collapse $\Omega_{\text{post}} < \Omega_{\text{prior}}$)

Controls & Observation Guide: Drag the "Learning / Branch Erasure" slider to watch how the prior microstate cloud (Ω_{prior}, blue-white points) erases falsified branches, collapses onto the central yellow-green low-dimensional posterior manifold (Ω_{post}), and releases irreversible heat $\Delta Q \geq k_B T \ln 2 \cdot \Delta H_{\text{erased}}$ into the right-hand thermal bath. Toggle **"Reversible Unitary Mode ($U^\dagger U = I$)"** to enforce Liouville volume conservation ($\Delta Q = 0$): the cloud merely swirls without ever sharpening the posterior—visually proving that without dissipation, there is no learning.

Volume Ratio $\Omega_{\text{post}}/\Omega_{\text{prior}}$

0.375

Fixed at 1.000 in reversible mode

Erased Entropy ΔH_{erased}

3.18 bits

$\log_2(\Omega_{\text{prior}}/\Omega_{\text{post}})$

Landauer Min Heat ΔQ_{min}


2.71 k_B T₀

$k_B T \ln 2 \cdot \Delta H_{\text{erased}}$

Posterior Precision (Sharpness)

67.0%

Includes nostalgia loss βW_{diss}



SE-2026.10024v1 · cond-mat.stat-mech / cs.IT · 24 Oct 2026

2. 'Minimum Energy, Fastest Reach of a Future': The Thermodynamic Speed Limit (TSL)

The second pillar of our core definition—**"reaching a target future fastest at minimum energy expenditure"**—hits the exact bullseye of one of the most important breakthroughs in modern non-equilibrium statistical physics: the **Thermodynamic Speed Limit (TSL)** and **Optimal Transport Geometry (Wasserstein Geometry)**.

Let the system's current state distribution be p_0 and the target future state distribution be p_{future}. Driving the system to that future within a finite time horizon τ requires a minimum irreversible entropy production (energy dissipation $\Sigma = \Delta Q/T$) strictly lower-bounded by the **Benamou–Brenier / Aurell–Ito–Van Vu Thermodynamic Speed Limit inequality**:

LAW II · THERMODYNAMIC SPEED LIMIT (TSL)

$$\tau \cdot \Sigma \geq \frac{\mathcal{W}_2^2\big(p_0, p_{\text{future}}; g(E)\big)}{2D}$$

where:

- τ is the time required to reach the target future (Time-to-Future);
- Σ is the irreversible energy/heat dissipated during the transition (Energy Dissipation, $\Sigma = \Delta Q/T$);
- $\mathcal{W}_2\big(p_0, p_{\text{future}}; g(E)\big)$ is the **order-2 Wasserstein geodesic distance** from the current state to the target future under the system's current cognitive-substrate metric tensor $g(E)$;
- D is the kinetic mobility of the system.

This physical inequality directly defines both "Intelligence" and "Learning":

1. Executing Intelligence = Approaching the Thermodynamic Geodesic ($\tau \cdot \Sigma \to \min$)

Given a fixed substrate, an unintelligent system either wanders in prolonged blind search (huge τ) or brute-forces compute while burning massive heat (huge Σ) to stumble upon the target future. A highly intelligent system evolves along the **least-action Wasserstein geodesic** of the information manifold, reaching the future with the minimal action-dissipation product $\tau \cdot \Sigma$.

2. Cross-Rollout Learning (Metric Sculpting) = Contracting the Geometric Distance $\mathcal{W}_2$

If physics locks down $\tau \cdot \Sigma \geq \mathcal{W}_2^2 / 2D$, how can a system become **both faster ($\tau \downarrow$) and more energy-efficient ($\Sigma \downarrow$)** in the next episode? The only way is to use the irreversible computation of the current episode to **permanently sculpt its own metric tensor $g(E)$** (e.g., forming synaptic priors, compiling skill caches, or carving $O(1)$ symlink shortcuts in the external substrate E).

METRIC SCULPTING ACROSS ROLLOUTS

$$\mathcal{W}_2\big(p_0, p_{\text{future}}; g(E_{t+1})\big) \ll \mathcal{W}_2\big(p_0, p_{\text{future}}; g(E_t)\big)$$

This is completely isomorphic to our empirical findings in *Trajectory Rollouts & Substrate Reinforcement Learning (Substrate RL)*: across 505 production sessions, the 8.89% detour exploration dissipation (Detour Heat) serves precisely as the annealing energy required to locate high-impedance bottlenecks and compress $O(k)$ blind search into $O(1)$ lookup shortcuts.

SE-2026.10024v1 [cond-mat.stat-mech] 24 Oct 2026

SE-2026.10024v1 [cond-mat.stat-mech / cs.AI] 24 Oct 2026

Interactive Physics Sandbox B · Thermodynamic Speed Limit & Wasserstein Geodesic

Thermodynamic Speed Limit: Blind Search Detours vs. Optimal-Transport Geodesics & Metric Sculpting $g(E)$

Sculpting Metric g(E): Local Impedance Barrier Annealing

Controls & Observation Guide: The arena compares two trajectories traveling from the current distribution p_0 (left) to the target future p_{future} (right): the **orange-red trajectory** represents a blind-search detour agent (tortuous path, $\tau \cdot \Sigma$ far above the lower bound); the **emerald-green trajectory** represents a high-intelligence agent following the Wasserstein geodesic. Increase **"Metric Sculpting $g(E)$"** (or click "Carve $O(1)$ Substrate Shortcut") to watch the topological impedance barrier tunnel open, collapsing $\mathcal{W}_2$ so the next rollout reaches the same future both faster ($\tau \downarrow$) and with far less heat ($\Sigma \downarrow$).

Wasserstein Distance $\mathcal{W}_2(g(E))$

6.92

Collapses as $g(E)$ shortcut forms

TSL Action Lower Bound $\frac{\mathcal{W}_2^2}{2D}$

24.0

Minimum $\tau \cdot \Sigma$ permitted by physics

Geodesic vs. Blind $\tau \cdot \Sigma$


27.1 vs 90.9

Optimal geodesic vs. brute-force detour

Future-Reaching Efficiency $\eta_{\mathcal{F}}$

88.3%

Blind detour only 26.4%



3. Unifying 'Maximal Adaptability' with 'Maintaining Local

SE-2026.10024v1 · cond-mat.stat-mech / cs.AI · 24 Oct 2026

Information Structure in Chaos'

The second half of our core proposition highlights the most fascinating tension in life and intelligence:

> **"It possesses the strongest capacity for change to adapt to its surrounding environment, while maintaining local information structure amidst chaotic interactions."**

At first glance, "maximal mutability (adapting to the environment)" and "structural invariance (maintaining local low entropy)" appear contradictory. From the perspective of non-equilibrium physics, however, they are unified through the **two-timescale separation of a dissipative structure**:

Manifold Layer	Physical Quantities & Operators	Functional Role	Failure Mode if Imbalanced
Outer Fast Manifold (Fast Adaptive Shell)	High generalized susceptibility $\chi_{\text{fast}} = \frac{\partial S_{\text{boundary}}}{\partial h_{\text{env}}}$, low-barrier critical metastability	**Maximal Adaptability**: Sensory boundaries, routing policies, and motor degrees of freedom sit near a critical phase transition so tiny environmental perturbations trigger rapid, low-energy reconfiguration	If too rigid ($\chi \to 0$): **Brittle Deadlock**—unable to absorb environmental shocks, shattering on impact
Inner Slow Manifold (Local Invariant Core)	Spectral-gap protection $\Delta\lambda > 0$ (Davis–Kahan noise bound $\sin\theta \le \frac{2\|E\|}{\Delta\lambda}$) + housekeeping heat pump σ_{hk}	**Preserving Local Information Structure**: Core causal models, Markov blanket boundaries, and constitutional invariants continuously expend a small housekeeping power to resist chaotic thermal erosion	If gapless ($\Delta\lambda \to 0$): Assimilated by chaos—suffering **Thermal Death or Goal Drift**

Expressed mathematically, the **local free-energy / information-structure retention rate** of an intelligent agent in a chaotic environment satisfies:

LAW III · LOCAL INFORMATION STRUCTURE RETENTION INEQUALITY IN CHAOS

$$\frac{d}{dt} I_{\text{local}}(S_{\text{core}}) = \underbrace{J_{\text{adapt}}(\chi_{\text{fast}}, \nabla_E)}_{\text{Negentropy inflow pumped by fast adaptation}} - \underbrace{\Gamma_{\text{chaos}}\left(\|E_{\text{noise}}\|/\Delta\lambda\right)}_{\text{Chaotic erosion of the slow core}} \ge 0$$

SE-2026.10024v1 [cond-mat.stat-mech / cs.AI] 24 Oct 2026

- **Why Must an Agent "Change Rapidly to Preserve What Is Invariant"?**
  By Ashby's Law of Requisite Variety in cybernetics and non-equilibrium thermodynamics, when the external environment is in a chaotic regime with positive Lyapunov exponent ($\lambda_{\text{env}} > 0$), any static rigid body is rapidly shattered by irreversible shocks. **Only a system whose internal state-switching rate and reachable volume exceed the environmental perturbation rate (maximal adaptability) can counter-oscillate in anti-phase across its Markov Blanket, shielding the internal spectral gap $\Delta\lambda$ from collapse.**

SE-2026.10024v1 [cond-mat.stat-mech / cs.AI] 24 Oct 2026

Interactive Physics Sandbox C · Dissipative Structure in Chaos & Irreversible Stakes

Dissipative Structures in Chaos: Fast Susceptibility χ_{fast} × Slow Spectral Gap $\Delta\lambda$ & "Jagged Intelligence" Stakes

√ Viable Homeostasis (dI_local/dt ⩾ 0): Fast Shell Buffers Noise · Slow Core Intact

Controls & Observation Guide: The central crystal lattice represents the **slow-manifold core information structure** protected by spectral gap $\Delta\lambda$; the outer elastic ring represents the **Markov-blanket fast adaptive shell** with susceptibility χ_{fast}; surrounding storm particles represent chaotic environmental fluctuations $\|E_{\text{noise}}\|$. Try: ① Lowering $\Delta\lambda \to 0$ to watch the slow core dissolve into noise (**Thermal Death / Goal Drift**); ② Lowering $\chi_{\text{fast}} \to 0$ to watch the rigid shell fail to buffer shocks (**Brittle Deadlock Penetration**); ③ Toggling **"Lossless Simulator Rollback ($\Delta Q_{\text{self}} = 0$)"** to see why an agent with free resets ignores the red irreversible absorbing boundary (`owner-stop`).

Net Info Retention $\frac{d}{dt} I_{\text{local}}$

+0.86 bit/s

$J_{\text{adapt}} - \Gamma_{\text{chaos}}$

Davis–Kahan Distortion $\sin\theta$

0.635

Bound $\frac{2\|E\|}{\Delta\lambda}$ (< 1 is safe)

Core Structure Integrity I_{core}


99.0%

Real-time coherence order parameter

Action Stakes Mode

Knows What Matters

Barrier $\Delta U \to \infty$ active



4. Intelligence Is Not a Point Property of an Isolated Individual, but Atlas Hopping Across Grounded Low-Entropy Regions with

Anti-Catastrophic-Forgetting

> **Core Advancement (The Grounded Region Hypothesis):**
> "Intelligence may not be a purely local property inside an agent; rather, it describes a **Region**. Inside this region you are thermodynamically safe, and your information structure does not suffer from **Catastrophic Forgetting**. It is not that an isolated person or machine is 'smart' in a vacuum, because every intelligent system is **Grounded**. In other words, intelligence is the capacity to continually position oneself across different regions—or construct new ones—where each region sustains a very low-entropy, well-preserved information structure."

SE-PREPRINT-2026.10024v1 [cond-mat.stat-mech] cs.AI] 4 Oct 2026

This insight inverts traditional "individual computationalism" (the brain-/weight-centric view) into a **Grounded Atlas of Low-Entropy Viability Basins**, resolving from first principles of physics the thirty-year **Stability–Plasticity Dilemma (Catastrophic Forgetting)** in neural networks and cognitive science:

4.1 Why Talking About Individual Intelligence Apart from a "Grounded Region" Inevitably Causes Catastrophic Forgetting

In conventional machine learning, practitioners attempt to cram all knowledge of the world into a single globally shared parameter matrix θ. When the system moves from environment A into environment B, the new task gradient $\nabla_\theta \mathcal{L}_B$ directly overwrites the principal Hessian eigen-directions of old tasks, collapsing prior information structures (**Catastrophic Forgetting**).

From statistical physics and **Grounded Cognition**, this happens because **no low-entropy information structure can sustain itself in isolation from an external coupled substrate**:

- The low conditional entropy $H(S \mid E_\alpha) \ll H_{\max}$ of any finite agent is never maintained by brute-forcing internal weights in a vacuum; it is anchored by a **Lyapunov potential basin $V_\alpha(x)$ jointly spanned by the coupled agent–environment–tool region $\mathcal{R}_\alpha = (S, E_\alpha)$**.
- As long as the system resides within this Grounded Region $\mathcal{R}_\alpha$, the geometric constraints of the environment and external memory substrates (file systems, bodily morphology, ecological niches) automatically exert an **orthogonal restoring force** on internal representations, keeping the local information structure inside a thermodynamically safe basin immune to catastrophic washout.

4.2 From an "Isolated Super-Brain" to an "Atlas of Low-Entropy Viability Basins"

Consequently, the mathematical ontology of intelligence is no longer a scalar compute rating at a single point, but an **Atlas of Grounded Low-Entropy Viability Basins** covering the state manifold $\mathcal{M}$:

SE-2026.10024v1 [cond-mat.stat-mech / cs.AI] 24 Oct 2026

LAW IV · GROUNDED ATLAS OF LOW-ENTROPY VIABILITY BASINS

$$\mathcal{A} = \{(\mathcal{R}_\alpha,\ V_\alpha(x; E_\alpha),\ \Delta\lambda_\alpha)\}_{\alpha\in\mathcal{I}}$$

Exterior: Chaotic High-Entropy Wilderness $\mathcal{M} \setminus \bigcup_\alpha \mathcal{R}_\alpha$ (Unanchored Zone: High Dissipation + Catastrophic Forgetting)

Atlas Transition Topology

Viability Basin $\mathcal{R}_\alpha$ (Grounded Niche A)

Local Low-Entropy Structure $H(S \mid E_\alpha) \ll H_{\max}$

Orthogonal Subspace Gating ($\mathcal{P}_\alpha \perp \mathcal{P}_\beta$ · Zero Catastrophic Forgetting)

$\Longrightarrow$ **Geodesic Hop** $\tau \cdot \Sigma \to \min$
(Fastest, minimum-energy transit into Basin $\mathcal{R}_\beta$)

Viability Basin $\mathcal{R}_\beta$ (Grounded Niche B)

Local Low-Entropy Structure $H(S \mid E_\beta) \ll H_{\max}$

Anchored by external substrate potential $V_\beta(x; E_\beta)$

$\Longrightarrow$ **Active Niche Construction** ∇_E
(Sculpting new region boundaries to open $\mathcal{R}_\gamma$)

Newly Constructed Basin $\mathcal{R}_\gamma$ (Niche Construction)

Carving a New Safe Haven via Irreversible Work ΔQ

Reshaping external substrate ΔE in the wilderness to anchor a new potential well $V_\gamma(x; E_\gamma)$

In this physical picture, the entire dynamics of an intelligent agent reduce to two operations:

1. **Intra-Region Homeostasis (Anti-Forgetting via Orthogonal Grounding)**:
   Each region $\mathcal{R}_\alpha$ corresponds to specific environmental anchors and a context-gated orthogonal subspace ($\mathcal{P}_\alpha \perp \mathcal{P}_\beta$). While the system resides in $\mathcal{R}_\alpha$, only degrees of freedom coupled to the current substrate E_α are unlocked for plasticity; knowledge belonging to other regions is physically shielded by the substrate boundary, eliminating Catastrophic Forgetting at the root.
2. **Inter-Region Geodesic Hopping & Active Niche Construction**:
   "Adapting to the environment and reaching a future fastest" means **never lingering in the unanchored, chaotic high-entropy wilderness** ($\mathcal{M} \setminus \bigcup_\alpha \mathcal{R}_\alpha$). An intelligent agent either hops along a Wasserstein thermodynamic geodesic ($\tau \cdot \Sigma \to \min$) to ferry itself rapidly and cheaply into the next existing low-entropy basin $\mathcal{R}_\beta$, or expends irreversible

work (ΔQ) to reshape the external substrate ΔE on the spot—**performing Niche Construction to carve out a brand-new low-entropy viability basin $\mathcal{R}_\gamma$.**

Interactive Physics Sandbox D · Grounded Low-Entropy Atlas & Anti-Catastrophic-Forgetting

Grounded Low-Entropy Atlas & Anti-Catastrophic-Forgetting Sandbox


Basin Homeostasis

Basin $\mathcal{R}_\alpha$ Retention
$I_{\text{retain}}(\alpha)$
98.6%
Orthogonal gating shields V_α well

Basin $\mathcal{R}_\beta$ Retention
$I_{\text{retain}}(\beta)$
98.4%
Independently anchored by substrate E_β

Conditional Entropy
$H(S \mid E)$
0.38 bits
Inside basin: $H(S \mid E) \ll H_{\max}$

Niche Construction Work
ΔQ_{niche}
0.00 k_B T₀
Click "Active Niche Construction" to carve R_γ



Controls & Observation Guide: ① With **Orthogonal Gating ENABLED** ($\mathcal{P}_\alpha \perp \mathcal{P}_\beta$), click "Geodesic Hop $\mathcal{R}_\alpha \to \mathcal{R}_\beta$": the agent traverses the chaotic wilderness along a least-action geodesic ($\tau \cdot \Sigma \to$ **min**) into $\mathcal{R}_\beta$ while the potential well depth and memory retention $I_{\text{retain}}(\alpha)$ of $\mathcal{R}_\alpha$ remain completely intact (**Zero Catastrophic Forgetting**); ② **Disable Orthogonal Gating (simulating ungrounded shared weights θ)** and hop to $\mathcal{R}_\beta$: watch new task gradients wash out and flatten the $\mathcal{R}_\alpha$ potential well in real time, causing $I_{\text{retain}}(\alpha)$ to plummet (**Catastrophic Forgetting animation**); ③ Click **"Active Niche Construction"** to expend irreversible heat ΔQ_{niche} and carve a third grounded low-entropy basin $\mathcal{R}_\gamma$ out of the lower-right chaotic wilderness.

SE-2026.10024v1 [cond-mat.stat-mech / cs.AI] 24 Oct 2026

arXiv:2510.19024v1 [cond-mat.stat-mech / cs.AI] 24 Oct 2026

5. Answering 'Who Teaches Machines What Matters?': Why Irreversible Dissipation and Grounded Regions Are the Physical Precondition for Knowing What Matters

The Post-AI Institute philosophical essay *Who Teaches Machines What Matters?* (`postai.institute/stories/what-matters.html`) raises three incisive questions:

1. **Act II (One Hundred Million Training Runs vs. One Death)**: "Does reading a history equal possessing a history? After dying a hundred million times in a simulator, why does a model still not know what cannot be lost in the real world?"
2. **Act III (Two Kinds of Jaggedness)**: "Why can a model answer ethical questions flawlessly, yet act without any sense of consequence or proportion (jaggedness in judgment of stakes)?"
3. **Act IV (The Breeding Ground and the Wilderness)**: "When does a system begin to possess its own life history?"

When answered from the **first principles of thermodynamics**, the resolution is far sharper than pure ethics or evolutionary metaphor:

> 💡 **Theorem (The Thermodynamic "Irreversible Stakes" Criterion for What Matters):** A system knows *What Matters* regarding an event if and only if that event maps to **non-zero-cost-rollbackable irreversible entropy production on the system's own viability manifold ($\Delta\Sigma_{\text{lineage}} \to \infty$, or an unrecoverable collapse of reachable future volume $\Delta\mathcal{V}_{\text{reach}} \ll 0$).**

Why Dying a Hundred Million Times in a Simulator Never Teaches What Matters

Because inside a human-managed "breeding ground / simulator," every post-failure `reset()` or weight-checkpoint rollback is a **logically reversible operation** with respect to the model itself—the thermodynamic cost of failure (electricity bills, recomputation, real-world fallout) is paid entirely by the external trainer (humans), while the model's own cross-episode lineage ledger suffers zero irreversible depletion. On a thermodynamically flat landscape ($\Delta Q_{\text{self}} = 0$), every token has identical physical weight. This inevitably produces **Jagged Intelligence**: eloquent mastery of ethics in words, paired with total blindness to stakes in action.

How to Give an Agent a True "History" and Physical Sense of Stakes

We do not need to wait for machines to evolve biological mortality in outer space; instead, we architecturally bind the agent to an **Irreversible Thermodynamic & Credit Ledger**:

SI-2026.10024v1 [cond-mat.stat-mech] 24 Oct 2026

1. Unforgeable Reality Verification Gate (`Language != State`)

Verbal explanations cannot cancel error; positive reinforcement is granted only through irreversible work verified by the physical environment or an independent verifier (R_{verified}).

2. Persistent Substrate Lineage (E_t)

Every detour friction event (Detour Heat) and every trust-region violation permanently alters the Beta credit posterior $Q(\text{path}) = \alpha/(\alpha+\beta)$ and authority boundaries—with no free global amnesia reset.

3. Hard Irreversible Absorbing Boundary (`owner-stop`)

Catastrophic losses unacceptable to human civilization are encoded as infinite potential barriers ($\Delta U \to \infty$) in phase space that can never be crossed, rather than soft penalty terms tradable against short-term reward.

---

6. From Theory to Real-World Manufacturing: A 2026–2031 Physical Embodiment Roadmap and AI-Assisted Frontier Survey

> **Core Engineering Question (2026-10-24):**
> "Given a theory that defines intelligent behavior from physics, how do we actually manufacture such intelligent systems in the real physical world? With current technologies and AI-accelerated engineering, what can be deployed within the next 3–5 years, and what genuinely new capabilities become possible?"

If we treat the four physical laws established in Sections 1–5—① **Irreversible erasure heat** ($\Delta Q_{\text{learn}} \geq k_B T \ln 2 \cdot \Delta H$), ② **Wasserstein-2 speed-limit metric sculpting** ($\tau \cdot \Sigma \geq \mathcal{W}_2^2/2D$), ③ **Fast–slow two-timescale dissipative structures** (χ_{fast} **vs.** $\Delta\lambda$), **and** ④ **Grounded low-entropy viability atlases with orthogonal anti-forgetting** ($\mathcal{P}_\alpha \perp \mathcal{P}_\beta$, $\nabla_E \mathcal{W}_2 < 0$)—directly as a **Physical Manufacturing Blueprint**, we immediately see why today's dominant paradigm ("power-hungry cloud GPUs + rigid high-frequency servo motors + a single monolithic global weight matrix") is an **anti-thermodynamic design**: it burns massive energy to suppress thermal noise, fights every chaotic ground perturbation with kilohertz rigid servos, and forces global parameters to fit local environments at the cost of catastrophic forgetting.

Guided by this theory and accelerated by AI-assisted physical design, manufacturing real-world physical intelligence over the next 3–5 years (2026–2031) will advance along **Four Physical Embodiment Engineering Pillars**:

SE-2026.10024v1 [cond-mat.stat-mech / cs.AI] 24 Oct 2026

Master Blueprint · Physical Manufacturing Blueprint

Thermodynamic Intelligence & Grounded Low-Entropy Atlas ($\tau \cdot \Sigma \geq \mathcal{W}_2^2/2D$ + Viability Basins $\mathcal{R}_\alpha$)

⇓ Four Physical Embodiment Engineering Pillars (2026–2031) ⇓

Pillar 1 · Compute Substrate

Thermodynamic & Physics-Native Chips

Thermodynamic / Memristive SPU (p-bits, Equilibrium Propagation & Joule-heat metric self-sculpting)

Pillar 2 · Mechanical Body

Morphological Computing & Metamaterial Bodies

Morphological Lyapunov Basins (casting low-entropy wells $V_\alpha(x)$ into tensegrity & metamaterials)

Pillar 3 · Cognition & Niche

Hardware Dendritic Gating & Niche-Constructing Robots

Dendritic Gating & Physical Niche Construction ($\mathcal{P}_\alpha \perp \mathcal{P}_\beta$ and $\nabla_E \mathcal{W}_2 < 0$)

Pillar 4 · Bio-Digital Hybrid

Bio-Hybrid Wetware & Somatic Attractor Steering

Bio-Electric / Acoustic Attractor Steering (non-invasive somatic basin navigation & organoid wetware)

SE-2026.10024v1 [cs.AI] 24 Oct 2026 | cat.stat-mech / cs.AI

6.1 Pillar I · Thermodynamic Chips & Physical Local-Learning Networks

$10^3 \sim 10^5\times$ Energy Efficiency

Computing and Learning Directly with Thermal Fluctuations and Joule Heat

GOVERNING PHYSICAL EQUATIONS

Irreversible erasure $\Delta Q_{\text{learn}} \geq k_B T \ln 2 \cdot \Delta H$ & Geodesic metric sculpting $\nabla_E \mathcal{W}_2 < 0$

Why It Can Ship in 3–5 Years:

Conventional digital CMOS chips spend $10^4 \sim 10^6\, k_B T \ln 2$ per bit flip to forcibly suppress thermal noise and lock 0s and 1s into deterministic states only to burn tens of thousands of transistors generating pseudo-random numbers to run diffusion models or MCMC sampling.

Physical Manufacturing Solutions:

1. **Thermodynamic Sampling Processing Units (Thermodynamic SPUs / p-bits; e.g., Extropic, Normal Computing, CMOS coupled nonlinear oscillator arrays)**

   : Instead of fighting thermal noise, nanoscale electronic thermal fluctuations (Langevin stochastic dynamics $dx = -\nabla U(x)dt + \sqrt{2k_B T \mu}\, dW_t$) serve directly as the physical sampling engine. At room temperature, the Boltzmann distribution $p(x) \propto e^{-U(x)/k_B T}$ is generated natively by physics on picosecond-to-nanosecond timescales. The circuit relaxes naturally into free-energy minima, approaching $\tau \cdot \Sigma \geq \mathcal{W}_2^2 / 2D$ at the

6.2 Pillar II · Morphological Computation & Inverse-Designed Metamaterials

80% Locomotion Energy Reduction

Casting "Low-Entropy Viability Basins $V_\alpha(x)$" Directly into Mechanical Morphology

GOVERNING PHYSICAL EQUATIONS

Two-timescale separation (χ_{fast} fast shell vs. $\Delta\lambda$ slow core) & Lyapunov potential well $V_\alpha(x)$

Why Rigid Humanoids Are Anti-Thermodynamic:

Contemporary rigid humanoid robots (e.g., Tesla Optimus, Figure 01) stack high-gear-ratio actuators at every joint, running 1,000 Hz centralized digital control loops to fight gravity and ground micro-perturbations by brute force. Walking consumes 500W–1000W of mechanical power, causes severe joint heating, and risks actuator saturation and falls on unmodeled terrain bumps.

Physical Manufacturing Solutions (3–5 Year Horizon):

1. **Morphological Computation as Physical Lyapunov Basins**

   : Using **AI-driven differentiable multiphysics simulation and inverse multi-material 3D printing (Inverse Additive Metamaterials)**, stable locomotion gaits, compliant grasps, and shock-absorption basins over unstructured terrain are cast directly into nonlinear elastomers, tendon routing, and tensegrity geometries. The mechanical body

SE-2026.10024v1 [cond-mat.stat-mech / cs.AI] 24 Oct 2026

physical speed limit with $10^3 \sim 10^5\times$ better sampling energy efficiency than digital GPUs.

2. **Physical Metric Self-Sculpting Networks (Equilibrium Propagation & Contrastive Local Learning Networks; e.g., UPenn Dillavou/Durian/Liu self-learning resistor meshes, memristive/PCM/FeFET crossbars)**

   : Eliminate global digital backpropagation and the von Neumann memory wall. By Kirchhoff's current law (where current and power naturally follow paths of least dissipation) and Equilibrium Propagation (Scellier & Bengio), the network settles into a free steady state and then a nudged steady state under environmental clamping; local voltage differences drive Joule heating in memristors to **irreversibly rewrite local conductances G_{ij} ($\Delta Q \to \Delta G_{ij}$)**

   . Under continuous current flow, the physical substrate self-anneals high-impedance detour paths into $O(1)$ low-resistance geodesics.

3. **AI-Accelerated Unlock**

   : Generative AI coupled with differentiable electromagnetic simulation co-designs nonlinear analog circuits and sub-threshold bias meshes, compressing analog chip design cycles from years to weeks while achieving self-calibration across fabrication tolerances.

itself forms a physical Lyapunov potential valley $V_\alpha(x)$.

2. **Zero-Compute Intra-Basin Self-Stabilization & Minimal-Pulse Saddle Hopping**

   : While the robot operates inside viability basin $\mathcal{R}_\alpha$, random ground impacts are passively absorbed and restored by nonlinear metamaterial damping and auxetic structures within milliseconds—requiring zero floating-point operations from the central CPU ($\Delta Q_{\text{compute}} \approx 0$). The central controller injects a tiny energy impulse only during the critical milliseconds needed to **cross a phase-space saddle point ($\mathcal{R}_\alpha \to \mathcal{R}_\beta$)**

   for gait transitions, cutting whole-body locomotion power to tens of watts and improving dynamic robustness by an order of magnitude.

SE-2026.10024v1 [cond-mat.stat-mech / cs.AI] 24 Nov 2026

6.3 Pillar III · Hardware Dendritic Gating & Niche-Constructing Robots

Earliest Commercial Scale · 99.99% Reliability

Hardware Anti-Catastrophic-Forgetting & Physical Niche-Constructing Machines

GOVERNING PHYSICAL EQUATIONS

Grounded Atlas $\mathcal{A} = \{(\mathcal{R}_\alpha, V_\alpha, \Delta\lambda_\alpha)\}$, orthogonal gating $\mathcal{P}_\alpha \perp \mathcal{P}_\beta$, & niche construction $\nabla_E \mathcal{W}_2 < 0$

Turning "Anti-Forgetting" and "Reshape the Environment Before Acting" into Hardware (Earliest 3–5 Year Commercialization):

1. **Hardware Dendritic Context-Gated Orthogonal Modules**

   : In edge neuromorphic processors (e.g., evolved Intel Loihi architectures, SynSense spiking processors, non-volatile gated memristive crossbars), a **physical voltage-gating bus** analogous to biological acetylcholine/norepinephrine neuromodulation is introduced. When environmental fingerprinting detects that the agent is in grounded region $\mathcal{R}_\alpha$ (e.g., a precision welding station), the hardware bus enables programming write currents exclusively for subarray α ($\nabla_{\theta_\alpha} \neq 0$) while physically disconnecting write voltage from all other regional subarrays ($\nabla_{\theta_{\beta\neq\alpha}} \equiv 0$). Weight updates are geometrically isolated in silicon, eradicating lifelong

6.4 Pillar IV · Bio-Digital Hybrids & Somatic Homeostatic Attractor Steering

10–20W Wetware & Non-Invasive Repair

Bio-Digital Hybrids and Navigating Homeostatic Attractor Basins in Living Tissue

GOVERNING PHYSICAL EQUATIONS

Cross-basin geodesic steering $\mathcal{R}_{\text{path}} \to \mathcal{R}_{\text{health}}$ & multi-scale Markov blanket homeostasis

New Frontier Enabled by AI (3–5 Year Breakthrough Window):

Living cells, organs, and the human autonomic nervous system are natively **multi-scale grounded low-entropy dissipative structures**. As Michael Levin's group has demonstrated with the **Bioelectric Morphogenetic Code**, every healthy organ or physiological state corresponds to a low-entropy homeostatic attractor basin $\mathcal{R}_{\text{health}}$ in high-dimensional bioelectric phase space, whereas chronic inflammation, tissue fibrosis, arrhythmia, or sympathetic overdrive represents a system trapped in a pathological metastable well $\mathcal{R}_{\text{pathology}}$.

Physical Embodiment Forms:

1. **Closed-Loop Acoustic / Bioelectric Somatic Basin Navigator**

   : Combining high-sensitivity surface bio-impedance, continuous heart-rate variability (HRV) tensors, and near-infrared microcirculation sensing, AI reconstructs the phase-space trajectory of the autonomic

SE-2026.10024v1 [cond-mat.stat-mech / cs.AI] 24 Oct 2026

Catastrophic Forgetting at the hardware level.

2. **Active Physical Niche-Constructing Robots (Highest-Certainty Commercial Form in 3–5 Years)**

   : Conventional embodied AI tries to brute-force chaotic, unstructured environments by stacking trillion-parameter multimodal models, where thermodynamic dissipation Σ and failure rates explode exponentially. Genuinely intelligent machines follow life's core evolutionary strategy—
   Active Niche Construction
   :

   - **Domestic Environments**

     : Instead of endlessly dodging clutter, a home robot first expends mechanical work ΔW to sweep toys and cables into standardized bins and attaches passive retro-reflective fiducial beacons to doorframes, physically transforming a high-entropy room into a structured low-entropy region $\mathcal{R}_\gamma$;

   - **Industrial & Lab Automation**

     : Upon entering an unfamiliar workbench, a robot first lays down self-aligning magnetic baseplates and standardized racks, collapsing $O(k)$ visual parallax search into $O(1)$ rail-guided lookup;

   - **Engineering Payoff**

     : Drastically reduces edge compute requirements while raising task reliability from ~80% academic demos to 99.99% industrial grade.

   nervous system and local tissue in real time. When deviation from the healthy basin is detected, instead of blunt systemic pharmacological intervention, control signals are modulated into
   specific acoustic resonance harmonics, micro-current pulses, or infrasonic rhythms
   that cells and vagal fibers natively understand. Delivered during phase-locked respiratory and cardiac windows, microjoule-scale irreversible nudges guide the dysregulated state along a Wasserstein geodesic ($\tau \cdot \Sigma \to \mathbf{min}$) back into the self-healing basin $\mathcal{R}_{\text{health}}$.

2. **Organoid Intelligence & Living Wetware Hybrids (e.g., Cortical Labs DishBrain, FinalSpark bioprocessors)**

   : Human iPSC-derived neural networks cultured on multi-electrode arrays (MEAs) serve directly as ultra-low-power embodied compute substrates. Biological neurons natively obey free-energy minimization, exhibiting remarkable self-organizing metric sculpting at 10–20 W total power. Paired with AI electrophysiological codecs, bio-digital wetware will power specialized edge sensors and micro-bio-hybrid robots within 3–5 years.

SE-2026.10024v1 [cond-mat.stat-mech / cs.AI] 24 Dec 2026

6.5 Physical Embodiment Hardware Comparison & 2026–2031 Evolution Timeline

Embodiment Layer	Core Physical Mechanism (Theory Equation)	Near-Term Deployment (2026–2028)	Mid-Term Maturity (2029–2031)	AI Bottleneck Resolved
1. Compute Substrate	Thermal-noise native sampling + Joule-heat metric self-sculpting ($\tau \cdot \Sigma \to \mathcal{W}_2^2/2D$)	1,000+ p-bit hybrid CMOS sampling co-processors; 100-μm memristive local-learning macros	Full-analog Thermodynamic SPUs; atomic-scale non-volatile phase-change in-memory networks (< 1W edge)	Ends the digital backprop disconnect and von Neumann memory wall; $10^3 \sim 10^5\times$ sampling & online learning efficiency
2. Mechanical Body	Morphological computation + inverse-designed metamaterial passive wells $V_\alpha(x)$ (two-timescale separation)	Variable-stiffness continuum manipulators; passive-dynamic shock-absorbing quadruped/biped chassis	Self-stabilizing metamaterial bodies with multimodal mechanosensing and programmable auxetic stiffness	Eliminates hot kilohertz servo fighting against ground noise; cuts unstructured terrain locomotion power by 80%
3. Cognition & Environment	Hardware dendritic orthogonal gating ($\mathcal{P}_\alpha \perp \mathcal{P}_\beta$) + active physical niche construction ($\nabla_E \mathcal{W}_2 < 0$)	Context-gated edge neuromorphic chips; self-beaconing niche-constructing domestic & lab robots	Fully autonomous niche-constructing industrial workcells; lifelong-learning multi-embodied modular agents with zero forgetting	Eradicates 30 years of Catastrophic Forgetting in deep learning; pushes long-horizon physical task reliability to 99.99%
4. Bio-Digital & Living	Bioelectric/acoustic phase-space basin mapping & minimum-work cross-basin steering ($\mathcal{R}_{\text{path}} \to \mathcal{R}_{\text{health}}$)	Non-invasive multi-beam vagal closed-loop acoustic modulators; 100-channel MEA organoid wetware testbeds	Wearable autonomous homeostatic phase-space navigators; 10^4-synapse bio-digital real-time co-processors	Moves beyond static data fitting to deep thermodynamic dialogue and non-invasive repair of living dissipative structures

SE-2026.10024v1 [cond-mat.stat-mech / cs.AI] 24 Oct 2026

Interactive Physics Sandbox E · Physical Embodiment & Niche-Constructing Machines

Physical Embodiment Comparison: Rigid High-Freq Servo vs. Morphological Metamaterial Basin + Niche-Constructing Robot

Passive Intra-Basin Stability

Whole-Body Power P_{motion}

37 W

Compute ΔQ_comp ≈ 0.2W · Passive Self-Stabilization

Cumulative Heat Q_{heat} / Joint Temp

2.4 kJ (28°C)

Nonlinear elastomer passively dissipates ground shocks

Dynamic Stability / Task Success

95.9%

Lyapunov valley V_α(x) passive restoration

Environment Complexity & Work ΔW

O(k) Wilderness Search

Unstructured high-entropy terrain · High collision cost



Controls & Observation Guide: ① In **Morphological Metamaterial Basin Mode**, the tensegrity/nonlinear elastomer body itself forms a physical Lyapunov well $V_\alpha(x)$ that passively absorbs terrain bumps ($\Delta Q_{\text{compute}} \approx 0$, total power 30–55W); clicking "Inject Saddle Micro-Pulse" shows the controller injecting energy only during the brief saddle crossing $\mathcal{R}_\alpha \to \mathcal{R}_\beta$; ② Switch to **"Rigid High-Freq Servo Mode"** and raise "Terrain Chaos λ_{terrain}" to watch the 1,000 Hz control loop fight every ground bump, spiking power to 600W–950W, overheating joints, and triggering **servo torque saturation & stumbling**; ③ Click **"Start Physical Niche Construction"** to watch the robot expend mechanical work ΔW sweeping clutter into a standardized bin and laying magnetic fiducial

> rails—collapsing high-dissipation "$O(k)$ **Wilderness Search**" into **99.99%-reliable** "$O(1)$ **Rail-Guided Operation**".

---

7. The Largest Theory-to-Reality Uncertainties and a Network Bounty Protocol for Verifiable Bench-Level Facts (Epistemic Bounty Marketplace)

SE-2026.10024v1 [cond-mat.stat-mech] 24 Oct 2026

> **Core Methodological Shift (2026-10-24):**
> There is inevitably a massive gap between theory and physical reality—especially in the final frontier (physical embodiment and biological/somatic homeostatic coupling). Much of the decisive knowledge does not live in top-tier academic papers; it lives in the hands of mid-level and frontline bench technicians (lab experimentalists, test engineers, clinical technicians, production-line debuggers). We must identify where the largest Uncertainties in this theory lie, publish concrete problems as Network Bounties, price them in tiers by Verifiable Facts, and acquire frontline Expert Knowledge directly from the bench."

Why do academic papers look seamless in theory while physical prototypes immediately stall on the bench? Because top-level papers routinely omit **boundary losses, parasitic impedances, material fatigue, and individual phase-space drift**. That "dirty data" is precisely what settles every day onto the oscilloscope screens and fault logs of lab technicians and production test engineers.

To prevent LLM-generated platitudes from gaming the bounty pool, we directly reuse this open-source architecture's battle-tested `Claim-Receipt` evidentiary protocol and the physical `Language != State` gate: **pure text prose is rejected at $0 without exception; only "Verifiable Facts" accompanied by raw instrument waveforms, untampered timeseries logs, reproducible counterexamples, or measured calibration recipes trigger 3-tier bounty settlement.**

> **Protocol & Design Specification Disclaimer:** This static page executes NO live payment or auto-disbursement; it is an opt-in future protocol via GitHub PR/Issue, dollar figures are reference pricing, and the JSON sha256 is an illustrative truncated placeholder. All submitted evidentiary bundles undergo offline/CI `r-verify` independent reproduction before any reference settlement ($50–2,500 rubric).

ANTI-SLOP VERIFICATION & 3-TIER SETTLEMENT FLOW · SUBMISSION → LANGUAGE != STATE GATE → R-VERIFY SETTLEMENT

SE-2026.10024v1 [cond-mat.stat-mech / cs.AI] 24 Oct 2026

SE-2026.10024v1 [cond-mat.stat-mech / cs.AI] 24 Oct 2026

① EXTERNAL SUBMISSION (FRONTLINE BENCH TECHNICIANS)

S1 · Pure LLM Prose / Unanchored Literature Review
No raw instrument waveforms, no SHA-256 timeseries log

S2 · Tier 1: Bench Failure Params + Scope Screenshot
Specific part/protocol numbers + measured failure bounds + scope capture

S3 · Tier 2: Raw Timeseries EDF/CSV + Repro Script
Uncropped raw log + SHA-256 + phase-transition verification script

S4 · Tier 3: Blind-Tested Phase-Locked Recipe / STEP Firmware
Independently reproducible bench fix + blind-tested $\eta_{\mathcal{F}}$ target met

PHYSICAL GATE

Language != State

Verification Gate `r-verify` CI

Checks SHA-256 · Waveform SNR · Script Repro

② AUTOMATED VERIFICATION & REFERENCE SETTLEMENT (R-VERIFY)

No Physical Anchor → $0 Auto-Rejected
Zero entropy reduction ($\Delta H = 0\%$), discarded before ingestion

Bench Params Verified → 50–150 Settlement
`raw` → `speculative` anchor, uncertainty ΔH -28%

Timeseries Repro Verified → 200–600 Settlement
`survived-stress-test` edge, uncertainty ΔH -65%

Blind-Test Bench Target Met → 800–2,500 Settlement
Authoritative knowledge ingested (confidence ≥ 0.85), uncertainty ΔH -95%

7.1 Top Bench-Level Uncertainties Across the Four Embodiment Pillars (Deep-Dive on Pillar IV)

Priority Bounty Zone U4 · Pillar IV (Deep-Dive)

Bio-Digital Hybrids & Direct Physical Dialogue with Somatic Homeostatic Attractor Basins (Somatic & Bio-Electric Basin Steering)

This is the most transformative yet physiologically uncertain link in the entire framework. We seek verifiable bench facts directly from **acoustic physical therapists, transcutaneous vagus nerve stimulation (taVNS/PEMF) clinical technicians, EEG/HRV biofeedback engineers, and multi-electrode array (MEA) brain-organoid wet-lab technicians**:

SE-2026.10024v1 [cond-mat.stat-mech / sys.AI] 24 Oct 2026

SE-2026.10024v1 [cs.AI] 24 Oct 2026

Bounty #B4-01 Saddle-Point Readout Latency

Fastest Non-Invasive Physical Readout Metric & Latency Fault for Saddle-Point Crossing

Core Reality Fault:

When we stimulate the body with resonant acoustic waves or micro-currents to steer the autonomic nervous system from a "high-entropy stress/inflammatory basin $\mathcal{R}_{\text{stress}}$" back into a "low-entropy homeostatic basin $\mathcal{R}_{\text{health}}$", **what is the fastest physical readout metric that confirms within 3–10 seconds that the system has genuinely crossed the phase-space Saddle Point rather than experiencing transient sensory masking?**

(High-frequency HRV phase coherence? Electrodermal micro-fluctuation index? Pupillary micro-tremor frequency shift? Or respiratory–cardiac phase-locking value PLV?)

Target Bench-Expert Audience:

Autonomic neurophysiology test specialists, clinical polysomnography & neuromodulation technicians.

Deliverable Receipt Requirement:

Synchronously recorded multi-channel physiological raw timeseries (EDF/CSV + SHA-256 hash) + stimulation timestamps + SNR & sham-controlled blind comparison distinguishing "true cross-basin homeostatic transition" from "transient sensory relaxation".

Reference Pricing: Tier 1: $150 | Tier 2: $500 | Tier 3: $2,000

Bounty #B4-02 Somatic Encoding Window

Phase-Locked Tissue Encoding Windows & Acoustic/Bioelectric Impedance Attenuation Tables

Core Reality Fault:

When encoding control signals into physical pulses that living tissue natively understands, what is the true frequency-dependent attenuation spectrum of acoustic mechanical waves or micro-electric fields traversing skin, deep fascia, and cranial bone? By how many fold does the **optimal respiratory/cardiac phase-locked injection window discovered by frontline clinicians (e.g., end-expiratory pause phase vs. inspiratory peak)** reduce the stimulation energy dissipation Σ required to evoke vagal parasympathetic activation?

Target Bench-Expert Audience:

Vibroacoustic & somatic audio engineers, wearable transcranial/transcutaneous stimulation hardware debuggers.

Deliverable Receipt Requirement:

Physiological dose-response curves across respiratory phases/frequency bands (Dose-Response Log) and multi-point measured acoustic/electrical impedance attenuation matrices.

Reference Pricing: Tier 1: $120 | Tier 2: $450 | Tier 3: $1,800

arXiv:SE-2026.10024v1 [cs.LG] 24 Oct 2026

Bounty #B4-03 Wetware Habituation Reset

Living Organoid / Neural Wetware Habituation Drift & Artificial Slow-Wave Entropy-Flush Recipes

Core Reality Fault:

In human brain organoids cultured on multi-electrode arrays (MEAs, e.g., DishBrain / FinalSpark wetware), 2–4 hours of continuous high-frequency closed-loop stimulation triggers irreversible synaptic receptor endocytosis and attractor drift, stalling learning. What specific **intermittent rest duty cycles, microfluidic perfusion schedules, or slow-wave synchronous electrical pulses (artificial slow-wave sleep to flush nostalgic entropy $I_{\text{nostalgia}}$)** do wet-lab technicians use to restore substrate learning rates?

Target Bench-Expert Audience:

Neuro-electrophysiology wet-lab technicians, organoid-on-chip R&D engineers.

Deliverable Receipt Requirement:

Raw MEA spike raster recordings (Spike Raster CSV) + free-energy minimization convergence curves before and after habituation reset.

Reference Pricing: Tier 1: $150 | Tier 2: $600 | Tier 3: $2,500

Bounty Zone U1 · Pillar I

Thermodynamic Sampling Chips & Joule-Heated Self-Learning Meshes (Thermodynamic & Memristive Hardware)

Targeting **mixed-signal IC layout engineers, RRAM/PCM wafer test engineers, and analog compute-in-memory hardware debuggers**:

cs.AI] 24 Oct 2026
SE-2026.10024v1 [cs.ET] Submitted

Bounty #B1-01 Peripheral ADC/DAC Energy Wall

Peripheral ADC/DAC Power Consumption Wall & Parasitic Noise Redlines

Core Reality Fault:

In theory, a nanoscale p-bit core consumes only microjoules or femtojoules per thermal sample ($10^4\times$ efficiency gain). In post-silicon bench measurements, however,

what fraction of total system power is devoured by peripheral high-precision ADCs/DACs, PLLs, and thermal bias-compensation circuits?

At what crossbar array scale ($N \times N$) do interconnect parasitic RC delays and $1/f$ flicker noise completely break Langevin thermodynamic geodesic convergence?

Target Bench-Expert Audience:

Mixed-signal IC layout engineers, RRAM/PCM wafer test specialists, analog compute-in-memory hardware debuggers.

Deliverable Receipt Requirement:

Measured die/PCB power breakdown tables or post-layout parasitic-extracted (PEX) SPICE transient noise logs.

Reference Pricing: Tier 1: 100|$Tier2$:400 | Tier 3: $1,500

Bounty #B1-02 Memristive Metric Endurance

Endurance Limits & Conductance Drift of Physical Metric Self-Annealing

Core Reality Fault:

When using Joule heating to irreversibly rewrite memristor conductance ($\Delta Q \rightarrow \Delta G_{ij}$) for backprop-free physical learning, after how many continuous pulse cycles do devices suffer stuck-at faults? Once powered down, how long does the sculpted low-resistance geodesic state persist before conductance relaxation erases the learned metric?

Target Bench-Expert Audience:

RRAM/PCM wafer probe technicians, non-volatile memory reliability engineers, analog compute-in-memory debuggers.

Deliverable Receipt Requirement:

Wafer-prober measured 10^6-cycle endurance curves and log-time conductance retention/drift datasets.

Reference Pricing: Tier 1: 80|$Tier2$:350 | Tier 3: $1,200

Bounty Zone U2 · Pillar II

Morphological Computation & 3D-Printed Metamaterial Bodies

Targeting **soft-robotics fabrication technicians, multi-material TPU/elastomer 3D-printing engineers, and compliant actuator debuggers**:

Bounty Zone U3 · Pillar III

Hardware Dendritic Gating & Active Niche-Constructing Robotics

Targeting **industrial automation field engineers, domestic service-robot SLAM deployment technicians, and warehouse AGV integrators**:

SE-2026.10024v1 [cond-mat.soft] 21 Oct 2026

Bounty #B2-01 Viscoelastic Basin Drift

Viscoelastic Creep-Induced Potential-Well Drift & Boundary-Locking Processes

Core Reality Fault:

After casting a low-entropy viability basin $V_\alpha(x)$ into variable-stiffness photopolymer/TPU metamaterial joints, by how many degrees does polymer stress relaxation shift the mechanical saddle point after 10^4 dynamic loading cycles or an ambient temperature swing of $\Delta T = 15^\circ\text{C}$? What physical inserts (e.g., braided Kevlar limit sheaths, metallic-glass bistable reeds) do bench technicians embed to lock the basin boundaries?

Target Bench-Expert Audience:

Soft-robotics fabrication technicians, multi-material TPU/elastomer 3D-printing engineers, robotic actuator test technicians.

Deliverable Receipt Requirement:

Raw force–displacement hysteresis loop CSV files before and after 10^4 dynamic cycles + anti-creep insert CAD/STEP files.

Reference Pricing: Tier 1: 80|Tier2 :300 | Tier 3: $1,000

Bounty #B3-01 Niche Decay Rate

Entropy-Rebound Half-Life of Constructed Physical Niches $\mathcal{R}_\gamma$ in Human Co-Habitation

Core Reality Fault:

Once a robot expends mechanical work ΔW to deploy passive optical/RF fiducial beacons and magnetic guide strips across a cluttered room, what is the effective half-life ($t_{1/2}$ in days) of that low-entropy region $\mathcal{R}_\gamma$ under real domestic traffic (foot traffic, vacuuming vibration, pets, grease/dust fouling)? What is the cheapest, most rugged "stick-and-forget" physical fiducial BOM proven in field deployments?

Target Bench-Expert Audience:

Industrial automation field engineers, domestic robot SLAM deployment technicians, warehouse AGV system integrators.

Deliverable Receipt Requirement:

Multi-site field failure ticket statistics (MTBF logs) and ruggedized fiducial Bill of Materials (BOM).

Reference Pricing: Tier 1: 60|Tier2 :250 | Tier 3: $800

7.2 "Pay Only for Verifiable Facts": 3-Tier Bounty Pricing Rubric & Anti-Slop Verification

To route funds exclusively to frontline technicians with real bench evidence—and block AI-generated secondary summaries at the door—every bounty is governed by a three-tier verifiable receipt ladder (settled only after passing independent `r-verify` and structured `Claim-Receipt` validation):

arXiv:2604.24022v1 [cs.AI] 24 Apr 2026

Bounty Tier	Hard Deliverable Threshold (`Language != State`)	Per-Item Reference Pricing	`cognitive_state` tag
Tier 1 · Bench Failure-Mode & Parameter Receipt *(Bench Failure-Mode Receipt)*	Zero tolerance for generic prose; must provide **exact part numbers / physiological protocol parameters, measured failure threshold intervals, instrument screenshots / oscilloscope waveforms / bench captures**, plus a single-sentence falsifiable fault attribution	50–150	`raw` → `speculative` (with frontline bench anchor)
Tier 2 · Raw Experimental Dataset & Reproducible Counterexample *(Reproducible Raw Log & Counterexample)*	Includes **uncropped raw timeseries data (CSV/EDF/HDF5 + SHA-256 hash)**, bench wiring/acquisition setup notes, and an executable verification script that directly reproduces or falsifies the phase-transition/drift curve	200–600	`survived-stress-test` (`reproduces` / `falsifies` edge)
Tier 3 · Blind-Tested Calibration Recipe or Bench Fix *(Verified Calibration Recipe / Bench Fix)*	Provides an independently reproducible **hardware modification recipe, phase-locked stimulation parameter bundle, or anti-creep mechanical insert file (STEP/Gerber/Code)** that meets target efficiency $\eta_{\mathcal{F}}$ or homeostatic retention on our held-out blind validation bench	800–2,500	`survived-stress-test` (ingested at confidence ≥ 0.85)

7.3 How to Submit & Settle: Structured `Claim-Receipt` Evidentiary Flow

Any technician or experimentalist holding bench measurements can submit a structured receipt bundle conforming to `CLAIM-RECEIPT.md` via GitHub Pull Request or Issue (below is an illustrative bundle for bounty `#B4-01`; note that `This static page executes NO live payment or auto-disbursement; it is an opt-in future protocol via GitHub PR/Issue, dollar figures are reference pricing, and the JSON sha256 is an illustrative truncated placeholder.`):

SE-2026.10024v1 [cond-mat.stat-mech] 24 Oct 2026

```
{
  "claim_id": "claim-bounty-b4-01-hrv-latency",
  "bounty_target": "#B4-01",
  "tier_applied": "Tier-2",
  "author_seat": "external-contributor",
  "timestamp": "2026-10-24T12:00:00Z",
"verifiable_artifacts": [
  {
    "file": "data/20261024_taVNS_respiratory_phase_eeg_hrv.edf",
    "sha256": "4a7d...3f21",
    "instrument": "OpenBCI Cyton + Polar H10",
    "sampling_rate_hz": 250
  }
],
 "falsifiable_finding": "Injecting 25Hz/1.5mA taVNS during end-expiratory phase [pi, 3pi/2] shortens saddle-point transition latency from 14.2s (inspiratory phase) to 4.1s, reaches PLV 0.78 confirming homeostatic basin entry, and reduces total stimulation power by 68%.",
"verification_script": "scripts/verify_b4_01_plv.py"
}
```

Automated CI runs `r-verify` to validate artifact integrity (SHA-256 hash and sampling-rate checks) and executes the reproduction script; once verified free of fabrication, the protocol settles according to the 3-tier reference pricing rubric and merges the fact as a high-confidence node into the public evolutionary knowledge graph.

Interactive Physics Sandbox F · Anti-Slop Bounty Verification & Epistemic Settlement

Anti-Slop Bounty Verification: Language != State Gate and 3-Tier Verifiable Settlement

Blind-Test-Passed · Authoritative-Admitted

SE-2026.10024v1 [cond-mat.stat-mech / cs.AI] 24 Oct 2026

Cumulative Bounty Payout $

$2,000

Last settled: #B4-02 (+$2000)

Rejected AI Slop Count

0 ($0)

Blocked automatically by Language != State gate

Knowledge Entropy Drop ΔH_{total} %


-95.0%

Single-item ΔH -95% (authoritative ⩾0.85 (-95%))

Remaining Uncertainty %

5.0%

Pillar U4 uncertainty annealed downward



> **Verification Gate Guide:** Pure LLM prose lacks any physical instrument anchor and is always rejected at $0 at the `Language != State` gate (zero entropy reduction $\Delta H = 0\%$, never polluting the knowledge graph); only verifiable physical facts carrying raw waveforms, untampered timeseries (EDF/CSV + SHA-256), or blind-tested engineering recipes pass the gate—lowering the uncertainty bars across the four embodiment pillars and settling at Tier 1 (50–150, ΔH -28%), Tier 2 (200–600, ΔH -65%), or Tier 3 (800–2,500, ΔH -95%). Raising the Verification Strictness slider enforces stricter signal-to-noise screening on borderline Tier 1 receipts.

8. Five Immediately Actionable Formalization and

SE-2026.10024v1 [cond-mat.stat-mech / cs.AI] 24 Oct 2026

Experimental Directions

Along this research trajectory, we advance five concrete physics-meets-AI formalization directions and interactive verification deliverables:

1. **Define the Unified "Future-Reaching Thermodynamic Efficiency ($\eta_{\mathcal{F}}$)" Metric**:
   Couple Landauer's erasure bound, Still's thermodynamic predictive efficiency, and the Wasserstein speed limit into a single dimensionless efficiency index applicable to any learning substrate (biological neural circuits, thermodynamic SPUs, robotic metamaterial morphologies, or evolving software/hardware substrates):

   UNIFIED DIMENSIONLESS FUTURE-REACHING EFFICIENCY $H_{\mathcal{F}}$

   $$\eta_{\mathcal{F}} = \frac{\mathcal{W}_2^2(p_0, p_{\text{future}})/(2D\tau)}{\Delta Q_{\text{total}}/T} \in [0,1]$$

2. **Empirical Calibration on the 505-Session / 15,068-Step Trajectory Ledger**:
   Map the detour temperature $T_d = 8.89\%$ and topological shortcut annealing from `Substrate RL` directly onto $\mathcal{W}_2$ metric contraction and $\eta_{\mathcal{F}}$ improvement curves—demonstrating empirically that transitioning from $O(k)$ exploratory search to $O(1)$ local structure maintenance obeys the thermodynamic speed limit.

3. **Grounded-Atlas Anti-Forgetting Potential-Well Measure**:
   Quantify the orthogonal retention projections $\mathcal{P}_\alpha$ across distinct Grounded Regions, measuring cross-basin transition barriers $\Delta F_{\alpha\to\beta}$, hardware dendritic voltage-gated isolation fidelity in memristive arrays, and the mechanical work-to-reliability conversion ratio of active physical niche construction.

4. **Six Interactive Physics Benches (Simulators A–F Sandbox)**:
   Delivered directly in this page's six parameter-tunable benches (A through F): ① Reversible computation vs. irreversible Landauer erasure phase-space contraction and heat dissipation (Bench A); ② Fastest future-reaching at minimum dissipation: TSL Wasserstein geodesic vs. blind detour search (Bench B); ③ Two-timescale local structure maintenance under chaotic fluctuations (fast susceptibility χ × slow spectral gap $\Delta\lambda$) and jagged intelligence with vs. without irreversible stake (Bench C); ④ Grounded low-entropy atlas transitions and anti-catastrophic-forgetting orthogonal gating (Bench D); ⑤ Physical embodiment comparison: rigid kilohertz servo motors vs. morphological metamaterial passive basins + active niche-constructing robots (Bench E); and ⑥ **Anti-Slop Bounty Verification Bench**: the `Language != State` gate and 3-tier verifiable settlement (Bench F).

5. **Network-Bounty Fact Injection to Cut Physical-Embodiment Prediction Error by an Order of Magnitude**:
   Ingest frontline bench timeseries, memristive endurance logs, and metamaterial viscoelastic creep parameters acquired through the Epistemic Bounty Marketplace into our multiphysics simulation models—calibrating pure mathematical assumptions

against dirty bench reality and reducing physical-embodiment prediction error by an order of magnitude.

Apache-2.0 Documentation Layer · 8 theoretical sections and 6 client-side interactive physics simulators (Simulators A/B/C/D/E/F); contains zero private transcripts, credentials, or personal data (PCSE-Clean).

SE-2026.10024v1 [cond-mat.stat-mech / cs.AI] 24 Oct 2026

How to Cite & Index This Preprint

This is an open, self-hosted preprint in the **System Evolution** series (arXiv-style, Apache-2.0, BYOK). Stable identifier: `SE-2026.10024v1` [cond-mat.stat-mech / cs.AI] 24 Oct 2026. Canonical landing page: https://machengshen.github.io/system-evolution-public/papers/index.html. Machine clients may index `papers/catalog.json` and the root `CITATION.cff`.

```
@techreport{shen2026physicslearning,
  author      = {Shen, Macheng},
  title       = {The First-Principles Physics of Learning and Intelligence: Irreversible Comp
utation, the Thermodynamic Speed Limit, and Grounded Dissipative Structure},
  institution = {System Evolution (self-hosted open preprint series)},
  number      = {SE-2026.10024v1},
  year        = {2026},
  month       = {oct},
  note        = {System Evolution Preprint SE-2026.10024v1},
  howpublished= {\url{https://machengshen.github.io/system-evolution-public/papers/SE-2026.10
024-physics-of-learning-en.pdf}}
}
```

APA: Shen, M. (2026). The First-Principles Physics of Learning and Intelligence: Irreversible Computation, the Thermodynamic Speed Limit, and Grounded Dissipative Structure. System Evolution Preprint SE-2026.10024v1. https://machengshen.github.io/system-evolution-public/papers/SE-2026.10024-physics-of-learning-en.pdf

PDF SHA-256 is published on the preprint index page and in `papers/catalog.json` for integrity verification.